## Graham Dunn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1000924/publications.pdf

Version: 2024-02-01

136950 168389 5,779 53 32 53 citations h-index g-index papers 69 69 69 5270 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Psychological investigation of the structure of paranoia in a non-clinical population. British Journal of Psychiatry, 2005, 186, 427-435.	2.8	579
2	Depressive disorders in Europe: prevalence figures from the ODIN study. British Journal of Psychiatry, 2001, 179, 308-316.	2.8	459
3	London–East Anglia randomised controlled trial of cognitive–behavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 319-327.	2.8	387
4	Reasoning, Emotions, and Delusional Conviction in Psychosis Journal of Abnormal Psychology, 2005, 114, 373-384.	1.9	379
5	The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. Psychological Medicine, 2006, 36, 749-759.	4.5	340
6	Two-phase epidemiological surveys in psychiatric research. British Journal of Psychiatry, 1999, 174, 95-100.	2.8	258
7	London–East Anglia randomised controlled trial of cognitive–behavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 420-426.	2.8	253
8	Effects of cognitive behaviour therapy for worry on persecutory delusions in patients with psychosis (WIT): a parallel, single-blind, randomised controlled trial with a mediation analysis. Lancet Psychiatry,the, 2015, 2, 305-313.	7.4	207
9	London-East Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. British Journal of Psychiatry, 1998, 173, 61-68.	2.8	198
10	Why Do People With Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation Journal of Consulting and Clinical Psychology, 2004, 72, 671-680.	2.0	183
11	Problem solving treatment and group psychoeducation for depression: multicentre randomised controlled trial. BMJ: British Medical Journal, 2000, 321, 1450-1450.	2.3	180
12	Novel immunologic classification of aspergillosis in adult cystic fibrosis. Journal of Allergy and Clinical Immunology, 2013, 132, 560-566.e10.	2.9	180
13	Virtual reality in the treatment of persecutory delusions: Randomised controlled experimental study testing how to reduce delusional conviction. British Journal of Psychiatry, 2016, 209, 62-67.	2.8	180
14	Estimating treatment effects from randomized clinical trials with noncompliance and loss to follow-up: the role of instrumental variable methods. Statistical Methods in Medical Research, 2005, 14, 369-395.	1.5	161
15	The London-East Anglia randomized controlled trial of cognitive-behaviour therapy for psychosis IV: Self-esteem and persecutory delusions. British Journal of Clinical Psychology, 1998, 37, 415-430.	3 <b>.</b> 5	152
16	A Randomized Experimental Investigation of Reasoning Training for People With Delusions. Schizophrenia Bulletin, 2011, 37, 324-333.	4.3	124
17	Impact of treatment for opioid dependence on fatal drugâ€related poisoning: a national cohort study in England. Addiction, 2016, 111, 298-308.	3.3	124
18	Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: A longitudinal investigation of the structure, frequency, and relatedness of reasoning biases Journal of Abnormal Psychology, 2012, 121, 129-139.	1.9	123

#	Article	IF	CITATIONS
19	Targeting reasoning biases in delusions: A pilot study of the Maudsley Review Training Programme for individuals with persistent, high conviction delusions. Journal of Behavior Therapy and Experimental Psychiatry, 2011, 42, 414-421.	1.2	104
20	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. Schizophrenia Bulletin, 2015, 41, 400-410.	4.3	102
21	Modelling treatment-effect heterogeneity in randomized controlled trials of complex interventions (psychological treatments). Statistics in Medicine, 2007, 26, 4719-4745.	1.6	100
22	An early Phase II randomised controlled trial testing the effect on persecutory delusions of using CBT to reduce negative cognitions about the self: The potential benefits of enhancing self confidence. Schizophrenia Research, 2014, 160, 186-192.	2.0	99
23	Evaluation and validation of social and psychological markers in randomised trials of complex interventions in mental health: a methodological research programme. Health Technology Assessment, 2015, 19, 1-116.	2.8	84
24	Describing, explaining or predicting mental health care costs: a guide to regression models. British Journal of Psychiatry, 2003, 183, 398-404.	2.8	76
25	The cognitive behavioural prevention of suicide in psychosis: A clinical trial. Schizophrenia Research, 2014, 156, 204-210.	2.0	65
26	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. Journal of Behavior Therapy and Experimental Psychiatry, 2015, 48, 82-89.	1.2	64
27	Cantabria First-Episode Schizophrenia Study: three-year follow-up. British Journal of Psychiatry, 1999, 174, 141-149.	2.8	63
28	The multidimensional measurement of the positive symptoms of psychosis. International Journal of Methods in Psychiatric Research, 2007, 16, 88-96.	2.1	56
29	Cognitive therapy for internalised stigma in people experiencing psychosis: A pilot randomised controlled trial. Psychiatry Research, 2016, 240, 96-102.	3.3	53
30	Rapid detection of health-care-associated bloodstream infection in critical care using multipathogen real-time polymerase chain reaction technology: a diagnostic accuracy study and systematic review. Health Technology Assessment, 2015, 19, 1-142.	2.8	46
31	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. Trials, 2017, 18, 510.	1.6	44
32	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. JMIR Mental Health, 2018, 5, e11222.	3.3	44
33	Patient Perceptions of Caregiver Criticism in Psychosis. Journal of Nervous and Mental Disease, 2009, 197, 85-91.	1.0	35
34	Targeting Recovery in Persistent Persecutory Delusions: A Proof of Principle Study of a New Translational Psychological Treatment (the Feeling Safe Programme). Behavioural and Cognitive Psychotherapy, 2016, 44, 539-552.	1.2	30
35	Beyond total treatment effects in randomised controlled trials: Baseline measurement of intermediate outcomes needed to reduce confounding in mediation investigations. Clinical Trials, 2018, 15, 247-256.	1.6	28
36	Regression Models for Method Comparison Data. Journal of Biopharmaceutical Statistics, 2007, 17, 739-756.	0.8	23

#	Article	IF	CITATIONS
37	Evaluating screening questionnaires using receiver Operating Characteristic (ROC) curves from two-phase (double) samples. International Journal of Methods in Psychiatric Research, 2000, 9, 121-133.	2.1	17
38	Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). Journal of Experimental Psychopathology, 2012, 3, 582-593.	0.8	17
39	The problem of measurement error in modelling the effect of compliance in a randomized trial. , 1999, 18, 2863-2877.		14
40	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 459-466.	1.2	14
41	Estimating the causal effects of treatment. Epidemiologia E Psichiatria Sociale, 2002, 11, 206-215.	0.9	13
42	Delivery of cognitive-behaviour therapy for psychosis: a service user preference trial. Journal of Mental Health, 2018, 27, 336-344.	1.9	13
43	Assessing Cognitive Therapy Instead Of Neuroleptics: Rationale, study design and sample characteristics of the ACTION trial. Psychosis, 2013, 5, 82-92.	0.8	10
44	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. Health Expectations, 2022, 25, 191-202.	2.6	8
45	The need for closure in caregivers of people with psychosis. Epidemiologia E Psichiatria Sociale, 2010, 19, 159-167.	0.9	7
46	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. Schizophrenia Bulletin Open, 2020, $1,\ldots$	1.7	6
47	Effect of initiating drug treatment on the risk of drug-related poisoning death and acquisitive crime among offending heroin users. International Journal of Drug Policy, 2018, 51, 42-51.	3.3	5
48	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-90.	0.7	4
49	Confounding in longitudinal studies in addiction treatment research. Addiction Research and Theory, 2017, 25, 236-242.	1.9	3
50	The impact of moderator by confounder interactions in the assessment of treatment effect modification: a simulation study. BMC Medical Research Methodology, 2022, 22, 88.	3.1	3
51	The service user experience of SlowMo therapy: A coâ€produced thematic analysis of service users' subjective experience. Psychology and Psychotherapy: Theory, Research and Practice, 2022, 95, 680-700.	2.5	3
52	Minocycline for negative symptoms of schizophrenia and possible mechanistic actions: the BeneMin RCT. Efficacy and Mechanism Evaluation, 2019, 6, 1-66.	0.7	2
53	Psychotherapy for Depression. , 0, , 377-393.		2