

Graham Dunn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1000924/publications.pdf>

Version: 2024-02-01

53
papers

5,779
citations

136950

32
h-index

168389

53
g-index

69
all docs

69
docs citations

69
times ranked

5270
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. <i>Health Expectations</i> , 2022, 25, 191-202.	2.6	8
2	The impact of moderator by confounder interactions in the assessment of treatment effect modification: a simulation study. <i>BMC Medical Research Methodology</i> , 2022, 22, 88.	3.1	3
3	The service user experience of SlowMo therapy: A co-produced thematic analysis of service users' subjective experience. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 680-700.	2.5	3
4	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-90.	0.7	4
5	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	1.7	6
6	Minocycline for negative symptoms of schizophrenia and possible mechanistic actions: the BeneMin RCT. <i>Efficacy and Mechanism Evaluation</i> , 2019, 6, 1-66.	0.7	2
7	Delivery of cognitive-behaviour therapy for psychosis: a service user preference trial. <i>Journal of Mental Health</i> , 2018, 27, 336-344.	1.9	13
8	Beyond total treatment effects in randomised controlled trials: Baseline measurement of intermediate outcomes needed to reduce confounding in mediation investigations. <i>Clinical Trials</i> , 2018, 15, 247-256.	1.6	28
9	Effect of initiating drug treatment on the risk of drug-related poisoning death and acquisitive crime among offending heroin users. <i>International Journal of Drug Policy</i> , 2018, 51, 42-51.	3.3	5
10	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. <i>JMIR Mental Health</i> , 2018, 5, e11222.	3.3	44
11	Confounding in longitudinal studies in addiction treatment research. <i>Addiction Research and Theory</i> , 2017, 25, 236-242.	1.9	3
12	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 510.	1.6	44
13	Targeting Recovery in Persistent Persecutory Delusions: A Proof of Principle Study of a New Translational Psychological Treatment (the Feeling Safe Programme). <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 539-552.	1.2	30
14	Cognitive therapy for internalised stigma in people experiencing psychosis: A pilot randomised controlled trial. <i>Psychiatry Research</i> , 2016, 240, 96-102.	3.3	53
15	Impact of treatment for opioid dependence on fatal drug-related poisoning: a national cohort study in England. <i>Addiction</i> , 2016, 111, 298-308.	3.3	124
16	Virtual reality in the treatment of persecutory delusions: Randomised controlled experimental study testing how to reduce delusional conviction. <i>British Journal of Psychiatry</i> , 2016, 209, 62-67.	2.8	180
17	Effects of cognitive behaviour therapy for worry on persecutory delusions in patients with psychosis (WIT): a parallel, single-blind, randomised controlled trial with a mediation analysis. <i>Lancet Psychiatry</i> , 2015, 2, 305-313.	7.4	207
18	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 82-89.	1.2	64

#	ARTICLE	IF	CITATIONS
19	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 400-410.	4.3	102
20	Rapid detection of health-care-associated bloodstream infection in critical care using multipathogen real-time polymerase chain reaction technology: a diagnostic accuracy study and systematic review. <i>Health Technology Assessment</i> , 2015, 19, 1-142.	2.8	46
21	Evaluation and validation of social and psychological markers in randomised trials of complex interventions in mental health: a methodological research programme. <i>Health Technology Assessment</i> , 2015, 19, 1-116.	2.8	84
22	An early Phase II randomised controlled trial testing the effect on persecutory delusions of using CBT to reduce negative cognitions about the self: The potential benefits of enhancing self confidence. <i>Schizophrenia Research</i> , 2014, 160, 186-192.	2.0	99
23	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 459-466.	1.2	14
24	The cognitive behavioural prevention of suicide in psychosis: A clinical trial. <i>Schizophrenia Research</i> , 2014, 156, 204-210.	2.0	65
25	Assessing Cognitive Therapy Instead Of Neuroleptics: Rationale, study design and sample characteristics of the ACTION trial. <i>Psychosis</i> , 2013, 5, 82-92.	0.8	10
26	Novel immunologic classification of aspergillosis in adult cystic fibrosis. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 560-566.e10.	2.9	180
27	Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: A longitudinal investigation of the structure, frequency, and relatedness of reasoning biases.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 129-139.	1.9	123
28	Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). <i>Journal of Experimental Psychopathology</i> , 2012, 3, 582-593.	0.8	17
29	Targeting reasoning biases in delusions: A pilot study of the Maudsley Review Training Programme for individuals with persistent, high conviction delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 414-421.	1.2	104
30	A Randomized Experimental Investigation of Reasoning Training for People With Delusions. <i>Schizophrenia Bulletin</i> , 2011, 37, 324-333.	4.3	124
31	The need for closure in caregivers of people with psychosis. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 159-167.	0.9	7
32	Patient Perceptions of Caregiver Criticism in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 85-91.	1.0	35
33	Regression Models for Method Comparison Data. <i>Journal of Biopharmaceutical Statistics</i> , 2007, 17, 739-756.	0.8	23
34	The multidimensional measurement of the positive symptoms of psychosis. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 88-96.	2.1	56
35	Modelling treatment-effect heterogeneity in randomized controlled trials of complex interventions (psychological treatments). <i>Statistics in Medicine</i> , 2007, 26, 4719-4745.	1.6	100
36	The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. <i>Psychological Medicine</i> , 2006, 36, 749-759.	4.5	340

#	ARTICLE	IF	CITATIONS
37	Psychological investigation of the structure of paranoia in a non-clinical population. <i>British Journal of Psychiatry</i> , 2005, 186, 427-435.	2.8	579
38	Estimating treatment effects from randomized clinical trials with noncompliance and loss to follow-up: the role of instrumental variable methods. <i>Statistical Methods in Medical Research</i> , 2005, 14, 369-395.	1.5	161
39	Reasoning, Emotions, and Delusional Conviction in Psychosis.. <i>Journal of Abnormal Psychology</i> , 2005, 114, 373-384.	1.9	379
40	Why Do People With Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation.. <i>Journal of Consulting and Clinical Psychology</i> , 2004, 72, 671-680.	2.0	183
41	Describing, explaining or predicting mental health care costs: a guide to regression models. <i>British Journal of Psychiatry</i> , 2003, 183, 398-404.	2.8	76
42	Estimating the causal effects of treatment. <i>Epidemiologia E Psichiatria Sociale</i> , 2002, 11, 206-215.	0.9	13
43	Depressive disorders in Europe: prevalence figures from the ODIN study. <i>British Journal of Psychiatry</i> , 2001, 179, 308-316.	2.8	459
44	Problem solving treatment and group psychoeducation for depression: multicentre randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2000, 321, 1450-1450.	2.3	180
45	Evaluating screening questionnaires using receiver Operating Characteristic (ROC) curves from two-phase (double) samples. <i>International Journal of Methods in Psychiatric Research</i> , 2000, 9, 121-133.	2.1	17
46	Cantabria First-Episode Schizophrenia Study: three-year follow-up. <i>British Journal of Psychiatry</i> , 1999, 174, 141-149.	2.8	63
47	The problem of measurement error in modelling the effect of compliance in a randomized trial. , 1999, 18, 2863-2877.		14
48	Two-phase epidemiological surveys in psychiatric research. <i>British Journal of Psychiatry</i> , 1999, 174, 95-100.	2.8	258
49	The London-East Anglia randomized controlled trial of cognitive-behaviour therapy for psychosis IV: Self-esteem and persecutory delusions. <i>British Journal of Clinical Psychology</i> , 1998, 37, 415-430.	3.5	152
50	London-East Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. <i>British Journal of Psychiatry</i> , 1998, 173, 61-68.	2.8	198
51	Londonâ€œEast Anglia randomised controlled trial of cognitiveâ€œbehavioural therapy for psychosis. <i>British Journal of Psychiatry</i> , 1997, 171, 420-426.	2.8	253
52	Londonâ€œEast Anglia randomised controlled trial of cognitiveâ€œbehavioural therapy for psychosis. <i>British Journal of Psychiatry</i> , 1997, 171, 319-327.	2.8	387
53	Psychotherapy for Depression. , 0, , 377-393.		2