# Xiao Zhang

## List of Publications by Year
in descending order

| | | | |
|---|---|---|---|
| 28<br>papers | 1,243<br>citations | 471509<br>17<br>h-index | 501196<br>28<br>g-index |
| 28<br>all docs | 28<br>docs citations | 28<br>times ranked | 1940<br>citing authors |

| # | Article | IF | Citations |
|---|---------|-----|-----------|
| 1 | YAP ISGylation increases its stability and promotes its positive regulation on PPP by stimulating 6PGL transcription. Cell Death Discovery, 2022, 8, 59. | 4.7 | 7 |
| 2 | TRIB2 modulates proteasome function to reduce ubiquitin stability and protect liver cancer cells against oxidative stress. Cell Death and Disease, 2021, 12, 42. | 6.3 | 19 |
| 3 | Endogenous glutamate determines ferroptosis sensitivity via ADCY10-dependent YAP suppression in lung adenocarcinoma. Theranostics, 2021, 11, 5650-5674. | 10.0 | 76 |
| 4 | RRM2 protects against ferroptosis and is a tumor biomarker for liver cancer. Cancer Cell International, 2020, 20, 587. | 4.1 | 79 |
| 5 | O-GlcNAcylated c-Jun antagonizes ferroptosis via inhibiting GSH synthesis in liver cancer. Cellular Signalling, 2019, 63, 109384. | 3.6 | 58 |
| 6 | CCT3 acts upstream of YAP and TFCP2 as a potential target and tumour biomarker in liver cancer. Cell Death and Disease, 2019, 10, 644. | 6.3 | 45 |
| 7 | *O*-GlcNAcylation of YY1 stimulates tumorigenesis in colorectal cancer cells by targeting SLC22A15 and AANAT. Carcinogenesis, 2019, , . | 2.8 | 21 |
| 8 | Ferroptosis is governed by differential regulation of transcription in liver cancer. Redox Biology, 2019, 24, 101211. | 9.0 | 126 |
| 9 | Angiopoietin-2 (Ang-2) is a useful serum tumor marker for liver cancer in the Chinese population. Clinica Chimica Acta, 2018, 478, 18-27. | 1.1 | 13 |
| 10 | circRNA_104075 stimulates YAP-dependent tumorigenesis through the regulation of HNF4a and may serve as a diagnostic marker in hepatocellular carcinoma. Cell Death and Disease, 2018, 9, 1091. | 6.3 | 182 |
| 11 | The essential role of YAP O-GlcNAcylation in high-glucose-stimulated liver tumorigenesis. Nature Communications, 2017, 8, 15280. | 12.8 | 160 |
| 12 | Sirt1 suppresses Wnt/β2Catenin signaling in liver cancer cells by targeting β2Catenin in a PKAβ±-dependent manner. Cellular Signalling, 2017, 37, 62-73. | 3.6 | 18 |
| 13 | 12-O-Tetradecanoylphorbol-13-acetate (TPA) is anti-tumorigenic in liver cancer cells via inhibiting YAP through AMOT. Scientific Reports, 2017, 7, 44940. | 3.3 | 14 |
| 14 | TFCP2 Is Required for YAP-Dependent Transcription to Stimulate Liver Malignancy. Cell Reports, 2017, 21, 1227-1239. | 6.4 | 46 |
| 15 | Prognostic and clinicopathologic significance of SIRT1 expression in hepatocellular carcinoma. Oncotarget, 2017, 8, 52357-52365. | 1.8 | 16 |
| 16 | Effects of exercise intervention in breast cancer survivors: a meta-analysis of 33 randomized controlled trails. OncoTargets and Therapy, 2016, 9, 2153. | 2.0 | 91 |
| 17 | Protein-protein interactions among signaling pathways may become new therapeutic targets in liver cancer (Review). Oncology Reports, 2016, 35, 625-638. | 2.6 | 8 |
| 18 | Reciprocal regulation between O-GlcNAcylation and tribbles pseudokinase 2 (TRIB2) maintains transformative phenotypes in liver cancer cells. Cellular Signalling, 2016, 28, 1703-1712. | 3.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|-----|-----------|
| 19 | High Glucose Stimulates Tumorigenesis in Hepatocellular Carcinoma Cells Through AGER-Dependent O-GlcNAcylation of c-Jun. Diabetes, 2016, 65, 619-632. | 0.6 | 46 |
| 20 | SIRT1 increases YAP- and MKK3-dependent p38 phosphorylation in mouse liver and human hepatocellular carcinoma. Oncotarget, 2016, 7, 11284-11298. | 1.8 | 21 |
| 21 | Doxorubicin induces apoptosis by targeting Madcam1 and AKT and inhibiting protein translation initiation in hepatocellular carcinoma cells. Oncotarget, 2015, 6, 24075-24091. | 1.8 | 17 |
| 22 | The association between the migration inhibitory factor -173G/C polymorphism and cancer risk: a meta-analysis. OncoTargets and Therapy, 2015, 8, 601. | 2.0 | 22 |
| 23 | CD166 positively regulates MCAM via inhibition to ubiquitin E3 ligases Smurf1 and Î²TrCP through PI3K/AKT and c-Raf/MEK/ERK signaling in Bel-7402 hepatocellular carcinoma cells. Cellular Signalling, 2015, 27, 1694-1702. | 3.6 | 29 |
| 24 | Role of Bcl-2 -938 C>A polymorphism in susceptibility and prognosis of cancer: a meta-analysis. Scientific Reports, 2015, 4, 7241. | 3.3 | 6 |
| 25 | Association of three common BARD1 variants with cancer susceptibility: a system review and meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 311-21. | 1.3 | 1 |
| 26 | Prognostic value of melanoma cell adhesion molecule expression in cancers: a meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 12056-63. | 1.3 | 1 |
| 27 | Tumor suppressor long non-coding RNA, MT1DP is negatively regulated by YAP and Runx2 to inhibit FoxA1 in liver cancer cells. Cellular Signalling, 2014, 26, 2961-2968. | 3.6 | 89 |
| 28 | Prognostic significance of interleukin 17 in cancer: a meta-analysis. International Journal of Clinical and Experimental Medicine, 2014, 7, 3258-69. | 1.3 | 13 |