

# Jeremy Horwood

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1001495/publications.pdf>

Version: 2024-02-01

102  
papers

4,684  
citations

136940

32  
h-index

118840

62  
g-index

113  
all docs

113  
docs citations

113  
times ranked

6676  
citing authors

#	ARTICLE	IF	CITATIONS
1	Complex interventions to improve physical function and maintain independent living in elderly people: a systematic review and meta-analysis. <i>Lancet</i> , The, 2008, 371, 725-735.	13.7	628
2	Prospective Study of Peer Victimization in Childhood and Psychotic Symptoms in a Nonclinical Population at Age 12 Years. <i>Archives of General Psychiatry</i> , 2009, 66, 527.	12.3	316
3	Implementation of remote consulting in UK primary care following the COVID-19 pandemic: a mixed-methods longitudinal study. <i>British Journal of General Practice</i> , 2021, 71, e166-e177.	1.4	280
4	Obesity and bullying: different effects for boys and girls. <i>Archives of Disease in Childhood</i> , 2005, 91, 121-125.	1.9	244
5	IQ and non-clinical psychotic symptoms in 12-year-olds: results from the ALSPAC birth cohort. <i>British Journal of Psychiatry</i> , 2008, 193, 185-191.	2.8	233
6	A systematic review of parent and clinician views and perceptions that influence prescribing decisions in relation to acute childhood infections in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 11-20.	1.5	143
7	Prevalence of DSM-IV Borderline Personality Disorder in Two Community Samples: 6,330 English 11-Year-Olds and 34,653 American Adults. <i>Journal of Personality Disorders</i> , 2011, 25, 607-619.	1.4	123
8	Common Visual Defects and Peer Victimization in Children. , 2005, 46, 1177.		121
9	It's safer to let parent consulting and clinician antibiotic prescribing decisions for children with respiratory tract infections: An analysis across four qualitative studies. <i>Social Science and Medicine</i> , 2015, 136-137, 156-164.	3.8	114
10	Maternal tobacco, cannabis and alcohol use during pregnancy and risk of adolescent psychotic symptoms in offspring. <i>British Journal of Psychiatry</i> , 2009, 195, 294-300.	2.8	95
11	Primary care clinician antibiotic prescribing decisions in consultations for children with RTIs: a qualitative interview study. <i>British Journal of General Practice</i> , 2016, 66, e207-e213.	1.4	91
12	Use of a primary care online consultation system, by whom, when and why: evaluation of a pilot observational study in 36 general practices in South West England. <i>BMJ Open</i> , 2017, 7, e016901.	1.9	84
13	Citizen's juries in planning research priorities: process, engagement and outcome. <i>Health Expectations</i> , 2008, 11, 272-281.	2.6	82
14	"They just say everything's a virus" Parent's judgment of the credibility of clinician communication in primary care consultations for respiratory tract infections in children: A qualitative study. <i>Patient Education and Counseling</i> , 2014, 95, 248-253.	2.2	78
15	Parents' information needs, self-efficacy and influences on consulting for childhood respiratory tract infections: a qualitative study. <i>BMC Family Practice</i> , 2013, 14, 106.	2.9	76
16	Use of an electronic consultation system in primary care: a qualitative interview study. <i>British Journal of General Practice</i> , 2018, 68, e1-e8.	1.4	76
17	What are the risks and benefits of temporarily discontinuing medications to prevent acute kidney injury? A systematic review and meta-analysis. <i>BMJ Open</i> , 2017, 7, e012674.	1.9	73
18	Implementing online consultations in primary care: a mixed-method evaluation extending normalisation process theory through service co-production. <i>BMJ Open</i> , 2018, 8, e019966.	1.9	67

#	ARTICLE	IF	CITATIONS
19	How communication affects prescription decisions in consultations for acute illness in children: a systematic review and meta-ethnography. <i>BMC Family Practice</i> , 2014, 15, 63.	2.9	65
20	Investigating if psychosis-like symptoms (PLIKS) are associated with family history of schizophrenia or paternal age in the ALSPAC birth cohort. <i>Schizophrenia Research</i> , 2008, 104, 279-286.	2.0	62
21	Living with joint hypermobility syndrome: patient experiences of diagnosis, referral and self-care. <i>Family Practice</i> , 2015, 32, 354-358.	1.9	62
22	Influence of Clinical Communication on Parents' Antibiotic Expectations for Children With Respiratory Tract Infections. <i>Annals of Family Medicine</i> , 2016, 14, 141-147.	1.9	56
23	The Self-Rating of the Effects of Alcohol Questionnaire as a Predictor of Alcohol-Related Outcomes in 12-Year-Old Subjects. <i>Alcohol and Alcoholism</i> , 2008, 43, 641-646.	1.6	49
24	Routes to total joint replacement surgery: Patients' and clinicians' perceptions of need. <i>Arthritis Care and Research</i> , 2010, 62, 1252-1257.	3.4	48
25	Refining associations between TAS2R38 diplotypes and the 6-n-propylthiouracil (PROP) taste test: findings from the Avon Longitudinal Study of Parents and Children. <i>BMC Genetics</i> , 2007, 8, 51.	2.7	46
26	Integrating quantitative and qualitative data and findings when undertaking randomised controlled trials. <i>BMJ Open</i> , 2019, 9, e032081.	1.9	42
27	Urodynamics for Prostate Surgery Trial; Randomised Evaluation of Assessment Methods (LIPSTREAM) for diagnosis and management of bladder outlet obstruction in men: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 567.	1.6	41
28	Association between locus of control in childhood and psychotic symptoms in early adolescence: Results from a large birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011, 16, 385-402.	1.3	40
29	The importance of dietary change for men diagnosed with and at risk of prostate cancer: a multi-centre interview study with men, their partners and health professionals. <i>BMC Family Practice</i> , 2014, 15, 81.	2.9	40
30	Behavior theory for dietary interventions for cancer prevention: a systematic review of utilization and effectiveness in creating behavior change. <i>Cancer Causes and Control</i> , 2013, 24, 409-420.	1.8	38
31	Living Under Coronavirus and Injecting Drugs in Bristol (LUCID-B): A qualitative study of experiences of COVID-19 among people who inject drugs. <i>International Journal of Drug Policy</i> , 2021, 98, 103391.	3.3	38
32	Unintended consequences of online consultations: a qualitative study in UK primary care. <i>British Journal of General Practice</i> , 2022, 72, e128-e137.	1.4	38
33	Unstated factors in orthopaedic decision-making: a qualitative study. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 213.	1.9	36
34	Diagnostic Assessment of Lower Urinary Tract Symptoms in Men Considering Prostate Surgery: A Noninferiority Randomised Controlled Trial of Urodynamics in 26 Hospitals. <i>European Urology</i> , 2020, 78, 701-710.	1.9	36
35	Associations between the Ability to Detect a Bitter Taste, Dietary Behavior, and Growth. <i>Annals of the New York Academy of Sciences</i> , 2009, 1170, 553-557.	3.8	34
36	Effect of local anaesthetic infiltration on chronic postsurgical pain after total hip and knee replacement. <i>Pain</i> , 2015, 156, 1161-1170.	4.2	33

#	ARTICLE	IF	CITATIONS
37	ProDiet: A Phase II Randomized Placebo-controlled Trial of Green Tea Catechins and Lycopene in Men at Increased Risk of Prostate Cancer. <i>Cancer Prevention Research</i> , 2018, 11, 687-696.	1.5	32
38	Performance of a self-report measure of the level of response to alcohol in 12- to 13-year-old adolescents.. <i>Journal of Studies on Alcohol and Drugs</i> , 2005, 66, 452-458.	2.3	30
39	Evaluating the population impact of hepatitis C direct acting antiviral treatment as prevention for people who inject drugs (EPIToPe) – a natural experiment (protocol). <i>BMJ Open</i> , 2019, 9, e029538.	1.9	30
40	The effect of local anaesthetic wound infiltration on chronic pain after lower limb joint replacement: A protocol for a double-blind randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 53.	1.9	28
41	The Rationale and Design of the Reducing Pathology in Alzheimer’s Disease through Angiotensin Targeting (RADAR) Trial. <i>Journal of Alzheimer’s Disease</i> , 2017, 61, 803-814.	2.6	28
42	Reducing COVID-19 risk in schools: a qualitative examination of secondary school staff and family views and concerns in the South West of England. <i>BMJ Paediatrics Open</i> , 2021, 5, e000987.	1.4	26
43	Conceptualising time before surgery: The experience of patients waiting for hip replacement. <i>Social Science and Medicine</i> , 2014, 116, 126-133.	3.8	25
44	Evaluating the Face Validity of the ICECAP-O Capabilities Measure: A ‘Think Aloud’ Study with Hip and Knee Arthroplasty Patients. <i>Applied Research in Quality of Life</i> , 2014, 9, 667-682.	2.4	25
45	Recommendations for conducting invasive urodynamics for men with lower urinary tract symptoms: Qualitative interview findings from a large randomized controlled trial (UPSTREAM). <i>Neurourology and Urodynamics</i> , 2019, 38, 320-329.	1.5	25
46	The performance of elements of a ‘level of response to alcohol’-based model of drinking behaviors in 13-year-olds. <i>Addiction</i> , 2008, 103, 1786-1792.	3.3	24
47	Feasibility cluster randomised controlled trial of a within-consultation intervention to reduce antibiotic prescribing for children presenting to primary care with acute respiratory tract infection and cough. <i>BMJ Open</i> , 2017, 7, e014506.	1.9	24
48	Understanding involvement in surgical orthopaedic randomized controlled trials: A qualitative study of patient and health professional views and experiences. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2016, 20, 3-12.	0.9	23
49	Clinical and Patient-reported Outcome Measures in Men Referred for Consideration of Surgery to Treat Lower Urinary Tract Symptoms: Baseline Results and Diagnostic Findings of the Urodynamics for Prostate Surgery Trial; Randomised Evaluation of Assessment Methods (UPSTREAM). <i>European Urology Focus</i> , 2019, 5, 340-350.	3.1	23
50	Challenges to and Facilitators of Recruitment to an Alzheimer’s Disease Clinical Trial: A Qualitative Interview Study. <i>Journal of Alzheimer’s Disease</i> , 2019, 69, 1067-1075.	2.6	23
51	Enhancing the quality and transparency of qualitative research methods in health psychology. <i>British Journal of Health Psychology</i> , 2019, 24, 739-745.	3.5	21
52	Urodynamics tests for the diagnosis and management of bladder outlet obstruction in men: the UPSTREAM non-inferiority RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-122.	2.8	21
53	An Evaluation of the Performance of the Self-Rating of the Effects of Alcohol Questionnaire in 12- and 35-Year-Old Subjects. <i>Journal of Studies on Alcohol and Drugs</i> , 2006, 67, 841-850.	2.3	20
54	Professional experience guides opioid prescribing for chronic joint pain in primary care. <i>Family Practice</i> , 2011, 28, 102-109.	1.9	20

#	ARTICLE	IF	CITATIONS
55	Do depressed and anxious men do groups? What works and what are the barriers to help seeking?. Primary Health Care Research and Development, 2014, 15, 287-301.	1.2	18
56	Trajectories of need: understanding patients'™ use of support during the journey through knee replacement. Disability and Rehabilitation, 2016, 38, 2550-2563.	1.8	18
57	The feasibility of low-intensity psychological therapy for depression co-occurring with autism in adults: The Autism Depression Trial (ADEPT) " a pilot randomised controlled trial. Autism, 2020, 24, 1360-1372.	4.1	18
58	The feasibility of a randomised controlled trial of physiotherapy for adults with joint hypermobility syndrome. Health Technology Assessment, 2016, 20, 1-264.	2.8	18
59	Improving patients'™ experience and outcome of total joint replacement: the RESTORE programme. Programme Grants for Applied Research, 2016, 4, 1-508.	1.0	18
60	Childhood facial emotion recognition and psychosis-like symptoms in a nonclinical population at 12 years of age: Results from the ALSPAC birth cohort. Cognitive Neuropsychiatry, 2011, 16, 136-157.	1.3	17
61	The provision of NHS health checks in a community setting: an ethnographic account. BMC Health Services Research, 2015, 15, 546.	2.2	17
62	Preventing within household transmission of Covid-19: is the provision of accommodation to support self-isolation feasible and acceptable?. BMC Public Health, 2021, 21, 1641.	2.9	16
63	Men'™s knowledge and attitudes towards dietary prevention of a prostate cancer diagnosis: a qualitative study. BMC Cancer, 2014, 14, 812.	2.6	15
64	Case-finding for hepatitis C in primary care: a mixed-methods service evaluation. British Journal of General Practice, 2014, 64, e67-e74.	1.4	14
65	Understanding tensions and identifying clinician agreement on improvements to early-stage chronic kidney disease monitoring in primary care: a qualitative study: Table A1. BMJ Open, 2016, 6, e010337.	1.9	14
66	Cost effectiveness of an intervention to increase uptake of hepatitis C virus testing and treatment (HepCATT): cluster randomised controlled trial in primary care. BMJ, The, 2020, 368, m322.	6.0	14
67	The CHICO (Children's Cough) Trial protocol: a feasibility randomised controlled trial investigating the clinical and cost-effectiveness of a complex intervention to improve the management of children presenting to primary care with acute respiratory tract infection. BMJ Open, 2015, 5, e008615.	1.9	13
68	Hepatitis C " Assessment to Treatment Trial (HepCATT) in primary care: study protocol for a cluster randomised controlled trial. Trials, 2016, 17, 366.	1.6	13
69	Kidney age, not kidney disease. Cmaj, 2018, 190, E389-E393.	2.0	13
70	Understanding the influence of parent-clinician communication on antibiotic prescribing for children with respiratory tract infections in primary care: a qualitative observational study using a conversation analysis approach. BMC Family Practice, 2019, 20, 102.	2.9	13
71	Protocol for a feasibility study and randomised pilot trial of a low-intensity psychological intervention for depression in adults with autism: the Autism Depression Trial (ADEPT). BMJ Open, 2017, 7, e019545.	1.9	12
72	Guided self-help for depression in autistic adults: the ADEPT feasibility RCT. Health Technology Assessment, 2019, 23, 1-94.	2.8	12

#	ARTICLE	IF	CITATIONS
73	Access to healthcare for street sex workers in the UK: perspectives and best practice guidance from a national cross-sectional survey of frontline workers. <i>BMC Health Services Research</i> , 2022, 22, 178.	2.2	12
74	Patient experiences of telephone outreach to enhance uptake of NHS Health Checks in more deprived communities and minority ethnic groups: A qualitative interview study. <i>Health Expectations</i> , 2019, 22, 364-372.	2.6	11
75	Pilot implementation of co-designed software for co-production in mental health care planning: a qualitative evaluation of staff perspectives. <i>Journal of Mental Health</i> , 2019, 28, 495-504.	1.9	11
76	Anaesthetic analgesic ear drops to reduce antibiotic consumption in children with acute otitis media: the CEDAR RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-48.	2.8	11
77	Listening to patients: using verbal data in the validation of the Aberdeen Measures of Impairment, Activity Limitation and Participation Restriction (Ab-IAP). <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 182.	1.9	10
78	English to Arabic Translation of the Composite Abuse Scale (CAS): A Multi-Method Approach. <i>PLoS ONE</i> , 2013, 8, e75244.	2.5	10
79	Patients' Journeys through Total Joint Replacement: Patterns of Medication Use. <i>Musculoskeletal Care</i> , 2014, 12, 92-102.	1.4	10
80	Assessing for domestic violence in sexual health environments: a qualitative study. <i>Sexually Transmitted Infections</i> , 2018, 94, 88-92.	1.9	10
81	Evaluation of an educational intervention to increase HIV-testing in high HIV prevalence general practices: a pilot feasibility stepped-wedged randomised controlled trial. <i>BMC Family Practice</i> , 2018, 19, 195.	2.9	10
82	Evidence of changing sexual behaviours and clinical attendance patterns, alongside increasing diagnoses of STIs in MSM and TPSM. <i>Sexually Transmitted Infections</i> , 2021, 97, 507-513.	1.9	10
83	Implementing a Digital Tool to Support Shared Care Planning in Community-Based Mental Health Services: Qualitative Evaluation. <i>Journal of Medical Internet Research</i> , 2020, 22, e14868.	4.3	10
84	The risks and benefits of patients temporarily discontinuing medications in the event of an intercurrent illness: a systematic review protocol. <i>Systematic Reviews</i> , 2015, 4, 139.	5.3	9
85	Sexual health risks, service use, and views of rapid point-of-care testing among men who have sex with men attending saunas: a cross-sectional survey. <i>International Journal of STD and AIDS</i> , 2016, 27, 273-280.	1.1	9
86	Evaluation of internal peer review to train nurses recruiting to a randomized controlled trial "Internal Peer Review for Recruitment Training in Trials (InterPReTiT)". <i>Journal of Advanced Nursing</i> , 2014, 70, 777-790.	3.3	8
87	Integration of research and practice to improve public health and healthcare delivery through a collaborative 'Health Integration Team' model - a qualitative investigation. <i>BMC Health Services Research</i> , 2016, 16, 201.	2.2	8
88	Increasing uptake of hepatitis C virus infection case-finding, testing, and treatment in primary care: evaluation of the HepCATT (Hepatitis C Assessment Through to Treatment) trial. <i>British Journal of General Practice</i> , 2020, 70, e581-e588.	1.4	8
89	Treatment decision-making among men with lower urinary tract symptoms: A qualitative study of men's experiences with recommendations for patient-centred practice. <i>Neurourology and Urodynamics</i> , 2021, 40, 201-210.	1.5	8
90	What can be learnt from a qualitative evaluation of implementing a rapid sexual health testing, diagnosis and treatment service?. <i>BMJ Open</i> , 2021, 11, e050109.	1.9	6

#	ARTICLE	IF	CITATIONS
91	Qualitative evaluation of a pilot educational intervention to increase primary care HIV-testing. BMC Family Practice, 2019, 20, 74.	2.9	5
92	Primary Care implementation of Germ Defence, a digital behaviour change intervention to improve household infection control during the COVID-19 pandemic: A structured summary of a study protocol for a randomised controlled trial. Trials, 2021, 22, 263.	1.6	5
93	Public assessment of priorities for research: a citizens' jury. Lancet, The, 2007, 369, 28.	13.7	4
94	Drug use in street sex workers (DUSK) study protocol: a feasibility and acceptability study of a complex intervention to reduce illicit drug use in drug-dependent female street sex workers. BMJ Open, 2018, 8, e022728.	1.9	4
95	Protocol for an "efficient design"™ cluster randomised controlled trial to evaluate a complex intervention to improve antibiotic prescribing for CHildren presenting to primary care with acute COugh and respiratory tract infection: the CHICO study. BMJ Open, 2021, 11, e041769.	1.9	3
96	The experience of autistic adults accessing adapted cognitive behaviour therapy: ADEPT (Autism) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5	1.5	3
97	Drug Use in Street Sex workers (DUSK) study: results of a mixed methods feasibility study of a complex intervention to reduce illicit drug use in drug dependent female sex workers. BMJ Open, 2020, 10, e036491.	1.9	3
98	Overcoming Digital Exclusion during the COVID-19 Pandemic: Impact of Mobile Technology for Survivors of Modern Slavery and Human Trafficking " A Mixed Method Study of Survivors and Support Service Provider Views. Journal of Human Trafficking, 0, , 1-20.	1.2	3
99	Immediate oral versus immediate topical versus delayed oral antibiotics for children with acute otitis media with discharge: the REST three-arm non-inferiority electronic platform-supported RCT. Health Technology Assessment, 2021, 25, 1-76.	2.8	2
100	SAPC hot topic: increasing the visibility of academic primary care. Primary Health Care Research and Development, 2013, 14, 320-322.	1.2	1
101	Management of chlamydia and gonorrhoea infections diagnosed in primary care using a centralised nurse-led telephone-based service: mixed methods evaluation. BMC Family Practice, 2020, 21, 265.	2.9	1
102	Can primary care research be conducted more efficiently using routinely reported practice-level data: a cluster randomised controlled trial conducted in England?. BMJ Open, 2022, 12, e061574.	1.9	1