

# Victor M Bandala

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1001774/publications.pdf>

Version: 2024-02-01

44

papers

413

citations

933447

10

h-index

940533

16

g-index

45

all docs

45

docs citations

45

times ranked

634

citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization and Physical Properties of Mycelium Films Obtained from Wild Fungi: Natural Materials for Potential Biotechnological Applications. <i>Journal of Polymers and the Environment</i> , 2021, 29, 4098-4105.	5.0	10
2	Two new species and a new record of yellow <i>Cantharellus</i> from tropical <i>Quercus</i> forests in eastern Mexico with the proposal of a new name for the replacement of <i>Craterellus confluens</i> . <i>MycoKeys</i> , 2021, 80, 91-114.	1.9	8
3	<p class="Standard"><strong><em>Volvopluteus canalipes comb. nov.</em></strong> (Pluteaceae) from the Sonoran Desert of Mexico</strong></p>. <i>Phytotaxa</i> , 2021, 505, 275-285.	0.3	2
4	<i>Pisolithus tinctorius</i> extract affects the root system architecture through compound production with auxin-like activity in <i>Arabidopsis thaliana</i> . <i>Rhizosphere</i> , 2021, 19, 100397.	3.0	2
5	<i>Melanogaster cocolobae</i> sp. nov. (Paxillaceae, Boletales), a tropical hypogeous fungus from the urban areas of Quintana Roo, Mexico. <i>Acta Botanica Mexicana</i> , 2021, , e1896.	0.3	2
6	Performance of mycelium composites of <i>Lentinus crinitus</i> under two compression protocols. <i>Madera Bosques</i> , 2021, 27, e2722047.	0.2	2
7	Three new marasmoid-gymnopoid rhizomorph-forming species from Mexican mountain cloud forest relicts. <i>Mycological Progress</i> , 2020, 19, 1017-1029.	1.4	9
8	Two new species of <i>Phylloporus</i> (Fungi, Boletales) from tropical <i>Quercus</i> forests in eastern Mexico. <i>MycoKeys</i> , 2019, 51, 107-123.	1.9	9
9	Two new <i>Erythrophylloporus</i> species (Boletaceae) from Thailand, with two new combinations of American species. <i>MycoKeys</i> , 2019, 55, 29-57.	1.9	10
10	Two new species of <i>Lactifluus</i> (Fungi, Russulales) from tropical <i>Quercus</i> forest in eastern Mexico. <i>MycoKeys</i> , 2019, 59, 27-45.	1.9	7
11	A new <i>Gymnopus</i> species with rhizomorphs and its record as nesting material by birds (Tyrannidae) in the subtropical cloud forest from eastern Mexico. <i>MycoKeys</i> , 2018, 42, 21-34.	1.9	20
12	Ectomycorrhizas of two species of <i>Tuber</i> (clade <i>Puberulum</i> ) in the Mexican subtropical cloud forest. <i>Symbiosis</i> , 2018, 76, 1-12.	2.3	7
13	Two <i>Lactarius</i> species (subgenus <i>Plinthogalus</i>) in ectomycorrhizal association with tropical <i>Quercus</i> trees in eastern Mexico. <i>Mycologia</i> , 2018, 110, 1033-1046.	1.9	6
14	<i>Cantharellus violaceovinosus</i> , a new species from tropical <i>Quercus</i> forests in eastern Mexico. <i>MycoKeys</i> , 2018, 32, 91-109.	1.9	8
15	The ectomycorrhizae of <i>Lactarius rimosellus</i> and <i>Lactarius acatlensis</i> with the endangered <i>Fagus grandifolia</i> var. <i>mexicana</i> . <i>Symbiosis</i> , 2017, 73, 135-144.	2.3	3
16	A new species and a new record of <i>Laccaria</i> (Fungi, Basidiomycota) found in a relict forest of the endangered <i>Fagus grandifolia</i> var. <i>mexicana</i> . <i>MycoKeys</i> , 2017, 27, 77-94.	1.9	13
17	City â€œGreenâ€• Contributions: The Role of Urban Greenspaces as Reservoirs for Biodiversity. <i>Forests</i> , 2016, 7, 146.	2.1	56
18	Two new <i>Lactarius</i> species from a subtropical cloud forest in eastern Mexico. <i>Mycologia</i> , 2016, 108, 967-980.	1.9	8

#	ARTICLE	IF	CITATIONS
19	< i>Galerella xalapensis</i> sp. nov. found in an urban green area in Xalapa, Veracruz, Mexico. Mycotaxon, 2015, 129, 421-427.	0.3	2
20	The ectomycorrhizas of Lactarius cuspidoaurantiacus and Lactarius herrerae associated with Alnus acuminata in Central Mexico. Mycorrhiza, 2015, 25, 457-467.	2.8	8
21	A new species of Laccaria in montane cloud forest from eastern Mexico. Mycoscience, 2015, 56, 597-605.	0.8	13
22	Mycorrhizal synthesis of the edible mushroom Turbinellus floccosus with Abies religiosa from central Mexico. Mycoscience, 2015, 56, 622-626.	0.8	7
23	Multi-taxonomic diversity patterns in a neotropical green city: a rapid biological assessment. Urban Ecosystems, 2015, 18, 633-647.	2.4	42
24	Two new species of < i>Lactarius</i> associated with < i>Alnus acuminata</i> subsp. < i>arguta</i> in Mexico. Mycologia, 2014, 106, 949-962.	1.9	15
25	< i>Tremelloscypha gelatinosa</i> (< i>Sebacinales</i>) from tropical deciduous < i>Gymnopodium</i> forests in southern Mexico. Mycotaxon, 2012, 118, 147-157.	0.3	10
26	Morphological and molecular identification of the ectomycorrhizal association of Lactarius fumosibrunneus and Fagus grandifolia var. mexicana trees in eastern Mexico. Mycorrhiza, 2012, 22, 583-588.	2.8	13
27	A new species of Lactarius (subgenus Gerardii) from two relict Fagus grandifolia var. mexicana populations in Mexican montane cloud forests. Mycologia, 2012, 104, 175-181.	1.9	14
28	Ectomycorrhizal association of three < i>Lactarius</i> species with < i>Carpinus</i> and < i>Quercus</i> trees in a Mexican montane cloud forest. Mycologia, 2012, 104, 1261-1266.	1.9	7
29	New species and new records of Crinipellis from tropical and subtropical forests of the east coast of Mexico. Mycologia, 2012, 104, 733-745.	1.9	5
30	&lt; i>Lactarius fumosibrunneus&lt;/i> in a relict &lt; i>Fagus</i> &lt; i>grandifolia</i> var. &lt; i>mexicana</i> population in a Mexican montane cloud forest. Mycotaxon, 2011, 114, 333-342.	0.3	7
31	A new < i>Phylloporus</i> from two relict < i>Fagus</i> < i>grandifolia</i> var. < i>mexicana</i> populations in a montane cloud forest. Mycotaxon, 2011, 117, 9-18.	0.3	7
32	Two < i>Lactarius</i> species associated with a relict < i>Fagus grandifolia</i> var. < i>mexicana</i> population in a Mexican montane cloud forest. Mycologia, 2010, 102, 153-162.	1.9	11
33	Crepidotus crocophyllus found in Costa Rica and Mexico and revision of related species in subsection Fulvifibrillosi. Mycologia, 2008, 100, 335-346.	1.9	2
34	< i>Crepidotus crocophyllus</i> found in Costa Rica and Mexico and revision of related species in subsection < i>Fulvifibrillosi</i>. Mycologia, 2008, 100, 335-346.	1.9	7
35	< i>Crepidotus rubrovinosus</i> sp. nov. and < i>Crepidotus septicoides</i> found in the cloud forest of eastern Mexico, with notes on < i>Crepidotus fusisporus</i> var. < i>longicystis</i>. Mycologia, 2006, 98, 131-140.	1.9	4
36	Crepidotus rubrovinosus sp. nov. and Crepidotus septicoides, found in the cloud forest of eastern Mexico, with notes on Crepidotus fusisporus var. longicystis. Mycologia, 2006, 98, 131-140.	1.9	8

#	ARTICLE	IF	CITATIONS
37	A revision of some <i>Crepidotus</i> species related to Mexican taxa. <i>Mycological Research</i> , 2000, 104, 495-506.	2.5	9
38	A taxonomic revision of some American <i>Crepidotus</i> . <i>Mycologia</i> , 2000, 92, 341-353.	1.9	8
39	A Taxonomic Revision of Some American <i>Crepidotus</i> . <i>Mycologia</i> , 2000, 92, 341.	1.9	5
40	New Data on the Genus <i>Phaeocollybia</i> Based on Type Studies. <i>Mycologia</i> , 1998, 90, 118.	1.9	1
41	Four new species of <i>Phaeocollybia</i> . <i>Mycological Research</i> , 1996, 100, 239-243.	2.5	4
42	A new species of <i>Psilocybe</i> of section <i>Zapotecorum</i> from New Zealand. <i>Mycological Research</i> , 1991, 95, 507-508.	2.5	2
43	A comparative study of teleomorphs and anamorphs of <i>Pleurotus cystidiosus</i> and <i>Pleurotus smithii</i> . <i>Mycological Research</i> , 1991, 95, 1264-1269.	2.5	15
44	Las especies y formas de <i>Dictyophora</i> (Fungi, Basidiomycetes, Phallales) en MÃ©jico y observaciones sobre su distribuciÃ³n en AmÃ©rica Latina. <i>Acta Botanica Mexicana</i> , 1990, , 1.	0.3	4