

Kaoru Inoue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10030424/publications.pdf>

Version: 2024-02-01

13
papers

584
citations

1307594

7
h-index

1125743

13
g-index

16
all docs

16
docs citations

16
times ranked

894
citing authors

#	ARTICLE	IF	CITATIONS
1	Multimodal regulatory elements within a hormone-specific super enhancer control a heterogeneous transcriptional response. <i>Molecular Cell</i> , 2022, 82, 803-815.e5.	9.7	14
2	Cross-sectional Neuromuscular Phenotyping Study of Patients With Arhinia With <i>SMCHD1</i> Variants. <i>Neurology</i> , 2022, 98, .	1.1	3
3	Elements at the 5' end of Xist harbor SPEN-independent transcriptional antiterminator activity. <i>Nucleic Acids Research</i> , 2020, 48, 10500-10517.	14.5	10
4	Insight Into the Ontogeny of GnRH Neurons From Patients Born Without a Nose. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1538-1551.	3.6	7
5	A ubiquitin-like domain is required for stabilizing the N-terminal ATPase module of human SMCHD1. <i>Communications Biology</i> , 2019, 2, 255.	4.4	8
6	A Statistical Method for Joint Estimation of <i>Cis</i> -eQTLs and Parent-of-Origin Effects Under Family Trio Design. <i>Biometrics</i> , 2019, 75, 864-874.	1.4	3
7	Structural and functional consequences of SMCHD1 mutations associated with arhinia and muscular dystrophy. <i>FASEB Journal</i> , 2019, 33, 493.5.	0.5	0
8	Functional classification of long non-coding RNAs by k-mer content. <i>Nature Genetics</i> , 2018, 50, 1474-1482.	21.4	198
9	SHAPE reveals transcript-wide interactions, complex structural domains, and protein interactions across the <i>Xist</i> lncRNA in living cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10322-10327.	7.1	201
10	LIN28A Modulates Splicing and Gene Expression Programs in Breast Cancer Cells. <i>Molecular and Cellular Biology</i> , 2015, 35, 3225-3243.	2.3	29
11	Early growth response 1 loops the <i>CYP2B6</i> promoter for synergistic activation by the distal and proximal nuclear receptors CAR and HNF4 α . <i>FEBS Letters</i> , 2009, 583, 2126-2130.	2.8	23
12	Cohesin protein SMC1 represses the nuclear receptor CAR-mediated synergistic activation of a human P450 gene by xenobiotics. <i>Biochemical Journal</i> , 2006, 398, 125-133.	3.7	17
13	Structural analysis by X-ray crystallography and calorimetry of a haemagglutinin component (HA1) of the progenitor toxin from <i>Clostridium botulinum</i> . <i>Microbiology (United Kingdom)</i> , 2003, 149, 3361-3370.	1.8	69