Dirk Hoffmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/100305/publications.pdf

Version: 2024-02-01

217 papers

15,761 citations

69 h-index 20358 116 g-index

223 all docs

223
docs citations

times ranked

223

8512 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Measurement of Lepton-Jet Correlation in Deep-Inelastic Scattering with the H1 Detector Using Machine Learning for Unfolding. Physical Review Letters, 2022, 128, 132002. | 7.8 | 24 |
| 2 | Sensitivity of the Cherenkov Telescope Array for probing cosmology and fundamental physics with gamma-ray propagation. Journal of Cosmology and Astroparticle Physics, 2021, 2021, 048-048. | 5.4 | 41 |
| 3 | Measurement of charged particle multiplicity distributions in DIS at HERA and its implication to entanglement entropy of partons. European Physical Journal C, 2021, 81, 1. | 3.9 | 21 |
| 4 | Measurement of performance of the NectarCAM photodetectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2021, 1007, 165413. | 1.6 | 2 |
| 5 | Measurement of exclusive $\$ varvec{{{ $pi ^+pi ^-}}}} \$ and $\$ varvec{{{ $ho ^0}}}} \$ meson photoproduction at HERA. European Physical Journal C, 2020, 80, 1. | 3.9 | 9 |
| 6 | Calibration and performance of the readout system based on switched capacitor arrays for the Large-Sized Telescope of the Cherenkov Telescope Array. , 2020, , . | | 1 |
| 7 | Determination of electroweak parameters in polarised deep-inelastic scattering at HERA. European Physical Journal C, 2018, 78, 1. | 3.9 | 7 |
| 8 | Combination and QCD analysis of charm and beauty production cross-section measurements in deep inelastic ep scattering at HERA. European Physical Journal C, $2018, 78, 1$. | 3.9 | 49 |
| 9 | Measurement of jet production cross sections in deep-inelastic ep scattering at HERA. European Physical Journal C, 2017, 77, 1. | 3.9 | 23 |
| 10 | Measurement of $\$$ {varvec{D^{*}}}\$\$ D â^— production in diffractive deep inelastic scattering at HERA. European Physical Journal C, 2017, 77, 1. | 3.9 | 1 |
| 11 | Determination of the strong coupling constant $\{\alpha_{n}\}$ varvec $\{\alpha_{n}\}$ mathrm $\{a_{n}\}$ (m_mathrm $\{a_{n}\}$) in next-to-next-to-leading order QCD using H1 jet cross section measurements. European Physical Journal C, 2017, 77, 791. | 3.9 | 30 |
| 12 | 40 Gbps data acquisition system for NectarCAM. Journal of Physics: Conference Series, 2017, 898, 032015. | 0.4 | O |
| 13 | Search for QCD instanton-induced processes at HERA in the high- Q^2 Q domain. European Physical Journal C, 2016, 76, 1. | 3.9 | 6 |
| 14 | Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton–lead collisions at \$\$sqrt{s_{ext {NN}}} = 5.02\$\$ s NN = 5.02 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199. | 3.9 | 60 |
| 15 | Exclusive \$\$ho ^0\$\$ ϕ0 meson photoproduction with a leading neutron at HERA. European Physical Journal C, 2016, 76, 1. | 3.9 | 15 |
| 16 | Combination of measurements of inclusive deep inelastic $fe^{pm}p$ e fe^{dt} p scattering cross sections and QCD analysis of HERA data. European Physical Journal C, 2015, 75, 1. | 3.9 | 383 |
| 17 | Combination of differential Dâ^—± cross-section measurements in deep-inelastic ep scattering at HERA. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 4 |
| 18 | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 28 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 40 |
| 20 | Search for new phenomena in events with three or more charged leptons in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 20 |
| 21 | Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 $ sqrt $s=8 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 42 |
| 22 | Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 116 |
| 23 | Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 17 |
| 24 | Search for \$\$W' ightarrow tb ightarrow qqbb\$\$ W ′ â†' t b â†' q q b b decays in \$\$pp\$\$ p p collisions at \$\$sqrt{s}\$\$ s Â=Ā8ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165. | 3.9 | 35 |
| 25 | Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\$$ sqrt $\{s\}$ =7mathrm $\{,TeV\}$ \$\$ s = 7 TeV. European Physical Journal C, 2015, 75, 158. | 3.9 | 17 |
| 26 | Measurement of the production and lepton charge asymmetry of $\$W$ \$ W bosons in Pb+Pb collisions at $\$$ mathbf {sqrt{mathbf {s}_{mathrm {mathbf {NN}}}}=2.76;TeV}\$\$ s NN = 2.76 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23. | 3.9 | 41 |
| 27 | Jet energy measurement and its systematic uncertainty in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17. | 3.9 | 268 |
| 28 | Measurement of multijet production in $\{e!!;p\}$ e p collisions at high $\{0^2\}$ Q 2 and determination of the strong coupling $\{alpha_s\}$ \$\$ \hat{l}_t s. European Physical Journal C, 2015, 75, 1. | 3.9 | 34 |
| 29 | Search for invisible particles produced in association with single-top-quarks in proton–proton collisions at \$\$sqrt{s}=mathrm {8–TeV}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79. | 3.9 | 30 |
| 30 | Search for resonant diboson production in the \$\$mathrm {ell ell }qar{q}\$\$ â," â," q q \hat{A}^- final state in \$\$pp\$\$ p p collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69. | 3.9 | 74 |
| 31 | Measurements of the \$\$W\$\$ W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82. | 3.9 | 92 |
| 32 | Search for dark matter in events with heavy quarks and missing transverse momentum in \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92. | 3.9 | 77 |
| 33 | Measurement of the t t \hat{A}^- \$\$ toverline{t} \$\$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 30 |
| 34 | Measurement of the WW + WZ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at s = $7 $ \$\$ sqrt{s}= $7 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 27 |
| 35 | Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 33 |
| 36 | Search for the b b \hat{A}^- \$\$ boverline{b} \$\$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 89 |

3

2

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV using 4.5 fbâ^1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 35 |
| 38 | Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s=8 $ \$\$ sqrt $s=8 $ \$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 60 |
| 39 | Search for charged Higgs bosons decaying via H ± â†' \ddot{l} , ± \hat{l} ½ in fully hadronic final states using pp collision data at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 69 |
| 40 | Measurement of dijet production in diffractive deep-inelastic ep scattering at HERA. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 13 |
| 41 | Diffractive dijet production with a leading proton in ep collisions at HERA. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 19 |
| 42 | Performance of the ATLAS muon trigger in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 TeV. European Physical Journal C, 2015, 75, 120. | 3.9 | 62 |
| 43 | Measurement of three-jet production cross-sections in \$\$pp\$\$ p p collisions at 7Â \$\$mathrm { Te,V}\$\$ Te V centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228. | 3.9 | 23 |
| 44 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\$$ qrt $\{s\}=8$ \$\$ s = 8 \$\$,hbox {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 303. | 3.9 | 70 |
| 45 | Two-particle Bose–Einstein correlations in pp collisions at \$\$mathbf {sqrt{s} =}\$\$ s = 0.9 and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466. | 3.9 | 42 |
| 46 | Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8 $ \$ sqrt $s = 8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 82 |
| 47 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 3130. | 3.9 | 213 |
| 48 | Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $pp $ p collisions at $s=7,mathrm{TeV}$ s = 7 TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117. | 3.9 | 40 |
| 49 | A measurement of the ratio of the production cross sections for \$\$W\$\$ W and \$\$Z\$\$ Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168. | 3.9 | 23 |
| 50 | Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 $ sqrt $\{s\}=8 $ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 51 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fba 1 of s \$\$ sqrt{s} \$\$ = 8 TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 12 |
| 52 | Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 $ sqrt $\{s\}=8 $ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 128 |
| 53 | Measurement of the $\frac{1}{4}$ t t \hat{A}^- production cross-section using $\frac{1}{4}$ events with the ATLAS detector. European Physical Journal C, 2014, 74, 3109. | 3.9 | 143 |
| | | | |

54

Status of the NectarCAM camera project. , 2014, , .

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 66 |
| 56 | Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton–proton collisions at \$\$sqrt{s}=7\$\$ s = 7 ÂTeV in 2010. European Physical Journal C, 2014, 74, 3034. | 3.9 | 58 |
| 57 | Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1. | 3.9 | 172 |
| 58 | Search for contact interactions and large extra dimensions in the dilepton channel using protonâ \in "proton collisions at \$\$sqrt{s}~=\$\$ s = Â8ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134. | 3.9 | 48 |
| 59 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\frac{5}{9}$ 00 squared by Ssqrt{s_{mathrm {NN}}}=2.76\$\$ s NN = 2.76 ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157. | 3.9 | 68 |
| 60 | Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $p=0.000$ p p collisions at $p=0.000$ s = 7 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195. | 3.9 | 46 |
| 61 | Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at s $$$ sqrt ${s}$ $$$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 41 |
| 62 | Measurement of the $Z\hat{I}^3$ * boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 131 |
| 63 | Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s=8$ \$\$ sqrt s = 8 \$\$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 38 |
| 64 | Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 65 | Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 47 |
| 66 | Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 35 |
| 67 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\$ sqrt{s} $\$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 42 |
| 68 | Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 40 |
| 69 | The differential production cross section of the \$\$phi \$\$ i • (1020) meson in \$\$sqrt{s}\$\$ s = 7 \hat{A} TeV \$\$pp\$\$ p p collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895. | 3.9 | 13 |
| 70 | Measurement of Feynman- \$\$x\$\$ x spectra of photons and neutrons in the very forward direction in deep-inelastic scattering at HERA. European Physical Journal C, 2014, 74, 1. | 3.9 | 17 |
| 71 | Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 2941. | 3.9 | 204 |
| 72 | Measurement of the underlying event in jet events from 7 \$\$ext {TeV}\$\$ TeV proton–proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1. | 3.9 | 23 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead–lead collisions at \$\$sqrt{s_{mathrm {NN}}}=2.76\$\$ s NN = 2.76 ÂTeVÂwith the ATLAS detector. European Physical Journal C, 2014, 74, 2982. | 3.9 | 22 |
| 74 | Light-quark and gluon jet discrimination in $pspsp p collisions at $sqrt{s}=7mathrm { TeV}$s = 7 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.$ | 3.9 | 77 |
| 75 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at | 4.7 | 22 |
| 76 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $ \text{sqrt}_{s} = 8 \text{ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.} $ | 4.7 | 88 |
| 77 | Measurement of the production cross section of prompt $J/\tilde{\Gamma}$ mesons in association with a W ± boson in pp collisions at \$ sqrt{s} \$ = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 35 |
| 78 | Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 36 |
| 79 | Measurement of the production of a W boson in association with a charm quark in pp collisions at $\$ sqrt{s} $\$ = 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 59 |
| 80 | Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $ \text{sqrt}\{s\} $ = 8TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 145 |
| 81 | Search for supersymmetry at $sqrt{s}$ = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 82 | Measurement of the low-mass Drell-Yan differential cross section at s $\$\$$ sqrt $\$\$$ = 7 TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 25 |
| 83 | Search for direct top-squark pair production in final states with two leptons in pp collisions at $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 59 |
| 84 | Measurement of \ddagger c1 and \ddagger c2 production with s \$\$ sqrt{s} \$\$ = 7 TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 32 |
| 85 | Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at s $\$\$$ sqrt $\$\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 10 |
| 86 | Search for new particles in events with one lepton and missing transverse momentum in pp collisions at s $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 87 | Measurement of inclusive $\$ varvec{ep}\$\$ e p cross sections at high $\$ varvec{Q}^{2}}\$\$ Q 2 at \$\$varvec{sqrt{s}}=225\$\$ s = 225 and 252ÂGeV and of the longitudinal proton structure function \$\${varvec{F}_{varvec{L}}}\$\$ F L at HERA. European Physical Journal C, 2014, 74, 1. | 3.9 | 76 |
| 88 | Search for direct top squark pair production in events with a Z \$ Z boson, 5 \$ b -jets and missing transverse momentum in S \$ qrt{s}=8\$\$ s = 8 TeV \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883. | 3.9 | 55 |
| 89 | PLUME-FEATHER, Referencing and Finding Software for Research and Education. Journal of Physics: Conference Series, 2014, 513, 062022. | 0.4 | 0 |
| 90 | Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\frac{1}{2}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 73 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\$ sqrt{s}=7 $\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 53 |
| 92 | Search for third generation scalar leptoquarks in pp collisions at $q=7 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 32 |
| 93 | Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 137 |
| 94 | Measurement of ZZ production in pp collisions at $q=7 $ TeV and limits on anomalous ZZZ and ZZγ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 61 |
| 95 | Search for charged Higgs bosons through the violation of lepton universality in $\tau \$ toverline $\tau \$ sevents using pp collision data at $\tau \$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 19 |
| 96 | Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at \$ sqrt{s}=7 \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 52 |
| 97 | Measurement of k T splitting scales in Wâ†'â,,"î½ events at $q=7 \text{ mathrm{TeV}}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432. | 3.9 | 19 |
| 98 | Search for a light charged Higgs boson in the decay channel H^{+} ightarrow car{s} in $tar{t}$ events using pp collisions at $car{s} = 7$ mathrm TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2465. | 3.9 | 119 |
| 99 | Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\$ sqrt $\$ =8 $\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 102 |
| 100 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\$ sqrt{s}=8 $\$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 71 |
| 101 | Measurement of the differential cross-section of B + meson production in pp collisions at $\frac{1}{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 31 |
| 102 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\$ sqrt{s}=7 \$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 52 |
| 103 | Improved luminosity determination in pp collisions at $q = 7 \text{ mathrm{TeV}}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518. | 3.9 | 362 |
| 104 | Measurement of the inclusive jet cross-section in pp collisions at $sqrt{s}=2.76$ mbox{TeV}\$ and comparison to the inclusive jet cross-section at $qrt{s}=7$ mbox{TeV}\$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509. | 3.9 | 105 |
| 105 | Elastic and proton-dissociative photoproduction of J/l \hat{l} mesons at HERA. European Physical Journal C, 2013, 73, 1. | 3.9 | 137 |
| 106 | Measurement of charged particle spectra in deep-inelastic ep scattering at HERA. European Physical Journal C, 2013, 73, 1. | 3.9 | 8 |
| 107 | Multi-channel search for squarks and gluinos in \$sqrt{s}=7mbox{ TeV}\$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362. | 3.9 | 34 |

108

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ mbox} $ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676. | 3.9 | 33 |
| 110 | Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\$ sqrt{{ $s_{NN}}$ } $= 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 175 |
| 111 | Measurement of the top quark charge in pp collisions at $q=7 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 17 |
| 112 | ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\frac{1}{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 81 |
| 113 | Measurement of isolated-photon pair production in pp collisions at \$ sqrt{s}=7;TeV \$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 64 |
| 114 | Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\$$ sqrt $\{s\}=7$ $\$$ TeV. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 59 |
| 115 | Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at \$ sqrt{s}=7;mathrm{TeV} \$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 15 |
| 116 | Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $q=7 \text{ mbox}$ European Physical Journal C, 2013, 73, 1. | 3.9 | 61 |
| 117 | Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton–proton collisions at \$sqrt{s} = 7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 1. | 3.9 | 45 |
| 118 | Measurement of the flavour composition of dijet events in pp collisions at $q=0$ mbox{TeV} with the ATLAS detector. European Physical Journal C, 2013, 73, 1. | 3.9 | 15 |
| 119 | Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1. | 3.9 | 45 |
| 120 | Jet energy resolution in proton-proton collisions at $q=0.00000000000000000000000000000000000$ | 3.9 | 209 |
| 121 | Combination and QCD analysis of charm production cross section measurements in deep-inelastic ep scattering at HERA. European Physical Journal C, 2013, 73, 1. | 3.9 | 134 |
| 122 | Measurement of the $\frac{t}{s}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328. | 3.9 | 45 |
| 123 | Search forWHproduction with a light Higgs boson decaying to prompt electron-jets in proton–proton collisions at \$sqrt {s}=7\$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009. | 2.9 | 15 |
| 124 | Towards a flexible array control and operation framework for CTA. , 2012, , . | | 0 |
| 125 | Measurement of the cross section for top-quark pair production in pp collisions at $sqrt {s} = {7},{ext{TeV}}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 45 |
| 126 | Jet mass and substructure of inclusive jets in $\$$ sqrt $\{s\} = 7; \{ext\{TeV\}\} \$$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 88 |

| # | Article | IF | Citations |
|-----|--|--------------|-----------|
| 127 | Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fba $^{\circ}$ 1 of \$ sqrt {s} = 7;TeV \$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 53 |
| 128 | A search for $\$$ toverline t $\$$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\$$ sqrt $\{s\} = 7$ $\$$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 40 |
| 129 | Inclusive deep inelastic scattering at high Q 2 with longitudinally polarised lepton beams at HERA. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 57 |
| 130 | Search for the Standard Model Higgs boson in the H â†' ï,, + Ï,, â^' decay mode in \$ sqrt {s} = 7,{mathrm{ \$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1. | TeV}} 4.7 | 43 |
| 131 | A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\$ sqrt{s}=7;TeV $\$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 34 |
| 132 | Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 54 |
| 133 | Search for high-mass resonances decaying to dilepton final states in pp collisions at $q=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 54 |
| 134 | Search for pair production of massive particles decaying into three quarks with the ATLAS detector in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 48 |
| 135 | Search for R-parity-violating supersymmetry in events with four or more leptons in \$ sqrt{s}=7;mathrm{TeV} \$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 13 |
| 136 | Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1. | 3.9 | 248 |
| 137 | Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $q = 7 \text{ mbox}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 100 |
| 138 | Measurement of dijet production in diffractive deep-inelastic scattering with a leading proton at HERA. European Physical Journal C, 2012, 72, 1. | 3.9 | 24 |
| 139 | Measurement of f^{tar} production with a veto on additional central jet activity in pp collisions at f^{tar} TeV using the ATLAS detector. European Physical Journal C, 2012, 72, 2043. | 3.9 | 109 |
| 140 | Inclusive measurement of diffractive deep-inelastic scattering at HERA. European Physical Journal C, 2012, 72, 1. | 3.9 | 31 |
| 141 | A search for $tar{t}\$ resonances with the ATLAS detector in 2.05 fba^'1 of proton-proton collisions at $q=0.05$ | 3.9 | 25 |
| 142 | Measurement of beauty photoproduction near threshold using di-electron events with the H1 detector at HERA. European Physical Journal C, 2012, 72, 1. | 3.9 | 13 |
| 143 | Search for second generation scalar leptoquarks in pp collisions at $\frac{s}{7-mbox{TeV}}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 37 |
| 144 | Determination of the integrated luminosity at HERA using elastic QED Compton events. European Physical Journal C, 2012, 72, 1. | 3.9 | 12 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | Measurement of W $\hat{A}\pm Z$ production in proton-proton collisions at $q=7-mbox\{TeV\}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 59 |
| 146 | Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, $72, 1$. | 3.9 | 25 |
| 147 | Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at \$sqrt{mathbf{s}}=7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1. | 3.9 | 22 |
| 148 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1. | 3.9 | 13 |
| 149 | Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in \$sqrt{s}=7 mathrm{TeV}\$ proton–proton collisions. European Physical Journal C, 2012, 72, 1. | 3.9 | 31 |
| 150 | ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $q=0.01$, and $q=0.01$, an | 3.9 | 36 |
| 151 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Measurement of the top quark-pair production cross section withÂATLAS in pp collisions at \$sqrt{s}=7\$ ÂTeV. European Physical Journal C, 2011, 71, 1. | 3.9 | 146 |
| 164 | Measurement of the cross section for diffractive deep-inelastic scattering with a leading proton at HERA. European Physical Journal C, 2011, 71, 1. | 3.9 | 38 |
| 165 | Measurement of the inclusive e $\hat{A}\pm$ p scattering cross section at \hat{A} high \hat{A} in elasticity y and of the structure function \hat{A} F L. European Physical Journal C, 2011, 71, 1. | 3.9 | 110 |
| 166 | Luminosity determination in pp collisions at $sqrt\{s\} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1. | 3.9 | 179 |
| 167 | Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\$ sqrt{s}=900\$ GeV and $\$ qrt{s}=7\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1. | 3.9 | 31 |
| 168 | Measurement of multi-jet cross sections in proton–proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1. | 3.9 | 60 |
| 169 | Measurement of D \hat{a} - \hat{A} ± meson production and determination of F_{2}^{c} at low Q 2 in deep-inelastic scattering at HERA. European Physical Journal C, 2011, 71, 1. | 3.9 | 41 |
| 170 | Measurement of photon production in the very forward direction in deep-inelastic scattering at HERA. European Physical Journal C, 2011, 71, 1. | 3.9 | 9 |
| 171 | Measurement of the jet fragmentation function and transverse profile in proton–proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 56 |
| 172 | Search for massive colored scalars in four-jet final states in \$sqrt{s}=7~mbox{TeV}\$ proton–proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 39 |
| 173 | Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at \$sqrt{s}=7mbox{~TeV}\$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 73 |
| 174 | Measurement of the charm and beauty structure functions usingÂtheÂH1 vertex detector at HERA. European Physical Journal C, 2010, 65, 89-109. | 3.9 | 103 |
| 175 | Jet production in ep collisions at high Q 2 and determination of \hat{l}_{\pm} s. European Physical Journal C, 2010, 65, 363-383. | 3.9 | 60 |
| 176 | Prompt photons in photoproduction at HERA. European Physical Journal C, 2010, 66, 17-33. | 3.9 | 20 |
| 177 | Jet production in ep collisions at low Q 2 and determination of \hat{l}_{\pm} s. European Physical Journal C, 2010, 67, 1-24. | 3.9 | 61 |
| 178 | Readiness of the ATLAS liquid argon calorimeter forÂLHCÂcollisions. European Physical Journal C, 2010, 70, 723-753. | 3.9 | 61 |
| 179 | The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821. | 3.9 | 95 |
| 180 | Measurement of leading neutron production inÂdeep-inelasticÂscattering at HERA. European Physical Journal C, 2010, 68, 381-399. | 3.9 | 75 |

| # | Article | IF | Citations |
|-----|--|--|--------------------------------|
| 181 | The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874. | 3.9 | 1,187 |
| 182 | Diffractive dijet photoproduction in ep collisions at HERA. European Physical Journal C, 2010, 70, 15-37. | 3.9 | 29 |
| 183 | Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236. | 3.9 | 121 |
| 184 | Combined measurement and QCD analysis of the inclusive e $\hat{A}\pm$ p scattering cross sections at HERA. Journal of High Energy Physics, 2010, 2010, 1. | 4.7 | 458 |
| 185 | Diffractive electroproduction of i-and i- mesons at HERA. Journal of High Energy Physics, 2010, 2010, 1. Measurement of the <mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msup><mml:mi>D</mml:mi>xmml:mrow><mml:mo>â^-</mml:mo><mml:mo><mml:mo><mml:mo></mml:mo></mml:mo></mml:mo></mml:msup></mml:math> | 4.7 mo> <td>90 nl:mrow></td> | 90 nl:mrow> |
| 186 | meson production cross section and <mml:math altimg="si2.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msubsup><mml:mi>F</mml:mi><mml:mn>2</mml:mn><mml:mrow><mml:mi>c<td>4.1 i><mml:m< td=""><td>26 nover</td></mml:m<></td></mml:mi></mml:mrow></mml:msubsup></mml:math> | 4.1 i> <mml:m< td=""><td>26 nover</td></mml:m<> | 26 nover |
| 187 | accent="true"> <mml:mi>c</mml:mi> <mml:mo>Â-</mml:mo> <td>4.1</td> <td>29</td> | 4.1 | 29 |
| 188 | Study of charm fragmentation into D * ± mesons in deep-inelastic scattering at HERA. European Physical Journal C, 2009, 59, 589-606. | 3.9 | 26 |
| 189 | Measurement of the inclusive ep scattering cross section at low Q2 and x at HERA. European Physical Journal C, 2009, 63, 625. | 3.9 | 99 |
| 190 | A precision measurement of the inclusive ep scattering cross section at HERA. European Physical Journal C, 2009, 64, 561-587. | 3.9 | 71 |
| 191 | xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"> <mml:msub><mml:mi>F</mml:mi><mml:mi>L</mml:mi></mml:msub> <mml:mo stretchy="false">(</mml:mo> <mml:mi>x</mml:mi> x <mml:mo>,</mml:mo> <mml:mi>Q</mml:mi> <mml:mi>x</mml:mi> x, | 4:1 nl:mn>2< | / <mark>89</mark> /mml:mn>< |
| 192 | Particle and High-Energy Physics, 2008, 665, 139-146. ATLAS pixel detector electronics and sensors. Journal of Instrumentation, 2008, 3, P07007-P07007. | 1.2 | 494 |
| 193 | Measurement of inclusive jet production in deep-inelastic scattering at high and determination of the strong coupling. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 653, 134-144. | 4.1 | 45 |
| 194 | Charged particle production in high <mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msup><mml:mi>Q</mml:mi><mml:mn>2</mml:mn></mml:msup></mml:math> deep-inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and | 4.1 | 17 |
| 195 | High-Energy Physics, 2007, 654, 148-159. Diffractive open charm production in deep-inelastic scattering and photoproduction at HERA. European Physical Journal C, 2007, 50, 1-20. | 3.9 | 39 |
| 196 | Inclusive D* \hat{A} ± meson and associated dijet production in deep-inelastic scattering at HERA. European Physical Journal C, 2007, 51, 271. | 3.9 | 25 |
| 197 | Tests of QCD factorisation in the diffractive production of dijets in deep-inelastic scattering and photoproduction at HERA. European Physical Journal C, 2007, 51, 549-568. | 3.9 | 63 |
| 198 | Measurement and QCD analysis of the diffractive deep-inelastic scattering cross section at HERA. European Physical Journal C, 2006, 48, 715-748. | 3.9 | 213 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Diffractive photoproduction of J\(\tilde{l}^\) mesons with large momentum transfer at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 568, 205-218. | 4.1 | 48 |
| 200 | Measurement of Dâ^—± meson production and F2c in deep-inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 528, 199-214. | 4.1 | 97 |
| 201 | Diffractive photoproduction of Ï^(2S) mesons at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 541, 251-264. | 4.1 | 66 |
| 202 | Dâ $$ —Â \pm meson production in deep-inelastic diffractive interactions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 520, 191-203. | 4.1 | 15 |
| 203 | Elastic photoproduction of J/l̃ and l̃ mesons at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 483, 23-35. | 4.1 | 153 |
| 204 | Measurement of internal jet structure in dijet production in deep-inelastic scattering at HERA. Nuclear Physics B, 1999, 545, 3-20. | 2.5 | 30 |
| 205 | Measurement of meson cross sections at HERA and determination of the gluon density in the proton using NLO QCD. Nuclear Physics B, 1999, 545, 21-44. | 2.5 | 80 |
| 206 | Diffractive dijet production at HERA. European Physical Journal C, 1999, 6, 421. | 3.9 | 14 |
| 207 | Measurement of charged particle transverse momentum spectra in deep inelastic scattering. Nuclear Physics B, 1997, 485, 3-22. | 2.5 | 79 |
| 208 | A measurement of the proton structure function $F2(x, Q2)$ at low x and low Q2 at HERA. Nuclear Physics B, 1997, 497, 3-28. | 2.5 | 95 |
| 209 | Evolution of ep fragmentation and multiplicity distributions in the Breit frame. Nuclear Physics B, 1997, 504, 3-23. | 2.5 | 24 |
| 210 | Low Q2 jet production at HERA and virtual photon structure. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 415, 418-434. | 4.1 | 23 |
| 211 | Elastic and inelastic photoproduction of J/iˆ mesons at HERA. Nuclear Physics B, 1996, 472, 3-31. | 2.5 | 89 |
| 212 | Charged particle multiplicities in deep inelastic scattering at HERA. Zeitschrift Fýr Physik C-Particles and Fields, 1996, 72, 573-592. | 1.5 | 37 |
| 213 | InclusiveD 0 andD*± production in neutral current deep inelasticep scattering at HERA. Zeitschrift FÃ⅓r Physik C-Particles and Fields, 1996, 72, 593-605. | 1.5 | 93 |
| 214 | Charged particle multiplicities in deep inelastic scattering at HERA. , 1996, 72, 573. | | 1 |
| 215 | Angular distributions and structure functions from two-jet events at the CERN SPS collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1984, 136, 294-300. | 4.1 | 110 |
| 216 | Charged particle multiplicity distributions in proton-antiproton collisions at 540 GeV centre of mass energy. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1983, 123, 108-114. | 4.1 | 69 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Transverse momentum spectra for charged particles at the CERN proton-antiproton collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1982, 118, 167-172. | 4.1 | 263 |