

Adam R Ferguson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1006181/publications.pdf>

Version: 2024-02-01

168
papers

8,497
citations

41344

49
h-index

58581

82
g-index

183
all docs

183
docs citations

183
times ranked

8809
citing authors

#	ARTICLE	IF	CITATIONS
1	Mixture Model Framework for Traumatic Brain Injury Prognosis Using Heterogeneous Clinical and Outcome Data. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2022, 26, 1285-1296.	6.3	2
2	Excavating FAIR Data: the Case of the Multicenter Animal Spinal Cord Injury Study (MASCIS), Blood Pressure, and Neuro-Recovery. <i>Neuroinformatics</i> , 2022, 20, 39-52.	2.8	10
3	Promoting FAIR Data Through Community-driven Agile Design: the Open Data Commons for Spinal Cord Injury (odc-sci.org). <i>Neuroinformatics</i> , 2022, 20, 203-219.	2.8	10
4	Is Neuroscience FAIR? A Call for Collaborative Standardisation of Neuroscience Data. <i>Neuroinformatics</i> , 2022, 20, 507-512.	2.8	23
5	Cognitive Outcome 1 Year After Mild Traumatic Brain Injury. <i>Neurology</i> , 2022, 98, .	1.1	36
6	Appendicular Fracture and Polytrauma Correlate with Outcome of Spinal Cord Injury: A Transforming Research and Clinical Knowledge in Spinal Cord Injury Study. <i>Journal of Neurotrauma</i> , 2022, , .	3.4	0
7	Using hierarchical unsupervised learning to integrate and reduce multi-level and multi-paraspinal muscle MRI data in relation to low back pain. <i>European Spine Journal</i> , 2022, 31, 2046-2056.	2.2	1
8	Empowering Data Sharing and Analytics through the Open Data Commons for Traumatic Brain Injury Research. <i>Neurotrauma Reports</i> , 2022, 3, 139-157.	1.4	9
9	Decision tree-based machine learning analysis of intraoperative vasopressor use to optimize neurological improvement in acute spinal cord injury. <i>Neurosurgical Focus</i> , 2022, 52, E9.	2.3	2
10	Expert-augmented automated machine learning optimizes hemodynamic predictors of spinal cord injury outcome. <i>PLoS ONE</i> , 2022, 17, e0265254.	2.5	9
11	Unsupervised Machine Learning on Motion Capture Data Uncovers Movement Strategies in Low Back Pain. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022, 10, 868684.	4.1	1
12	DREADD-mediated activation of the locus coeruleus restores descending nociceptive inhibition after traumatic brain injury in rats.. <i>Journal of Neurotrauma</i> , 2022, , .	3.4	1
13	Association of day-of-injury plasma glial fibrillary acidic protein concentration and six-month posttraumatic stress disorder in patients with mild traumatic brain injury. <i>Neuropsychopharmacology</i> , 2022, 47, 2300-2308.	5.4	3
14	Invariance of the Bifactor Structure of Mild Traumatic Brain Injury (mTBI) Symptoms on the Rivermead Postconcussion Symptoms Questionnaire Across Time, Demographic Characteristics, and Clinical Groups: A TRACK-TBI Study. <i>Assessment</i> , 2021, 28, 1656-1670.	3.1	14
15	Statistical Guidelines for Handling Missing Data in Traumatic Brain Injury Clinical Research. <i>Journal of Neurotrauma</i> , 2021, 38, 2530-2537.	3.4	15
16	Biomarkers for Traumatic Brain Injury: Data Standards and Statistical Considerations. <i>Journal of Neurotrauma</i> , 2021, 38, 2514-2529.	3.4	23
17	Satisfaction with Life after Mild Traumatic Brain Injury: A TRACK-TBI Study. <i>Journal of Neurotrauma</i> , 2021, 38, 546-554.	3.4	24
18	Pre-Clinical Common Data Elements for Traumatic Brain Injury Research: Progress and Use Cases. <i>Journal of Neurotrauma</i> , 2021, 38, 1399-1410.	3.4	22

#	ARTICLE	IF	CITATIONS
19	Acute post-injury blockade of L^1 calcium channel subunits prevents pathological autonomic plasticity after spinal cord injury. <i>Cell Reports</i> , 2021, 34, 108667.	6.4	23
20	Smaller Regional Brain Volumes Predict Posttraumatic Stress Disorder at 3 Months After Mild Traumatic Brain Injury. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 352-359.	1.5	8
21	Validity of the Brief Test of Adult Cognition by Telephone in Level 1 Trauma Center Patients Six Months Post-Traumatic Brain Injury: A TRACK-TBI Study. <i>Journal of Neurotrauma</i> , 2021, 38, 1048-1059.	3.4	15
22	Diagnostic blood RNA profiles for human acute spinal cord injury. <i>Journal of Experimental Medicine</i> , 2021, 218, .	8.5	31
23	Machine intelligence identifies soluble TNF α as a therapeutic target for spinal cord injury. <i>Scientific Reports</i> , 2021, 11, 3442.	3.3	11
24	Latent Profile Analysis of Neuropsychiatric Symptoms and Cognitive Function of Adults 2 Weeks After Traumatic Brain Injury. <i>JAMA Network Open</i> , 2021, 4, e213467.	5.9	22
25	Modeling and Bioinformatics Identify Responders to G-CSF in Patients With Amyotrophic Lateral Sclerosis. <i>Frontiers in Neurology</i> , 2021, 12, 616289.	2.4	2
26	Association of Sex and Age With Mild Traumatic Brain Injury-Related Symptoms: A TRACK-TBI Study. <i>JAMA Network Open</i> , 2021, 4, e213046.	5.9	74
27	A Systematic Review of Safety Reporting in Acute Spinal Cord Injury Clinical Trials: Challenges and Recommendations. <i>Journal of Neurotrauma</i> , 2021, 38, 2047-2054.	3.4	4
28	Phenotyping the Spectrum of Traumatic Brain Injury: A Review and Pathway to Standardization. <i>Journal of Neurotrauma</i> , 2021, 38, 3222-3234.	3.4	22
29	Tractography-Pathology Correlations in Traumatic Brain Injury: A TRACK-TBI Study. <i>Journal of Neurotrauma</i> , 2021, 38, 1620-1631.	3.4	9
30	Prognostic Value of Hemorrhagic Brainstem Injury on Early Computed Tomography: A TRACK-TBI Study. <i>Neurocritical Care</i> , 2021, 35, 335-346.	2.4	4
31	Functional Outcomes Over the First Year After Moderate to Severe Traumatic Brain Injury in the Prospective, Longitudinal TRACK-TBI Study. <i>JAMA Neurology</i> , 2021, 78, 982.	9.0	103
32	Comparing the Quality of Life after Brain Injury-Overall Scale and Satisfaction with Life Scale as Outcome Measures for Traumatic Brain Injury Research. <i>Journal of Neurotrauma</i> , 2021, 38, 3352-3363.	3.4	3
33	Pathological Computed Tomography Features Associated With Adverse Outcomes After Mild Traumatic Brain Injury. <i>JAMA Neurology</i> , 2021, 78, 1137.	9.0	53
34	Reproducible analysis of disease space via principal components using the novel R package syndRomics. <i>ELife</i> , 2021, 10, .	6.0	22
35	The impact of deep space radiation on cognitive performance: From biological sex to biomarkers to countermeasures. <i>Science Advances</i> , 2021, 7, eabg6702.	10.3	23
36	FAIR Data Reuse in Traumatic Brain Injury: Exploring Inflammation and Age as Moderators of Recovery in the TRACK-TBI Pilot. <i>Frontiers in Neurology</i> , 2021, 12, 768735.	2.4	4

#	ARTICLE	IF	CITATIONS
37	Topological network analysis of patient similarity for precision management of acute blood pressure in spinal cord injury. <i>ELife</i> , 2021, 10, .	6.0	15
38	Quantifying the kinematic features of dexterous finger movements in nonhuman primates with markerless tracking. , 2021, 2021, 6110-6115.		0
39	Data Dissemination: Shortening the Long Tail of Traumatic Brain Injury Dark Data. <i>Journal of Neurotrauma</i> , 2020, 37, 2414-2423.	3.4	13
40	Clinical Implementation of Novel Spinal Cord Perfusion Pressure Protocol in Acute Traumatic Spinal Cord Injury at U.S. Level I Trauma Center: TRACK-SCI Study. <i>World Neurosurgery</i> , 2020, 133, e391-e396.	1.3	29
41	FAIR SCI Ahead: The Evolution of the Open Data Commons for Pre-Clinical Spinal Cord Injury Research. <i>Journal of Neurotrauma</i> , 2020, 37, 831-838.	3.4	27
42	Exploration of surgical blood pressure management and expected motor recovery in individuals with traumatic spinal cord injury. <i>Spinal Cord</i> , 2020, 58, 377-386.	1.9	24
43	Injury volume extracted from MRI predicts neurologic outcome in acute spinal cord injury: A prospective TRACK-SCI pilot study. <i>Journal of Clinical Neuroscience</i> , 2020, 82, 231-236.	1.5	6
44	Loss of diffuse noxious inhibitory control after traumatic brain injury in rats: A chronic issue. <i>Experimental Neurology</i> , 2020, 333, 113428.	4.1	16
45	The evolution of white matter microstructural changes after mild traumatic brain injury: A longitudinal DTI and NODDI study. <i>Science Advances</i> , 2020, 6, eaaz6892.	10.3	106
46	Polytrauma Is Associated with Increased Three- and Six-Month Disability after Traumatic Brain Injury: A TRACK-TBI Pilot Study. <i>Neurotrauma Reports</i> , 2020, 1, 32-41.	1.4	14
47	Point-of-Care Platform Blood Biomarker Testing of Glial Fibrillary Acidic Protein versus S100 Calcium-Binding Protein B for Prediction of Traumatic Brain Injuries: A Transforming Research and Clinical Knowledge in Traumatic Brain Injury Study. <i>Journal of Neurotrauma</i> , 2020, 37, 2460-2467.	3.4	72
48	The first 24h: opioid administration in people with spinal cord injury and neurologic recovery. <i>Spinal Cord</i> , 2020, 58, 1080-1089.	1.9	11
49	Analysis of Normal High-Frequency Intracranial Pressure Values and Treatment Threshold in Neurocritical Care Patients. <i>JAMA Neurology</i> , 2020, 77, 1150.	9.0	23
50	Monitoring Outcome after Hospital-Presenting Milder Spectrum Pediatric Traumatic Brain Injury Using the Glasgow Outcome Scale-Extended, Pediatric Revision. <i>Journal of Neurotrauma</i> , 2020, 37, 1627-1636.	3.4	7
51	Transforming Research and Clinical Knowledge in Spinal Cord Injury (TRACK-SCI): an overview of initial enrollment and demographics. <i>Neurosurgical Focus</i> , 2020, 48, E6.	2.3	12
52	In Reply: Ultra-Early (<12 Hours) Surgery Correlates With Higher Rate of American Spinal Injury Association Impairment Scale Conversion After Cervical Spinal Cord Injury. <i>Neurosurgery</i> , 2019, 85, E401-E402.	1.1	1
53	Association between plasma GFAP concentrations and MRI abnormalities in patients with CT-negative traumatic brain injury in the TRACK-TBI cohort: a prospective multicentre study. <i>Lancet Neurology</i> , The, 2019, 18, 953-961.	10.2	150
54	Differential fracture response to traumatic brain injury suggests dominance of neuroinflammatory response in polytrauma. <i>Scientific Reports</i> , 2019, 9, 12199.	3.3	28

#	ARTICLE	IF	CITATIONS
55	Risk of Posttraumatic Stress Disorder and Major Depression in Civilian Patients After Mild Traumatic Brain Injury. <i>JAMA Psychiatry</i> , 2019, 76, 249.	11.0	170
56	Origins of Neural Progenitor Cell-Derived Axons Projecting Caudally after Spinal Cord Injury. <i>Stem Cell Reports</i> , 2019, 13, 105-114.	4.8	21
57	Chondroitinase improves anatomical and functional outcomes after primate spinal cord injury. <i>Nature Neuroscience</i> , 2019, 22, 1269-1275.	14.8	98
58	Enhanced descending pain facilitation in acute traumatic brain injury. <i>Experimental Neurology</i> , 2019, 320, 112976.	4.1	15
59	Recovery After Mild Traumatic Brain Injury in Patients Presenting to US Level I Trauma Centers. <i>JAMA Neurology</i> , 2019, 76, 1049.	9.0	247
60	Convolutional Neural Network-Based Automated Segmentation of the Spinal Cord and Contusion Injury: Deep Learning Biomarker Correlates of Motor Impairment in Acute Spinal Cord Injury. <i>American Journal of Neuroradiology</i> , 2019, 40, 737-744.	2.4	44
61	Divergent Six Month Functional Recovery Trajectories and Predictors after Traumatic Brain Injury: Novel Insights from the Citicoline Brain Injury Treatment Trial Study. <i>Journal of Neurotrauma</i> , 2019, 36, 2521-2532.	3.4	14
62	Testing a Multivariate Proteomic Panel for Traumatic Brain Injury Biomarker Discovery: A TRACK-TBI Pilot Study. <i>Journal of Neurotrauma</i> , 2019, 36, 100-110.	3.4	40
63	MR Imaging for Assessing Injury Severity and Prognosis in Acute Traumatic Spinal Cord Injury. <i>Radiologic Clinics of North America</i> , 2019, 57, 319-339.	1.8	33
64	Self-Assisted Standing Enabled by Non-Invasive Spinal Stimulation after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2019, 36, 1435-1450.	3.4	143
65	Ultra-Early (≤ 12 Hours) Surgery Correlates With Higher Rate of American Spinal Injury Association Impairment Scale Conversion After Cervical Spinal Cord Injury. <i>Neurosurgery</i> , 2019, 85, 199-203.	1.1	69
66	Performance Evaluation of a Multiplex Assay for Simultaneous Detection of Four Clinically Relevant Traumatic Brain Injury Biomarkers. <i>Journal of Neurotrauma</i> , 2019, 36, 182-187.	3.4	63
67	Value of aggressive surgical and intensive care unit in elderly patients with traumatic spinal cord injury. <i>Neurosurgical Focus</i> , 2019, 46, E3.	2.3	20
68	Analysis of high-frequency PbtO2 measures in traumatic brain injury: insights into the treatment threshold. <i>Journal of Neurosurgery</i> , 2019, 131, 1216-1226.	1.6	13
69	Restorative effects of human neural stem cell grafts on the primate spinal cord. <i>Nature Medicine</i> , 2018, 24, 484-490.	30.7	236
70	MRI and biomechanics multidimensional data analysis reveals $R^2 < 0.1$ as an early predictor of cartilage lesion progression in knee osteoarthritis. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 78-90.	3.4	40
71	Motor Evoked Potentials Correlate With Magnetic Resonance Imaging and Early Recovery After Acute Spinal Cord Injury. <i>Neurosurgery</i> , 2018, 82, 870-876.	1.1	34
72	Effect of Progesterone on Cerebral Vasospasm and Neurobehavioral Outcomes in a Rodent Model of Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , 2018, 110, e150-e159.	1.3	17

#	ARTICLE	IF	CITATIONS
73	Neurotrauma as a big-data problem. <i>Current Opinion in Neurology</i> , 2018, 31, 702-708.	3.6	25
74	Assessment of Follow-up Care After Emergency Department Presentation for Mild Traumatic Brain Injury and Concussion. <i>JAMA Network Open</i> , 2018, 1, e180210.	5.9	119
75	Pre-Clinical Testing of Therapies for Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 2737-2754.	3.4	68
76	Using multidimensional topological data analysis to identify traits of hip osteoarthritis. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1046-1058.	3.4	12
77	Concordance of common data elements for assessment of subjective cognitive complaints after mild-traumatic brain injury: a TRACK-TBI Pilot Study. <i>Brain Injury</i> , 2018, 32, 1071-1078.	1.2	21
78	COMT ValMet polymorphism is associated with post-traumatic stress disorder and functional outcome following mild traumatic brain injury. <i>Journal of Clinical Neuroscience</i> , 2017, 35, 109-116.	1.5	43
79	Pulmonary outcomes following specialized respiratory management for acute cervical spinal cord injury: a retrospective analysis. <i>Spinal Cord</i> , 2017, 55, 559-565.	1.9	33
80	A data-driven approach for evaluating multi-modal therapy in traumatic brain injury. <i>Scientific Reports</i> , 2017, 7, 42474.	3.3	16
81	Inflammation-induced GluA1 trafficking and membrane insertion of Ca ²⁺ permeable AMPA receptors in dorsal horn neurons is dependent on spinal tumor necrosis factor, PI3 kinase and protein kinase A. <i>Experimental Neurology</i> , 2017, 293, 144-158.	4.1	28
82	Validating Multi-Dimensional Outcome Assessment Using the Traumatic Brain Injury Common Data Elements: An Analysis of the TRACK-TBI Pilot Study Sample. <i>Journal of Neurotrauma</i> , 2017, 34, 3158-3172.	3.4	59
83	Multivariate Analysis of MRI Biomarkers for Predicting Neurologic Impairment in Cervical Spinal Cord Injury. <i>American Journal of Neuroradiology</i> , 2017, 38, 648-655.	2.4	44
84	Assessments of sensory plasticity after spinal cord injury across species. <i>Neuroscience Letters</i> , 2017, 652, 74-81.	2.1	3
85	Apolipoprotein E epsilon 4 (APOEε4) genotype is associated with decreased 6-month verbal memory performance after mild traumatic brain injury. <i>Brain and Behavior</i> , 2017, 7, e00791.	2.2	34
86	Translational Stroke Research. <i>Stroke</i> , 2017, 48, 2632-2637.	2.0	108
87	Emergency department blood alcohol level associates with injury factors and six-month outcome after uncomplicated mild traumatic brain injury. <i>Journal of Clinical Neuroscience</i> , 2017, 45, 293-298.	1.5	20
88	Temporal profile of care following mild traumatic brain injury: predictors of hospital admission, follow-up referral and six-month outcome. <i>Brain Injury</i> , 2017, 31, 1820-1829.	1.2	15
89	Safety and effectiveness of early chemical deep venous thrombosis prophylaxis after spinal cord injury: pilot prospective data. <i>Neurosurgical Focus</i> , 2017, 43, E21.	2.3	23
90	Poster 466: Prospective Determination of Clinical Neurologic Level of Injury with Early MRI Following Blunt Traumatic Spinal Cord Injury. <i>PM and R</i> , 2017, 9, S280.	1.6	0

#	ARTICLE	IF	CITATIONS
91	DRD2 C957T polymorphism is associated with improved 6-month verbal learning following traumatic brain injury. <i>Neurogenetics</i> , 2017, 18, 29-38.	1.4	24
92	What Is Being Trained? How Divergent Forms of Plasticity Compete To Shape Locomotor Recovery after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2017, 34, 1831-1840.	3.4	23
93	Selective Serotonin Reuptake Inhibitors for Treating Neurocognitive and Neuropsychiatric Disorders Following Traumatic Brain Injury: An Evaluation of Current Evidence. <i>Brain Sciences</i> , 2017, 7, 93.	2.3	47
94	Developing a data sharing community for spinal cord injury research. <i>Experimental Neurology</i> , 2017, 295, 135-143.	4.1	48
95	Uncovering precision phenotype-biomarker associations in traumatic brain injury using topological data analysis. <i>PLoS ONE</i> , 2017, 12, e0169490.	2.5	73
96	RegenBase: a knowledge base of spinal cord injury biology for translational research. <i>Database: the Journal of Biological Databases and Curation</i> , 2016, 2016, baw040.	3.0	14
97	Failure of Mean Arterial Pressure Goals to Improve Outcomes Following Penetrating Spinal Cord Injury. <i>Neurosurgery</i> , 2016, 79, 708-714.	1.1	26
98	A novel inhibitor of p75-neurotrophin receptor improves functional outcomes in two models of traumatic brain injury. <i>Brain</i> , 2016, 139, 1762-1782.	7.6	44
99	A novel antagonist of p75NTR reduces peripheral expansion and CNS trafficking of pro-inflammatory monocytes and spares function after traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2016, 13, 88.	7.2	38
100	Application of 3D Printing for Smart Objects with Embedded Electronic Sensors and Systems. <i>Advanced Materials Technologies</i> , 2016, 1, 1600013.	5.8	167
101	In Response to. <i>Clinical Journal of Sport Medicine</i> , 2016, 26, 345.	1.8	0
102	COMT Val 158 Met polymorphism is associated with nonverbal cognition following mild traumatic brain injury. <i>Neurogenetics</i> , 2016, 17, 31-41.	1.4	33
103	Brain tissue oxygen tension and its response to physiological manipulations: influence of distance from injury site in a swine model of traumatic brain injury. <i>Journal of Neurosurgery</i> , 2016, 125, 1217-1228.	1.6	34
104	Multidimensional Analysis of Magnetic Resonance Imaging Predicts Early Impairment in Thoracic and Thoracolumbar Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 954-962.	3.4	37
105	A Unilateral Cervical Spinal Cord Contusion Injury Model in Non-Human Primates (<i>Macaca mulatta</i>). <i>Journal of Neurotrauma</i> , 2016, 33, 439-459.	3.4	42
106	Influence of Spinal Cord Integrity on Gait Control in Human Spinal Cord Injury. <i>Neurorehabilitation and Neural Repair</i> , 2016, 30, 562-572.	2.9	23
107	AMPA Receptor Phosphorylation and Synaptic Colocalization on Motor Neurons Drive Maladaptive Plasticity below Complete Spinal Cord Injury. <i>ENeuro</i> , 2015, 2, ENEURO.0091-15.2015.	1.9	23
108	Mean Arterial Blood Pressure Correlates with Neurological Recovery after Human Spinal Cord Injury: Analysis of High Frequency Physiologic Data. <i>Journal of Neurotrauma</i> , 2015, 32, 1958-1967.	3.4	187

#	ARTICLE	IF	CITATIONS
109	Genetic Data Sharing and Privacy. <i>Neuroinformatics</i> , 2015, 13, 1-6.	2.8	26
110	The Brain and Spinal Injury Center score: a novel, simple, and reproducible method for assessing the severity of acute cervical spinal cord injury with axial T2-weighted MRI findings. <i>Journal of Neurosurgery: Spine</i> , 2015, 23, 495-504.	1.7	132
111	Noninvasive Reactivation of Motor Descending Control after Paralysis. <i>Journal of Neurotrauma</i> , 2015, 32, 1968-1980.	3.4	236
112	Large animal and primate models of spinal cord injury for the testing of novel therapies. <i>Experimental Neurology</i> , 2015, 269, 154-168.	4.1	75
113	Association of a common genetic variant within ANKK1 with six-month cognitive performance after traumatic brain injury. <i>Neurogenetics</i> , 2015, 16, 169-180.	1.4	40
114	CCR2 Antagonism Alters Brain Macrophage Polarization and Ameliorates Cognitive Dysfunction Induced by Traumatic Brain Injury. <i>Journal of Neuroscience</i> , 2015, 35, 748-760.	3.6	195
115	Complications and outcomes of vasopressor usage in acute traumatic central cord syndrome. <i>Journal of Neurosurgery: Spine</i> , 2015, 23, 574-580.	1.7	45
116	Topological data analysis for discovery in preclinical spinal cord injury and traumatic brain injury. <i>Nature Communications</i> , 2015, 6, 8581.	12.8	153
117	Pronounced species divergence in corticospinal tract reorganization and functional recovery after lateralized spinal cord injury favors primates. <i>Science Translational Medicine</i> , 2015, 7, 302ra134.	12.4	148
118	Leveraging biomedical informatics for assessing plasticity and repair in primate spinal cord injury. <i>Brain Research</i> , 2015, 1619, 124-138.	2.2	16
119	Metaplasticity and behavior: how training and inflammation affect plastic potential within the spinal cord and recovery after injury. <i>Frontiers in Neural Circuits</i> , 2014, 8, 100.	2.8	49
120	Development of a Database for Translational Spinal Cord Injury Research. <i>Journal of Neurotrauma</i> , 2014, 31, 1789-1799.	3.4	100
121	The Irvine, Beatties, and Bresnahan (IBB) Forelimb Recovery Scale: An Assessment of Reliability and Validity. <i>Frontiers in Neurology</i> , 2014, 5, 116.	2.4	47
122	Peripheral noxious stimulation reduces withdrawal threshold to mechanical stimuli after spinal cord injury: Role of tumor necrosis factor alpha and apoptosis. <i>Pain</i> , 2014, 155, 2344-2359.	4.2	57
123	Big data from small data: data-sharing in the 'long tail' of neuroscience. <i>Nature Neuroscience</i> , 2014, 17, 1442-1447.	14.8	227
124	Minimum Information about a Spinal Cord Injury Experiment: A Proposed Reporting Standard for Spinal Cord Injury Experiments. <i>Journal of Neurotrauma</i> , 2014, 31, 1354-1361.	3.4	74
125	Combined SCI and TBI: Recovery of forelimb function after unilateral cervical spinal cord injury (SCI) is retarded by contralateral traumatic brain injury (TBI), and ipsilateral TBI balances the effects of SCI on paw placement. <i>Experimental Neurology</i> , 2013, 248, 136-147.	4.1	35
126	Demonstrating efficacy in preclinical studies of cellular therapies for spinal cord injury – How much is enough?. <i>Experimental Neurology</i> , 2013, 248, 30-44.	4.1	52

#	ARTICLE	IF	CITATIONS
127	Magnetic resonance imaging improves 3-month outcome prediction in mild traumatic brain injury. <i>Annals of Neurology</i> , 2013, 73, 224-235.	5.3	340
128	A principal component analysis of coagulation after trauma. <i>Journal of Trauma and Acute Care Surgery</i> , 2013, 74, 1223-1230.	2.1	96
129	Derivation of Multivariate Syndromic Outcome Metrics for Consistent Testing across Multiple Models of Cervical Spinal Cord Injury in Rats. <i>PLoS ONE</i> , 2013, 8, e59712.	2.5	65
130	A principal component analysis of coagulation after trauma. <i>Journal of Trauma and Acute Care Surgery</i> , 2013, 74, 1223-1230.	2.1	42
131	Impact of Behavioral Control on the Processing of Nociceptive Stimulation. <i>Frontiers in Physiology</i> , 2012, 3, 262.	2.8	37
132	Central nociceptive sensitization vs. spinal cord training: opposing forms of plasticity that dictate function after complete spinal cord injury. <i>Frontiers in Physiology</i> , 2012, 3, 396.	2.8	29
133	Maladaptive spinal plasticity opposes spinal learning and recovery in spinal cord injury. <i>Frontiers in Physiology</i> , 2012, 3, 399.	2.8	68
134	Methods for Functional Assessment After C7 Spinal Cord Hemisection in the Rhesus Monkey. <i>Neurorehabilitation and Neural Repair</i> , 2012, 26, 556-569.	2.9	43
135	Quantitative CT Improves Outcome Prediction in Acute Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2012, 29, 735-746.	3.4	77
136	Tumor Necrosis Factor Alpha Mediates GABA _A Receptor Trafficking to the Plasma Membrane of Spinal Cord Neurons <i>In Vivo</i> . <i>Neural Plasticity</i> , 2012, 2012, 1-11.	2.2	29
137	Glial Tumor Necrosis Factor Alpha (TNF α) Generates Metaplastic Inhibition of Spinal Learning. <i>PLoS ONE</i> , 2012, 7, e39751.	2.5	49
138	Animal Models of Neurologic Disorders: A Nonhuman Primate Model of Spinal Cord Injury. <i>Neurotherapeutics</i> , 2012, 9, 380-392.	4.4	80
139	Syndromics: A Bioinformatics Approach for Neurotrauma Research. <i>Translational Stroke Research</i> , 2011, 2, 438-454.	4.2	28
140	Extensive spontaneous plasticity of corticospinal projections after primate spinal cord injury. <i>Nature Neuroscience</i> , 2010, 13, 1505-1510.	14.8	346
141	AMPA receptor trafficking and injury-induced cell death. <i>European Journal of Neuroscience</i> , 2010, 32, 290-297.	2.6	71
142	A Novel Method for Assessing Proximal and Distal Forelimb Function in the Rat: the Irvine, Beatties and Bresnahan (IBB) Forelimb Scale. <i>Journal of Visualized Experiments</i> , 2010, , .	0.3	38
143	Cell Death after Spinal Cord Injury Is Exacerbated by Rapid TNF α -Induced Trafficking of GluR2-Lacking AMPARs to the Plasma Membrane. <i>Journal of Neuroscience</i> , 2008, 28, 11391-11400.	3.6	205
144	Group I Metabotropic Glutamate Receptors Control Metaplasticity of Spinal Cord Learning through a Protein Kinase C-Dependent Mechanism. <i>Journal of Neuroscience</i> , 2008, 28, 11939-11949.	3.6	43

#	ARTICLE	IF	CITATIONS
145	BDNF and learning: Evidence that instrumental training promotes learning within the spinal cord by up-regulating BDNF expression. <i>Neuroscience</i> , 2007, 148, 893-906.	2.3	111
146	Two chronic motor training paradigms differentially influence acute instrumental learning in spinally transected rats. <i>Behavioural Brain Research</i> , 2007, 180, 95-101.	2.2	37
147	The impact of morphine after a spinal cord injury. <i>Behavioural Brain Research</i> , 2007, 179, 281-293.	2.2	56
148	Developmental stage of oligodendrocytes determines their response to activated microglia in vitro. <i>Journal of Neuroinflammation</i> , 2007, 4, 28.	7.2	54
149	Exposure to intermittent nociceptive stimulation under pentobarbital anesthesia disrupts spinal cord function in rats. <i>Psychopharmacology</i> , 2007, 192, 243-252.	3.1	17
150	Nociceptive plasticity inhibits adaptive learning in the spinal cord. <i>Neuroscience</i> , 2006, 141, 421-431.	2.3	87
151	Instrumental Learning Within the Spinal Cord: Underlying Mechanisms and Implications for Recovery After Injury. <i>Behavioral and Cognitive Neuroscience Reviews</i> , 2006, 5, 191-239.	3.9	75
152	Instrumental Learning Within the Rat Spinal Cord: Localization of the Essential Neural Circuit.. <i>Behavioral Neuroscience</i> , 2005, 119, 538-547.	1.2	34
153	A Sublethal Dose of TNF α Potentiates Kainate-Induced Excitotoxicity in Optic Nerve Oligodendrocytes. <i>Neurochemical Research</i> , 2005, 30, 867-875.	3.3	15
154	Uncontrollable Stimulation Undermines Recovery after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2004, 21, 1795-1817.	3.4	95
155	A Simple Post Hoc Transformation that Improves the Metric Properties of the BBB Scale for Rats with Moderate to Severe Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2004, 21, 1601-1613.	3.4	81
156	Monitoring Recovery after Injury: Procedures for Deriving the Optimal Test Window. <i>Journal of Neurotrauma</i> , 2004, 21, 109-118.	3.4	14
157	Brief exposure to a mild stressor enhances morphine-conditioned place preference in male rats. <i>Psychopharmacology</i> , 2004, 175, 47-52.	3.1	12
158	The Behavioral Deficit Observed Following Noncontingent Shock in Spinalized Rats Is Prevented by the Protein Synthesis Inhibitor Cycloheximide.. <i>Behavioral Neuroscience</i> , 2004, 118, 653-658.	1.2	27
159	Instrumental learning within the spinal cord: V. Evidence the behavioral deficit observed after noncontingent nociceptive stimulation reflects an intraspinal modification. <i>Behavioural Brain Research</i> , 2003, 141, 159-170.	2.2	41
160	GABAA receptor activation is involved in noncontingent shock inhibition of instrumental conditioning in spinal rats.. <i>Behavioral Neuroscience</i> , 2003, 117, 799-812.	1.2	27
161	Instrumental learning within the spinal cord: IV. Induction and retention of the behavioral deficit observed after noncontingent shock.. <i>Behavioral Neuroscience</i> , 2002, 116, 1032-1051.	1.2	63
162	Instrumental learning within the spinal cord. <i>Physiology and Behavior</i> , 2002, 77, 259-267.	2.1	60

#	ARTICLE	IF	CITATIONS
163	Instrumental learning within the spinal cord: IV. Induction and retention of the behavioral deficit observed after noncontingent shock.. Behavioral Neuroscience, 2002, 116, 1032-1051.	1.2	59
164	Shock-induced hyperalgesia: IV. Generality.. Journal of Experimental Psychology, 2001, 27, 219-238.	1.7	27
165	Pain and negative affect: evidence the inverse benzodiazepine agonist DMCM inhibits pain and learning in rats. Psychopharmacology, 2001, 153, 180-190.	3.1	10
166	Shock-induced hyperalgesia: IV. Generality. Journal of Experimental Psychology, 2001, 27, 219-38.	1.7	13
167	Pharmacological Management of Acute Spinal Cord Injury: Overlooked Opportunities to Enhance Long-Term Neurological Function. SSRN Electronic Journal, 0, , .	0.4	1
168	Granulocyte-Colony Stimulating Factor: Encouraging Outcome in Sporadic ALS - Modelling and Bioinformatics Identify Substantial Filgrastim Responders. SSRN Electronic Journal, 0, , .	0.4	0