

Claire Bombardier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10072874/publications.pdf>

Version: 2024-02-01

202
papers

33,992
citations

19657

61
h-index

3579

181
g-index

207
all docs

207
docs citations

207
times ranked

27844
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----------|-----------|
| 1 | Development of an upper extremity outcome measure: The DASH (disabilities of the arm, shoulder, and hand) questionnaire. <i>Arthritis and Rheumatism</i> , 1999, 42, 1413-1423. | 10.784314 | 4,181 |
| 2 | Comparison of Upper Gastrointestinal Toxicity of Rofecoxib and Naproxen in Patients with Rheumatoid Arthritis. <i>New England Journal of Medicine</i> , 2000, 343, 1520-1528. | 27.0 | 3,651 |
| 3 | American college of rheumatology preliminary definition of improvement in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1995, 38, 727-735. | 6.7 | 2,531 |
| 4 | Assessing Bias in Studies of Prognostic Factors. <i>Annals of Internal Medicine</i> , 2013, 158, 280. | 3.9 | 2,107 |
| 5 | Updated Method Guidelines for Systematic Reviews in the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2003, 28, 1290-1299. | 2.0 | 1,586 |
| 6 | 2012 Update of the 2008 American College of Rheumatology recommendations for the use of disease-modifying antirheumatic drugs and biologic agents in the treatment of rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2012, 64, 625-639. | 3.4 | 1,413 |
| 7 | The American college of rheumatology preliminary core set of disease activity measures for rheumatoid arthritis clinical trials. <i>Arthritis and Rheumatism</i> , 1993, 36, 729-740. | 6.7 | 1,388 |
| 8 | 2009 Updated Method Guidelines for Systematic Reviews in the Cochrane Back Review Group. <i>Spine</i> , 2009, 34, 1929-1941. | 2.0 | 1,345 |
| 9 | Evaluation of the Quality of Prognosis Studies in Systematic Reviews. <i>Annals of Internal Medicine</i> , 2006, 144, 427. | 3.9 | 1,199 |
| 10 | Measuring the whole or the parts?. <i>Journal of Hand Therapy</i> , 2001, 14, 128-142. | 1.5 | 1,121 |
| 11 | Outcome Measures for Low Back Pain Research. <i>Spine</i> , 1998, 23, 2003-2013. | 2.0 | 1,064 |
| 12 | The development of a comorbidity index with physical function as the outcome. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 595-602. | 5.0 | 969 |
| 13 | Outcome Assessments in the Evaluation of Treatment of Spinal Disorders. <i>Spine</i> , 2000, 25, 3100-3103. | 2.0 | 573 |
| 14 | Reporting Randomized, Controlled Trials of Herbal Interventions: An Elaborated CONSORT Statement. <i>Annals of Internal Medicine</i> , 2006, 144, 364. | 3.9 | 467 |
| 15 | Cardiovascular outcomes with etoricoxib and diclofenac in patients with osteoarthritis and rheumatoid arthritis in the Multinational Etoricoxib and Diclofenac Arthritis Long-term (MEDAL) programme: a randomised comparison. <i>Lancet</i> , 2006, 368, 1771-1781. | 13.7 | 458 |
| 16 | Title is missing!. <i>Spine</i> , 2003, 28, 1290-1299. | 2.0 | 443 |
| 17 | Evaluating changes in health status: Reliability and responsiveness of five generic health status measures in workers with musculoskeletal disorders. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 79-93. | 5.0 | 372 |
| 18 | A Systematic Review of the Prognosis of Acute Whiplash and a New Conceptual Framework to Synthesize the Literature. <i>Spine</i> , 2001, 26, E445-E458. | 2.0 | 343 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Serious lower gastrointestinal clinical events with nonselective NSAID or coxib use. <i>Gastroenterology</i> , 2003, 124, 288-292. | 1.3 | 336 |
| 20 | An evidence-based evaluation of the gastrointestinal safety of coxibs. <i>American Journal of Cardiology</i> , 2002, 89, 3-9. | 1.6 | 269 |
| 21 | Canadian Rheumatology Association Recommendations for Pharmacological Management of Rheumatoid Arthritis with Traditional and Biologic Disease-modifying Antirheumatic Drugs. <i>Journal of Rheumatology</i> , 2012, 39, 1559-1582. | 2.0 | 250 |
| 22 | Stratifying the risk of NSAID-related upper gastrointestinal clinical events: Results of a double-blind outcomes study in patients with rheumatoid arthritis. <i>Gastroenterology</i> , 2002, 123, 1006-1012. | 1.3 | 239 |
| 23 | Multinational evidence-based recommendations for the diagnosis and management of gout: integrating systematic literature review and expert opinion of a broad panel of rheumatologists in the 3e initiative. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 328-335. | 0.9 | 222 |
| 24 | Regulation of anti-cyclic citrullinated peptide antibodies in rheumatoid arthritis: Contrasting effects of HLA-DR3 and the shared epitope alleles. <i>Arthritis and Rheumatism</i> , 2005, 52, 3813-3818. | 6.7 | 194 |
| 25 | Serious infections in a population-based cohort of 86,039 seniors with rheumatoid arthritis. <i>Arthritis Care and Research</i> , 2013, 65, 353-361. | 3.4 | 182 |
| 26 | Recommendations for reporting randomized controlled trials of herbal interventions: explanation and elaboration. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1134-1149. | 5.0 | 178 |
| 27 | Folic acid and folinic acid for reducing side effects in patients receiving methotrexate for rheumatoid arthritis. <i>The Cochrane Library</i> , 2014, 2014, CD000951. | 2.8 | 161 |
| 28 | Which outcome measures should be used in rheumatoid arthritis clinical trials?.. <i>Arthritis and Rheumatism</i> , 1995, 38, 1568-1580. | 6.7 | 155 |
| 29 | Methotrexate monotherapy and methotrexate combination therapy with traditional and biologic disease modifying antirheumatic drugs for rheumatoid arthritis: abridged Cochrane systematic review and network meta-analysis. <i>BMJ, The</i> , 2016, 353, i1777. | 6.0 | 155 |
| 30 | Interaction between smoking, the shared epitope, and anti-cyclic citrullinated peptide: A mixed picture in three large North American rheumatoid arthritis cohorts. <i>Arthritis and Rheumatism</i> , 2007, 56, 1745-1753. | 6.7 | 150 |
| 31 | Investigating clinical heterogeneity in systematic reviews: a methodologic review of guidance in the literature. <i>BMC Medical Research Methodology</i> , 2012, 12, 111. | 3.1 | 140 |
| 32 | Increased risk of mycobacterial infections associated with anti-rheumatic medications. <i>Thorax</i> , 2015, 70, 677-682. | 5.6 | 134 |
| 33 | 1999 Young Investigator Research Award Winner. <i>Spine</i> , 2000, 25, 147. | 2.0 | 132 |
| 34 | Minimal disease activity for rheumatoid arthritis: a preliminary definition. <i>Journal of Rheumatology</i> , 2005, 32, 2016-24. | 2.0 | 132 |
| 35 | Outcome measures for clinical research in sepsis: A report of the 2nd Cambridge Colloquium of the International Sepsis Forum. <i>Critical Care Medicine</i> , 2005, 33, 1708-1716. | 0.9 | 131 |
| 36 | Predictors for remission in rheumatoid arthritis patients: A systematic review. <i>Arthritis Care and Research</i> , 2010, 62, 1128-1143. | 3.4 | 131 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Indirect comparisons of the efficacy of biological antirheumatic agents in rheumatoid arthritis in patients with an inadequate response to conventional disease-modifying antirheumatic drugs or to an anti-tumour necrosis factor agent: a meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 266-271. | 0.9 | 129 |
| 38 | Canadian Rheumatology Association Recommendations for the Pharmacological Management of Rheumatoid Arthritis with Traditional and Biologic Disease-modifying Antirheumatic Drugs: Part II Safety. <i>Journal of Rheumatology</i> , 2012, 39, 1583-1602. | 2.0 | 122 |
| 39 | Classification systems of soft tissue disorders of the neck and upper limb: Do they satisfy methodological guidelines?. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 141-149. | 5.0 | 117 |
| 40 | Reliability, validity, and responsiveness of five at-work productivity measures in patients with rheumatoid arthritis or osteoarthritis. <i>Arthritis Care and Research</i> , 2010, 62, 28-37. | 3.4 | 114 |
| 41 | Accuracy of Canadian Health Administrative Databases in Identifying Patients With Rheumatoid Arthritis: A Validation Study Using the Medical Records of Rheumatologists. <i>Arthritis Care and Research</i> , 2013, 65, 1582-1591. | 3.4 | 114 |
| 42 | An administrative data validation study of the accuracy of algorithms for identifying rheumatoid arthritis: the influence of the reference standard on algorithm performance. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 216. | 1.9 | 114 |
| 43 | Folic Acid and Folinic Acid for Reducing Side Effects in Patients Receiving Methotrexate for Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2014, 41, 1049-1060. | 2.0 | 112 |
| 44 | Measurement of functional status, quality of life, and utility in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1990, 33, 591-601. | 6.7 | 109 |
| 45 | Reliability and Validity of the Body Image after Breast Cancer Questionnaire. <i>Breast Journal</i> , 2006, 12, 221-232. | 1.0 | 109 |
| 46 | The cost-effectiveness of misoprostol for nonsteroidal antiinflammatory drug-associated adverse gastrointestinal events. <i>Arthritis and Rheumatism</i> , 1993, 36, 447-459. | 6.7 | 101 |
| 47 | Measures of work disability and productivity: Rheumatoid Arthritis Specific Work Productivity Survey (WPS-RA), Workplace Activity Limitations Scale (WALS), Work Instability Scale for Rheumatoid Arthritis (RA-WIS), Work Limitations Questionnaire (WLQ), and Work Productivity and Activity Impairment Questionnaire (WPAI). <i>Arthritis Care and Research</i> , 2011, 63, S337-49. | 3.4 | 100 |
| 48 | A Critical Review of Reviews on the Treatment of Chronic Low Back Pain. <i>Spine</i> , 2001, 26, E155-E162. | 2.0 | 96 |
| 49 | The Epidemiology of Rheumatoid Arthritis in Ontario, Canada. <i>Arthritis and Rheumatology</i> , 2014, 66, 786-793. | 5.6 | 93 |
| 50 | The cost-effectiveness of misoprostol in preventing serious gastrointestinal events associated with the use of nonsteroidal antiinflammatory drugs. <i>Arthritis and Rheumatism</i> , 1998, 41, 16-25. | 6.7 | 90 |
| 51 | Measuring Worker Productivity: Frameworks and Measures. <i>Journal of Rheumatology</i> , 2009, 36, 2100-2109. | 2.0 | 90 |
| 52 | Worker productivity outcome measures in arthritis. <i>Journal of Rheumatology</i> , 2007, 34, 1372-80. | 2.0 | 90 |
| 53 | The relationship between joint damage and functional disability in rheumatoid arthritis: a systematic review. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 836-844. | 0.9 | 85 |
| 54 | Development of Multinational Definitions of Minimal Clinically Important Improvement and Patient Acceptable Symptomatic State in Osteoarthritis. <i>Arthritis Care and Research</i> , 2015, 67, 972-980. | 3.4 | 82 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Initial Patterns of Clinical Care and Recovery From Whiplash Injuries. Archives of Internal Medicine, 2005, 165, 2257. | 3.8 | 78 |
| 56 | Cost-effectiveness of biologic response modifiers compared to disease-modifying antirheumatic drugs for rheumatoid arthritis: A systematic review. Arthritis Care and Research, 2011, 63, 65-78. | 3.4 | 73 |
| 57 | Kidney Biopsy in Systemic Lupus Erythematosus. II. Survival Analyses According to Biopsy Results. Arthritis and Rheumatism, 1991, 34, 1268-1273. | 6.7 | 72 |
| 58 | Herbal Medicine for Low Back Pain. Spine, 2007, 32, 82-92. | 2.0 | 71 |
| 59 | Multinational evidence-based recommendations for pain management by pharmacotherapy in inflammatory arthritis: integrating systematic literature research and expert opinion of a broad panel of rheumatologists in the 3e Initiative. Rheumatology, 2012, 51, 1416-1425. | 1.9 | 71 |
| 60 | Trends in Excess Mortality Among Patients With Rheumatoid Arthritis in Ontario, Canada. Arthritis Care and Research, 2015, 67, 1047-1053. | 3.4 | 67 |
| 61 | Testing a New Theory of Patient Satisfaction With Treatment Outcome. Medical Care, 2004, 42, 726-739. | 2.4 | 66 |
| 62 | Early aggressive care and delayed recovery from whiplash: Isolated finding or reproducible result?. Arthritis and Rheumatism, 2007, 57, 861-868. | 6.7 | 64 |
| 63 | Methotrexate monotherapy and methotrexate combination therapy with traditional and biologic disease modifying anti-rheumatic drugs for rheumatoid arthritis: A network meta-analysis. The Cochrane Library, 2016, 2016, CD010227. | 2.8 | 64 |
| 64 | Time to Treatment for New Patients with Rheumatoid Arthritis in a Major Metropolitan City. Journal of Rheumatology, 2011, 38, 1282-1288. | 2.0 | 63 |
| 65 | Quality of Reporting of Randomized Controlled Trials of Herbal Medicine Interventions. American Journal of Medicine, 2006, 119, 800.e1-800.e11. | 1.5 | 62 |
| 66 | Systematic Review and Critical Appraisal of Validation Studies to Identify Rheumatic Diseases in Health Administrative Databases. Arthritis Care and Research, 2013, 65, 1490-1503. | 3.4 | 60 |
| 67 | Use of mainstream nonpharmacologic treatment by patients with arthritis. Arthritis and Rheumatism, 2004, 51, 203-209. | 6.7 | 59 |
| 68 | Treatment preferences of patients with early rheumatoid arthritis: a discrete-choice experiment. Rheumatology, 2016, 55, 1959-1968. | 1.9 | 59 |
| 69 | Herbal medicine for low-back pain. The Cochrane Library, 2014, 2014, CD004504. | 2.8 | 55 |
| 70 | Risk of Mycobacterial Infections Associated With Rheumatoid Arthritis in Ontario, Canada. Chest, 2014, 146, 563-572. | 0.8 | 55 |
| 71 | Views on radiography use for patients with acute low back pain among chiropractors in an Ontario community. Journal of Manipulative and Physiological Therapeutics, 2002, 25, 511-520. | 0.9 | 53 |
| 72 | Early medication use in new-onset rheumatoid arthritis may delay joint replacement: results of a large population-based study. Arthritis Research and Therapy, 2015, 17, 197. | 3.5 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Cost-effectiveness of inpatient and intensive outpatient treatment of rheumatoid arthritis. A randomized, controlled trial. <i>Arthritis and Rheumatism</i> , 1989, 32, 1505-1514. | 6.7 | 50 |
| 74 | Methotrexate monotherapy versus methotrexate combination therapy with non-biologic disease modifying anti-rheumatic drugs for rheumatoid arthritis. <i>The Cochrane Library</i> , 2015, 2015, CD008495. | 2.8 | 49 |
| 75 | Allopurinol for chronic gout. <i>The Cochrane Library</i> , 2014, 2014, CD006077. | 2.8 | 48 |
| 76 | Herbal medicine for low back pain. , 2006, , CD004504. | | 47 |
| 77 | Quality care in seniors with new-onset rheumatoid arthritis: A Canadian perspective. <i>Arthritis Care and Research</i> , 2011, 63, 53-57. | 3.4 | 47 |
| 78 | Comprehensive Nonsurgical Treatment Versus Self-directed Care to Improve Walking Ability in Lumbar Spinal Stenosis: A Randomized Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 2408-2419.e2. | 0.9 | 46 |
| 79 | Limited search strategies were effective in finding relevant nonrandomized studies. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1303-1311. | 5.0 | 45 |
| 80 | Herbal Medicine for Low Back Pain. <i>Spine</i> , 2016, 41, 116-133. | 2.0 | 45 |
| 81 | The Minimum Clinically Important Improvement and Patient-acceptable Symptom State in the BASDAI and BASFI for Patients with Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2016, 43, 1680-1686. | 2.0 | 42 |
| 82 | OMERACT Filter Evidence Supporting the Measurement of At-work Productivity Loss as an Outcome Measure in Rheumatology Research. <i>Journal of Rheumatology</i> , 2016, 43, 214-222. | 2.0 | 42 |
| 83 | The Rising Burden of Rheumatoid Arthritis Surpasses Rheumatology Supply in Ontario. <i>Canadian Journal of Public Health</i> , 2013, 104, e450-e455. | 2.3 | 41 |
| 84 | Comparison of Anti-TNF Treatment Initiation in Rheumatoid Arthritis Databases Demonstrates Wide Country Variability in Patient Parameters at Initiation of Anti-TNF Therapy. <i>Seminars in Arthritis and Rheumatism</i> , 2011, 41, 81-89. | 3.4 | 40 |
| 85 | Reaching those most in need: A scoping review of interventions to improve health care quality for disadvantaged populations with osteoarthritis. <i>Arthritis Care and Research</i> , 2011, 63, 39-52. | 3.4 | 39 |
| 86 | Development of an upper extremity outcome measure: The DASH (disabilities of the arm, shoulder, and hand) questionnaire. <i>Arthritis Care and Research</i> , 1999, 11, 163-170. | | 39 |
| 87 | Potential for Inter-Observer and Intra-Observer Variability in X-Ray Review to Establish Stone-Free Rates after Lithotripsy. <i>Journal of Urology</i> , 1992, 147, 559-562. | 0.4 | 38 |
| 88 | Implementing Evidence-Based Guidelines for Radiography in Acute Low Back Pain: A Pilot Study in a Chiropractic Community. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2004, 27, 170-179. | 0.9 | 38 |
| 89 | Wait times to rheumatology care for patients with rheumatic diseases: a data linkage study of primary care electronic medical records and administrative data. <i>CMAJ Open</i> , 2016, 4, E205-E212. | 2.4 | 38 |
| 90 | Measuring Pain and Efficacy of Pain Treatment in Inflammatory Arthritis: A Systematic Literature Review. <i>Journal of rheumatology Supplement</i> , The, 2012, 90, 3-10. | 2.2 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Worker Productivity Outcome Measures: OMERACT Filter Evidence and Agenda for Future Research. <i>Journal of Rheumatology</i> , 2014, 41, 165-176. | 2.0 | 37 |
| 92 | Methodological quality and homogeneity influenced agreement between randomized trials and nonrandomized studies of the same intervention for back pain. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 209-231. | 5.0 | 36 |
| 93 | Lack of concordance between the ICD-9 classification of soft tissue disorders of the neck and upper limb and chart review diagnosis: One steel mill's experience. <i>American Journal of Industrial Medicine</i> , 1996, 29, 171-182. | 2.1 | 35 |
| 94 | Response to Expression of Concern Regarding VIGOR Study. <i>New England Journal of Medicine</i> , 2006, 354, 1196-1199. | 27.0 | 35 |
| 95 | Effectiveness of the primary therapist model for rheumatoid arthritis rehabilitation: A randomized controlled trial. <i>Arthritis and Rheumatism</i> , 2006, 55, 42-52. | 6.7 | 34 |
| 96 | An evidence-informed, integrated framework for rheumatoid arthritis care. <i>Arthritis and Rheumatism</i> , 2008, 59, 1171-1183. | 6.7 | 34 |
| 97 | Canadian Recommendations for Use of Methotrexate in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2010, 37, 1422-1430. | 2.0 | 34 |
| 98 | The Value of Magnetic Resonance Imaging and Ultrasound in Undifferentiated Arthritis: A Systematic Review. <i>Journal of rheumatology Supplement, The</i> , 2011, 87, 31-37. | 2.2 | 33 |
| 99 | Uricosuric medications for chronic gout. <i>The Cochrane Library</i> , 2014, , CD010457. | 2.8 | 33 |
| 100 | Back Belt Use for Prevention of Occupational Low Back Pain: A Systematic Review. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2005, 28, 128-134. | 0.9 | 31 |
| 101 | Randomized controlled trials of herbal interventions underreport important details of the intervention. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 760-769. | 5.0 | 31 |
| 102 | Time to Disease-modifying Antirheumatic Drug Treatment in Rheumatoid Arthritis and Its Predictors: A National, Multicenter, Retrospective Cohort. <i>Journal of Rheumatology</i> , 2012, 39, 2088-2097. | 2.0 | 31 |
| 103 | Examining Heterogeneity in Meta-Analysis. <i>Spine</i> , 2008, 33, 339-348. | 2.0 | 30 |
| 104 | Hormonal replacement therapy may reduce the risk for RA in women with early arthritis who carry HLA-DRB1 *01 and/or *04 alleles by protecting against the production of anti-CCP: results from the ESPOIR cohort. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1683-1686. | 0.9 | 29 |
| 105 | Access to rheumatologists among patients with newly diagnosed rheumatoid arthritis in a Canadian universal public healthcare system. <i>BMJ Open</i> , 2014, 4, e003888. | 1.9 | 29 |
| 106 | The Efficacy and Safety of Treatments for Acute Gout: Results from a Series of Systematic Literature Reviews Including Cochrane Reviews on Intraarticular Glucocorticoids, Colchicine, Nonsteroidal Antiinflammatory Drugs, and Interleukin-1 Inhibitors. <i>Journal of rheumatology Supplement, The</i> , 2014, 92, 15-25. | 2.2 | 29 |
| 107 | A summary of economic evaluations published in the field of rheumatology and related disciplines. <i>Arthritis and Rheumatism</i> , 1997, 40, 1587-1593. | 6.7 | 28 |
| 108 | Reporting Random Controlled Trials of Herbal Medicines. <i>Explore: the Journal of Science and Healing</i> , 2006, 2, 143-149. | 1.0 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Do Chiropractors Adhere to Guidelines for Back Radiographs?. <i>Spine</i> , 2007, 32, 2509-2514. | 2.0 | 28 |
| 110 | The Work Instability Scale for Rheumatoid Arthritis (RA-WIS): Does it work in osteoarthritis?. <i>Quality of Life Research</i> , 2010, 19, 1057-1068. | 3.1 | 28 |
| 111 | The Work Instability Scale for rheumatoid arthritis predicts arthritis-related work transitions within 12 months. <i>Arthritis Care and Research</i> , 2010, 62, 1578-1587. | 3.4 | 28 |
| 112 | Effectiveness and Safety of Etanercept in Patients with Psoriatic Arthritis in a Canadian Clinical Practice Setting: The REPAre Trial. <i>Journal of Rheumatology</i> , 2011, 38, 1355-1362. | 2.0 | 28 |
| 113 | Cost effectiveness of adding leflunomide to a 5-year strategy of conventional disease-modifying antirheumatic drugs in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002, 47, 655-661. | 6.7 | 27 |
| 114 | Patterns of Care Among Patients Referred to Rheumatologists in Ontario, Canada. <i>Arthritis Care and Research</i> , 2017, 69, 104-114. | 3.4 | 27 |
| 115 | Identifying the Best Treatment Among Common Nonsurgical Neck Pain Treatments. <i>Spine</i> , 2008, 33, S184-S191. | 2.0 | 26 |
| 116 | Advantages and limitations of utility assessment methods in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2007, 34, 2193-200. | 2.0 | 26 |
| 117 | Low Back Pain Prognosis: Structured Review of the Literature. <i>Journal of Occupational Rehabilitation</i> , 2000, 10, 101-115. | 2.2 | 24 |
| 118 | Systematic Monitoring of Disease Activity Using an Outcome Measure Improves Outcomes in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2010, 37, 1411-1415. | 2.0 | 23 |
| 119 | Diagnostic and Prognostic Value of Antibodies and Soluble Biomarkers in Undifferentiated Peripheral Inflammatory Arthritis: A Systematic Review. <i>Journal of rheumatology Supplement, The</i> , 2011, 87, 20-25. | 2.2 | 23 |
| 120 | Treatment of Asymptomatic Hyperuricemia for the Prevention of Gouty Arthritis, Renal Disease, and Cardiovascular Events: A Systematic Literature Review. <i>Journal of rheumatology Supplement, The</i> , 2014, 92, 70-74. | 2.2 | 23 |
| 121 | Paracetamol for the Management of Pain in Inflammatory Arthritis: A Systematic Literature Review. <i>Journal of rheumatology Supplement, The</i> , 2012, 90, 11-16. | 2.2 | 21 |
| 122 | Frailty and risk of osteoporotic fractures in patients with rheumatoid arthritis: Data from the Ontario Best Practices Research Initiative. <i>Bone</i> , 2019, 127, 129-134. | 2.9 | 21 |
| 123 | Adherence to Radiography Guidelines for Low Back Pain: A Survey of Chiropractic Schools Worldwide. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2008, 31, 412-418. | 0.9 | 20 |
| 124 | PubMed had a higher sensitivity than Ovid-MEDLINE in the search for systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 805-807. | 5.0 | 20 |
| 125 | Further Qualification of a Therapeutic Responder Index for Patients with Chronic Low Back Pain. <i>Journal of Rheumatology</i> , 2011, 38, 362-369. | 2.0 | 20 |
| 126 | Safety of Pain Therapy During Pregnancy and Lactation in Patients with Inflammatory Arthritis: A Systematic Literature Review. <i>Journal of rheumatology Supplement, The</i> , 2012, 90, 59-61. | 2.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | An empirical study using permutation-based resampling in meta-regression. <i>Systematic Reviews</i> , 2012, 1, 18. | 5.3 | 20 |
| 128 | Sensibility of five at-work productivity measures was endorsed by patients with osteoarthritis or rheumatoid arthritis. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 546-556. | 5.0 | 20 |
| 129 | Patient preferences for maintenance therapy in Crohn's disease: A discrete-choice experiment. <i>PLoS ONE</i> , 2020, 15, e0227635. | 2.5 | 20 |
| 130 | Naproxen and sulindac improved symptoms of chronic inflammatory joint disease, but naproxen inhibited renal filtration, renal flow, and renal endocrine functions. <i>ACP Journal Club</i> , 1991, 114, 16. | 0.1 | 20 |
| 131 | Quality indicators in rheumatoid arthritis care: using measurement to promote quality improvement. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, ii128-ii131. | 0.9 | 19 |
| 132 | A review of cost-effectiveness analyses in rheumatology and related disciplines. <i>Current Opinion in Rheumatology</i> , 1998, 10, 136-140. | 4.3 | 18 |
| 133 | Early Management of Newly Diagnosed Rheumatoid Arthritis by Canadian Rheumatologists: A National, Multicenter, Retrospective Cohort. <i>Journal of Rheumatology</i> , 2011, 38, 2342-2345. | 2.0 | 17 |
| 134 | Primary Care Screening and Comorbidity Management in Rheumatoid Arthritis in Ontario, Canada. <i>Arthritis Care and Research</i> , 2017, 69, 1495-1503. | 3.4 | 17 |
| 135 | Training the Next Generation of Researchers in Work Disability Prevention: The Canadian Work Disability Prevention CIHR Strategic Training Program. <i>Journal of Occupational Rehabilitation</i> , 2005, 15, 273-284. | 2.2 | 16 |
| 136 | Primary therapist model for patients referred for rheumatoid arthritis rehabilitation: A cost-effectiveness analysis. <i>Arthritis and Rheumatism</i> , 2006, 55, 402-410. | 6.7 | 16 |
| 137 | Five questions predicted long-term, severe, back-related functional limitations: evidence from three large prospective studies. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 54-66. | 5.0 | 16 |
| 138 | Description of Active Joint Count Trajectories in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2014, 41, 2466-2473. | 2.0 | 16 |
| 139 | Adding a 'GRADE' to the quality appraisal of rheumatoid arthritis guidelines identifies limitations beyond AGREE-II. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1274-1285. | 5.0 | 16 |
| 140 | ACPA and RF as predictors of sustained clinical remission in patients with rheumatoid arthritis: data from the Ontario Best practices Research Initiative (OBRI). <i>RMD Open</i> , 2018, 4, e000738. | 3.8 | 16 |
| 141 | Association of Patient, Prescriber, and Region With the Initiation of First Prescription of Biologic Disease-Modifying Antirheumatic Drug Among Older Patients With Rheumatoid Arthritis and Identical Health Insurance Coverage. <i>JAMA Network Open</i> , 2019, 2, e1917053. | 5.9 | 15 |
| 142 | Prophylaxis for Latent Tuberculosis Infection Prior to Anti-Tumor Necrosis Factor Therapy in Low-Risk Elderly Patients With Rheumatoid Arthritis: A Decision Analysis. <i>Arthritis Care and Research</i> , 2013, 65, 1722-1731. | 3.4 | 14 |
| 143 | Preventing Attacks of Acute Gout When Introducing Urate-Lowering Therapy: A Systematic Literature Review. <i>Journal of rheumatology Supplement, The</i> , 2014, 92, 42-47. | 2.2 | 14 |
| 144 | A Bayesian model that jointly considers comparative effectiveness research and patients' preferences may help inform GRADE recommendations: an application to rheumatoid arthritis treatment recommendations. <i>Journal of Clinical Epidemiology</i> , 2018, 93, 56-65. | 5.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Effect of a prototype lumbar spinal stenosis belt versus a lumbar support on walking capacity in lumbar spinal stenosis: a randomized controlled trial. <i>Spine Journal</i> , 2019, 19, 386-394. | 1.3 | 14 |
| 146 | Canadian Variation by Province in Rheumatoid Arthritis Initiating Anti-Tumor Necrosis Factor Therapy: Results from the Optimization of Adalimumab Trial. <i>Journal of Rheumatology</i> , 2010, 37, 2469-2474. | 2.0 | 13 |
| 147 | Diagnostic and Prognostic Value of Synovial Biopsy in Adult Undifferentiated Peripheral Inflammatory Arthritis: A Systematic Review. <i>Journal of rheumatology Supplement, The</i> , 2011, 87, 45-47. | 2.2 | 13 |
| 148 | The Longterm Effect of Early Intensive Treatment of Seniors with Rheumatoid Arthritis: A Comparison of 2 Population-based Cohort Studies on Time to Joint Replacement Surgery. <i>Journal of Rheumatology</i> , 2016, 43, 861-868. | 2.0 | 13 |
| 149 | High Disease Activity Is Associated with Self-reported Depression and Predicts Persistent Depression in Early Rheumatoid Arthritis: Results from the Ontario Best Practices Research Initiative. <i>Journal of Rheumatology</i> , 2018, 45, 1101-1108. | 2.0 | 13 |
| 150 | Effect of active TENS versus de-tuned TENS on walking capacity in patients with lumbar spinal stenosis: a randomized controlled trial. <i>Chiropractic & Manual Therapies</i> , 2019, 27, 24. | 1.5 | 13 |
| 151 | Utilization of Physiotherapy and Occupational Therapy by Ontario Rheumatologists in Managing Rheumatoid Arthritis: A Survey. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2003, 55, 023. | 0.6 | 13 |
| 152 | Focusing on care research: A challenge and an opportunity. <i>Arthritis and Rheumatism</i> , 2004, 51, 874-876. | 6.7 | 12 |
| 153 | Utilization and costs of lumbar and full spine radiography by Ontario chiropractors from 1994 to 2001. <i>Spine Journal</i> , 2009, 9, 556-563. | 1.3 | 12 |
| 154 | Safety and Efficacy of On-demand Versus Continuous Use of Nonsteroidal Antiinflammatory Drugs in Patients with Inflammatory Arthritis: A Systematic Literature Review. <i>Journal of rheumatology Supplement, The</i> , 2012, 90, 56-58. | 2.2 | 12 |
| 155 | Impact of residential area on the management of rheumatoid arthritis patients initiating their first biologic DMARD. <i>Medicine (United States)</i> , 2019, 98, e15517. | 1.0 | 12 |
| 156 | Treatment patterns in rheumatoid arthritis after discontinuation of methotrexate: data from the Ontario Best Practices Research Initiative (OBRI). <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 215-222. | 0.8 | 12 |
| 157 | Rasch analysis informed modifications to the Work Instability Scale for Rheumatoid Arthritis for use in work-related upper limb disorders. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1242-1251. | 5.0 | 11 |
| 158 | Algorithm for Identification of Undifferentiated Peripheral Inflammatory Arthritis: A Multinational Collaboration Through the 3e Initiative. <i>Journal of rheumatology Supplement, The</i> , 2011, 87, 54-58. | 2.2 | 11 |
| 159 | Urate-Lowering Therapy for the Management of Gout: A Summary of 2 Cochrane Reviews. <i>Journal of rheumatology Supplement, The</i> , 2014, 92, 33-41. | 2.2 | 11 |
| 160 | Interventions for Tophi in Gout: A Cochrane Systematic Literature Review. <i>Journal of rheumatology Supplement, The</i> , 2014, 92, 63-69. | 2.2 | 11 |
| 161 | Rheumatoid Arthritis Surveillance in Ontario: Monitoring the Burden, Quality of Care and Patient Outcomes through Linkage of Administrative Health Data. <i>Healthcare Quarterly</i> , 2015, 18, 7-10. | 0.7 | 11 |
| 162 | Development of a Canadian Core Clinical Dataset to Support High-quality Care for Canadian Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2017, 44, 1813-1822. | 2.0 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Predictors of patient decision to discontinue anti-rheumatic medication in patients with rheumatoid arthritis: results from the Ontario best practices research initiative. <i>Clinical Rheumatology</i> , 2017, 36, 2421-2430. | 2.2 | 11 |
| 164 | Simplified search strategies were effective in identifying clinical trials of pharmaceuticals and physical modalities. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 874.e1-874.e11. | 5.0 | 10 |
| 165 | Emerging Issues in Pharmacological Management of Rheumatoid Arthritis: Results of a National Needs Assessment Survey Identifying Practice Variations for the Development of Canadian Rheumatology Association Clinical Practice Recommendations: Table 1.. <i>Journal of Rheumatology</i> , 2012, 39, 1555-1558. | 2.0 | 10 |
| 166 | Interventions for tophi in gout. <i>The Cochrane Library</i> , 2014, , CD010069. | 2.8 | 10 |
| 167 | The boot camp program for lumbar spinal stenosis: a protocol for a randomized controlled trial. <i>Chiropractic & Manual Therapies</i> , 2016, 24, 25. | 1.5 | 9 |
| 168 | Health care costs of rheumatoid arthritis: A longitudinal population study. <i>PLoS ONE</i> , 2021, 16, e0251334. | 2.5 | 8 |
| 169 | How to Ascertain Drug Safety in the Context of Benefit. Controversies and Concerns: Table 1.. <i>Journal of Rheumatology</i> , 2009, 36, 2114-2121. | 2.0 | 7 |
| 170 | Identifying the Best Treatment Among Common Nonsurgical Neck Pain Treatments. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2009, 32, S209-S218. | 0.9 | 7 |
| 171 | Diagnostic and Predictive Value of Acute-phase Reactants in Adult Undifferentiated Peripheral Inflammatory Arthritis: A Systematic Review. <i>Journal of rheumatology Supplement, The</i> , 2011, 87, 15-19. | 2.2 | 7 |
| 172 | Toward Defining Primary and Secondary Nonresponse in Rheumatoid Arthritis Patients Treated with Anti-TNF: Results from the BioTRAC and OBRI Registries. <i>Journal of Rheumatology</i> , 2020, 47, 510-517. | 2.0 | 7 |
| 173 | The Effect of Triage Assessments on Identifying Inflammatory Arthritis and Reducing Rheumatology Wait Times in Ontario. <i>Journal of Rheumatology</i> , 2020, 47, 461-467. | 2.0 | 7 |
| 174 | Changes in Opioid Prescribing Behaviors among Family Physicians Who Participated in a Weekly Tele-Mentoring Program. <i>Journal of Clinical Medicine</i> , 2020, 9, 14. | 2.4 | 6 |
| 175 | Discontinuation of biologic therapy due to lack/loss of response and adverse events is similar between TNFi and non-TNFi class: Results from a real-world rheumatoid arthritis cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 915-922. | 3.4 | 6 |
| 176 | A pattern recognition approach to the development of a classification system for upper-limb musculoskeletal disorders of workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 131-139. | 3.4 | 6 |
| 177 | Bridging the Gap Between Symptom Onset and Diagnosis in Axial Spondyloarthritis. <i>Arthritis Care and Research</i> , 2022, 74, 997-1005. | 3.4 | 5 |
| 178 | Interventions for tophi in gout. <i>The Cochrane Library</i> , 2021, 2021, CD010069. | 2.8 | 5 |
| 179 | Outcomes of Home-Based Rehabilitation Provided by Primary Therapists for Patients with Rheumatoid Arthritis: Pilot Study. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2005, 57, 255-264. | 0.6 | 4 |
| 180 | Rofecoxib and Clinically Significant Gastrointestinal Events. <i>American Journal of the Medical Sciences</i> , 2011, 342, 438-439. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | The Value of Conventional Radiographs in Undifferentiated Arthritis: A Systematic Review. Journal of rheumatology Supplement, The, 2011, 87, 26-30. | 2.2 | 4 |
| 182 | Fifteen Years of the Cochrane Back Review Group. Spine, 2013, 38, 2057-2063. | 2.0 | 4 |
| 183 | Comorbidities Before and After the Diagnosis of Rheumatoid Arthritis: A Matched Longitudinal Study. ACR Open Rheumatology, 2020, 2, 648-656. | 2.1 | 4 |
| 184 | Clinical Composite Measures of Disease Activity for Diagnosis and Followup of Undifferentiated Peripheral Inflammatory Arthritis: A Systematic Review. Journal of rheumatology Supplement, The, 2011, 87, 48-53. | 2.2 | 3 |
| 185 | Effect of TENS Versus Placebo on Walking Capacity in Patients With Lumbar Spinal Stenosis: A Protocol for a Randomized Controlled Trial. Journal of Chiropractic Medicine, 2016, 15, 197-203. | 0.7 | 3 |
| 186 | Collection of antirheumatic medication data from both patients and rheumatologists shows strong agreement in a real-world clinical cohort: the Ontario Best Practices Research Initiative's a rheumatoid arthritis cohort. Journal of Clinical Epidemiology, 2019, 114, 95-103. | 5.0 | 3 |
| 187 | Effect of Concomitant Disease-modifying Antirheumatic Drugs and Methotrexate Administration Route on Biologic Treatment Durability in Rheumatoid Arthritis: OBRI Cohort Results. Journal of Rheumatology, 2019, 46, 874-886. | 2.0 | 3 |
| 188 | Diagnostic and Prognostic Value of Genetics in Undifferentiated Peripheral Inflammatory Arthritis: A Systematic Review. Journal of rheumatology Supplement, The, 2011, 87, 38-44. | 2.2 | 2 |
| 189 | How to Investigate and Follow Up Undifferentiated Peripheral Inflammatory Arthritis? 3e Initiative 2008-2009: Systematic Reviews and Clinical Algorithm. Journal of rheumatology Supplement, The, 2011, 87, 1-2. | 2.2 | 2 |
| 190 | <p>Patient, Rheumatologist and Therapist Perspectives on the Implementation of an Allied Health Rheumatology Triage (AHRT) Initiative in Ontario Rheumatology Clinics</p>. Journal of Pragmatic and Observational Research, 2020, Volume 11, 1-12. | 1.5 | 2 |
| 191 | Cardiovascular risk factors are negatively associated with rheumatoid arthritis disease outcomes. Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2098121. | 2.7 | 2 |
| 192 | The cost-effectiveness of misoprostol in preventing serious gastrointestinal events associated with the use of nonsteroidal antiinflammatory drugs. Arthritis and Rheumatism, 1998, 41, 16-25. | 6.7 | 2 |
| 193 | Greater Injury Leads to More Treatment for Whiplash: No Surprises Here"Reply. Archives of Internal Medicine, 2006, 166, 1239. | 3.8 | 1 |
| 194 | Time to remission in swollen joints is far faster than patient reported outcomes in rheumatoid arthritis: results from the Ontario Best Practices Research Initiative (OBRI). Rheumatology, 2021, 60, 717-727. | 1.9 | 1 |
| 195 | Heterogeneity in Patient Characteristics and Differences in Treatment Across 4 Canadian Rheumatoid Arthritis Cohorts. Journal of Rheumatology, 2022, 49, 16-25. | 2.0 | 1 |
| 196 | Physician- and Patient-reported Effectiveness Are Similar for Tofacitinib and TNFi in Rheumatoid Arthritis: Data From a Rheumatoid Arthritis Registry. Journal of Rheumatology, 2022, 49, 447-453. | 2.0 | 1 |
| 197 | Differential influence of Clinical Disease Activity Index components based on disease state in rheumatoid arthritis patients: real-world results from the Ontario Best Practices Research Initiative. Clinical and Experimental Rheumatology, 2022, , . | 0.8 | 1 |
| 198 | Évaluation des destructions dans les articulations analysées individuellement au cours de la polyarthrite rhumatoïde: une nouvelle méthode fondée sur celle de Larsen. Revue Du Rhumatisme (Edition Francaise), 2004, 71, 768-776. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | THU0125â€¦CARDIOVASCULAR DISEASE RISK FACTORS MAY NEGATIVELY IMPACT RHEUMATOID ARTHRITIS DISEASE OUTCOMES: FINDINGS FROM THE ONTARIO BEST PRACTICES RESEARCH INITIATIVE. , 2019, , . | | 0 |
| 200 | Response to the letter to the editor by Sabour etÂal. (2019) Re: â€œCollection of antirheumatic medication data from both patients and rheumatologists shows strong agreement in a real-world clinical cohort: Methodological issues to avoid misinterpretationâ€. Journal of Clinical Epidemiology, 2020, 120, 122-123. | 5.0 | 0 |
| 201 | Changes in Market Share of Biologic and Targeted Synthetic Disease-Modifying Anti-Rheumatic Drugs for Treatment of Rheumatoid Arthritis: Results from the Ontario Best-Practice Research Initiative Database. Current Rheumatology Reviews, 2021, 17, 349-359. | 0.8 | 0 |
| 202 | Medical cannabis use by rheumatology patients in routine clinical care: results from The Ontario Best Practices Research Initiative. Clinical and Experimental Rheumatology, 0, , . | 0.8 | 0 |