

# Jaume Bonet

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/100747/publications.pdf>

Version: 2024-02-01

45  
papers

2,310  
citations

331670

21  
h-index

254184

43  
g-index

59  
all docs

59  
docs citations

59  
times ranked

3973  
citing authors

#	ARTICLE	IF	CITATIONS
1	RosettaSurfâ€”A surface-centric computational design approach. PLoS Computational Biology, 2022, 18, e1009178.	3.2	5
2	SPServer: split-statistical potentials for the analysis of protein structures and proteinâ€”protein interactions. BMC Bioinformatics, 2021, 22, 4.	2.6	8
3	Bottom-up de novo design of functional proteins with complex structural features. Nature Chemical Biology, 2021, 17, 492-500.	8.0	65
4	Modeling Immunity with Rosetta: Methods for Antibody and Antigen Design. Biochemistry, 2021, 60, 825-846.	2.5	24
5	On the use of direct-coupling analysis with a reduced alphabet of amino acids combined with super-secondary structure motifs for protein fold prediction. NAR Genomics and Bioinformatics, 2021, 3, lqab027.	3.2	0
6	On the prediction of DNA-binding preferences of C2H2-ZF domains using structural models: application on human CTCF. NAR Genomics and Bioinformatics, 2020, 2, lqaa046.	3.2	6
7	Using collections of structural models to predict changes of binding affinity caused by mutations in proteinâ€”protein interactions. Protein Science, 2020, 29, 2112-2130.	7.6	14
8	Preclinical development of a humanized chimeric antigen receptor against B cell maturation antigen for multiple myeloma. Haematologica, 2020, 106, 173-184.	3.5	25
9	Macromolecular modeling and design in Rosetta: recent methods and frameworks. Nature Methods, 2020, 17, 665-680.	19.0	513
10	De novo protein design enables the precise induction of RSV-neutralizing antibodies. Science, 2020, 368, .	12.6	137
11	A computationally designed chimeric antigen receptor provides a small-molecule safety switch for T-cell therapy. Nature Biotechnology, 2020, 38, 426-432.	17.5	100
12	Human Albumin Impairs Amyloid Î²-peptide Fibrillation Through its C-terminus: From docking Modeling to Protection Against Neurotoxicity in Alzheimer's disease. Computational and Structural Biotechnology Journal, 2019, 17, 963-971.	4.1	19
13	rstoolbox - a Python library for large-scale analysis of computational protein design data and structural bioinformatics. BMC Bioinformatics, 2019, 20, 240.	2.6	15
14	Alternative interaction sites in the influenza A virus nucleoprotein mediate viral escape from the importinâ€”7 mediated nuclear import pathway. FEBS Journal, 2019, 286, 3374-3388.	4.7	4
15	Boosting subdominant neutralizing antibody responses with a computationally designed epitope-focused immunogen. PLoS Biology, 2019, 17, e3000164.	5.6	26
16	On the mechanisms of protein interactions: predicting their affinity from unbound tertiary structures. Bioinformatics, 2018, 34, 592-598.	4.1	12
17	ATTACK, a novel bispecific T cell-recruiting antibody with trivalent EGFR binding and monovalent CD3 binding for cancer immunotherapy. Oncolmmunology, 2018, 7, e1377874.	4.6	56
18	Rosetta FunFolDes â€” A general framework for the computational design of functional proteins. PLoS Computational Biology, 2018, 14, e1006623.	3.2	32

#	ARTICLE	IF	CITATIONS
19	Structure-based immunogen design " leading the way to the new age of precision vaccines. <i>Current Opinion in Structural Biology</i> , 2018, 51, 163-169.	5.7	22
20	Bispecific light T-cell engagers for gene-based immunotherapy of epidermal growth factor receptor (EGFR)-positive malignancies. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 1251-1260.	4.2	20
21	The antigen-binding fragment of human gamma immunoglobulin prevents amyloid $\beta$ -peptide folding into $\beta$ -sheet to form oligomers. <i>Oncotarget</i> , 2017, 8, 41154-41165.	1.8	7
22	InteractoMIX: a suite of computational tools to exploit interactomes in biological and clinical research. <i>Biochemical Society Transactions</i> , 2016, 44, 917-924.	3.4	3
23	Amyloid- $\beta$ Peptide Nitrotyrosination Stabilizes Oligomers and Enhances NMDAR-Mediated Toxicity. <i>Journal of Neuroscience</i> , 2016, 36, 11693-11703.	3.6	50
24	Intramolecular trimerization, a novel strategy for making multispecific antibodies with controlled orientation of the antigen binding domains. <i>Scientific Reports</i> , 2016, 6, 28643.	3.3	26
25	Crowdsourced assessment of common genetic contribution to predicting anti-TNF treatment response in rheumatoid arthritis. <i>Nature Communications</i> , 2016, 7, 12460.	12.8	73
26	ADP-ribose-derived nuclear ATP synthesis by NUDIX5 is required for chromatin remodeling. <i>Science</i> , 2016, 352, 1221-1225.	12.6	141
27	Inferring causal molecular networks: empirical assessment through a community-based effort. <i>Nature Methods</i> , 2016, 13, 310-318.	19.0	209
28	Targeting Importin- $\beta$ 7 as a Therapeutic Approach against Pandemic Influenza Viruses. <i>Journal of Virology</i> , 2015, 89, 9010-9020.	3.4	20
29	Smotifs as structural local descriptors of supersecondary elements: classification, completeness and applications. <i>BioAlgorithms and Med-Systems</i> , 2014, 10, 195-212.	2.4	2
30	ArchDB 2014: structural classification of loops in proteins. <i>Nucleic Acids Research</i> , 2014, 42, D315-D319.	14.5	38
31	On the Use of Knowledge-Based Potentials for the Evaluation of Models of Protein-Protein, Protein-DNA, and Protein-RNA Interactions. <i>Advances in Protein Chemistry and Structural Biology</i> , 2014, 94, 77-120.	2.3	32
32	Frag <sup>TM</sup> r <sup>TM</sup> Us: knowledge-based sampling of protein backbone conformations for <i>de novo</i> structure-based protein design. <i>Bioinformatics</i> , 2014, 30, 1935-1936.	4.1	15
33	Understanding Protein-Protein Interactions Using Local Structural Features. <i>Journal of Molecular Biology</i> , 2013, 425, 1210-1224.	4.2	46
34	iLoops: a protein-protein interaction prediction server based on structural features. <i>Bioinformatics</i> , 2013, 29, 2360-2362.	4.1	47
35	Elongation of the C-terminal domain of an anti-amyloid $\beta$ single-chain variable fragment increases its thermodynamic stability and decreases its aggregation tendency. <i>MAbs</i> , 2013, 5, 678-689.	5.2	16
36	Generation and characterization of monospecific and bispecific hexavalent trimerbodies. <i>MAbs</i> , 2013, 5, 70-79.	5.2	30

#	ARTICLE	IF	CITATIONS
37	CDK2-dependent activation of PARP-1 is required for hormonal gene regulation in breast cancer cells. <i>Genes and Development</i> , 2012, 26, 1972-1983.	5.9	107
38	Structural Bioinformatics of Proteins: Predicting the Tertiary and Quaternary Structure of Proteins from Sequence. , 2012, , .		1
39	Networks of Protein-Protein Interactions: From Uncertainty to Molecular Details. <i>Molecular Informatics</i> , 2012, 31, 342-362.	2.5	22
40	Prediction of a new class of RNA recognition motif. <i>Journal of Molecular Modeling</i> , 2011, 17, 1863-1875.	1.8	1
41	Multivalent antibodies: when design surpasses evolution. <i>Trends in Biotechnology</i> , 2010, 28, 355-362.	9.3	172
42	In Vivo Tumor Targeting and Imaging with Engineered Trivalent Antibody Fragments Containing Collagen-Derived Sequences. <i>PLoS ONE</i> , 2009, 4, e5381.	2.5	56
43	Characterization of Protein Hubs by Inferring Interacting Motifs from Protein Interactions. <i>PLoS Computational Biology</i> , 2007, 3, e178.	3.2	51
44	The role of residue stability in transient protein-protein interactions involved in enzymatic phosphate hydrolysis. A computational study. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005, 63, 65-77.	2.6	13
45	Characterization of Protein Hubs by Inferring Interacting Motifs from Protein Interactions. <i>PLoS Computational Biology</i> , 2005, preprint, e178.	3.2	0