

# Tore C Stiles

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10077444/publications.pdf>

Version: 2024-02-01

105  
papers

4,033  
citations

159585

30  
h-index

133252

59  
g-index

107  
all docs

107  
docs citations

107  
times ranked

4257  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Clinical Description of Chronic Pain in a General Population Using ICD-10 and ICD-11 (The HUNT Pain) Tj ETQq1 1,0,784314,rgBT /Ove	1.4	7
2	Homework Assignments, Agenda Setting and the Therapeutic Alliance in Cognitive Therapy with Cluster C Personality Disorders: Synergetic or Antagonistic Ingredients?. Cognitive Therapy and Research, 2022, 46, 448-455.	1.9	3
3	Digital cognitive behaviour therapy for insomnia (dCBT): Chronotype moderation on intervention outcomes. Journal of Sleep Research, 2022, 31, e13572.	3.2	9
4	The effect of in-session exposure in Fear Avoidance treatment of chronic low back pain: A randomized controlled trial. European Journal of Pain, 2021, 25, 171-188.	2.8	2
5	Impact of pain and catastrophizing on the long-term course of depression in the general population: the HUNT pain study. Pain, 2021, 162, 1650-1658.	4.2	9
6	Comparing objective cognitive impairments in patients with peripheral neuropathic pain or fibromyalgia. Scientific Reports, 2021, 11, 673.	3.3	8
7	Cognitive Behavioral Therapy Improves Physical Function and Fatigue in Mild and Moderate Chronic Fatigue Syndrome: A Consecutive Randomized Controlled Trial of Standard and Short Interventions. Frontiers in Psychiatry, 2021, 12, 580924.	2.6	16
8	The effect of sleep-wake intraindividual variability in digital cognitive behavioral therapy for insomnia: a mediation analysis of a large-scale RCT. Sleep, 2021, 44, .	1.1	5
9	Symptom severity moderates the outcome of attention bias modification for depression: An exploratory study. Journal of Psychiatric Research, 2021, 138, 528-534.	3.1	6
10	Associations Between Psychological and Immunological Variables in Chronic Fatigue Syndrome/Myalgic Encephalomyelitis: A Systematic Review. Frontiers in Psychiatry, 2021, 12, 716320.	2.6	10
11	The Natural Course of Chronic Pain in a General Population: Stability and Change in an Eight-Year Wave Longitudinal Study Over Four Years (the HUNT Pain Study). Journal of Pain, 2020, 21, 689-699.	1.4	20
12	MINDflex Training for Cognitive Flexibility in Chronic Pain: A Randomized, Controlled Cross-Over Trial. Frontiers in Psychology, 2020, 11, 604832.	2.1	1
13	Metacognitive Beliefs as Predictors of Return to Work After Intensive Return-to-Work Rehabilitation in Patients With Chronic Pain, Chronic Fatigue and Common Psychological Disorders: Results From a Prospective Trial. Frontiers in Psychology, 2020, 11, 70.	2.1	4
14	Acceptance and Commitment Therapy Preceded by Attention Bias Modification on Residual Symptoms in Depression: A 12-Month Follow-Up. Frontiers in Psychology, 2019, 10, 1995.	2.1	9
15	Burnout and Perceived Performance Among Junior Athletes' Associations with Affective and Cognitive Components of Stress. Sports, 2019, 7, 171.	1.7	17
16	Effects of Attentional Bias Modification on residual symptoms in depression: a randomized controlled trial. BMC Psychiatry, 2019, 19, 141.	2.6	24
17	Attention Bias Modification in Remitted Depression Is Associated With Increased Interest and Leads to Reduced Adverse Impact of Anxiety Symptoms and Negative Cognition. Clinical Psychological Science, 2019, 7, 530-544.	4.0	24
18	A Prospective Test of the Metacognitive Model of Depression in Previously Depressed Individuals. Cognitive Therapy and Research, 2019, 43, 603-610.	1.9	5

#	ARTICLE	IF	CITATIONS
19	Catastrophizing, Solicitous Responses From Significant Others, and Function in Individuals With Neuropathic Pain, Osteoarthritis, or Spinal Pain in the General Population. <i>Journal of Pain</i> , 2018, 19, 983-995.	1.4	6
20	The Effect of Insomnia on Neuropsychological Functioning in Patients with Comorbid Symptoms of Pain, Fatigue, and Mood Disorders. <i>Archives of Clinical Neuropsychology</i> , 2018, 33, 14-23.	0.5	16
21	The Relationship Between Improvement in Insomnia Severity and Long-Term Outcomes in the Treatment of Chronic Fatigue. <i>Frontiers in Psychology</i> , 2018, 9, 1764.	2.1	10
22	Biopsychosocial predictors and trajectories of work participation after transdiagnostic occupational rehabilitation of participants with mental and somatic disorders: a cohort study. <i>BMC Public Health</i> , 2018, 18, 1014.	2.9	17
23	Acceptance and Commitment Therapy preceded by an experimental Attention Bias Modification procedure in recurrent depression: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 203.	1.6	15
24	Love Yourself as a Person, Doubt Yourself as a Therapist?. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 48-60.	2.7	111
25	Processes in acceptance and commitment therapy and the rehabilitation of chronic fatigue. <i>Scandinavian Journal of Psychology</i> , 2017, 58, 211-220.	1.5	30
26	Dysfunctional Metacognitive Beliefs Are Associated with Decreased Executive Control. <i>Frontiers in Psychology</i> , 2017, 8, 593.	2.1	22
27	Metacognitions Are Associated with Subjective Memory Problems in Individuals on Sick Leave due to Chronic Fatigue. <i>Frontiers in Psychology</i> , 2016, 7, 729.	2.1	9
28	The long-term outcomes of an effectiveness trial of group versus individual psychoeducation for bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 202, 32-38.	4.1	15
29	Paroxetine, Cognitive Therapy or Their Combination in the Treatment of Social Anxiety Disorder with and without Avoidant Personality Disorder: A Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 346-356.	8.8	48
30	Inhibition and response to error in remitted major depression. <i>Psychiatry Research</i> , 2016, 235, 116-122.	3.3	20
31	Effectiveness of Working Memory Training among Subjects Currently on Sick Leave Due to Complex Symptoms. <i>Frontiers in Psychology</i> , 2016, 7, 2003.	2.1	10
32	Prevalence of auditory verbal hallucinations in a general population: A group comparison study. <i>Scandinavian Journal of Psychology</i> , 2015, 56, 508-515.	1.5	67
33	Subjective memory complaints among patients on sick leave are associated with symptoms of fatigue and anxiety. <i>Frontiers in Psychology</i> , 2015, 6, 1338.	2.1	13
34	Describing patients with a duration of sick leave over and under one year in Norway. <i>Scandinavian Journal of Occupational Therapy</i> , 2015, 22, 72-80.	1.7	4
35	Serotonin transporter polymorphisms predict response inhibition in healthy volunteers. <i>Neuroscience Letters</i> , 2015, 584, 109-112.	2.1	20
36	The role of insomnia in the treatment of chronic fatigue. <i>Journal of Psychosomatic Research</i> , 2015, 78, 427-432.	2.6	29

#	ARTICLE	IF	CITATIONS
37	The role of self-image as a predictor of psychotherapy outcome. <i>Scandinavian Journal of Psychology</i> , 2015, 56, 62-68.	1.5	9
38	Work-Family Conflict, Psychological Distress, and Sleep Deficiency among Patient Care Workers. <i>Workplace Health and Safety</i> , 2014, 62, 282-291.	1.4	41
39	Response to letter to the Editor. <i>Pain</i> , 2014, 155, 646-647.	4.2	0
40	Work stress, sleep deficiency, and predicted 10-year cardiometabolic risk in a female patient care worker population. <i>American Journal of Industrial Medicine</i> , 2014, 57, 940-949.	2.1	24
41	The Role of Stress in Absenteeism: Cortisol Responsiveness among Patients on Long-Term Sick Leave. <i>PLoS ONE</i> , 2014, 9, e96048.	2.5	9
42	The extent of neurocognitive dysfunction in a multidisciplinary pain centre population. Is there a relation between reported and tested neuropsychological functioning?. <i>Pain</i> , 2013, 154, 972-977.	4.2	92
43	Cognitive Behaviour Therapy for Psychotic Symptoms: A Randomized Controlled Effectiveness Trial. <i>Behavioural and Cognitive Psychotherapy</i> , 2013, 41, 511-524.	1.2	28
44	Different processes for different therapies: Therapist actions, therapeutic bond, and outcome.. <i>Psychotherapy</i> , 2012, 49, 291-302.	1.2	65
45	What should we assess in outcome-studies to learn which patients benefit from treatments in multidisciplinary pain clinics?. <i>Scandinavian Journal of Pain</i> , 2012, 3, 199-200.	1.3	4
46	Impact of sleep disturbance on patients in treatment for mental disorders. <i>BMC Psychiatry</i> , 2012, 12, 179.	2.6	25
47	Resilience is a good predictor of hopelessness even after accounting for stressful life events, mood and personality (NEO-PI-R). <i>Scandinavian Journal of Psychology</i> , 2012, 53, 174-180.	1.5	44
48	Change in Defense Mechanisms During Short-Term Dynamic and Cognitive Therapy in Patients With Cluster C Personality Disorders. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 712-715.	1.0	26
49	The relationship between activating affects, inhibitory affects, and self-compassion in patients with Cluster C personality disorders.. <i>Psychotherapy</i> , 2011, 48, 293-303.	1.2	65
50	Differences between patients' and clinicians' report of sleep disturbance: a field study in mental health care in Norway. <i>BMC Psychiatry</i> , 2011, 11, 186.	2.6	18
51	The relationship between resilience and levels of anxiety, depression, and obsessive-compulsive symptoms in adolescents. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 314-321.	2.7	252
52	The Achievement of Therapeutic Objectives Scale: Interrater reliability and sensitivity to change in short-term dynamic psychotherapy and cognitive therapy.. <i>Psychological Assessment</i> , 2011, 23, 848-855.	1.5	22
53	Attentional Functions in Major Depressive Disorders With and Without Comorbid Anxiety. <i>Archives of Clinical Neuropsychology</i> , 2011, 26, 38-47.	0.5	30
54	The role of transference work, the therapeutic alliance, and their interaction in reducing interpersonal problems among psychotherapy patients with Cluster C personality disorders.. <i>Psychotherapy</i> , 2010, 47, 442-453.	1.2	29

#	ARTICLE	IF	CITATIONS
55	The Effects of Therapist Competence in Assigning Homework in Cognitive Therapy With Cluster C Personality Disorders: Results From a Randomized Controlled Trial. <i>Cognitive and Behavioral Practice</i> , 2010, 17, 283-289.	1.5	17
56	A Norwegian version of the Obsessive-Compulsive Inventory-Revised: Psychometric properties. <i>Scandinavian Journal of Psychology</i> , 2010, 51, 509-516.	1.5	20
57	Patients with problematic opioid use can be weaned from codeine without pain escalation. <i>Acta Anaesthesiologica Scandinavica</i> , 2010, 54, 571-579.	1.6	28
58	Cognitive Control Functions in Unipolar Major Depression with and without Co-Morbid Anxiety Disorder. <i>Frontiers in Psychiatry</i> , 2010, 1, 149.	2.6	23
59	Psychometric Properties and the Predictive Validity of the Insomnia Daytime Worry Scale: A Pilot Study. <i>Cognitive Behaviour Therapy</i> , 2010, 39, 150-157.	3.5	13
60	766 NEUROPSYCHOLOGICAL FUNCTIONING IN CHRONIC PAIN: COMPLAINTS AND OBJECTIVE TEST PERFORMANCE. <i>European Journal of Pain</i> , 2009, 13, S221a.	2.8	0
61	The Effects of Depression and Stressful Life Events on the Development and Maintenance of Syndromal Social Anxiety: Sex and Age Differences. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2009, 38, 501-512.	3.4	37
62	Universal-based prevention of syndromal and subsyndromal social anxiety: A randomized controlled study.. <i>Journal of Consulting and Clinical Psychology</i> , 2009, 77, 867-879.	2.0	51
63	Memories of early attachment: the use of PBI as a predictor of outcome in Pessoa's Boyden System Psychomotor (PBSP) group therapy, Cognitive-Behavioural Group Therapy (CBGT), Individual Cognitive-Behavioural Therapy (CBT) and Individual Treatment As Usual (TAU) with adult outpatients. <i>Clinical Psychology and Psychotherapy</i> , 2008, 15, 276-285.	2.7	5
64	Psychometric properties of the Social Phobia and Anxiety Inventory for Children using a non-American population-based sample. <i>Journal of Anxiety Disorders</i> , 2008, 22, 1075-1086.	3.2	34
65	Defense mechanisms in patients with fibromyalgia and major depressive disorder. <i>European Journal of Psychiatry</i> , 2008, 22, .	1.3	2
66	Dimensions of the Dysfunctional Attitude Scale (DAS-A) and the Automatic Thoughts Questionnaire (ATQ-30) as Cognitive Vulnerability Factors in the Development of Suicide Ideation. <i>Behavioural and Cognitive Psychotherapy</i> , 2007, 35, .	1.2	15
67	Influence of Co-Morbid Generalized Anxiety Disorder, Panic Disorder and Personality Disorders on the Outcome of Cognitive Behavioural Treatment of Obsessive-Compulsive Disorder. <i>Cognitive Behaviour Therapy</i> , 2007, 36, 145-155.	3.5	24
68	Resilience as a Predictor of Depressive Symptoms: A Correlational Study with Young Adolescents. <i>Clinical Child Psychology and Psychiatry</i> , 2007, 12, 91-104.	1.6	127
69	Cognitive Factors, Engagement in Sport, and Suicide Risk—. <i>Archives of Suicide Research</i> , 2007, 11, 375-390.	2.3	20
70	The Relationship Between Psychological Buffers, Hopelessness, and Suicidal Ideation. <i>Crisis</i> , 2007, 28, 67-73.	1.2	117
71	Personality styles in patients with fibromyalgia, major depression and healthy controls. <i>Annals of General Psychiatry</i> , 2007, 6, 9.	2.7	29
72	Treatment motivation, treatment expectancy, and helping alliance as predictors of outcome in cognitive behavioral treatment of OCD. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2006, 37, 247-255.	1.2	101

#	ARTICLE	IF	CITATIONS
73	A New Scale for Adolescent Resilience: Grasping the Central Protective Resources Behind Healthy Development. <i>Measurement and Evaluation in Counseling and Development</i> , 2006, 39, 84-96.	2.3	205
74	Resilience predicting psychiatric symptoms: a prospective study of protective factors and their role in adjustment to stressful life events. <i>Clinical Psychology and Psychotherapy</i> , 2006, 13, 194-201.	2.7	206
75	Psychometric properties of the Beck Scale for Suicide Ideation: A Norwegian study with university students. <i>Nordic Journal of Psychiatry</i> , 2006, 60, 400-404.	1.3	35
76	Factor Structure of the Dysfunctional Attitude Scale (Form A) and the Automatic Thoughts Questionnaire: An Exploratory Study. <i>Psychological Reports</i> , 2006, 99, 239-247.	1.7	16
77	Personality traits and the development of depression, hopelessness, and suicide ideation. <i>Personality and Individual Differences</i> , 2005, 38, 1283-1291.	2.9	178
78	Connection between patient and therapist and therapist's competence in schema-focused therapy of personality problems. <i>Psychotherapy Research</i> , 2005, 15, 409-419.	1.8	16
79	Assessing Suicide Risk in Cluster C Personality Disorders. <i>Crisis</i> , 2004, 25, 128-133.	1.2	22
80	Psychometric properties of the Norwegian version of the Dysfunctional Attitude Scale (Form A). <i>Cognitive Behaviour Therapy</i> , 2004, 33, 83-86.	3.5	22
81	Norwegian version of the automatic thoughts questionnaire: a reliability and validity study. <i>Cognitive Behaviour Therapy</i> , 2004, 33, 79-82.	3.5	18
82	ADDING COGNITIVE THERAPY ELEMENTS TO EXPOSURE THERAPY FOR OBSESSIVE COMPULSIVE DISORDER: A CONTROLLED STUDY. <i>Behavioural and Cognitive Psychotherapy</i> , 2004, 32, 275-290.	1.2	71
83	Randomized, Controlled Trial of the Effectiveness of Short-Term Dynamic Psychotherapy and Cognitive Therapy for Cluster C Personality Disorders. <i>American Journal of Psychiatry</i> , 2004, 161, 810-817.	7.2	320
84	Suicide Risk in Patients with Somatization Disorder. <i>Crisis</i> , 2004, 25, 3-7.	1.2	16
85	Suicide Risk in Outpatients with Specific Mood and Anxiety Disorders. <i>Crisis</i> , 2003, 24, 105-112.	1.2	38
86	THE SPECIFICITY OF COGNITIVE PERSONALITY DIMENSIONS IN CLUSTER C PERSONALITY DISORDERS. <i>Behavioural and Cognitive Psychotherapy</i> , 2000, 28, 235-246.	1.2	9
87	COGNITIVE PERSONALITY STYLES IN OCD OUTPATIENTS COMPARED TO DEPRESSED OUTPATIENTS AND HEALTHY CONTROLS. <i>Behavioural and Cognitive Psychotherapy</i> , 2000, 28, 247-258.	1.2	6
88	Title is missing!. <i>Archives of Suicide Research</i> , 1998, 4, 209-225.	2.3	4
89	Parasuicide: The value of suicidal intent and various motives as predictors of future suicidal behaviour. <i>Archives of Suicide Research</i> , 1998, 4, 209-225.	2.3	41
90	Acute Treatment of Whiplash Neck Sprain Injuries. <i>Spine</i> , 1998, 23, 25-31.	2.0	193

#	ARTICLE	IF	CITATIONS
91	The Effects of Common and Specific Factors in Short-Term Anxiety-Provoking Psychotherapy. Journal of Nervous and Mental Disease, 1998, 186, 691-696.	1.0	17
92	Conceptualization and identification of cognitive schemas in personality disorders. Nordic Journal of Psychiatry, 1997, 51, 243-250.	1.3	0
93	Memory functioning in patients with primary fibromyalgia and major depression and healthy controls. Journal of Psychosomatic Research, 1997, 42, 297-306.	2.6	130
94	Personality profile among symptomatic and recovered patients with neck sprain injury, measured by MCMI-I acutely and 6 months after car accidents. Journal of Psychosomatic Research, 1997, 42, 357-367.	2.6	52
95	Perceptions of Parental Bonding in Patients with Various Personality Disorders, Lifetime Depressive Disorders, and Healthy Controls. Journal of Personality Disorders, 1997, 11, 391-402.	1.4	28
96	Symptom Improvement and Its Temporal Course in Short-Term Dynamic Psychotherapy. Journal of Nervous and Mental Disease, 1995, 183, 242-248.	1.0	31
97	Cognitive therapy in the mental health service. Nordic Journal of Psychiatry, 1995, 49, 90-92.	1.3	0
98	The role of automatic thoughts and dysfunctional attitudes in the development and maintenance of experimentally induced dysphoric mood. Cognitive Therapy and Research, 1993, 17, 71-82.	1.9	8
99	WHO (Nordic) multicentre study on parasuicide. Nordic Journal of Psychiatry, 1993, 47, 281-286.	1.3	11
100	Efficacy of Brief Dynamic Psychotherapy. American Journal of Psychiatry, 1993, 150, 684-684.	7.2	6
101	Predicting patient change from therapist competence and patient-therapist complementarity in short-term anxiety-provoking psychotherapy: A pilot study.. Journal of Consulting and Clinical Psychology, 1992, 60, 304-307.	2.0	34
102	Comparative effects of short-term psychodynamic psychotherapy: A meta-analysis.. Journal of Consulting and Clinical Psychology, 1991, 59, 704-714.	2.0	182
103	The role of automatic negative thoughts in the development of dysphoric mood: An analogue experiment. Cognitive Therapy and Research, 1989, 13, 161-170.	1.9	20
104	The Effectiveness of Pleasant Imagery and a Distraction Task as Coping Strategies in Alleviating Experimentally Induced Dysphoric Mood. Cognitive Behaviour Therapy, 1989, 18, 31-42.	0.3	5
105	Cognitive controlling factors for mood. Nordic Journal of Psychiatry, 1988, 42, 523-527.	0.1	0