Tiago V Barreira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1009079/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	NORMATIVE REFERENCE VALUES FOR ACTIGRAPHY-MEASURED TOTAL NOCTURNAL SLEEP TIME IN THE US POPULATION. American Journal of Epidemiology, 2022, 191, 360-362.	3.4	3
2	Associations of steps per day and peak cadence with arterial stiffness in older adults. Experimental Gerontology, 2022, 157, 111628.	2.8	5
3	Size at birth and accelerometerâ€measured physical activity or sedentary behavior in healthy termâ€born adults. American Journal of Human Biology, 2022, , e23717.	1.6	1
4	Validity of a Novel Algorithm to Detect Bedtime, Wake Time, and Sleep Time in Adults. Journal for the Measurement of Physical Behaviour, 2022, 5, 76-84.	0.8	4
5	The Inverse Association of Muscular Strength with Carotid Intima-media and Extra-media Thickness in Women. International Journal of Sports Medicine, 2021, 42, 419-424.	1.7	7
6	Cadence (steps/min) and relative intensity in 21 to 60-year-olds: the CADENCE-adults study. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 27.	4.6	10
7	Accelerometer-Measured Daily Step Counts and Adiposity Indicators among Latin American Adults: A Multi-Country Study. International Journal of Environmental Research and Public Health, 2021, 18, 4641.	2.6	8
8	A catalog of validity indices for step counting wearable technologies during treadmill walking: the CADENCE-Kids study. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 97.	4.6	7
9	Walking cadence (steps/min) and intensity in 61–85-year-old adults: the CADENCE-Adults study. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 129.	4.6	32
10	Sex differences in cardiovascular adaptations in recreational marathon runners. European Journal of Applied Physiology, 2021, 121, 3459-3472.	2.5	2
11	A Transparent Method for Step Detection Using an Acceleration Threshold. Journal for the Measurement of Physical Behaviour, 2021, 4, 311-320.	0.8	8
12	Why are children different in their moderate-to-vigorous physical activity levels? A multilevel analysis. Jornal De Pediatria, 2020, 96, 225-232.	2.0	7
13	Parents' intentions toward including their children with visual impairments in physical activities. Disability and Rehabilitation, 2020, 42, 667-678.	1.8	9
14	Sleep characteristics and health-related quality of life in 9- to 11-year-old children from 12 countries. Sleep Health, 2020, 6, 4-14.	2.5	24
15	Walking cadence (steps/min) and intensity in 41 to 60-year-old adults: the CADENCE-adults study. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 137.	4.6	49
16	The impact of narratives and active video games on long-term moderate-to-vigorous physical activity: A randomized controlled trial protocol. Contemporary Clinical Trials, 2020, 96, 106087.	1.8	3
17	Why are children different in their moderateâ€ŧoâ€vigorous physical activity levels? A multilevel analysis. Jornal De Pediatria (Versão Em Português), 2020, 96, 225-232.	0.2	1
18	Volume and Intensity of Stepping Activity and Cardiometabolic Risk Factors in a Multi-ethnic Asian Population. International Journal of Environmental Research and Public Health, 2020, 17, 863.	2.6	11

#	Article	IF	CITATIONS
19	The effects of acute water ingestion on body composition analyses via Dual-Energy X-Ray Absorptiometry. Clinical Nutrition, 2020, 39, 3836-3838.	5.0	20
20	Qualidade do Sono Associada ao NÃvel Habitual de Atividade FÃsica e Sistema Nervoso Autônomo de Fumantes. Arquivos Brasileiros De Cardiologia, 2020, 116, 26-35.	0.8	2
21	Normative Peak 30-Min Cadence (Steps per Minute) Values for Older Adults: NHANES 2005–2006. Journal of Aging and Physical Activity, 2019, 27, 625-632.	1.0	12
22	Walking cadence (steps/min) and intensity in 21–40 year olds: CADENCE-adults. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 8.	4.6	103
23	Week and Weekend Day Cadence Patterns Long-Term Post-Bariatric Surgery. Obesity Surgery, 2019, 29, 3271-3276.	2.1	2
24	Relationships Between Outdoor Time, Physical Activity, Sedentary Time, and Body Mass Index in Children: A 12-Country Study. Pediatric Exercise Science, 2019, 31, 118-129.	1.0	13
25	Physical activity participation among families of children with visual impairments and blindness. Disability and Rehabilitation, 2019, 41, 357-365.	1.8	13
26	Ergogenic Effect of Neuromuscular Electrical Stimulation During Rest and Submaximal Exercise. International Journal of Exercise Science, 2019, 12, 203-313.	0.5	0
27	Effects of acute aerobic exercise on arterial stiffness and cerebrovascular pulsatility in adults with and without hypertension. Journal of Hypertension, 2018, 36, 1743-1752.	0.5	21
28	Human development index, children's health-related quality of life and movement behaviors: a compositional data analysis. Quality of Life Research, 2018, 27, 1473-1482.	3.1	43
29	Can an automated sleep detection algorithm for waist-worn accelerometry replace sleep logs?. Applied Physiology, Nutrition and Metabolism, 2018, 43, 1027-1032.	1.9	15
30	Steps per Day and Its Relationship to Energy Expenditures. Medicine and Science in Sports and Exercise, 2018, 50, 876.	0.4	2
31	Compositional data analysis for physical activity, sedentary time and sleep research. Statistical Methods in Medical Research, 2018, 27, 3726-3738.	1.5	273
32	Resemblance in physical activity levels: The Portuguese sibling study on growth, fitness, lifestyle, and health. American Journal of Human Biology, 2018, 30, e23061.	1.6	8
33	No evidence for an epidemiological transition in sleep patterns among children: a 12-country study. Sleep Health, 2018, 4, 87-95.	2.5	14
34	Brief Report: Physical Activity, Body Mass Index and Arterial Stiffness in Children with Autism Spectrum Disorder: Preliminary Findings. Journal of Autism and Developmental Disorders, 2018, 48, 625-631.	2.7	15
35	A multi-level analysis of individual- and school-level correlates of physical fitness in children. Annals of Human Biology, 2018, 45, 470-477.	1.0	5
36	Parents' Beliefs About Physical Activity for Their Children With Visual Impairments. Adapted Physical Activity Quarterly, 2018, 35, 361-380.	0.8	6

#	Article	IF	CITATIONS
37	How fast is fast enough? Walking cadence (steps/min) as a practical estimate of intensity in adults: a narrative review. British Journal of Sports Medicine, 2018, 52, 776-788.	6.7	215
38	Neurovascular coupling during cognitive activity in adults with controlled hypertension. Journal of Applied Physiology, 2018, 125, 1906-1916.	2.5	13
39	Worker acceptability of the Pennington Pedal Deskâ,,¢ occupational workstation alternative. Work, 2018, 60, 499-506.	1.1	6
40	Cadence (steps/min) and intensity during ambulation in 6–20Âyear olds: the CADENCE-kids study. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 20.	4.6	30
41	Stepping volume and intensity patterns in a multi-ethnic urban Asian population. BMC Public Health, 2018, 18, 539.	2.9	12
42	Correlates of children's compliance with moderateâ€toâ€vigorous physical activity recommendations: a multilevel analysis. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 842-851.	2.9	14
43	Health-Related Quality of Life and Lifestyle Behavior Clusters in School-Aged Children from 12 Countries. Journal of Pediatrics, 2017, 183, 178-183.e2.	1.8	92
44	Associations of neighborhood social environment attributes and physical activity among 9–11 year old children from 12 countries. Health and Place, 2017, 46, 183-191.	3.3	15
45	Accelerometer-determined peak cadence and weight status in children from São Caetano do Sul, Brazil. Ciencia E Saude Coletiva, 2017, 22, 3689-3698.	O.5	1
46	Rollers Versus Trainers: 10-Km Time Trial. International Journal of Exercise Science, 2017, 10, 497-505.	0.5	0
47	Are Children Like Werewolves? Full Moon and Its Association with Sleep and Activity Behaviors in an International Sample of Children. Frontiers in Pediatrics, 2016, 4, 24.	1.9	15
48	Association between pulsatile blood pressure and cognitive performance among older adults: Insight from the National Health and Nutrition Examination Survey 1999–2002. International Journal of Cardiology, 2016, 223, 981-984.	1.7	8
49	Concurrent Associations of Physical Activity and Screen-Based Sedentary Behavior on Obesity Among US Adolescents: A Latent Class Analysis. Journal of Epidemiology, 2016, 26, 137-144.	2.4	41
50	Youth Energy Expenditure During Common Free-Living Activities and Treadmill Walking. Journal of Physical Activity and Health, 2016, 13, S29-S34.	2.0	8
51	Correlates of Moderate-to-Vigorous Physical Activity in Brazilian Children. Journal of Physical Activity and Health, 2016, 13, 1132-1145.	2.0	19
52	Validation of an integrated pedal desk and electronic behavior tracking platform. BMC Research Notes, 2016, 9, 74.	1.4	3
53	Socioeconomic status indicators, physical activity, and overweight/obesity in Brazilian children. Revista Paulista De Pediatria (English Edition), 2016, 34, 162-170.	0.3	21
54	Intra-individual and inter-individual variability in daily sitting time and MVPA. Journal of Science and Medicine in Sport, 2016, 19, 476-481.	1.3	25

#	Article	IF	CITATIONS
55	Pattern changes in step count accumulation and peak cadence due to a physical activity intervention. Journal of Science and Medicine in Sport, 2016, 19, 227-231.	1.3	10
56	Validity of Pedometers to Measure Step Counts During Dance. Journal of Physical Activity and Health, 2015, 12, 1430-1435.	2.0	1
57	Association Between Television Viewing and Physical Activity in 10-Year-Old Brazilian Children. Journal of Physical Activity and Health, 2015, 12, 1401-1408.	2.0	17
58	Moderate-to-Vigorous Physical Activity and Sedentary Behavior: Independent Associations With Body Composition Variables in Brazilian Children. Pediatric Exercise Science, 2015, 27, 380-389.	1.0	38
59	Relationship between lifestyle behaviors and obesity in children ages 9–11: Results from a 12â€country study. Obesity, 2015, 23, 1696-1702.	3.0	120
60	Physical Activity, Sedentary Time, and Obesity in an International Sample of Children. Medicine and Science in Sports and Exercise, 2015, 47, 2062-2069.	0.4	171
61	Profiling Physical Activity, Diet, Screen and Sleep Habits in Portuguese Children. Nutrients, 2015, 7, 4345-4362.	4.1	35
62	A model for presenting accelerometer paradata in large studies: ISCOLE. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 52.	4.6	18
63	Improving wear time compliance with a 24-hour waist-worn accelerometer protocol in the International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE). International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 11.	4.6	161
64	Comparison of Step Outputs for Waist and Wrist Accelerometer Attachment Sites. Medicine and Science in Sports and Exercise, 2015, 47, 839-842.	0.4	176
65	Identifying Children's Nocturnal Sleep Using 24-h Waist Accelerometry. Medicine and Science in Sports and Exercise, 2015, 47, 937-943.	0.4	139
66	Correlates of Total Sedentary Time and Screen Time in 9–11 Year-Old Children around the World: The International Study of Childhood Obesity, Lifestyle and the Environment. PLoS ONE, 2015, 10, e0129622.	2.5	211
67	Free-living activity counts-derived breaks in sedentary time: Are they real transitions from sitting to standing?. Gait and Posture, 2015, 42, 70-72.	1.4	39
68	Normative Steps/Day and Peak Cadence Values for United States ChildrenÂand Adolescents: National Health and Nutrition Examination Survey 2005-2006. Journal of Pediatrics, 2015, 166, 139-143.e3.	1.8	28
69	The minimum number of days required to establish reliable physical activity estimates in children aged 2–15 years. Physiological Measurement, 2014, 35, 2229-2237.	2.1	29
70	Sitting time and cardiometabolic risk in US adults: associations by sex, race, socioeconomic status and activity level. British Journal of Sports Medicine, 2014, 48, 213-219.	6.7	53
71	Impact of accelerometer wear time on physical activity data: a NHANES semisimulation data approach. British Journal of Sports Medicine, 2014, 48, 278-282.	6.7	100
72	Fully automated waist-worn accelerometer algorithm for detecting children's sleep-period time separate from 24-h physical activity or sedentary behaviors. Applied Physiology, Nutrition and Metabolism, 2014, 39, 53-57.	1.9	201

#	Article	IF	CITATIONS
73	Cardiovascular Health Metrics and Accelerometer-Measured Physical Activity Levels: National Health and Nutrition Examination Survey, 2003-2006. Mayo Clinic Proceedings, 2014, 89, 81-86.	3.0	14
74	Relationship of anthropometric indices to abdominal and total body fat in youth: Sex and race differences. Obesity, 2014, 22, 1345-1350.	3.0	33
75	The descriptive epidemiology of sitting among US adults, NHANES 2009/2010. Journal of Science and Medicine in Sport, 2014, 17, 371-375.	1.3	46
76	Walking Cadence and Cardiovascular Risk in Children and Adolescents. American Journal of Preventive Medicine, 2013, 45, e27-e34.	3.0	18
77	Normative Steps/Day Values for Older Adults: NHANES 2005-2006. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1426-1432.	3.6	80
78	The International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE): design and methods. BMC Public Health, 2013, 13, 900.	2.9	264
79	Evaluation of inactive adults' ability to maintain a moderate-intensity walking pace. Journal of Science and Medicine in Sport, 2013, 16, 217-221.	1.3	11
80	How Many Hours Are Enough? Accelerometer Wear Time May Provide Bias in Daily Activity Estimates. Journal of Physical Activity and Health, 2013, 10, 742-749.	2.0	96
81	Comparison of Older Adults' Steps per Day Using an NL-1000 Pedometer and Two GT3X+ Accelerometer Filters. Journal of Aging and Physical Activity, 2013, 21, 402-416.	1.0	35
82	Comparison of GT3X Accelerometer and YAMAX Pedometer Steps/Day in a Free-Living Sample of Overweight and Obese Adults. Journal of Physical Activity and Health, 2013, 10, 263-270.	2.0	40
83	Preliminary Comparison of Clinical and Free-Living Measures of Stepping Cadence in Older Adults. Journal of Physical Activity and Health, 2013, 10, 1175-1180.	2.0	30
84	Cadence Patterns and Peak Cadence in US Children and Adolescents. Medicine and Science in Sports and Exercise, 2012, 44, 1721-1727.	0.4	40
85	Measurement Effects of Seasonal and Monthly Variability on Pedometer-Determined Data. Journal of Physical Activity and Health, 2012, 9, 336-343.	2.0	31
86	Relationship between abdominal fat and bone mineral density in white and African American adults. Bone, 2012, 50, 576-579.	2.9	66
87	Anthropometric Correlates of Total Body Fat, Abdominal Adiposity, and Cardiovascular Disease Risk Factors in a Biracial Sample of Men and Women. Mayo Clinic Proceedings, 2012, 87, 452-460.	3.0	92
88	Body Adiposity Index, Body Mass Index, and Body Fat in White and Black Adults. JAMA - Journal of the American Medical Association, 2011, 306, 828-30.	7.4	63
89	How Many Days Are Enough? A Study of 365 Days of Pedometer Monitoring. Research Quarterly for Exercise and Sport, 2009, 80, 445-453.	1.4	76
90	Individual Information-Centered Approach for Handling Physical Activity Missing Data. Research Quarterly for Exercise and Sport, 2009, 80, 131-137.	1.4	73

#	Article	IF	CITATIONS
91	Effect of Pedometer-Based Physical Activity Interventions. Research Quarterly for Exercise and Sport, 2009, 80, 648-655.	1.4	190
92	Validity and Reliability of Omron Pedometers for Prescribed and Self-Paced Walking. Medicine and Science in Sports and Exercise, 2009, 41, 670-674.	0.4	134
93	Effect of Pedometer-Based Physical Activity Interventions: A Meta-Analysis. Research Quarterly for Exercise and Sport, 2009, 80, 648-655.	1.4	120