Li Xiao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1009318/publications.pdf

Version: 2024-02-01

687363 794594 36 446 13 19 citations h-index g-index papers 36 36 36 290 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Multi-Stage Robust Chinese Remainder Theorem. IEEE Transactions on Signal Processing, 2014, 62, 4772-4785.	5.3	48
2	Multi-Hypergraph Learning-Based Brain Functional Connectivity Analysis in fMRI Data. IEEE Transactions on Medical Imaging, 2020, 39, 1746-1758.	8.9	36
3	Sampling theorems for signals periodic in the linear canonical transform domain. Optics Communications, 2013, 290, 14-18.	2.1	30
4	Frequency determination from truly sub-Nyquist samplers based on robust Chinese remainder theorem. Signal Processing, 2018, 150, 248-258.	3.7	27
5	A Manifold Regularized Multi-Task Learning Model for IQ Prediction From Two fMRI Paradigms. IEEE Transactions on Biomedical Engineering, 2020, 67, 796-806.	4.2	27
6	Towards Robustness in Residue Number Systems. IEEE Transactions on Signal Processing, 2017, 65, 1497-1510.	5. 3	26
7	Radial Velocity Retrieval for Multichannel SAR Moving Targets With Time–Space Doppler Deambiguity. IEEE Transactions on Geoscience and Remote Sensing, 2018, 56, 35-48.	6.3	26
8	Alternating Diffusion Map Based Fusion of Multimodal Brain Connectivity Networks for IQ Prediction. IEEE Transactions on Biomedical Engineering, 2019, 66, 2140-2151.	4.2	25
9	Functional connectome fingerprinting: Identifying individuals and predicting cognitive functions via autoencoder. Human Brain Mapping, 2021, 42, 2691-2705.	3.6	23
10	Ensemble Manifold Regularized Multi-Modal Graph Convolutional Network for Cognitive Ability Prediction. IEEE Transactions on Biomedical Engineering, 2021, 68, 3564-3573.	4.2	20
11	Uncertainty principles associated with the offset linear canonical transform. Mathematical Methods in the Applied Sciences, 2019, 42, 466-474.	2.3	19
12	Error Correction in Polynomial Remainder Codes With Non-Pairwise Coprime Moduli and Robust Chinese Remainder Theorem for Polynomials. IEEE Transactions on Communications, 2015, 63, 605-616.	7.8	14
13	A Generalized Chinese Remainder Theorem for Two Integers. IEEE Signal Processing Letters, 2014, 21, 55-59.	3.6	13
14	A new robust Chinese remainder theorem with improved performance in frequency estimation from undersampled waveforms. Signal Processing, 2015, 117, 242-246.	3.7	11
15	Multiview Diffusion Map Improves Prediction of Fluid Intelligence With Two Paradigms of fMRI Analysis. IEEE Transactions on Biomedical Engineering, 2021, 68, 2529-2539.	4.2	11
16	Multi-Modal Imaging Genetics Data Fusion via a Hypergraph-Based Manifold Regularization: Application to Schizophrenia Study. IEEE Transactions on Medical Imaging, 2022, 41, 2263-2272.	8.9	10
17	New Conditions on Achieving the Maximal Possible Dynamic Range for a Generalized Chinese Remainder Theorem of Multiple Integers. IEEE Signal Processing Letters, 2015, 22, 2199-2203.	3.6	8
18	Exact and Robust Reconstructions of Integer Vectors Based on Multidimensional Chinese Remainder Theorem (MD-CRT). IEEE Transactions on Signal Processing, 2020, 68, 5349-5364.	5. 3	7

#	Article	IF	Citations
19	Multi-Paradigm fMRI Fusion via Sparse Tensor Decomposition in Brain Functional Connectivity Study. IEEE Journal of Biomedical and Health Informatics, 2021, 25, 1712-1723.	6.3	7
20	Robust Polynomial Reconstruction via Chinese Remainder Theorem in the Presence of Small Degree Residue Errors. IEEE Transactions on Circuits and Systems II: Express Briefs, 2018, 65, 1778-1782.	3.0	6
21	A deep autoencoder with sparse and graph Laplacian regularization for characterizing dynamic functional connectivity during brain development. Neurocomputing, 2021, 456, 97-108.	5.9	6
22	Examining brain maturation during adolescence using graph Laplacian learning based Fourier transform. Journal of Neuroscience Methods, 2020, 338, 108649.	2.5	5
23	Correlation Guided Graph Learning to Estimate Functional Connectivity Patterns From fMRI Data. IEEE Transactions on Biomedical Engineering, 2021, 68, 1154-1165.	4.2	5
24	Brain Functional Connectivity Analysis via Graphical Deep Learning. IEEE Transactions on Biomedical Engineering, 2022, 69, 1696-1706.	4.2	5
25	Distance Correlation-Based Brain Functional Connectivity Estimation and Non-Convex Multi-Task Learning for Developmental fMRI Studies. IEEE Transactions on Biomedical Engineering, 2022, 69, 3039-3050.	4.2	5
26	Minimum Degree-Weighted Distance Decoding for Polynomial Residue Codes With Non-Coprime Moduli. IEEE Wireless Communications Letters, 2017, 6, 558-561.	5.0	4
27	Causality-Based Feature Fusion for Brain Neuro-Developmental Analysis. IEEE Transactions on Medical Imaging, 2020, 39, 3290-3299.	8.9	4
28	A hypergraph learning method for brain functional connectivity network construction from fMRI data. , 2020, , .		4
29	Co-prime Sensing-Based Frequency Estimation Using Reduced Single-Tone Snapshots. Circuits, Systems, and Signal Processing, 2016, 35, 3355-3366.	2.0	3
30	New Conditions on Stable Recovery of Weighted Sparse Signals via Weighted $$1_1$ Minimization. Circuits, Systems, and Signal Processing, 2018, 37, 2866-2883.	2.0	3
31	Functional network estimation using multigraph learning with application to brain maturation study. Human Brain Mapping, 2021, 42, 2880-2892.	3.6	3
32	A graph deep learning model for the classification of groups with different IQ using resting state fMRI. , 2020, , .		3
33	Scalable antinoise-robustness estimation of frequency and direction of arrival based on the relaxed sparse array. Multidimensional Systems and Signal Processing, 2019, 30, 1345-1361.	2.6	2
34	A robust Chinese Remainder Theorem with applications in error correction coding. , 2015, , .		0
35	Multivariate Dynamical Sampling in and Shift-Invariant Spaces Associated with Linear Canonical Transform. Numerical Functional Analysis and Optimization, 0 , , 1 - 17 .	1.4	0
36	Functional connectomes incorporating phase synchronization for the characterization and prediction of individual differences. Journal of Neuroscience Methods, 2022, 372, 109539.	2.5	0