

Trevor J Biden

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/101034/publications.pdf>

Version: 2024-02-01

78
papers

7,380
citations

66343

42
h-index

69250

77
g-index

78
all docs

78
docs citations

78
times ranked

9335
citing authors

#	ARTICLE	IF	CITATIONS
1	A Selective Look at Autophagy in Pancreatic β -Cells. <i>Diabetes</i> , 2021, 70, 1229-1241.	0.6	21
2	Heparan sulfate proteoglycans in beta cells provide a critical link between endoplasmic reticulum stress, oxidative stress and type 2 diabetes. <i>PLoS ONE</i> , 2021, 16, e0252607.	2.5	9
3	Guidelines for the use and interpretation of assays for monitoring autophagy (4th) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 662 1,430	9.1	1,430
4	SMOC1 is a glucose-responsive hepatokine and therapeutic target for glycemic control. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	29
5	Short-term inhibition of autophagy benefits pancreatic β -cells by augmenting ether lipids and peroxisomal function, and by countering depletion of n-3 polyunsaturated fatty acids after fat-feeding. <i>Molecular Metabolism</i> , 2020, 40, 101023.	6.5	17
6	Regulation of mitochondrial metabolism in murine skeletal muscle by the medium-chain fatty acid receptor Gpr84. <i>FASEB Journal</i> , 2019, 33, 12264-12276.	0.5	36
7	Treatment of type 2 diabetes with the designer cytokine IC7Fc. <i>Nature</i> , 2019, 574, 63-68.	27.8	55
8	Disruption of beta cell acetyl-CoA carboxylase-1 in mice impairs insulin secretion and beta cell mass. <i>Diabetologia</i> , 2019, 62, 99-111.	6.3	24
9	Oleate disrupts cAMP signaling, contributing to potent stimulation of pancreatic β -cell autophagy. <i>Journal of Biological Chemistry</i> , 2019, 294, 1218-1229.	3.4	16
10	Protein Kinase C Epsilon Deletion in Adipose Tissue, but Not in Liver, Improves Glucose Tolerance. <i>Cell Metabolism</i> , 2019, 29, 183-191.e7.	16.2	42
11	High dietary fat and sucrose result in an extensive and time-dependent deterioration in health of multiple physiological systems in mice. <i>Journal of Biological Chemistry</i> , 2018, 293, 5731-5745.	3.4	65
12	Sulfonylureas as Concomitant Insulin Secretagogues and NLRP3 Inflammasome Inhibitors. <i>ChemMedChem</i> , 2017, 12, 1449-1457.	3.2	42
13	A comprehensive lipidomic screen of pancreatic β -cells using mass spectroscopy defines novel features of glucose-stimulated turnover of neutral lipids, sphingolipids and plasmalogens. <i>Molecular Metabolism</i> , 2016, 5, 404-414.	6.5	23
14	High-fat diet increases autophagic flux in pancreatic beta cells in vivo and ex vivo in mice. <i>Diabetologia</i> , 2015, 58, 2074-2078.	6.3	50
15	Identification of fatty acid binding protein 4 as an adipokine that regulates insulin secretion during obesity. <i>Molecular Metabolism</i> , 2014, 3, 465-473.	6.5	96
16	Lipotoxic endoplasmic reticulum stress, β cell failure, and type 2 diabetes mellitus. <i>Trends in Endocrinology and Metabolism</i> , 2014, 25, 389-398.	7.1	169
17	Lysosomal acid lipase and lipophagy are constitutive negative regulators of glucose-stimulated insulin secretion from pancreatic beta cells. <i>Diabetologia</i> , 2014, 57, 129-139.	6.3	38
18	Alteration of Endoplasmic Reticulum Lipid Rafts Contributes to Lipotoxicity in Pancreatic β -Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 26569-26582.	3.4	107

#	ARTICLE	IF	CITATIONS
19	Failure of the Adaptive Unfolded Protein Response in Islets of Obese Mice Is Linked With Abnormalities in β -Cell Gene Expression and Progression to Diabetes. <i>Diabetes</i> , 2013, 62, 1557-1568.	0.6	105
20	Sweet and Sour β -Cells: ROS and Hif1 α Induce Warburg-Like Lactate Production During Type 2 Diabetes. <i>Diabetes</i> , 2013, 62, 1823-1825.	0.6	12
21	Role of endoplasmic reticulum stress induction by the plant toxin, persin, in overcoming resistance to the apoptotic effects of tamoxifen in human breast cancer cells. <i>British Journal of Cancer</i> , 2013, 109, 3034-3041.	6.4	14
22	Glucose Homeostasis in Mice Is Transglutaminase 2 Independent. <i>PLoS ONE</i> , 2013, 8, e63346.	2.5	23
23	Roles of ceramide and sphingolipids in pancreatic β -cell function and dysfunction. <i>Islets</i> , 2012, 4, 177-187.	1.8	122
24	Cross-talk between the unfolded protein response and nuclear factor- κ B signalling pathways regulates cytokine-mediated beta cell death in MIN6 cells and isolated mouse islets. <i>Diabetologia</i> , 2012, 55, 2999-3009.	6.3	23
25	G protein-coupled receptor (GPR)40-dependent potentiation of insulin secretion in mouse islets is mediated by protein kinase D1. <i>Diabetologia</i> , 2012, 55, 2682-2692.	6.3	139
26	A lipidomic screen of palmitate-treated MIN6 β -cells links sphingolipid metabolites with endoplasmic reticulum (ER) stress and impaired protein trafficking. <i>Biochemical Journal</i> , 2011, 435, 267-276.	3.7	132
27	Deletion of protein kinase C δ in mice modulates stability of inflammatory genes and protects against cytokine-stimulated beta cell death in vitro and in vivo. <i>Diabetologia</i> , 2011, 54, 380-389.	6.3	33
28	Time-dependent effects of Prkce deletion on glucose homeostasis and hepatic lipid metabolism on dietary lipid oversupply in mice. <i>Diabetologia</i> , 2011, 54, 1447-1456.	6.3	51
29	Differential regulation of adaptive and apoptotic unfolded protein response signalling by cytokine-induced nitric oxide production in mouse pancreatic beta cells. <i>Diabetologia</i> , 2011, 54, 1766-1776.	6.3	58
30	PKC α Blues for the β -Cell. <i>Diabetes</i> , 2010, 59, 1-3.	0.6	37
31	Targeting triglyceride/fatty acid cycling in β -cells as a therapy for augmenting glucose-stimulated insulin secretion. <i>Islets</i> , 2010, 2, 127-129.	1.8	14
32	Deletion of PKC μ Selectively Enhances the Amplifying Pathways of Glucose-Stimulated Insulin Secretion via Increased Lipolysis in Mouse β -Cells. <i>Diabetes</i> , 2009, 58, 1826-1834.	0.6	43
33	Bad News for β -Cell Apoptosis. <i>Diabetes</i> , 2009, 58, 1725-1727.	0.6	14
34	Reduced endoplasmic reticulum (ER)-to-Golgi protein trafficking contributes to ER stress in lipotoxic mouse beta cells by promoting protein overload. <i>Diabetologia</i> , 2009, 52, 2369-2373.	6.3	133
35	Diverse roles for protein kinase C ζ and protein kinase C μ in the generation of high-fat-diet-induced glucose intolerance in mice: regulation of lipogenesis by protein kinase C ζ . <i>Diabetologia</i> , 2009, 52, 2616-2620.	6.3	49
36	Cytokine-Induced β -Cell Death Is Independent of Endoplasmic Reticulum Stress Signaling. <i>Diabetes</i> , 2008, 57, 3034-3044.	0.6	123

#	ARTICLE	IF	CITATIONS
37	Protein Kinase C Function in Muscle, Liver, and β -Cells and Its Therapeutic Implications for Type 2 Diabetes. <i>Diabetes</i> , 2008, 57, 1774-1783.	0.6	122
38	The diverse roles of protein kinase C in pancreatic β -cell function. <i>Biochemical Society Transactions</i> , 2008, 36, 916-919.	3.4	28
39	Synergistic cytotoxicity between tamoxifen and the plant toxin persin in human breast cancer cells is dependent on Bim expression and mediated by modulation of ceramide metabolism. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 2777-2785.	4.1	32
40	Inhibition of PKC ϵ Improves Glucose-Stimulated Insulin Secretion and Reduces Insulin Clearance. <i>Cell Metabolism</i> , 2007, 6, 320-328.	16.2	80
41	Endoplasmic reticulum stress contributes to beta cell apoptosis in type 2 diabetes. <i>Diabetologia</i> , 2007, 50, 752-763.	6.3	735
42	Dilinoleoyl-phosphatidic acid mediates reduced IRS-1 tyrosine phosphorylation in rat skeletal muscle cells and mouse muscle. <i>Diabetologia</i> , 2007, 50, 1732-1742.	6.3	22
43	Phosphorylation of Nonmuscle Myosin Heavy Chain IIA on Ser1917 Is Mediated by Protein Kinase C δ and Coincides with the Onset of Stimulated Degranulation of RBL-2H3 Mast Cells. <i>Journal of Immunology</i> , 2006, 177, 1492-1499.	0.8	45
44	Chronic Hyperglycemia, Independent of Plasma Lipid Levels, Is Sufficient for the Loss of β -Cell Differentiation and Secretory Function in the db/db Mouse Model of Diabetes. <i>Diabetes</i> , 2005, 54, 2755-2763.	0.6	130
45	Increased Fatty Acid Desaturation and Enhanced Expression of Stearoyl Coenzyme A Desaturase Protects Pancreatic β -Cells from Lipoapoptosis. <i>Diabetes</i> , 2005, 54, 2917-2924.	0.6	165
46	Akt Mediates Insulin-stimulated Phosphorylation of Ndr2. <i>Journal of Biological Chemistry</i> , 2004, 279, 18623-18632.	3.4	76
47	PKC α Is Activated But Not Required During Glucose-Induced Insulin Secretion From Rat Pancreatic Islets. <i>Diabetes</i> , 2004, 53, 53-60.	0.6	33
48	Phospholipase D1 Regulates Secretagogue-stimulated Insulin Release in Pancreatic β -Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 27534-27541.	3.4	84
49	Improved glucose homeostasis and enhanced insulin signalling in Grb14-deficient mice. <i>EMBO Journal</i> , 2004, 23, 582-593.	7.8	116
50	Chronic Effects of Fatty Acids on Pancreatic β -Cell Function: New Insights From Functional Genomics. <i>Diabetes</i> , 2004, 53, S159-S165.	0.6	49
51	Inhibition of PKC δ induces a PKC δ -dependent apoptotic program in salivary epithelial cells. <i>Cell Death and Differentiation</i> , 2003, 10, 269-277.	11.2	40
52	Phospholipase C γ 1 does not mediate Ca $^{2+}$ responses in neonatal rat cardiomyocytes. <i>FEBS Letters</i> , 2003, 546, 325-328.	2.8	4
53	Expression Profiling of Palmitate- and Oleate-Regulated Genes Provides Novel Insights Into the Effects of Chronic Lipid Exposure on Pancreatic β -Cell Function. <i>Diabetes</i> , 2002, 51, 977-987.	0.6	177
54	Inhibition of Protein Kinase C δ Protects Rat INS-1 Cells Against Interleukin-1 α and Streptozotocin-Induced Apoptosis. <i>Diabetes</i> , 2002, 51, 317-324.	0.6	56

#	ARTICLE	IF	CITATIONS
55	A redistribution of actin and myosin IIA accompanies Ca ²⁺ -dependent insulin secretion. <i>FEBS Letters</i> , 2001, 492, 101-106.	2.8	47
56	Protein Kinase C δ Activation by Interleukin-1 β Stabilizes Inducible Nitric-oxide Synthase mRNA in Pancreatic β -Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 5368-5374.	3.4	94
57	Phospholipase C- β Mediates the Hydrolysis of Phosphatidylinositol, but Not of Phosphatidylinositol 4,5-Bisphosphate, in Carbamylcholine-stimulated Islets of Langerhans. <i>Journal of Biological Chemistry</i> , 2001, 276, 19072-19077.	3.4	14
58	Evidence for Selective Coupling of β -1-Adrenergic Receptors to Phospholipase C- δ 1 in Rat Neonatal Cardiomyocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 37341-37346.	3.4	50
59	PKC δ Is Required for Mitochondrial-dependent Apoptosis in Salivary Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 29719-29728.	3.4	127
60	Acute reversal of lipid-induced muscle insulin resistance is associated with rapid alteration in PKC- δ localization. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 279, E1196-E1201.	3.5	45
61	Quantitative and functional characterization of muscarinic receptor subtypes in insulin-secreting cell lines and rat pancreatic islets. <i>Diabetes</i> , 2000, 49, 392-398.	0.6	75
62	An Antisense of Protein Kinase C- δ Inhibits Proliferation of Human Airway Smooth Muscle Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2000, 23, 555-559.	2.9	13
63	Muscle lipid accumulation and protein kinase C activation in the insulin-resistant chronically glucose-infused rat. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 277, E1070-E1076.	3.5	71
64	Protein Kinase C δ 1 Activity Is Necessary for Bcr-Abl-mediated Resistance to Drug-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 1999, 274, 3927-3930.	3.4	104
65	Increases in phosphorylation of the myosin II heavy chain, but not regulatory light chains, correlate with insulin secretion in rat pancreatic islets and RINm5F cells. <i>Diabetes</i> , 1999, 48, 2383-2389.	0.6	26
66	Ceramide Generation Is Sufficient to Account for the Inhibition of the Insulin-stimulated PKB Pathway in C2C12 Skeletal Muscle Cells Pretreated with Palmitate. <i>Journal of Biological Chemistry</i> , 1999, 274, 24202-24210.	3.4	522
67	Nutrient Stimulation Results in a Rapid Ca ²⁺ -dependent Threonine Phosphorylation of Myosin Heavy Chain in Rat Pancreatic Islets and RINm5F Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 22729-22737.	3.4	20
68	Reversal of chronic alterations of skeletal muscle protein kinase C from fat-fed rats by BRL-49653. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1997, 273, E915-E921.	3.5	32
69	Characterization of two forms of protein kinase C δ , with different substrate specificities, from skeletal muscle. <i>Biochemical Journal</i> , 1996, 320, 207-214.	3.7	14
70	P-101: Alterations in the expression and cellular localization of protein kinase C isozymes are associated with insulin resistance in skeletal muscle of the high-fat-fed rat. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1996, 104, 161-162.	1.2	0
71	Synergistic Interaction of Y1-Neuropeptide Y and β -1b-Adrenergic Receptors in the Regulation of Phospholipase C, Protein Kinase C, and Arachidonic Acid Production. <i>Journal of Biological Chemistry</i> , 1995, 270, 11789-11796.	3.4	47
72	Structural and Biochemical Studies of Human Galanin: NMR Evidence for Nascent Helical Structures in Aqueous Solution. <i>Biochemistry</i> , 1995, 34, 4538-4545.	2.5	33

#	ARTICLE	IF	CITATIONS
73	Exposure to depolarizing concentrations of K ⁺ inhibits hormonally-induced calcium influx in rat liver. <i>Biochemical and Biophysical Research Communications</i> , 1988, 153, 1282-1289.	2.1	16
74	Secretin stimulates cyclic AMP and inositol trisphosphate production in rat pancreatic acinar tissue by two fully independent mechanisms.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 3146-3150.	7.1	78
75	Signal Transduction in Insulin Secretion:.. <i>Annals of the New York Academy of Sciences</i> , 1986, 488, 317-333.	3.8	44
76	Signal Transduction in Insulin Secretion:.. <i>Annals of the New York Academy of Sciences</i> , 1986, 488, 317-333.	3.8	98
77	Rapid mobilization of Ca ²⁺ from rat insulinoma microsomes by inositol-1,4,5-trisphosphate. <i>Nature</i> , 1984, 309, 562-564.	27.8	421
78	The potentiating effects of ketone bodies on insulin secretion. <i>Biochemical Society Transactions</i> , 1982, 10, 391-392.	3.4	1