

Nai-Liang Tian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10105213/publications.pdf>

Version: 2024-02-01

26
papers

1,082
citations

623734

14
h-index

552781

26
g-index

27
all docs

27
docs citations

27
times ranked

1357
citing authors

#	ARTICLE	IF	CITATIONS
1	Maintained P2Y ₁₂ inhibitor monotherapy after shorter duration of dual antiplatelet therapy in patients undergoing coronary drug-eluting stents implantation: An updated meta-analysis of randomized trials. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2022, , .	1.5	0
2	3-Year Outcomes of the ULTIMATE Trial—Comparing Intravascular Ultrasound Versus Angiography-Guided Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 247-257.	2.9	149
3	Comparison of intravascular ultrasound-guided with angiography-guided double kissing crush stenting for patients with complex coronary bifurcation lesions: Rationale and design of a prospective, randomized, and multicenter DKCRUSH VIII trial. <i>American Heart Journal</i> , 2021, 234, 101-110.	2.7	12
4	The Clinical Outcomes of Ventricular Septal Rupture Secondary to Acute Myocardial Infarction: A Retrospective, Observational Trial. <i>Journal of Interventional Cardiology</i> , 2021, 2021, 1-7.	1.2	2
5	Multicentre, randomized comparison of two-stent and provisional stenting techniques in patients with complex coronary bifurcation lesions: the DEFINITION II trial. <i>European Heart Journal</i> , 2020, 41, 2523-2536.	2.2	124
6	Post-dilatation improves stent apposition in patients with ST-segment elevation myocardial infarction receiving primary percutaneous intervention: A multicenter, randomized controlled trial using optical coherence tomography. <i>World Journal of Emergency Medicine</i> , 2020, 11, 87.	1.0	3
7	<p>Comparisons between ticagrelor and clopidogrel following percutaneous coronary intervention in patients with acute coronary syndrome: a comprehensive meta-analysis</p>. <i>Drug Design, Development and Therapy</i> , 2019, Volume 13, 719-730.	4.3	21
8	Treatment effects of systematic two-stent and provisional stenting techniques in patients with complex coronary bifurcation lesions: rationale and design of a prospective, randomised and multicentre DEFINITION II trial. <i>BMJ Open</i> , 2018, 8, e020019.	1.9	7
9	MicroRNA-210 promotes angiogenesis in acute myocardial infarction. <i>Molecular Medicine Reports</i> , 2018, 17, 5658-5665.	2.4	39
10	Obstructive Sleep Apnea Affecting Platelet Reactivity in Patients Undergoing Percutaneous Coronary Intervention. <i>Chinese Medical Journal</i> , 2018, 131, 1023-1029.	2.3	7
11	Intravascular ultrasound-guided drug-eluting stent implantation is associated with improved clinical outcomes in patients with unstable angina and complex coronary artery true bifurcation lesions. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1685-1696.	1.5	34
12	Cutoff Value and Long-Term Prediction of Clinical Events by FFR Measured Immediately After Implantation of a Drug-Eluting Stent in Patients With Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 986-995.	2.9	111
13	Stent fracture is associated with a higher mortality in patients with type-2 diabetes treated by implantation of a second-generation drug-eluting stent. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1873-1881.	1.5	5
14	Obstructive sleep apnea affects the clinical outcomes of patients undergoing percutaneous coronary intervention. <i>Patient Preference and Adherence</i> , 2016, 10, 871.	1.8	13
15	The clinical outcomes of triple antiplatelet therapy versus dual antiplatelet therapy for high-risk patients after coronary stent implantation: a meta-analysis of 11 clinical trials and 9,553 patients. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 3435-3448.	4.3	14
16	The outcomes of intra-aortic balloon pump usage in patients with acute myocardial infarction: a comprehensive meta-analysis of 33 clinical trials and 18,889 patients. <i>Patient Preference and Adherence</i> , 2016, 10, 297.	1.8	4
17	High platelet reactivity affects the clinical outcomes of patients undergoing percutaneous coronary intervention. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 240.	1.7	15
18	Incidence and Clinical Outcomes of Stent Fractures on the Basis of 6,555 Patients and 16,482 Drug-Eluting Stents From 4 Centers. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1115-1123.	2.9	66

#	ARTICLE	IF	CITATIONS
19	Angiographic and clinical comparisons of intravascular ultrasound- versus angiography-guided drug-eluting stent implantation for patients with chronic total occlusion lesions: two-year results from a randomised AIR-CTO study. <i>EuroIntervention</i> , 2015, 10, 1409-1417.	3.2	139
20	Comparison of one-year clinical outcomes between intravascular ultrasound-guided versus angiography-guided implantation of drug-eluting stents for left main lesions: a single-center analysis of a 1,016-patient cohort. <i>Patient Preference and Adherence</i> , 2014, 8, 1299.	1.8	43
21	The impact of everolimus versus other rapamycin derivative-eluting stents on clinical outcomes in patients with coronary artery disease: A meta-analysis of 16 randomized trials. <i>Journal of Cardiology</i> , 2014, 64, 185-193.	1.9	15
22	Impact of the Complexity of Bifurcation Lesions Treated With Drug-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 1266-1276.	2.9	153
23	NOBORI, ¢ biodegradable-polymer biolimus-eluting stent versus durable-polymer drug-eluting stents: A meta-analysis. <i>International Journal of Cardiology</i> , 2014, 174, 151-153.	1.7	2
24	Stenting strategy for coronary artery bifurcation with drug-eluting stents: a meta-analysis of nine randomised trials and systematic review. <i>EuroIntervention</i> , 2014, 10, 561-569.	3.2	66
25	Serial intravascular ultrasound analysis comparing double kissing and classical crush stenting for coronary bifurcation lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 78, 729-736.	1.7	18
26	The Acute Changes of Fractional Flow Reserve in DK (Double Kissing), Crush, and 1â€Stent Technique for True Bifurcation Lesions. <i>Journal of Interventional Cardiology</i> , 2010, 23, 341-345.	1.2	19