

Daisuke Kobayashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10108314/publications.pdf>

Version: 2024-02-01

71
papers

807
citations

471509

17
h-index

642732

23
g-index

74
all docs

74
docs citations

74
times ranked

1359
citing authors

#	ARTICLE	IF	CITATIONS
1	Superior mediastinal paraganglioma initially suspected of being a mediastinal thyroid goiter. <i>Auris Nasus Larynx</i> , 2022, 49, 520-524.	1.2	1
2	Detection of Quaranjavirus-Like Sequences from <i>Haemaphysalis hystricis</i> Ticks Collected in Japan. <i>Japanese Journal of Infectious Diseases</i> , 2022, 75, 195-198.	1.2	3
3	Correlation of Intraoperative 5-ALA-Induced Fluorescence Intensity and Preoperative ¹¹ C-Methionine PET Uptake in Glioma Surgery. <i>Cancers</i> , 2022, 14, 1449.	3.7	5
4	Branch-like enhancement on contrast enhanced MRI is a specific finding of cerebellar lymphoma compared with other pathologies. <i>Scientific Reports</i> , 2022, 12, 3591.	3.3	0
5	Detection of Japanese Encephalitis Virus RNA in Host-Questing Ticks in Japan, 2019–2020. <i>American Journal of Tropical Medicine and Hygiene</i> , 2022, 106, 1725-1728.	1.4	2
6	Discovery of a Novel Flavivirus (Flaviviridae) From the Horse Fly, <i>Tabanus rufidens</i> (Diptera: Tabanidae) and Its Relationship to Other Flaviviruses and Host Dipteran Insects. <i>Journal of Medical Entomology</i> , 2021, 58, 880-890.	1.8	9
7	A novel nyavirus lacking matrix and glycoprotein genes from <i>Argas japonicus</i> ticks. <i>Virus Research</i> , 2021, 292, 198254.	2.2	6
8	Atypical Histological Features as Risk Factors for Recurrence in Newly Diagnosed WHO Grade I Meningioma. <i>Neurologia Medico-Chirurgica</i> , 2021, 61, 647-651.	2.2	3
9	Determining vector competence of <i>Aedes aegypti</i> from Ghana in transmitting dengue virus serotypes 1 and 2. <i>Parasites and Vectors</i> , 2021, 14, 228.	2.5	15
10	Early Pathological JC Virus Lesions in a Patient without Any MRI-based Indications. <i>Internal Medicine</i> , 2021, 60, 1279-1282.	0.7	1
11	Isolation of <i>Culicoides</i> and Mosquito-Borne Orbiviruses in the Southwestern Islands of Japan Between 2014 and 2019. <i>Vector-Borne and Zoonotic Diseases</i> , 2021, 21, 796-808.	1.5	8
12	Toyo virus, a novel member of the Kaisodi group in the genus <i>Uukuvirus</i> (family Phenuiviridae) found in <i>Haemaphysalis formosensis</i> ticks in Japan. <i>Archives of Virology</i> , 2021, 166, 2751-2762.	2.1	8
13	Identification and Isolation of Japanese Encephalitis Virus Genotype IV from <i>Culex vishnui</i> Collected in Bali, Indonesia in 2019. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 105, 813-817.	1.4	12
14	Uterine Cervical Carcinoma: Evaluation Using Non-Gaussian Diffusion Kurtosis Imaging and Its Correlation With Histopathological Findings. <i>Journal of Computer Assisted Tomography</i> , 2021, 45, 29-36.	0.9	8
15	<i>Propionibacterium acnes</i> -Derived Circulating Immune Complexes in Sarcoidosis Patients. <i>Microorganisms</i> , 2021, 9, 2194.	3.6	5
16	Screening for tick-borne and tick-associated viruses in ticks collected in Ghana. <i>Archives of Virology</i> , 2021, 167, 123.	2.1	1
17	PEDT-1 Integrated diagnoses of pediatric gliomas in our institute by cIMPACT-NOW recommendations. <i>Neuro-Oncology Advances</i> , 2021, 3, vi10-vi11.	0.7	0
18	NI-10 Reclassification of diffuse gliomas based on molecular diagnosis -evaluation of methionine uptake and treatment outcome-. <i>Neuro-Oncology Advances</i> , 2021, 3, vi19-vi19.	0.7	0

#	ARTICLE	IF	CITATIONS
19	Detection of Jingmenviruses in Japan with Evidence of Vertical Transmission in Ticks. <i>Viruses</i> , 2021, 13, 2547.	3.3	19
20	Cancer gland rupture as a potential risk factor for lymph node metastasis in early colorectal adenocarcinoma with deep submucosal invasion. <i>Histopathology</i> , 2020, 76, 603-612.	2.9	9
21	RNA virome analysis of questing ticks from Hokuriku District, Japan, and the evolutionary dynamics of tick-borne phleboviruses. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101364.	2.7	27
22	Diffusion tensor imaging of rectal carcinoma: Clinical evaluation and its correlation with histopathological findings. <i>Clinical Imaging</i> , 2020, 67, 177-188.	1.5	0
23	Establishment and characterization of a cell line from Ghanaian <i>Aedes aegypti</i> (Diptera: Culicidae) focusing on <i>Aedes</i> -borne flavivirus susceptibility. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2020, 56, 792-798.	1.5	2
24	Identification and characterization of a novel orbivirus, Yonaguni orbivirus, isolated from cattle on the westernmost island of Japan. <i>Archives of Virology</i> , 2020, 165, 2903-2908.	2.1	6
25	Texture Analysis of Apparent Diffusion Coefficient Maps in Cervical Carcinoma: Correlation with Histopathologic Findings and Prognosis. <i>Radiology Imaging Cancer</i> , 2020, 2, e190085.	1.6	10
26	Deciphering the Virome of <i>Culex vishnui</i> Subgroup Mosquitoes, the Major Vectors of Japanese Encephalitis, in Japan. <i>Viruses</i> , 2020, 12, 264.	3.3	52
27	Entomological Assessment of the Status and Risk of Mosquito-borne Arboviral Transmission in Ghana. <i>Viruses</i> , 2020, 12, 147.	3.3	25
28	Evaluating the competence of the primary vector, <i>Culex tritaeniorhynchus</i> , and the invasive mosquito species, <i>Aedes japonicus japonicus</i> , in transmitting three Japanese encephalitis virus genotypes. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008986.	3.0	22
29	RNA virome analysis of hematophagous Chironomidae flies (Diptera: Ceratopogonidae and Simuliidae) collected in Tokyo, Japan. <i>Medical Entomology and Zoology</i> , 2020, 71, 225-243.	0.1	5
30	Detection of <i>Aedes</i> -borne viruses from field-caught mosquitoes and consideration for establishment of persistent DENV transmission cycles in Japan. <i>Medical Entomology and Zoology</i> , 2020, 71, 85-90.	0.1	1
31	Analysis of <i>Trypanosoma</i> sequences from <i>Haemaphysalis flava</i> (Acari: Ixodidae) and <i>Tabanus rufidens</i> (Diptera: Tabanidae) collected in Ishikawa, Japan. <i>Medical Entomology and Zoology</i> , 2020, 71, 279-288.	0.1	3
32	HGG-50. TWO CASES OF H3 K27M-MUTANT DIFFUSE MIDLINE GLIOMA OF CERVICAL SPINAL CORD. <i>Neuro-Oncology</i> , 2020, 22, iii352-iii353.	1.2	0
33	Diffusion-Tensor Imaging of Uterine Cervical Carcinoma. <i>Journal of Computer Assisted Tomography</i> , 2020, 44, 426-435.	0.9	2
34	A Case of Isolated Intracranial Juvenile Xanthogranuloma in a 14-year-old Female. <i>Japanese Journal of Neurosurgery</i> , 2020, 29, 513-518.	0.0	0
35	Usefulness of [¹¹ C] Methionine PET in the Differentiation of Tumefactive Multiple Sclerosis from High Grade Astrocytoma. <i>Neurologia Medico-Chirurgica</i> , 2019, 59, 176-183.	2.2	10
36	Catalase expression of <i>Propionibacterium acnes</i> may contribute to intracellular persistence of the bacterium in sinus macrophages of lymph nodes affected by sarcoidosis. <i>Immunologic Research</i> , 2019, 67, 182-193.	2.9	10

#	ARTICLE	IF	CITATIONS
37	NI-06 MOLECULAR DIAGNOSIS, 11C-METHIONINE UPTAKE AND PROGNOSIS IN GRADE 2 AND 3 GLIOMAS. <i>Neuro-Oncology Advances</i> , 2019, 1, ii26-ii26.	0.7	0
38	Endometrial Carcinoma: Texture Analysis of Apparent Diffusion Coefficient Maps and Its Correlation with Histopathologic Findings and Prognosis. <i>Radiology Imaging Cancer</i> , 2019, 1, e190054.	1.6	15
39	Adenocarcinoma within anorectal fistulae: different clinicopathological characteristics between Crohn's disease-associated type and the usual type. <i>Modern Pathology</i> , 2019, 32, 314-325.	5.5	6
40	Diffusion kurtosis imaging of endometrial carcinoma: Correlation with histopathological findings. <i>Magnetic Resonance Imaging</i> , 2019, 57, 337-346.	1.8	24
41	Endometrial carcinoma: Evaluation using diffusion-tensor imaging and its correlation with histopathologic findings. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 250-260.	3.4	15
42	Colorectal carcinoma: Ex vivo evaluation using q-space imaging; Correlation with histopathologic findings. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1059-1068.	3.4	3
43	Characterization of a novel thogotovirus isolated from <i>Amblyomma testudinarium</i> ticks in Ehime, Japan: A significant phylogenetic relationship to Bourbon virus. <i>Virus Research</i> , 2018, 249, 57-65.	2.2	30
44	Isolation and characterization of Kabuto Mountain virus, a new tick-borne phlebovirus from <i>Haemaphysalis flava</i> ticks in Japan. <i>Virus Research</i> , 2018, 244, 252-261.	2.2	24
45	<i>Propionibacterium acnes</i> -derived insoluble immune complexes in sinus macrophages of lymph nodes affected by sarcoidosis. <i>PLoS ONE</i> , 2018, 13, e0192408.	2.5	23
46	Persistent viruses in mosquito cultured cell line suppress multiplication of flaviviruses. <i>Heliyon</i> , 2018, 4, e00736.	3.2	26
47	Localization and density of <i>Porphyromonas gingivalis</i> and <i>Tannerella forsythia</i> in gingival and subgingival granulation tissues affected by chronic or aggressive periodontitis. <i>Scientific Reports</i> , 2018, 8, 9507.	3.3	26
48	Usefulness of ^{11}C -Methionine Positron Emission Tomography for Monitoring of Treatment Response and Recurrence in a Glioblastoma Patient on Bevacizumab Therapy: A Case Report. <i>Case Reports in Oncology</i> , 2018, 11, 442-449.	0.7	1
49	Dengue Virus Infection in <i>Aedes albopictus</i> during the 2014 Autochthonous Dengue Outbreak in Tokyo Metropolis, Japan. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 98, 1460-1468.	1.4	39
50	Dysembryoplastic Neuroepithelial Tumor with Extension to the Basal Cistern: A Case Report. <i>Epilepsy and Seizure</i> , 2018, 10, 87-94.	0.2	0
51	LAPTM4B-35 is a novel prognostic factor for glioblastoma. <i>Journal of Neuro-Oncology</i> , 2017, 132, 295-303.	2.9	14
52	Colorectal carcinoma: Ex vivo evaluation using 3-T high-spatial-resolution quantitative T2 mapping and its correlation with histopathologic findings. <i>Magnetic Resonance Imaging</i> , 2017, 38, 174-181.	1.8	10
53	ATRX status correlates with ^{11}C -methionine uptake in WHO grade II and III gliomas with IDH1 mutations. <i>Brain Tumor Pathology</i> , 2017, 34, 20-27.	1.7	7
54	Detection of a novel putative phlebovirus and first isolation of Dugbe virus from ticks in Accra, Ghana. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 640-645.	2.7	29

#	ARTICLE	IF	CITATIONS
55	Isolation and characterization of Tsurumizu tick virus: A new coltivirus from <i>Haemaphysalis flava</i> ticks in Japan. <i>Virus Research</i> , 2017, 242, 131-140.	2.2	34
56	Bustos virus, a new member of the negevirus group isolated from a <i>Mansonia</i> mosquito in the Philippines. <i>Archives of Virology</i> , 2017, 162, 79-88.	2.1	25
57	Isolation and characterization of a new iflavivirus from <i>Armigeres</i> spp. mosquitoes in the Philippines. <i>Journal of General Virology</i> , 2017, 98, 2876-2881.	2.9	16
58	q-space MR imaging of gastric carcinoma ex vivo: Correlation with histopathologic findings. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 602-612.	3.0	10
59	Complete Genome Sequencing and Phylogenetic Analysis of a Getah Virus Strain (Genus Alphavirus,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Vector-Borne and Zoonotic Diseases, 2016, 16, 769-776.	1.5	10
60	The infectious particle of insect-borne totivirus-like Omono River virus has raised ridges and lacks fibre complexes. <i>Scientific Reports</i> , 2016, 6, 33170.	3.3	19
61	Dengue Virus Isolation in Mosquito <i>Aedes albopictus</i> Captured During an Outbreak in Tokyo, 2014, by a Method Relying on Antibody-Dependent Enhancement Mechanism Using Fc γ R-Expressing BHK Cells. <i>Vector-Borne and Zoonotic Diseases</i> , 2016, 16, 810-812.	1.5	4
62	Gastric carcinoma: Evaluation with diffusion-tensor MR imaging and tractography ex vivo. <i>Magnetic Resonance Imaging</i> , 2016, 34, 144-151.	1.8	7
63	First autopsy analysis of a neovascularized arterial network induced by indirect bypass surgery for moyamoya disease: case report. <i>Journal of Neurosurgery</i> , 2016, 124, 1211-1214.	1.6	16
64	Occipital Condyle Osteoid Osteoma with Severe Occipital Pain that Disappeared after Surgical Resection. <i>NMC Case Report Journal</i> , 2015, 2, 128-131.	0.5	3
65	Esophageal carcinoma: Evaluation with q ϵ space diffusion ϵ weighted MR imaging ex vivo. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 2262-2273.	3.0	22
66	Ultra-high-resolution MR imaging of esophageal carcinoma at ultra-high field strength (7.0T) ex vivo: correlation with histopathologic findings. <i>Magnetic Resonance Imaging</i> , 2015, 33, 413-419.	1.8	20
67	Genetic and biological characterization of Muko virus, a new distinct member of the species Great Island virus (genus Orbivirus, family Reoviridae), isolated from ixodid ticks in Japan. <i>Archives of Virology</i> , 2015, 160, 2965-2977.	2.1	17
68	A Case of a Primary Hepatic Chronic Expanding Hematoma. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of)</i> Tj ETQq0 0.0 rgBT /Overlock 10		
69	Occipital Condyle Osteoid Osteoma with Severe Occipital Pain that Disappeared after Surgical Resection. <i>NMC Case Report Journal</i> , 2015, 2, 128-131.	0.5	0
70	A case of IgG4-related disease with features of Mikulicz ϵ ™s disease, and retroperitoneal fibrosis and lymphadenopathy mimicking Castleman ϵ ™s disease. <i>Modern Rheumatology</i> , 2011, 21, 410-414.	1.8	15
71	An autopsy case of a hemodialysis patient with multiple amyloidomas of the anus and several other organs. <i>Nihon Toseki Igakkai Zasshi</i> , 2006, 39, 1293-1297.	0.1	0