

# Chang-Lin Zhao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1010917/publications.pdf>

Version: 2024-02-01

62

papers

1,063

citations

687363

13

h-index

477307

29

g-index

62

all docs

62

docs citations

62

times ranked

730

citing authors

#	ARTICLE	IF	CITATIONS
1	Notes, outline and divergence times of Basidiomycota. <i>Fungal Diversity</i> , 2019, 99, 105-367.	12.3	256
2	Fungal diversity notes 1387–1511: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2021, 111, 1-335.	12.3	88
3	New species and phylogeny of <i>Perenniporia</i> based on morphological and molecular characters. <i>Fungal Diversity</i> , 2013, 58, 47-60.	12.3	76
4	<i>Ceriporiopsis kunmingensis</i> sp. nov. (Polyporales, Basidiomycota) evidenced by morphological characters and phylogenetic analysis. <i>Mycological Progress</i> , 2017, 16, 93-100.	1.4	63
5	Fungal diversity notes 1277–1386: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2020, 104, 1-266.	12.3	60
6	<i>Fragiliporiaceae</i> , a new family of Polyporales (Basidiomycota). <i>Fungal Diversity</i> , 2015, 70, 115-126.	12.3	53
7	The numbers of fungi: are the most speciose genera truly diverse?. <i>Fungal Diversity</i> , 2022, 114, 387-462.	12.3	52
8	A new species of <i>Perenniporia</i> (Polyporales, Basidiomycota) described from southern China based on morphological and molecular characters. <i>Mycological Progress</i> , 2012, 11, 555-560.	1.4	35
9	Morphological and molecular identification of four new resupinate species of <i>&lt; i&gt;Perenniporia&lt;/i&gt;</i> (Polyporales) from southern China. <i>Mycologia</i> , 2013, 105, 945-958.	1.9	32
10	Morphological and Molecular Identification of Two New Species of <i>&lt; i&gt;Hyphodontia&lt;/i&gt;</i> (Schizoporaceae, Hymenochaetales) from Southern China. <i>Cryptogamie, Mycologie</i> , 2014, 35, 87-97.	1.0	24
11	<i>Flammeopellis bambusicola</i> gen. et. sp. nov. (Polyporales, Basidiomycota) evidenced by morphological characters and phylogenetic analysis. <i>Mycological Progress</i> , 2014, 13, 771-780.	1.4	17
12	Phylogeny and taxonomy of the genus <i>Abundisporus</i> (Polyporales, Basidiomycota). <i>Mycological Progress</i> , 2015, 14, 1.	1.4	16
13	<i>&lt; i&gt;Yuchengia&lt;/i&gt;</i> , a new polypore genus segregated from <i>&lt; i&gt;Perenniporia&lt;/i&gt;</i> (Polyporales) based on morphological and molecular evidence. <i>Nordic Journal of Botany</i> , 2013, 31, 331-338.	0.5	14
14	<i>Phlebia ailaoshanensis</i> sp. nov. (Polyporales, Basidiomycota) evidenced by morphological characters and phylogenetic analyses. <i>Phytotaxa</i> , 2018, 373, 184.	0.3	14
15	A Phylogenetic and Taxonomic Study on <i>Xylodon</i> (Hymenochaetales): Focusing on Three New <i>Xylodon</i> Species from Southern China. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 35.	3.5	13
16	Morphological and molecular identification of four new resupinate species of <i>Lyomyces</i> (Hymenochaetales) from southern China. <i>MycoKeys</i> , 2020, 65, 101-118.	1.9	12
17	Fungal Biodiversity Profiles 81-90. <i>Cryptogamie, Mycologie</i> , 2019, 40, 57.	1.0	12
18	Endophytic fungi from the branches of <i>Camellia taliensis</i> (W. W. Smith) Melchior, a widely distributed wild tea plant. <i>World Journal of Microbiology and Biotechnology</i> , 2019, 35, 113.	3.6	11

#	ARTICLE	IF	CITATIONS
19	Crepatura ellipsospora gen. et sp. nov. in Phanerochaetaceae (Polyporales, Basidiomycota) bearing a tuberculate hymenial surface. <i>Mycological Progress</i> , 2019, 18, 785-793.	1.4	11
20	Xylodon kunmingensis sp. nov. (Hymenochaetales, Basidiomycota) from southern China. <i>Mycoscience</i> , 2019, 60, 184-188.	0.8	11
21	Three new species of Phlebia (Polyporales, Basidiomycota) based on the evidence from morphology and DNA sequence data. <i>Mycological Progress</i> , 2020, 19, 753-767.	1.4	11
22	Phylogenetic and Taxonomic Analyses of Three New Wood-Inhabiting Fungi of Xylodon (Basidiomycota) in a Forest Ecological System. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 405.	3.5	10
23	The Phylogenetic Relationship Revealed Three New Wood-Inhabiting Fungal Species From Genus Trechispora. <i>Frontiers in Microbiology</i> , 2021, 12, 650195.	3.5	9
24	Taxonomy and Phylogeny of Four New Species in Absidia (Cunninghamellaceae, Mucorales) From China. <i>Frontiers in Microbiology</i> , 2021, 12, 677836.	3.5	9
25	&lt;p&gt;&lt;strong&gt;&lt;em&gt;Phlebiopsis lacerata&lt;/em&gt;&lt;/strong&gt;&lt;strong&gt; sp. nov. (Polyporales, Basidiomycota) from southern China&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 440, 268-280.	0.3	9
26	Morphological and Phylogenetic Evidence for Recognition of Two New Species of Phanerochaete from East Asia. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 1063.	3.5	9
27	Perenniporia cinereofusca sp. nov. (Polyporales, Basidiomycota) evidenced by morphological characters and phylogenetic analysis. <i>Mycoscience</i> , 2014, 55, 417-422.	0.8	7
28	Additions to the Knowledge of Corticioid Xylodon (Schizophoraceae, Hymenochaetales): Introducing Three New Xylodon Species from Southern China. <i>Diversity</i> , 2021, 13, 581.	1.7	7
29	Morphological and molecular identification of a new species of Atraporiella (Polyporales,) Tj ETQq1 1 0.784314 rgBT 0.3 /Overlock 10 Tf 50		
30	Morphological and molecular identification of a new species of Perenniporia (Polyporales,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td		
31	Morphological and molecular identification of a new species of Eichleriella (Auriculariales,) Tj ETQq1 1 0.784314 rgBT 0.3 /Overlock 10 Tf 50		
32	Elaphroporia ailaoshanensis gen. et sp. nov. in Polyporales (Basidiomycota). <i>MycoKeys</i> , 2018, 29, 81-95.	1.9	6
33	<p><strong><em>Phlebia nigrodontea sp. nov</em></strong><strong>.</strong><em></em><strong>in Meruliaceae (Polyporales) with a black hymenial surface</strong></p>. <i>Phytotaxa</i> , 2020, 458, 195-206.	0.3	6
34	Neofavolus yunnanensis sp. nov. (Polyporales, Basidiomycota) from China: evidence from morphology and DNA sequence data. <i>Phytotaxa</i> , 2019, 408, 109-116.	0.3	5
35	Morphological characters and phylogenetic analyses reveal two new species of Peniophorella from southern China. <i>Mycological Progress</i> , 2020, 19, 397-404.	1.4	5
36	&lt;i&gt;Hyphoderma fissuratum&lt;/i&gt; and &lt;i&gt;H. mopanshanense&lt;/i&gt; spp. nov. (&lt;i&gt;Polyporales&lt;/i&gt;) from southern China. <i>Mycoscience</i> , 2021, 62, 36-41.	0.8	5

#	ARTICLE	IF	CITATIONS
37	Taxonomy and Phylogeny of the Wood-Inhabiting Fungal Genus <i>Hyphoderma</i> with Descriptions of Three New Species from East Asia. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 308.	3.5	5
38	<i>Xylodon bambusinus</i> and <i>X. xinpingensis</i> spp. nov. (Hymenochaetales) from southern China. <i>Phytotaxa</i> , 2021, 511, .	0.3	5
39	The Hidden Wood-Decaying Fungal Diversity: Rhizochaete from East Asia. <i>Diversity</i> , 2021, 13, 503.	1.7	5
40	<i>Leipiporia rhizomorpha</i> gen. et sp. nov. and <i>L. eucalypti</i> comb. nov. in Polyporaceae (Basidiomycota). <i>Mycological Progress</i> , 2016, 15, 799-809.	1.4	4
41	Morphological and molecular identification of two new species of <i>Tubulicrinis</i> (Hymenochaetaceae,) Tj ETQq1 1 0.784314 rgBT /Overlooked species in China. <i>MycoKeys</i> , 2021, 88, 1-10.	0.8	4
42	&lt;p&gt;&lt;strong&gt;&lt;em&gt; <i>Trechispora daweishanensis</i> &lt;/em&gt; and &lt;em&gt; <i>T. xantha</i> spp. nov.&lt;/em&gt; (Hydnodontaceae, Trechisporales) found in Yunnan Province of China&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2021, 479, 147-159.	0.3	4
43	<i>Steccherinum tenuissimum</i> and <i>S. xanthum</i> spp. nov. (Polyporales, Basidiomycota): New species from China. <i>PLoS ONE</i> , 2021, 16, e0244520.	2.5	4
44	Morphological and phylogenetic evidence for recognition of two new species of <i>Hyphoderma</i> (Basidiomycota) from southern China, with a key to all Chinese <i>Hyphoderma</i> . <i>MycoKeys</i> , 2021, 83, 145-160.	1.9	4
45	<i>Hyphodermella aurantiaca</i> sp. nova (Polyporales, Basidiomycota) as Evidenced by Morphological Characters and Phylogenetic Analyses. <i>Annales Botanici Fennici</i> , 2020, 58, .	0.1	4
46	Two New Species of <i>Diatrype</i> (Xylariales, Ascomycota) with Polysporous Ascii from China. <i>Diversity</i> , 2022, 14, 149.	1.7	4
47	<i>&lt;Perenniporiopsis&gt;</i> , a New Polypore Genus Segregated from <i>Perenniporia</i> (Polyporales). <i>Cryptogamie, Mycologie</i> , 2017, 38, 285-299.	1.0	3
48	<i>Perenniporia mopanshanensis</i> sp. nov. from China. <i>Mycotaxon</i> , 2019, 134, 125-137.	0.3	3
49	Morphological and phylogenetic characterization of fungi within Hymenochaetales: introducing two new species from southern China. <i>Nordic Journal of Botany</i> , 2021, 39, .	0.5	3
50	<i>Lyomyces fissuratus</i> and <i>L. fumosus</i> (Schizophoraceae, Hymenochaetales), New Species from Southern China. <i>Annales Botanici Fennici</i> , 2021, 58, .	0.1	3
51	<i>Fasciodontia yunnanensis</i> (Schizophoraceae, Hymenochaetales), a New Species from Southern China. <i>Annales Botanici Fennici</i> , 2021, 58, .	0.1	3
52	The Morphological Characteristics and Phylogenetic Analyses Revealed an Additional Taxon in <i>Heteroradulum</i> (Auriculariales). <i>Diversity</i> , 2022, 14, 40.	1.7	3
53	Diversity of Wood-Decaying Fungi in Wuliangshan Area, Yunnan Province, P.R. China. <i>Diversity</i> , 2022, 14, 131.	1.7	3
54	Taxonomy and Phylogeny Reveal Two New Potential Edible Ectomycorrhizal Mushrooms of <i>Thelephora</i> from East Asia. <i>Diversity</i> , 2021, 13, 646.	1.7	3

#	ARTICLE	IF	CITATIONS
55	Hypodermella zixishanensis (Polyporales, Basidiomycota), a new species with reddish hymenial surface. <i>Nordic Journal of Botany</i> , 2021, 39, .	0.5	2
56	<p><strong>Morphological and molecular identification of a new species of <em>Cinereomyces</em> (Polyporales, Basidiomycota) in southern China</strong></p>. <i>Phytotaxa</i> , 2020, 459, 51-60.	0.3	2
57	Eichleriella aculeobasidiata sp. nov. (Auriculariales, Basidiomycota) evidenced by morphological characters and phylogenetic analyses in China. <i>Kew Bulletin</i> , 2022, 77, 325-332.	0.9	2
58	<i>Rhomboidia wuliangshanensis</i> gen. & sp. nov. from southwestern China. <i>Mycotaxon</i> , 2020, 134, 649-662.	0.3	1
59	<p><strong><em>Gloeodontia yunnanensis</em> <em>sp. nov. </em>(Russulales, Basidiomycota) from China, evidenced by morphological characters and phylogenetic analyses</strong></p>. <i>Phytotaxa</i> , 2020, 432, 111-118.	0.3	1
60	Poriella subacida Gen. & Comb Nov. for <i>Perenniporia subacida</i> (Peck) Donk. <i>Agronomy</i> , 2021, 11, 1308.	3.0	1
61	Skvortzovia yunnanensis, a new species of corticioid fungus from southern China. <i>Kew Bulletin</i> , 2021, 76, 549-555.	0.9	1
62	Basidiiodendron yunnanense (Auriculariales), a New Species from Southern China Based on Morphological and Molecular Evidence. <i>Annales Botanici Fennici</i> , 2022, 59, .	0.1	0