

Teruo Kirikae

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1012144/publications.pdf>

Version: 2024-02-01

100
papers

2,109
citations

218677

26
h-index

302126

39
g-index

103
all docs

103
docs citations

103
times ranked

2730
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Assessment of an immunochromatographic kit for detection of severe acute respiratory syndrome coronavirus 2 and influenza viruses. <i>Journal of Virological Methods</i> , 2022, 302, 114477. | 2.1 | 1 |
| 2 | Whole-Genome Sequencing-Based Re-Identification of <i>Pseudomonas putida</i> / <i>fluorescens</i> Clinical Isolates Identified by Biochemical Bacterial Identification Systems. <i>Microbiology Spectrum</i> , 2022, , e0249121. | 3.0 | 7 |
| 3 | Detection of <i>Acinetobacter Baumannii</i> and <i>Staphylococcus Capitis</i> in Bile from Two Patients with Chronic Xanthogranulomatous Cholecystitis: The Impact of Metagenomic Analysis. <i>Juntendo Medical Journal</i> , 2022, , . | 0.1 | 0 |
| 4 | Emergence of Carbapenem-resistant Clinical Isolates of <i>Providencia</i> Species. <i>Juntendo Medical Journal</i> , 2022, 68, 200-207. | 0.1 | 0 |
| 5 | Spread of Carbapenem-Resistant <i>Klebsiella pneumoniae</i> Clinical Isolates Producing NDM-Type Metallo- β -Lactamase in Myanmar. <i>Microbiology Spectrum</i> , 2022, 10, . | 3.0 | 8 |
| 6 | <i>Stenotrophomonas maltophilia</i> from Nepal Producing Two Novel Antibiotic Inactivating Enzymes, a Class A β -Lactamase KBL-1 and an Aminoglycoside 6- <i>N</i> -Acetyltransferase AAC(6)-Iap. <i>Microbiology Spectrum</i> , 2022, 10, . | 3.0 | 3 |
| 7 | Emergence of clinical isolates of <i>Pseudomonas asiatica</i> and <i>Pseudomonas monteilii</i> from Japan harbouring an acquired gene encoding a carbapenemase VIM-2. <i>Journal of Medical Microbiology</i> , 2021, 70, . | 1.8 | 7 |
| 8 | <i>Pseudomonas allokribbensis</i> sp. nov. and <i>Pseudomonas gozinkensis</i> sp. nov., Two New Species Isolated from a Volcanic Island, Izu Oshima, Japan. <i>Current Microbiology</i> , 2021, 78, 1670-1677. | 2.2 | 12 |
| 9 | Presence of antibodies against SARS-CoV-2 spike protein in bovine whey IgG enriched fraction. <i>International Dairy Journal</i> , 2021, 117, 105002. | 3.0 | 7 |
| 10 | Molecular Epidemiology of Drug-Resistant Mycobacterium Tuberculosis in Japan. <i>MSphere</i> , 2021, 6, e0097820. | 2.9 | 5 |
| 11 | Development of an immunochromatographic kit to detect severe acute respiratory syndrome coronavirus 2. <i>Journal of Virological Methods</i> , 2021, 294, 114183. | 2.1 | 3 |
| 12 | Molecular characterisation of carbapenem-resistant <i>Pseudomonas aeruginosa</i> clinical isolates in Nepal. <i>Journal of Global Antimicrobial Resistance</i> , 2021, 26, 279-284. | 2.2 | 12 |
| 13 | A transferrable IncL/M plasmid harboring a gene encoding IMP-1 metallo- β -lactamase in clinical isolates of Enterobacteriaceae. <i>BMC Infectious Diseases</i> , 2021, 21, 1061. | 2.9 | 5 |
| 14 | Emergence of a multidrug-resistant plasmid encoding bla NDM-1, bla OXA-420 and armA in a clinical isolate of <i>Acinetobacter variabilis</i> in Japan. <i>Journal of Medical Microbiology</i> , 2021, 70, . | 1.8 | 0 |
| 15 | Emergence of Carbapenem-Resistant <i>Providencia rettgeri</i> and <i>Providencia stuartii</i> Producing IMP-Type Metallo- β -Lactamase in Japan. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, . | 3.2 | 12 |
| 16 | <i>Pseudomonas atagosis</i> sp. nov., and <i>Pseudomonas akappagea</i> sp. nov., New Soil Bacteria Isolated from Samples on the Volcanic Island Izu Oshima, Tokyo. <i>Current Microbiology</i> , 2020, 77, 1909-1915. | 2.2 | 17 |
| 17 | Molecular epidemiology of multidrug-resistant <i>Acinetobacter baumannii</i> isolates from hospitals in Myanmar. <i>Journal of Global Antimicrobial Resistance</i> , 2020, 22, 122-125. | 2.2 | 16 |
| 18 | Emergence and Spread of Carbapenem-Resistant and Aminoglycoside-Panresistant <i>Enterobacter cloacae</i> Complex Isolates Coproducing NDM-Type Metallo- β -Lactamase and 16S rRNA Methylase in Myanmar. <i>MSphere</i> , 2020, 5, . | 2.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | <i>Pseudomonas izuensis</i> sp. nov., a novel species isolated from Izu Oshima, Japan. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 4212-4216. | 1.7 | 5 |
| 20 | Re-identification of strains deposited as <i>Pseudomonas aeruginosa</i> , <i>Pseudomonas fluorescens</i> and <i>Pseudomonas putida</i> in GenBank based on whole genome sequences. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5958-5963. | 1.7 | 12 |
| 21 | <i>Pseudomonas yangonensis</i> sp. nov., isolated from wound samples of patients in a hospital in Myanmar. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3597-3605. | 1.7 | 11 |
| 22 | Highly multidrug-resistant <i>Morganella morganii</i> clinical isolates from Nepal co-producing NDM-type metallo- β -lactamases and the 16S rRNA methylase ArmA. Journal of Medical Microbiology, 2020, 69, 572-575. | 1.8 | 3 |
| 23 | Assessment of a newly developed immunochromatographic assay for NDM-type metallo- β -lactamase producing Gram-negative pathogens in Myanmar. BMC Infectious Diseases, 2019, 19, 565. | 2.9 | 14 |
| 24 | Enriched bovine IgG fraction prevents infections with Enterohaemorrhagic <i>Escherichia coli</i> O157:H7, <i>Salmonella enterica</i> serovar Enteritidis, and <i>Mycobacterium avium</i> . Food Science and Nutrition, 2019, 7, 2726-2730. | 3.4 | 4 |
| 25 | Evaluation of a new selective agar medium for detection of carbapenem-resistant Enterobacteriaceae. Diagnostic Microbiology and Infectious Disease, 2019, 95, 114882. | 1.8 | 2 |
| 26 | Emergence of Carbapenem-Resistant <i>Pseudomonas asiatica</i> Producing NDM-1 and VIM-2 Metallo- β -Lactamases in Myanmar. Antimicrobial Agents and Chemotherapy, 2019, 63, . | 3.2 | 18 |
| 27 | Emergence in Japan of an isolate of <i>Klebsiella pneumoniae</i> co-harboring blaKPC-2 and rmtB. Journal of Global Antimicrobial Resistance, 2019, 17, 157-159. | 2.2 | 6 |
| 28 | Molecular Characterization of Multidrug-Resistant <i>Pseudomonas aeruginosa</i> Isolates in Hospitals in Myanmar. Antimicrobial Agents and Chemotherapy, 2019, 63, . | 3.2 | 49 |
| 29 | Genetic and Transcriptomic Analyses of Ciprofloxacin-Tolerant <i>Staphylococcus aureus</i> Isolated by the Replica Plating Tolerance Isolation System (REPTIS). Antimicrobial Agents and Chemotherapy, 2019, 63, . | 3.2 | 17 |
| 30 | Emergence of a carbapenem-resistant and colistin-heteroresistant <i>Enterobacter cloacae</i> clinical isolate in Japan. Journal of Infection and Chemotherapy, 2019, 25, 285-288. | 1.7 | 14 |
| 31 | <i>Pseudomonas asiatica</i> sp. nov., isolated from hospitalized patients in Japan and Myanmar. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1361-1368. | 1.7 | 25 |
| 32 | <i>Pseudomonas juntendi</i> sp. nov., isolated from patients in Japan and Myanmar. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 3377-3384. | 1.7 | 19 |
| 33 | An improved carbapenem inactivation method, CIMTrisII, for carbapenemase production by Gram-negative pathogens. Journal of Medical Microbiology, 2019, 68, 124-131. | 1.8 | 11 |
| 34 | Emergence of ArmA, a 16S rRNA methylase in highly aminoglycoside-resistant clinical isolates of <i>Klebsiella pneumoniae</i> and <i>Klebsiella oxytoca</i> in Okinawa, Japan. Journal of Infection and Chemotherapy, 2018, 24, 68-70. | 1.7 | 6 |
| 35 | A New Variant of 16S rRNA Methylase, RmtD3, in a Clinical Isolate of <i>Pseudomonas aeruginosa</i> in Myanmar. Antimicrobial Agents and Chemotherapy, 2018, 62, . | 3.2 | 7 |
| 36 | Spread of GES-5 carbapenemase-producing <i>Pseudomonas aeruginosa</i> clinical isolates in Japan due to clonal expansion of ST235. PLoS ONE, 2018, 13, e0207134. | 2.5 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Pathogenicity Induced by Invasive Infection of <i>Streptococcus dysgalactiae</i> subsp. <i>equisimilis</i> in a Mouse Model of Diabetes. <i>Frontiers in Microbiology</i> , 2018, 9, 2128. | 3.5 | 8 |
| 38 | Emergence of IncX4 plasmids encoding <i>mcr-1</i> in a clinical isolate of <i>Klebsiella pneumoniae</i> in Japan. <i>International Journal of Infectious Diseases</i> , 2018, 75, 98-100. | 3.3 | 12 |
| 39 | A hemin auxotrophic <i>Enterobacter cloacae</i> clinical isolate with increased resistance to carbapenems and aminoglycosides. <i>Journal of Medical Microbiology</i> , 2018, 67, 29-32. | 1.8 | 4 |
| 40 | A clinical isolate of <i>Escherichia coli</i> co-harboring <i>mcr-1</i> and <i>bla</i> NDM-5 in Japan. <i>Journal of Medical Microbiology</i> , 2018, 67, 1047-1049. | 1.8 | 15 |
| 41 | PER-8, a Novel Extended-Spectrum β -Lactamase PER Variant, from an <i>Acinetobacter baumannii</i> Clinical Isolate in Nepal. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, . | 3.2 | 7 |
| 42 | A Modified Carbapenem Inactivation Method, CIMTris, for Carbapenemase Production in <i>Acinetobacter</i> and <i>Pseudomonas</i> Species. <i>Journal of Clinical Microbiology</i> , 2017, 55, 3405-3410. | 3.9 | 35 |
| 43 | Emergence of Various NDM-Type-Metallo- β -Lactamase-Producing <i>Escherichia coli</i> Clinical Isolates in Nepal. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, . | 3.2 | 16 |
| 44 | Emergence of colistin-resistant <i>Escherichia coli</i> clinical isolates harboring <i>mcr-1</i> in Vietnam. <i>International Journal of Infectious Diseases</i> , 2017, 63, 72-73. | 3.3 | 24 |
| 45 | Emergence of a colistin-resistant <i>Escherichia coli</i> clinical isolate harboring <i>mcr-1</i> in Japan. <i>International Journal of Infectious Diseases</i> , 2017, 63, 21-22. | 3.3 | 32 |
| 46 | <i>Pseudomonas aeruginosa</i> Clinical Isolates in Nepal Coproducing Metallo- β -Lactamases and 16S rRNA Methyltransferases. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, . | 3.2 | 26 |
| 47 | Genetic diversity of <i>Mycobacterium tuberculosis</i> isolates from Tochigi prefecture, a local region of Japan. <i>BMC Infectious Diseases</i> , 2017, 17, 365. | 2.9 | 5 |
| 48 | Complete Genome Sequence and Comparative Genomics of a <i>Streptococcus pyogenes</i> emm3 Strain M3-b isolated from a Japanese Patient with Streptococcal Toxic Shock Syndrome. <i>Journal of Genomics</i> , 2017, 5, 71-74. | 0.9 | 2 |
| 49 | Comparison of the clinical and microbiological characteristics of <i>Campylobacter</i> and <i>Helicobacter</i> bacteremia: the importance of time to blood culture positivity using the BACTEC blood culture systems. <i>BMC Research Notes</i> , 2017, 10, 634. | 1.4 | 4 |
| 50 | Dissemination of Carbapenem-resistant <i>Klebsiella pneumoniae</i> clinical isolates with various combinations of Carbapenemases (KPC-2, NDM-1, NDM-4, and OXA-48) and 16S rRNA Methylases (RmtB and TjE000048) /Overl | 1.0 | 0 |
| 51 | Comparative Genome Analysis of Extended-Spectrum β -Lactamase-Producing <i>Escherichia coli</i> Sequence Type 131 Strains from Nepal and Japan. <i>MSphere</i> , 2016, 1, . | 2.9 | 8 |
| 52 | Multidrug-Resistant Sequence Type 235 <i>Pseudomonas aeruginosa</i> Clinical Isolates Producing IMP-26 with Increased Carbapenem-Hydrolyzing Activities in Vietnam. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 6853-6858. | 3.2 | 26 |
| 53 | Peroxiredoxin 1 Contributes to Host Defenses against <i>Mycobacterium tuberculosis</i> . <i>Journal of Immunology</i> , 2016, 197, 3233-3244. | 0.8 | 10 |
| 54 | High rate of multidrug-resistant organism colonization among patients hospitalized overseas highlights the need for preemptive infection control. <i>American Journal of Infection Control</i> , 2016, 44, e257-e259. | 2.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A Mutation in the 16S rRNA Decoding Region Attenuates the Virulence of <i>Mycobacterium tuberculosis</i> . <i>Infection and Immunity</i> , 2016, 84, 2264-2273. | 2.2 | 9 |
| 56 | A Novel 6â€²-N-Aminoglycoside Acetyltransferase, AAC(6â€²)-Ial, from a Clinical Isolate of <i>Serratia marcescens</i> . <i>Microbial Drug Resistance</i> , 2016, 22, 103-108. | 2.0 | 3 |
| 57 | A Carbapenem-Resistant <i>Pseudomonas aeruginosa</i> Isolate Harboring Two Copies of blaIMP-34 Encoding a Metallo-Î²-Lactamase. <i>PLoS ONE</i> , 2016, 11, e0149385. | 2.5 | 16 |
| 58 | Complete annotated genome sequence of <i>Mycobacterium tuberculosis</i> (Zopf) Lehmann and Neumann (ATCC35812) (Kuroko). <i>Tuberculosis</i> , 2015, 95, 37-39. | 1.9 | 3 |
| 59 | Multidrug-resistant <i>Acinetobacter baumannii</i> isolated from a traveler returned from Brunei. <i>Journal of Infection and Chemotherapy</i> , 2015, 21, 212-214. | 1.7 | 10 |
| 60 | Identification of a Novel NDM Variant, NDM-13, from a Multidrug-Resistant <i>Escherichia coli</i> Clinical Isolate in Nepal. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 5847-5850. | 3.2 | 28 |
| 61 | Evaluation of the Etest method for detecting colistin susceptibility of multidrug-resistant Gram-negative isolates in Vietnam. <i>Journal of Infection and Chemotherapy</i> , 2015, 21, 617-619. | 1.7 | 6 |
| 62 | MicroRNA-155 knockout mice are susceptible to <i>Mycobacterium tuberculosis</i> infection. <i>Tuberculosis</i> , 2015, 95, 246-250. | 1.9 | 55 |
| 63 | Clinical Epidemiology and Molecular Analysis of Extended-Spectrum-Î²-Lactamase-Producing <i>Escherichia coli</i> in Nepal: Characteristics of Sequence Types 131 and 648. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 3424-3432. | 3.2 | 44 |
| 64 | Development and evaluation of immunochromatography to detect Gram-negative bacteria producing ArmA 16S rRNA methylase responsible for aminoglycoside resistance. <i>Journal of Microbiological Methods</i> , 2015, 118, 159-163. | 1.6 | 6 |
| 65 | Dissemination of clonal complex 2 <i>Acinetobacter baumannii</i> strains co-producing carbapenemases and 16S rRNA methylase ArmA in Vietnam. <i>BMC Infectious Diseases</i> , 2015, 15, 433. | 2.9 | 22 |
| 66 | IMP-51, a Novel IMP-Type Metallo-Î²-Lactamase with Increased Doripenem- and Meropenem-Hydrolyzing Activities, in a Carbapenem-Resistant <i>Pseudomonas aeruginosa</i> Clinical Isolate. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 7090-7093. | 3.2 | 16 |
| 67 | Molecular epidemiology of multidrug-resistant <i>Acinetobacter baumannii</i> isolates in a university hospital in Nepal reveals the emergence of a novel epidemic clonal lineage. <i>International Journal of Antimicrobial Agents</i> , 2015, 46, 526-531. | 2.5 | 43 |
| 68 | CASTB (the comprehensive analysis server for the <i>Mycobacterium tuberculosis</i> complex): A publicly accessible web server for epidemiological analyses, drug-resistance prediction and phylogenetic comparison of clinical isolates. <i>Tuberculosis</i> , 2015, 95, 843-844. | 1.9 | 55 |
| 69 | Evaluation of an Automated Rapid Diagnostic Assay for Detection of Gram-Negative Bacteria and Their Drug-Resistance Genes in Positive Blood Cultures. <i>PLoS ONE</i> , 2014, 9, e94064. | 2.5 | 48 |
| 70 | Prevention of catheter infection using a biodegradable tissue adhesive composed of human serum albumin and disuccinimidyl tartrate. <i>Journal of Bioactive and Compatible Polymers</i> , 2014, 29, 284-297. | 2.1 | 3 |
| 71 | Identification of a Novel 6â€²- <i>N</i> -Aminoglycoside Acetyltransferase, AAC(6â€²)-Iak, from a Multidrug-Resistant Clinical Isolate of <i>Stenotrophomonas maltophilia</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 6324-6327. | 3.2 | 24 |
| 72 | Molecular and Epidemiological Characterization of IMP-Type Metallo-Î²-Lactamase-Producing <i>Enterobacter cloacae</i> in a Large Tertiary Care Hospital in Japan. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 3441-3450. | 3.2 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | NDM-1 Metallo- β -Lactamase and ArmA 16S rRNA methylase producing <i>Providencia rettgeri</i> clinical isolates in Nepal. <i>BMC Infectious Diseases</i> , 2014, 14, 56. | 2.9 | 29 |
| 74 | Biochemical Analysis of Metallo- β -Lactamase NDM-3 from a Multidrug-Resistant <i>Escherichia coli</i> Strain Isolated in Japan. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 3538-3540. | 3.2 | 26 |
| 75 | NDM-12, a Novel New Delhi Metallo- β -Lactamase Variant from a Carbapenem-Resistant <i>Escherichia coli</i> Clinical Isolate in Nepal. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 6302-6305. | 3.2 | 32 |
| 76 | <i>Parvimonas micra</i> as a causative organism of spondylodiscitis: a report of two cases and a literature review. <i>International Journal of Infectious Diseases</i> , 2014, 23, 53-55. | 3.3 | 53 |
| 77 | Dissemination of 16S rRNA Methylase ArmA-Producing <i>Acinetobacter baumannii</i> and Emergence of OXA-72 Carbapenemase Coproducers in Japan. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 2916-2920. | 3.2 | 53 |
| 78 | Dissemination in Japan of multidrug-resistant <i>Pseudomonas aeruginosa</i> isolates producing IMP-type metallo- β -lactamases and AAC(6 β -2)-Iae/AAC(6 β -2)-Ib. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 586-588. | 1.7 | 9 |
| 79 | Evaluation of an Automated Rapid Diagnostic Test for Detection of <i>Clostridium difficile</i> . <i>PLoS ONE</i> , 2014, 9, e106102. | 2.5 | 10 |
| 80 | Emergence of 16S rRNA methylase-producing <i>Acinetobacter baumannii</i> and <i>Pseudomonas aeruginosa</i> isolates in hospitals in Vietnam. <i>BMC Infectious Diseases</i> , 2013, 13, 251. | 2.9 | 49 |
| 81 | NDM-8 Metallo- β -Lactamase in a Multidrug-Resistant <i>Escherichia coli</i> Strain Isolated in Nepal. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 2394-2396. | 3.2 | 52 |
| 82 | IMP-43 and IMP-44 Metallo- β -Lactamases with Increased Carbapenemase Activities in Multidrug-Resistant <i>Pseudomonas aeruginosa</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 4427-4432. | 3.2 | 29 |
| 83 | Multilocus Sequence Typing (MLST) for Characterization of <i>Enterobacter cloacae</i> . <i>PLoS ONE</i> , 2013, 8, e66358. | 2.5 | 168 |
| 84 | Multicenter prospective evaluation of a novel rapid immunochromatographic diagnostic kit specifically detecting influenza A H1N1 2009 virus. <i>Journal of Clinical Virology</i> , 2011, 51, 68-72. | 3.1 | 10 |
| 85 | Development of an immunochromatographic assay for diagnosing the production of IMP-type metallo- β -lactamases that mediate carbapenem resistance in <i>Pseudomonas</i> . <i>Journal of Microbiological Methods</i> , 2011, 87, 330-337. | 1.6 | 36 |
| 86 | Evaluation of a line probe assay for the rapid detection of <i>gyrA</i> mutations associated with fluoroquinolone resistance in multidrug-resistant <i>Mycobacterium tuberculosis</i> . <i>Journal of Medical Microbiology</i> , 2011, 60, 184-188. | 1.8 | 15 |
| 87 | Development of an Immunochromatographic Assay Specifically Detecting Pandemic H1N1 (2009) Influenza Virus. <i>Journal of Clinical Microbiology</i> , 2010, 48, 703-708. | 3.9 | 27 |
| 88 | KHM-1, a Novel Plasmid-Mediated Metallo- β -Lactamase from a <i>Citrobacter freundii</i> Clinical Isolate. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 4194-4197. | 3.2 | 63 |
| 89 | Investigation of isolation rates of <i>Pseudomonas aeruginosa</i> with and without multidrug resistance in medical facilities and clinical laboratories in Japan. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 61, 612-615. | 3.0 | 32 |
| 90 | Outbreaks of Multidrug-Resistant <i>Pseudomonas aeruginosa</i> in Community Hospitals in Japan. <i>Journal of Clinical Microbiology</i> , 2007, 45, 979-989. | 3.9 | 88 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Rhodococcus equi can survive a phagolysosomal environment in macrophages by suppressing acidification of the phagolysosome. Journal of Medical Microbiology, 2005, 54, 1007-1015. | 1.8 | 72 |
| 92 | Characterization of a Trinucleotide Repeat Sequence (CGG) 5 and Potential Use in Restriction Fragment Length Polymorphism Typing of Mycobacterium tuberculosis. Journal of Clinical Microbiology, 2004, 42, 3538-3548. | 3.9 | 23 |
| 93 | Use of Immunoglobulin Enriched Bovine Colostrum against Oral Challenge with Enterohaemorrhagic <i>Escherichia coli</i> O157:H7 in Mice. Microbiology and Immunology, 2002, 46, 761-766. | 1.4 | 33 |
| 94 | Protective Effect of OK432 on Mice against Endotoxemia and Infection with <i>Pseudomonas aeruginosa</i> and <i>Salmonella enteritidis</i> . Microbiology and Immunology, 2001, 45, 425-432. | 1.4 | 0 |
| 95 | Structural elucidation of a capsular polysaccharide from a clinical isolate of <i>Bacteroides vulgatus</i> from a patient with Crohn's disease. FEBS Journal, 2001, 268, 3139-3144. | 0.2 | 8 |
| 96 | Structural significance of the acyl group at the C-10 position and the A ring of the taxane core of paclitaxel for inducing nitric oxide and tumor necrosis factor production by murine macrophages. FEBS Letters, 2000, 478, 221-226. | 2.8 | 19 |
| 97 | Biological activities of lipopolysaccharides of <i>Proteus</i> spp. and their interactions with polymyxin B and an 18-kDa cationic antimicrobial protein (CAP18)-derived peptide. Journal of Medical Microbiology, 2000, 49, 127-138. | 1.8 | 16 |
| 98 | Endotoxic Properties of Chemically Synthesized Lipid A Analogs. Microbiology and Immunology, 1989, 33, 797-810. | 1.4 | 3 |
| 99 | Identification of Re Lipopolysaccharide-Binding Protein on Murine Erythrocyte Membrane. Microbiology and Immunology, 1988, 32, 33-44. | 1.4 | 19 |
| 100 | Hemagglutination Induced by Lipopolysaccharides and Lipid A. Microbiology and Immunology, 1986, 30, 269-274. | 1.4 | 25 |