

# Laura A Kresty

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10130137/publications.pdf>

Version: 2024-02-01

47  
papers

2,226  
citations

236925

25  
h-index

223800

46  
g-index

49  
all docs

49  
docs citations

49  
times ranked

2779  
citing authors

#	ARTICLE	IF	CITATIONS
1	Proanthocyanidins mitigate bile acid-induced changes in GSTT2 levels in a panel of racially diverse patient-derived primary esophageal cell cultures. <i>Molecular Carcinogenesis</i> , 2022, 61, 281-287.	2.7	3
2	Cranberry Polyphenols in Esophageal Cancer Inhibition: New Insights. <i>Nutrients</i> , 2022, 14, 969.	4.1	6
3	Immune determinants of Barrett's progression to esophageal adenocarcinoma. <i>JCI Insight</i> , 2021, 6, .	5.0	25
4	Circular RNA <i>circHIPK3</i> modulates autophagy via <i>MIR124-3p</i> -STAT3-PRKAA/AMPK signaling in STK11 mutant lung cancer. <i>Autophagy</i> , 2020, 16, 659-671.	9.1	210
5	Disparities in Head and Neck Cancer: A Case for Chemoprevention with Vitamin D. <i>Nutrients</i> , 2020, 12, 2638.	4.1	6
6	Mitochondria-targeted magnolol inhibits OXPHOS, proliferation, and tumor growth via modulation of energetics and autophagy in melanoma cells. <i>Cancer Treatment and Research Communications</i> , 2020, 25, 100210.	1.7	16
7	Constitutively Higher Level of GSTT2 in Esophageal Tissues From African Americans Protects Cells Against DNA Damage. <i>Gastroenterology</i> , 2019, 156, 1404-1415.	1.3	15
8	The role of nutrition in influencing mechanisms involved in environmentally mediated diseases. <i>Reviews on Environmental Health</i> , 2018, 33, 87-97.	2.4	35
9	A phase I pilot study evaluating the beneficial effects of black raspberries in patients with Barrett's esophagus. <i>Oncotarget</i> , 2018, 9, 35356-35372.	1.8	23
10	Cranberries and Cancer: An Update of Preclinical Studies Evaluating the Cancer Inhibitory Potential of Cranberry and Cranberry Derived Constituents. <i>Antioxidants</i> , 2016, 5, 27.	5.1	38
11	Analyzing spatial correlations in tissue using angle-resolved low coherence interferometry measurements guided by co-located optical coherence tomography. <i>Biomedical Optics Express</i> , 2016, 7, 1400.	2.9	14
12	Expression, modulation, and clinical correlates of the autophagy protein Beclin1 in esophageal adenocarcinoma. <i>Molecular Carcinogenesis</i> , 2016, 55, 1876-1885.	2.7	37
13	Black raspberries in cancer clinical trials: Past, present and future. <i>Journal of Berry Research</i> , 2016, 6, 251-261.	1.4	57
14	Cranberry proanthocyanidins modulate reactive oxygen species in Barrett's and esophageal adenocarcinoma cell lines. <i>Journal of Berry Research</i> , 2016, 6, 125-136.	1.4	24
15	Guidance of Angle-resolved Low Coherence Interferometry Using Co-located Optical Coherence Tomography on Rat Esophageal Tissue. , 2016, , .		1
16	Cranberry proanthocyanidins inhibit esophageal adenocarcinoma <i>in vitro</i> and <i>in vivo</i> through pleiotropic cell death induction and PI3K/AKT/mTOR inactivation. <i>Oncotarget</i> , 2015, 6, 33438-33455.	1.8	51
17	An Approach to the Evaluation of Berries for Cancer Prevention with Emphasis on Esophageal Cancer. <i>Methods in Pharmacology and Toxicology</i> , 2014, , 107-133.	0.2	0
18	Cranberry Proanthocyanidins Mediate Growth Arrest of Lung Cancer Cells through Modulation of Gene Expression and Rapid Induction of Apoptosis. <i>Molecules</i> , 2011, 16, 2375-2390.	3.8	38

#	ARTICLE	IF	CITATIONS
19	Genetic polymorphisms of multiple DNA repair pathways impact age at diagnosis and TP53 mutations in breast cancer. <i>Carcinogenesis</i> , 2011, 32, 1354-1360.	2.8	24
20	Berries in the Prevention of Esophageal Adenocarcinoma. , 2011, , 101-115.		1
21	MicroRNA alterations in Barrett's esophagus, esophageal adenocarcinoma, and esophageal adenocarcinoma cell lines following cranberry extract treatment: Insights for chemoprevention. <i>Journal of Carcinogenesis</i> , 2011, 10, 34.	2.5	24
22	Intake of Plant Foods and Associated Nutrients in Prostate Cancer Risk. <i>Nutrition and Cancer</i> , 2009, 61, 216-224.	2.0	57
23	Cranberry Proanthocyanidins Induce Apoptosis and Inhibit Acid-Induced Proliferation of Human Esophageal Adenocarcinoma Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 676-680.	5.2	58
24	Frequent Alterations of <i>p16INK4a</i> and <i>p14ARF</i> in Oral Proliferative Verrucous Leukoplakia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3179-3187.	2.5	45
25	Effects of a Topically Applied Bioadhesive Berry Gel on Loss of Heterozygosity Indices in Premalignant Oral Lesions. <i>Clinical Cancer Research</i> , 2008, 14, 2421-2430.	7.0	102
26	Effects of Phenylethyl Isothiocyanate on Early Molecular Events in <i>N</i> -Nitrosomethylbenzylamine-Induced Cytotoxicity in Rat Esophagus. <i>Cancer Research</i> , 2007, 67, 6484-6492.	0.9	13
27	In situ Assessment of Intraepithelial Neoplasia in Hamster Trachea Epithelium Using Angle-Resolved Low-Coherence Interferometry. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 223-227.	2.5	26
28	Phase II Study of Celecoxib in Metastatic Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2201-2204.	3.6	54
29	Protection Against Esophageal Cancer in Rodents With Lyophilized Berries: Potential Mechanisms. <i>Nutrition and Cancer</i> , 2006, 54, 33-46.	2.0	109
30	Transitioning From Preclinical to Clinical Chemopreventive Assessments of Lyophilized Black Raspberries: Interim Results Show Berries Modulate Markers of Oxidative Stress in Barrett's Esophagus Patients. <i>Nutrition and Cancer</i> , 2006, 54, 148-156.	2.0	116
31	Chemopreventive Effects of a Selective Nitric Oxide Synthase Inhibitor on Carcinogen-Induced Rat Esophageal Tumorigenesis. <i>Cancer Research</i> , 2004, 64, 3714-3717.	0.9	50
32	Alterations of p16(INK4a) and p14(ARF) in patients with severe oral epithelial dysplasia. <i>Cancer Research</i> , 2002, 62, 5295-300.	0.9	102
33	Chemoprevention of oral cancer by black raspberries. <i>Anticancer Research</i> , 2002, 22, 4005-15.	1.1	87
34	Effects of Lyophilized Black Raspberries on Azoxymethane-Induced Colon Cancer and 8-Hydroxy-2-Deoxyguanosine Levels in the Fischer 344 Rat. <i>Nutrition and Cancer</i> , 2001, 40, 125-133.	2.0	190
35	Incidence and effects of Ha-ras codon 12 G>A transition mutations in preneoplastic lesions induced by N-nitrosomethylbenzylamine in the rat esophagus. <i>Molecular Carcinogenesis</i> , 2001, 32, 1-8.	2.7	23
36	Inhibition of N-nitrosomethylbenzylamine-induced tumorigenesis in the rat esophagus by dietary freeze-dried strawberries. <i>Carcinogenesis</i> , 2001, 22, 441-446.	2.8	104

#	ARTICLE	IF	CITATIONS
37	Failure of dietary lyophilized strawberries to inhibit 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone-and benzo[a]pyrene-induced lung tumorigenesis in strain A/J mice. <i>Cancer Letters</i> , 2000, 159, 113-117.	7.2	23
38	Inhibition of N'-nitrosornicotine-induced esophageal tumorigenesis by 3-phenylpropyl isothiocyanate. <i>Carcinogenesis</i> , 1998, 19, 2139-2143.	2.8	46
39	Effects of theaflavins on N-nitrosomethylbenzylamine-induced esophageal tumorigenesis. <i>Nutrition and Cancer</i> , 1997, 29, 7-12.	2.0	52
40	Definition of agitation following traumatic brain injury: I. a survey of the brain injury special interest group of the american academy of physical medicine and rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997, 78, 917-923.	0.9	36
41	Measurement and treatment of agitation following traumatic brain injury: II. a survey of the brain injury special interest group of the american academy of physical medicine and rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997, 78, 924-928.	0.9	76
42	Effect of alkyl chain length on inhibition of N-nitrosomethylbenzylamine-induced esophageal tumorigenesis and DNA methylation by isothiocyanates. <i>Carcinogenesis</i> , 1995, 16, 1011-1015.	2.8	87
43	Enhancement of esophageal carcinogenesis in male F344 rats by dietary phenylhexyl isothiocyanate. <i>Carcinogenesis</i> , 1995, 16, 2473-2476.	2.8	60
44	Failure of dietary oltipraz to inhibit benzo[ $\pm$ ]pyrene-induced lung tumorigenesis in strain a mice. <i>Cancer Letters</i> , 1995, 91, 133-138.	7.2	10
45	Inhibition of metabolism of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone by dietary benzaldehydes. <i>Cancer Letters</i> , 1995, 97, 255-261.	7.2	16
46	Dietary nitrogen and lipid utilization by growing pigs fed structured triacylglycerides synthesized from medium-chain triacylglycerides and menhaden oil. <i>Journal of Animal Science</i> , 1994, 72, 938-945.	0.5	5
47	Plasma and tissue fatty acid profiles of growing pigs fed structured or non-structured triacylglycerides containing medium-chain and marine oil fatty acids. <i>Journal of Nutritional Biochemistry</i> , 1993, 4, 362-372.	4.2	7