

Ping Dong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10132570/publications.pdf>

Version: 2024-02-01

26
papers

862
citations

567281

15
h-index

526287

27
g-index

29
all docs

29
docs citations

29
times ranked

1309
citing authors

#	ARTICLE	IF	CITATIONS
1	Preoperative lymphocyte to C-reactive protein ratio as a new prognostic indicator in patients with resectable gallbladder cancer. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2022, 21, 267-272.	1.3	5
2	Gemcitabine and XCT790, an ERR β inverse agonist, display a synergistic anticancer effect in pancreatic cancer. <i>International Journal of Medical Sciences</i> , 2022, 19, 286-298.	2.5	6
3	UBAP2L promotes gastric cancer metastasis by activating NF- κ B through PI3K/AKT pathway. <i>Cell Death Discovery</i> , 2022, 8, 123.	4.7	6
4	DGCR5 is activated by PAX5 and promotes pancreatic cancer via targeting miR-3163/TOP2A and activating Wnt/ β -catenin pathway. <i>International Journal of Biological Sciences</i> , 2021, 17, 498-513.	6.4	19
5	ESRRA promotes gastric cancer development by regulating the CDC25C/CDK1/CyclinB1 pathway via DSN1. <i>International Journal of Biological Sciences</i> , 2021, 17, 1909-1924.	6.4	17
6	Decreased expression of ATF3, orchestrated by β -catenin/TCF3, miR-17-5p and HOXA11-AS, promoted gastric cancer progression via increased β -catenin and CEMIP. <i>Experimental and Molecular Medicine</i> , 2021, 53, 1706-1722.	7.7	19
7	Lipid accumulation in macrophages confers protumorigenic polarization and immunity in gastric cancer. <i>Cancer Science</i> , 2020, 111, 4000-4011.	3.9	52
8	DGCR5 Promotes Gallbladder Cancer by Sponging MiR-3619-5p via MEK/ERK1/2 and JNK/p38 MAPK Pathways. <i>Journal of Cancer</i> , 2020, 11, 5466-5477.	2.5	19
9	<p>Combining Immunoscore with Clinicopathologic Features in Cholangiocarcinoma: An Influential Prognostic Nomogram</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 11359-11376.	2.0	7
10	KIF23 activated Wnt/ β -catenin signaling pathway through direct interaction with Amer1 in gastric cancer. <i>Aging</i> , 2020, 12, 8372-8396.	3.1	31
11	ERR β promotes pancreatic cancer progression by enhancing the transcription of PAI1 and activating the MEK/ERK pathway. <i>American Journal of Cancer Research</i> , 2020, 10, 3622-3643.	1.4	6
12	BRD4 inhibitor and histone deacetylase inhibitor synergistically inhibit the proliferation of gallbladder cancer in vitro and in vivo. <i>Cancer Science</i> , 2019, 110, 2493-2506.	3.9	33
13	Tumor-associated macrophages-derived exosomes promote the migration of gastric cancer cells by transfer of functional Apolipoprotein E. <i>Cell Death and Disease</i> , 2018, 9, 434.	6.3	267
14	Inhibition of stromal-interacting molecule 1-mediated store-operated Ca ²⁺ entry as a novel strategy for the treatment of acquired imatinib-resistant gastrointestinal stromal tumors. <i>Cancer Science</i> , 2018, 109, 2792-2800.	3.9	9
15	MicroRNA-29c-5p suppresses gallbladder carcinoma progression by directly targeting CPEB4 and inhibiting the MAPK pathway. <i>Cell Death and Differentiation</i> , 2017, 24, 445-457.	11.2	76
16	Knockdown of GGCT inhibits cell proliferation and induces late apoptosis in human gastric cancer. <i>BMC Biochemistry</i> , 2016, 17, 19.	4.4	21
17	Up-regulation of PKM2 promote malignancy and related to adverse prognostic risk factor in human gallbladder cancer. <i>Scientific Reports</i> , 2016, 6, 26351.	3.3	35
18	miR-122 inhibits cancer cell malignancy by targeting PKM2 in gallbladder carcinoma. <i>Tumor Biology</i> , 2016, 37, 15615-15625.	1.8	28

#	ARTICLE	IF	CITATIONS
19	Gelsolin suppresses gastric cancer metastasis through inhibition of PKR-p38 signaling. <i>Oncotarget</i> , 2016, 7, 53459-53470.	1.8	20
20	20(S)-ginsenoside Rg3 promotes senescence and apoptosis in gallbladder cancer cells via the p53 pathway. <i>Drug Design, Development and Therapy</i> , 2015, 9, 3969.	4.3	42
21	Long Noncoding RNA KIAA0125 Potentiates Cell Migration and Invasion in Gallbladder Cancer. <i>BioMed Research International</i> , 2015, 2015, 1-9.	1.9	13
22	Downregulation of TPTE2P1 Inhibits Migration and Invasion of Gallbladder Cancer Cells. <i>Chemical Biology and Drug Design</i> , 2015, 86, 656-662.	3.2	12
23	Zinc finger X-chromosomal protein (ZFX) is a significant prognostic indicator and promotes cellular malignant potential in gallbladder cancer. <i>Cancer Biology and Therapy</i> , 2015, 16, 1462-1470.	3.4	27
24	Role of polymorphisms of the IGF2 and IGFBP3 genes and risk of gastric carcinoma in China. <i>Chinese Medical Journal</i> , 2014, 127, 412-6.	2.3	1
25	Wogonin, an active ingredient of Chinese herb medicine <i>Scutellaria baicalensis</i> , inhibits the mobility and invasion of human gallbladder carcinoma GBC-SD cells by inducing the expression of maspin. <i>Journal of Ethnopharmacology</i> , 2011, 137, 1373-1380.	4.1	47
26	Vimentin significantly promoted gallbladder carcinoma metastasis. <i>Chinese Medical Journal</i> , 2011, 124, 4236-44.	2.3	24