

Friedrich W Herberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1013608/publications.pdf>

Version: 2024-02-01

138
papers

5,730
citations

71102

41
h-index

95266

68
g-index

151
all docs

151
docs citations

151
times ranked

5985
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulatory subunit of protein kinase A: structure of deletion mutant with cAMP binding domains. <i>Science</i> , 1995, 269, 807-813.	12.6	378
2	ProteomeBinders: planning a European resource of affinity reagents for analysis of the human proteome. <i>Nature Methods</i> , 2007, 4, 13-17.	19.0	231
3	Neurobeachin: A Protein Kinase A-Anchoring, <i>Chediak-Higashi</i> Protein Homolog Implicated in Neuronal Membrane Traffic. <i>Journal of Neuroscience</i> , 2000, 20, 8551-8565.	3.6	204
4	Analysis of A-kinase anchoring protein (AKAP) interaction with protein kinase A (PKA) regulatory subunits: PKA isoform specificity in AKAP binding. <i>Journal of Molecular Biology</i> , 2000, 298, 329-339.	4.2	175
5	PGE1 stimulation of HEK293 cells generates multiple contiguous domains with different [cAMP]: role of compartmentalized phosphodiesterases. <i>Journal of Cell Biology</i> , 2006, 175, 441-451.	5.2	171
6	Recombinant Human Peroxisomal Targeting Signal Receptor PEX5. <i>Journal of Biological Chemistry</i> , 1999, 274, 5666-5673.	3.4	160
7	Identification of a Novel A-kinase Anchoring Protein 18 Isoform and Evidence for Its Role in the Vasopressin-induced Aquaporin-2 Shuttle in Renal Principal Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 26654-26665.	3.4	125
8	Active Site Mutations Define the Pathway for the Cooperative Activation of cAMP-Dependent Protein Kinase. <i>Biochemistry</i> , 1996, 35, 2934-2942.	2.5	121
9	Inhibition of T Cell Activation by Cyclic Adenosine 5'-Monophosphate Requires Lipid Raft Targeting of Protein Kinase A Type I by the A-Kinase Anchoring Protein Ezrin. <i>Journal of Immunology</i> , 2007, 179, 5159-5168.	0.8	108
10	Expression of the catalytic subunit of cAMP-dependent protein kinase in <i>Escherichia coli</i> : multiple isozymes reflect different phosphorylation states. <i>Protein Engineering, Design and Selection</i> , 1993, 6, 771-777.	2.1	103
11	Parkinson-related LRRK2 mutation R1441C/G/H impairs PKA phosphorylation of LRRK2 and disrupts its interaction with 14-3-3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E34-43.	7.1	103
12	Tetramerization Dynamics of C-terminal Domain Underlies Isoform-specific cAMP Gating in Hyperpolarization-activated Cyclic Nucleotide-gated Channels. <i>Journal of Biological Chemistry</i> , 2011, 286, 44811-44820.	3.4	101
13	Physiological inhibitors of the catalytic subunit of cAMP-dependent protein kinase: effect of magnesium-ATP on protein-protein interactions. <i>Biochemistry</i> , 1993, 32, 14015-14022.	2.5	93
14	Small Molecule AKAP-Protein Kinase A (PKA) Interaction Disruptors That Activate PKA Interfere with Compartmentalized cAMP Signaling in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2011, 286, 9079-9096.	3.4	92
15	Structural and functional analysis of phosphorylation-specific binders of the kinase ERK from designed ankyrin repeat protein libraries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E2248-57.	7.1	91
16	Crosstalk between Domains in the Regulatory Subunit of cAMP-Dependent Protein Kinase: Influence of Amino Terminus on cAMP Binding and Holoenzyme Formation. <i>Biochemistry</i> , 1994, 33, 7485-7494.	2.5	87
17	Protein Kinase A-Dependent Step(s) in Hepatitis C Virus Entry and Infectivity. <i>Journal of Virology</i> , 2008, 82, 8797-8811.	3.4	87
18	The chicken leukocyte receptor complex encodes a primordial, activating, high-affinity IgY Fc receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 11718-11723.	7.1	85

#	ARTICLE	IF	CITATIONS
19	Dissection of the Nucleotide and Metal ²⁺ Phosphate Binding Sites in cAMP-Dependent Protein Kinase ϵ . <i>Biochemistry</i> , 1999, 38, 6352-6360.	2.5	84
20	PrKX Is a Novel Catalytic Subunit of the cAMP-dependent Protein Kinase Regulated by the Regulatory Subunit Type I. <i>Journal of Biological Chemistry</i> , 1999, 274, 5370-5378.	3.4	81
21	Isoform-Selective Disruption of AKAP-Localized PKA Using Hydrocarbon Stapled Peptides. <i>ACS Chemical Biology</i> , 2014, 9, 635-642.	3.4	75
22	Application of Bioluminescence Resonance Energy Transfer (BRET) for Biomolecular Interaction Studies. <i>ChemBioChem</i> , 2006, 7, 1007-1012.	2.6	70
23	Structure-Guided Design of Selective Epac1 and Epac2 Agonists. <i>PLoS Biology</i> , 2015, 13, e1002038.	5.6	68
24	Study of the subunit interactions in myosin phosphatase by surface plasmon resonance. <i>FEBS Journal</i> , 2000, 267, 1687-1697.	0.2	66
25	The dynamic switch mechanism that leads to activation of LRRK2 is embedded in the DFG ⁱⁿ motif in the kinase domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 14979-14988.	7.1	66
26	Importance of the A-helix of the catalytic subunit of cAMP-dependent protein kinase for stability and for orienting subdomains at the cleft interface. <i>Protein Science</i> , 1997, 6, 569-579.	7.6	62
27	Novel, isotype-specific sensors for protein kinase A subunit interaction based on bioluminescence resonance energy transfer (BRET). <i>Cellular Signalling</i> , 2006, 18, 1616-1625.	3.6	62
28	Structural Basis for Cyclic-Nucleotide Selectivity and cGMP-Selective Activation of PKG I. <i>Structure</i> , 2014, 22, 116-124.	3.3	61
29	The <i>Pseudomonas aeruginosa</i> Chemotaxis Methyltransferase CheR1 Impacts on Bacterial Surface Sampling. <i>PLoS ONE</i> , 2011, 6, e18184.	2.5	59
30	Divalent Metal Ions Mg ²⁺ and Ca ²⁺ Have Distinct Effects on Protein Kinase A Activity and Regulation. <i>ACS Chemical Biology</i> , 2015, 10, 2303-2315.	3.4	57
31	Designed Ankyrin Repeat Proteins (DARPin)s as Novel Isoform-Specific Intracellular Inhibitors of c-Jun N-Terminal Kinases. <i>ACS Chemical Biology</i> , 2012, 7, 1356-1366.	3.4	56
32	Structure of cyclin G-associated kinase (GAK) trapped in different conformations using nanobodies. <i>Biochemical Journal</i> , 2014, 459, 59-69.	3.7	56
33	High-affinity AKAP γ protein kinase A interaction yields novel protein kinase A-anchoring disruptor peptides. <i>Biochemical Journal</i> , 2006, 396, 297-306.	3.7	55
34	A chemical proteomics approach to identify c-di-GMP binding proteins in <i>Pseudomonas aeruginosa</i> . <i>Journal of Microbiological Methods</i> , 2012, 88, 229-236.	1.6	52
35	Surface plasmon resonance studies prove the interaction of skeletal muscle sarcoplasmic reticular Ca ²⁺ release channel/ryanodine receptor with calsequestrin. <i>FEBS Letters</i> , 2000, 472, 73-77.	2.8	50
36	HUPO Brain Proteome Project: Summary of the pilot phase and introduction of a comprehensive data reprocessing strategy. <i>Proteomics</i> , 2006, 6, 4890-4898.	2.2	47

#	ARTICLE	IF	CITATIONS
37	Stepwise Subunit Interaction Changes by Mono- and Bisphosphorylation of Cardiac Troponin I. <i>Biochemistry</i> , 1998, 37, 13516-13525.	2.5	46
38	Glycogen Synthase Kinase 3 β Interaction Protein Functions as an A-kinase Anchoring Protein. <i>Journal of Biological Chemistry</i> , 2010, 285, 5507-5521.	3.4	45
39	Merlin Links to the cAMP Neuronal Signaling Pathway by Anchoring the R1 β Subunit of Protein Kinase A. <i>Journal of Biological Chemistry</i> , 2003, 278, 41167-41172.	3.4	44
40	Activation of C-terminal Src kinase (Csk) by phosphorylation at serine-364 depends on the Csk-Src homology 3 domain. <i>Biochemical Journal</i> , 2003, 372, 271-278.	3.7	44
41	Biomolecular interaction analysis in functional proteomics. <i>Journal of Neural Transmission</i> , 2006, 113, 1015-1032.	2.8	44
42	Mechanism of cAMP Partial Agonism in Protein Kinase G (PKG). <i>Journal of Biological Chemistry</i> , 2015, 290, 28631-28641.	3.4	44
43	Activating PRKACB somatic mutation in cortisol-producing adenomas. <i>JCI Insight</i> , 2018, 3, .	5.0	44
44	A Stable α -Helical Domain at the N Terminus of the R1 β Subunits of cAMP-dependent Protein Kinase Is a Novel Dimerization/Docking Motif. <i>Journal of Biological Chemistry</i> , 1997, 272, 28431-28437.	3.4	42
45	Divalent metal ions control activity and inhibition of protein kinases. <i>Metallomics</i> , 2017, 9, 1576-1584.	2.4	42
46	Ndel1 alters its conformation by sequestering cAMP-specific phosphodiesterase-4D3 (PDE4D3) in a manner that is dynamically regulated through Protein Kinase A (PKA). <i>Cellular Signalling</i> , 2008, 20, 2356-2369.	3.6	41
47	The Chicken Leukocyte Receptor Complex Encodes a Family of Different Affinity Fc γ Receptors. <i>Journal of Immunology</i> , 2009, 182, 6985-6992.	0.8	41
48	Binding of the Human 14-3-3 Isoforms to Distinct Sites in the Leucine-Rich Repeat Kinase 2. <i>Frontiers in Neuroscience</i> , 2020, 14, 302.	2.8	41
49	Effect of metal ions on high-affinity binding of pseudosubstrate inhibitors to PKA. <i>Biochemical Journal</i> , 2008, 413, 93-101.	3.7	40
50	PKA-R1I subunit phosphorylation precedes activation by cAMP and regulates activity termination. <i>Journal of Cell Biology</i> , 2018, 217, 2167-2184.	5.2	40
51	Crystal Structure of PKG I:cGMP Complex Reveals a cGMP-Mediated Dimeric Interface that Facilitates cGMP-Induced Activation. <i>Structure</i> , 2016, 24, 710-720.	3.3	39
52	cAMP-dependent protein kinase defines a family of enzymes. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1993, 340, 315-324.	4.0	38
53	Surface-plasmon-resonance-based biosensor with immobilized bisubstrate analog inhibitor for the determination of affinities of ATP- and protein-competitive ligands of cAMP-dependent protein kinase. <i>Analytical Biochemistry</i> , 2007, 362, 268-277.	2.4	36
54	Chemical tools selectively target components of the PKA system. <i>BMC Chemical Biology</i> , 2009, 9, 3.	1.6	36

#	ARTICLE	IF	CITATIONS
55	Characterization of A-kinase-anchoring disruptors using a solution-based assay. <i>Biochemical Journal</i> , 2006, 400, 493-499.	3.7	35
56	A Community Standard Format for the Representation of Protein Affinity Reagents. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 1-10.	3.8	35
57	PKA-Type I Selective Constrained Peptide Disruptors of AKAP Complexes. <i>ACS Chemical Biology</i> , 2015, 10, 1502-1510.	3.4	35
58	Conformation and dynamics of the kinase domain drive subcellular location and activation of LRRK2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	35
59	Molecular basis for isoform-specific autoregulation of protein kinase A. <i>Cellular Signalling</i> , 2007, 19, 2024-2034.	3.6	34
60	Regulation of anchoring of the RII β regulatory subunit of PKA to AKAP95 by threonine phosphorylation of RII β : implications for chromosome dynamics at mitosis. <i>Journal of Cell Science</i> , 2001, 114, 3255-3264.	2.0	34
61	Germline and Mosaic Variants in PRKACA and PRKACB Cause a Multiple Congenital Malformation Syndrome. <i>American Journal of Human Genetics</i> , 2020, 107, 977-988.	6.2	33
62	Pain modulators regulate the dynamics of PKA-RII phosphorylation in subgroups of sensory neurons. <i>Journal of Cell Science</i> , 2014, 127, 216-29.	2.0	32
63	Dictyostelium Lipid Droplets Host Novel Proteins. <i>Eukaryotic Cell</i> , 2013, 12, 1517-1529.	3.4	32
64	Rp-cAMPS Prodrugs Reveal the cAMP Dependence of First-Phase Glucose-Stimulated Insulin Secretion. <i>Molecular Endocrinology</i> , 2015, 29, 988-1005.	3.7	32
65	CDK1-mediated phosphorylation of the RII β regulatory subunit of PKA works as a molecular switch that promotes dissociation of RII β from centrosomes at mitosis. <i>Journal of Cell Science</i> , 2001, 114, 3243-3254.	2.0	32
66	Single Turnover Autophosphorylation Cycle of the PKA RII β^2 Holoenzyme. <i>PLoS Biology</i> , 2015, 13, e1002192.	5.6	30
67	Functional expression and characterisation of a new human phosphatidylinositol 4-kinase PI4K2301. Accession numbers for sequences employed are: PI4K230, human 2326227; PI4K97, human 1172504; PI4K230, rat D83538; PI4K230, bovine 2136690 and 2198791; PI4K200, <i>S. cerevisiae</i> D13717; PI4K92, bovine 2198789; PI4K92, human 1894947; PI4K92, rat 1906794; PI4K68, <i>Chaenorabditis</i> U41540; PI4K122, <i>Dictyostelium</i> 2120376D; PI4K95, <i>S. pombe</i> Z70043; PI4K120, <i>S. cerevisiae</i> S39245. The following nomenclature for PtdIns 4-kinase. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> ,	2.4	29
68	Stimulation of Proglucagon Gene Expression by Human GPR119 in Enteroendocrine L-cell Line GLUTag. <i>Molecular Endocrinology</i> , 2013, 27, 1267-1282.	3.7	29
69	Cyclic Nucleotide Mapping of Hyperpolarization-Activated Cyclic Nucleotide-Gated (HCN) Channels. <i>ACS Chemical Biology</i> , 2014, 9, 1128-1137.	3.4	27
70	G α 12/13-“Protein Kinase A (PKA) Pathway Signalopathies: The Emerging Genetic Landscape and Therapeutic Potential of Human Diseases Driven by Aberrant G α 12/13-s-PKA Signaling. <i>Pharmacological Reviews</i> , 2021, 73, 1326-1368.	16.0	27
71	Applications of biomolecular interaction analysis in drug development. <i>Targets</i> , 2002, 1, 66-73.	0.3	26
72	Magneto-optic surface plasmon resonance optimum layers: Simulations for biological relevant refractive index changes. <i>Journal of Applied Physics</i> , 2012, 112, .	2.5	25

#	ARTICLE	IF	CITATIONS
73	AKAP18:PKA-RiI± structure reveals crucial anchor points for recognition of regulatory subunits of PKA. <i>Biochemical Journal</i> , 2016, 473, 1881-1894.	3.7	25
74	Comparative thermodynamic analysis of cyclic nucleotide binding to protein kinase A. <i>Biological Chemistry</i> , 2007, 388, 163-72.	2.5	24
75	cAMP-Dependent Protein Kinase and cGMP-Dependent Protein Kinase as Cyclic Nucleotide Effectors. <i>Handbook of Experimental Pharmacology</i> , 2015, 238, 105-122.	1.8	24
76	Crystal Structures of the Carboxyl cGMP Binding Domain of the Plasmodium falciparum cGMP-dependent Protein Kinase Reveal a Novel Capping Triad Crucial for Merozoite Egress. <i>PLoS Pathogens</i> , 2015, 11, e1004639.	4.7	24
77	Determination of Kinetic Data Using Surface Plasmon Resonance Biosensors. , 2004, 94, 299-320.		23
78	Direct Optical Detection of Proteinâ€™Ligand Interactions. , 2005, 305, 017-046.		23
79	Trapidil protects ischemic hearts from reperfusion injury by stimulating PKAII activity. <i>Cardiovascular Research</i> , 2003, 58, 602-610.	3.8	22
80	Human phosphatidylinositol 4-kinase isoform PI4K92. <i>FEBS Journal</i> , 2001, 268, 2099-2106.	0.2	21
81	Mutations of PKA cyclic nucleotide-binding domains reveal novel aspects of cyclic nucleotide selectivity. <i>Biochemical Journal</i> , 2017, 474, 2389-2403.	3.7	21
82	Analysis of posttranslational modifications exemplified using protein kinase A. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2006, 1764, 1788-1800.	2.3	20
83	Mechanism of allosteric inhibition in the Plasmodium falciparum cGMP-dependent protein kinase. <i>Journal of Biological Chemistry</i> , 2020, 295, 8480-8491.	3.4	20
84	Regulation of cAMP-dependent Protein Kinases. <i>Journal of Biological Chemistry</i> , 2010, 285, 35910-35918.	3.4	19
85	Cyclic nucleotides as affinity tools: Phosphorothioate cAMP analogues address specific PKA subproteomes. <i>New Biotechnology</i> , 2011, 28, 294-301.	4.4	18
86	Kinase Domain Is a Dynamic Hub for Driving LRRK2 Allostery. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 538219.	2.9	18
87	LRRK2 dynamics analysis identifies allosteric control of the crosstalk between its catalytic domains. <i>PLoS Biology</i> , 2022, 20, e3001427.	5.6	18
88	Biochemical characterization and cellular imaging of a novel, membrane permeable fluorescent cAMP analog. <i>BMC Biochemistry</i> , 2008, 9, 18.	4.4	17
89	New cGMP analogues restrain proliferation and migration of melanoma cells. <i>Oncotarget</i> , 2018, 9, 5301-5320.	1.8	17
90	Differential binding studies applying functional protein microarrays and surface plasmon resonance. <i>Proteomics</i> , 2006, 6, 5132-5139.	2.2	15

#	ARTICLE	IF	CITATIONS
91	The testis-specific C $\hat{\pm}$ 2 subunit of PKA is kinetically indistinguishable from the common C $\hat{\pm}$ 1 subunit of PKA. BMC Biochemistry, 2011, 12, 40.	4.4	15
92	Structural and evolutionary divergence of cyclic nucleotide binding domains in eukaryotic pathogens: Implications for drug design. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2015, 1854, 1575-1585.	2.3	15
93	Defining A $\hat{\pm}$ Kinase $\hat{\pm}$ Anchoring Protein (AKAP) Specificity for the Protein Kinase $\hat{\pm}$ A Subunit RI (PKA $\hat{\pm}$ RI). ChemBioChem, 2016, 17, 693-697.	2.6	15
94	Application of Synthetic Peptide Arrays To Uncover Cyclic Di-GMP Binding Motifs. Journal of Bacteriology, 2016, 198, 138-146.	2.2	15
95	The Tails of Protein Kinase A. Molecular Pharmacology, 2022, 101, 219-225.	2.3	15
96	Allosteric Inhibition of Parkinson $\hat{\pm}$ Linked LRRK2 by Constrained Peptides. ACS Chemical Biology, 2021, 16, 2326-2338.	3.4	15
97	Nanobodies as allosteric modulators of Parkinson $\hat{\pm}$ disease $\hat{\pm}$ associated LRRK2. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	15
98	Quantification of cAMP antagonist action in vitro and in living cells. European Journal of Cell Biology, 2006, 85, 663-672.	3.6	14
99	Plasma Protein Binding Properties to Immobilized Heparin and Heparin?Albumin Conjugate. Artificial Organs, 2007, 31, 466-471.	1.9	14
100	The High Biofilm-Encoding Bee Locus: A Second Pilus Gene Cluster in Enterococcus $\hat{\pm}$ faecalis?. Current Microbiology, 2009, 59, 206-211.	2.2	13
101	cGMP Binding Domain D Mediates a Unique Activation Mechanism in <i>Plasmodium falciparum</i> PKG. ACS Infectious Diseases, 2018, 4, 415-423.	3.8	13
102	PKA C $\hat{\pm}$ 2: a forgotten catalytic subunit of cAMP-dependent protein kinase opens new windows for PKA signaling and disease pathologies. Biochemical Journal, 2021, 478, 2101-2119.	3.7	13
103	FRET-based screening assay using small-molecule photoluminescent probes in lysate of cells overexpressing RFP-fused protein kinases. Analytical Biochemistry, 2015, 481, 10-17.	2.4	12
104	A novel c-di-GMP binding domain in glycosyltransferase BgsA is responsible for the synthesis of a mixed-linkage $\hat{\pm}$ -glucan. Scientific Reports, 2017, 7, 8997.	3.3	12
105	Targeted Inhibition of <i>Plasmodium falciparum</i> Calcium-Dependent Protein Kinase 1 with a Constrained J Domain-Derived Disruptor Peptide. ACS Infectious Diseases, 2019, 5, 506-514.	3.8	12
106	Crystal structure of cGMP $\hat{\pm}$ dependent protein kinase $\hat{\pm}$ 2 cyclic nucleotide $\hat{\pm}$ binding $\hat{\pm}$ domain : Rp $\hat{\pm}$ cGMPS complex reveals an apo $\hat{\pm}$ like, inactive conformation. FEBS Letters, 2017, 591, 221-230.	2.8	11
107	Metal coordination in kinases and pseudokinases. Biochemical Society Transactions, 2017, 45, 653-663.	3.4	11
108	Structural Basis of Analog Specificity in PKG I and II. ACS Chemical Biology, 2017, 12, 2388-2398.	3.4	11

#	ARTICLE	IF	CITATIONS
109	A Stapled Peptide Mimic of the Pseudosubstrate Inhibitor PKI Inhibits Protein Kinase A. <i>Molecules</i> , 2019, 24, 1567.	3.8	11
110	Utilisation of antibody microarrays for the selection of specific and informative antibodies from recombinant library binders of unknown quality. <i>New Biotechnology</i> , 2016, 33, 574-581.	4.4	10
111	Investigating PKA-R11 specificity using analogs of the PKA:AKAP peptide inhibitor STAD-2. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 1174-1178.	3.0	10
112	Identification and Characterization of Novel Mutations in the Human Gene Encoding the Catalytic Subunit Calpha of Protein Kinase A (PKA). <i>PLoS ONE</i> , 2012, 7, e34838.	2.5	10
113	Systematic interpretation of cyclic nucleotide binding studies using KinetXBase. <i>Proteomics</i> , 2008, 8, 1212-1220.	2.2	9
114	Neurochondrin is an atypical R11-specific A-kinase anchoring protein. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015, 1854, 1667-1675.	2.3	9
115	A coupled photometric assay for characterization of S-adenosyl-L-homocysteine hydrolases in the physiological hydrolytic direction. <i>New Biotechnology</i> , 2017, 39, 11-17.	4.4	8
116	Rearrangements in a hydrophobic core region mediate cAMP action in the regulatory subunit of PKA. <i>Biological Chemistry</i> , 2005, 386, 623-631.	2.5	7
117	S-Adenosyl-L-Homocysteine Hydrolase Inhibition by a Synthetic Nicotinamide Cofactor Biomimetic. <i>Frontiers in Microbiology</i> , 2018, 9, 505.	3.5	7
118	Expression of a chimeric, cGMP-sensitive regulatory subunit of the cAMP-depedent protein kinase type I. <i>FEBS Letters</i> , 1995, 374, 356-362.	2.8	6
119	Regulation of Cardiac PKA Signaling by cAMP and Oxidants. <i>Antioxidants</i> , 2021, 10, 663.	5.1	6
120	Uncoupling of bait protein expression from the prey protein environment adds versatility for cell and tissue interaction proteomics and reveals a complex of CARP and the PKA C21 subunit. <i>Proteomics</i> , 2010, 10, 2890-2900.	2.2	5
121	Transport Efficiency of Biofunctionalized Magnetic Particles Tailored by Surfactant Concentration. <i>Langmuir</i> , 2021, 37, 8498-8507.	3.5	5
122	Drugging the Undruggable: How Isoquinolines and PKA Initiated the Era of Designed Protein Kinase Inhibitor Therapeutics. <i>Biochemistry</i> , 2021, 60, 3470-3484.	2.5	5
123	Seven successful years of Omics research: The Human Brain Proteome Project within the National German Research Network (NGFN). <i>Proteomics</i> , 2008, 8, 1116-1117.	2.2	4
124	Regulatory Subunit I-controlled Protein Kinase A Activity Is Required for Apical Bile Canalicular Lumen Development in Hepatocytes. <i>Journal of Biological Chemistry</i> , 2009, 284, 20773-20780.	3.4	4
125	Chemical synthesis and biological activity of novel brominated 7-deazaadenosine-3',5'-cyclic monophosphate derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 1704-1713.	3.0	4
126	Inhibitors and fluorescent probes for protein kinase PKA ² and its S54L mutant, identified in a patient with cortisol producing adenoma. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 1839-1845.	1.3	4

#	ARTICLE	IF	CITATIONS
127	Analysis of Pigment-Dispersing Factor Neuropeptides and Their Receptor in a Velvet Worm. <i>Frontiers in Endocrinology</i> , 2020, 11, 273.	3.5	4
128	Nanostructured modified ultrananocrystalline diamond surfaces as immobilization support for lipases. <i>Diamond and Related Materials</i> , 2018, 90, 32-39.	3.9	3
129	Molecular Basis for Ser/Thr Specificity in PKA Signaling. <i>Cells</i> , 2020, 9, 1548.	4.1	3
130	cAMP-Dependent Signaling Pathways as Potential Targets for Inhibition of <i>Plasmodium falciparum</i> Blood Stages. <i>Frontiers in Microbiology</i> , 2021, 12, 684005.	3.5	3
131	Dynamical Basis of Allosteric Activation for the <i>Plasmodium falciparum</i> Protein Kinase G. <i>Journal of Physical Chemistry B</i> , 2021, 125, 6532-6542.	2.6	3
132	Correction: Inhibition of T Cell Activation by Cyclic Adenosine 5'-Monophosphate Requires Lipid Raft Targeting of Protein Kinase A Type I by the A-Kinase Anchoring Protein Ezrin. <i>Journal of Immunology</i> , 2011, 186, 7269-7271.	0.8	1
133	Switching Cyclic Nucleotide-Selective Activation of Cyclic Adenosine Monophosphate-Dependent Protein Kinase Holoenzyme Reveals Distinct Roles of Tandem Cyclic Nucleotide-Binding Domains. <i>ACS Chemical Biology</i> , 2017, 12, 3057-3066.	3.4	1
134	The role of a parasite-specific D-site in activation of <i>Plasmodium falciparum</i> cGMP-dependent protein kinase. <i>BMC Pharmacology & Toxicology</i> , 2015, 16, .	2.4	0
135	Rational design of a PKA-based sensor for cGMP. <i>BMC Pharmacology & Toxicology</i> , 2015, 16, .	2.4	0
136	Mechanism of Cyclic AMP Partial Agonism in Protein Kinase G (PKG). <i>Biophysical Journal</i> , 2016, 110, 514a.	0.5	0
137	Studies on the function of the different phosphoforms of cardiac troponin I. , 1997, , 281-284.		0
138	Leucine rich repeat kinase 2 (<i>LRRK2</i>) peptide modulators: Recent advances and future directions. <i>Peptide Science</i> , 2022, 114, .	1.8	0