

Claudio Fresco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1016527/publications.pdf>

Version: 2024-02-01

34
papers

2,463
citations

430874

18
h-index

501196

28
g-index

38
all docs

38
docs citations

38
times ranked

3518
citing authors

#	ARTICLE	IF	CITATIONS
1	Fibrinolysis or Primary PCI in ST-Segment Elevation Myocardial Infarction. <i>New England Journal of Medicine</i> , 2013, 368, 1379-1387.	27.0	595
2	Prognostic Significance of the Long Pentraxin PTX3 in Acute Myocardial Infarction. <i>Circulation</i> , 2004, 110, 2349-2354.	1.6	402
3	Age-Related Increase in Mortality among Patients with First Myocardial Infarctions Treated with Thrombolysis. <i>New England Journal of Medicine</i> , 1993, 329, 1442-1448.	27.0	370
4	Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. <i>Lancet</i> , 2018, 392, 835-848.	13.7	215
5	Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2592-2603.	2.8	132
6	Aborted myocardial infarction in patients with ST-segment elevation. <i>Journal of the American College of Cardiology</i> , 2004, 44, 38-43.	2.8	110
7	Cytokines in Acute Myocardial Infarction. <i>Journal of Cardiovascular Pharmacology</i> , 1994, 23, 1-6.	1.9	90
8	Cardiac magnetic resonance imaging findings in patients with right ventricular outflow tract premature contractions. <i>European Heart Journal</i> , 1997, 18, 2002-2010.	2.2	72
9	Prevalence, clinical characteristics, quality of life, and prognosis of patients with congestive heart failure and isolated left ventricular diastolic dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2004, 17, 253-261.	2.8	68
10	Intravenous propafenone in paroxysmal atrial fibrillation: A randomized, placebo-controlled, double-blind, multicenter clinical trial. <i>Clinical Cardiology</i> , 1996, 19, 409-412.	1.8	60
11	Lack of improvement of clinical outcomes by a low-cost, hospital-based heart failure management programme. <i>Journal of Cardiovascular Medicine</i> , 2006, 7, 614-622.	1.5	56
12	Epidemiology of non-ST elevation acute coronary syndromes in the Italian cardiology network: the BLITZ-2 study. <i>European Heart Journal</i> , 2006, 27, 393-405.	2.2	54
13	Prognostic value of a history of hypertension in 11483 patients with acute myocardial infarction treated with thrombolysis. <i>Journal of Hypertension</i> , 1996, 14, 743-750.	0.5	50
14	Very early assessment of risk for in-hospital death among 11,483 patients with acute myocardial infarction. <i>American Heart Journal</i> , 1999, 138, 1058-1064.	2.7	35
15	Sacubitril/valsartan eligibility and outcomes in the ESC/EORP/HFA Heart Failure Long-Term Registry: bridging between European Medicines Agency/Food and Drug Administration label, the PARADIGM-HF trial, ESC guidelines, and real world. <i>European Journal of Heart Failure</i> , 2019, 21, 1383-1397.	7.1	35
16	Association of acute kidney injury and bleeding events with mortality after radial or femoral access in patients with acute coronary syndrome undergoing invasive management: secondary analysis of a randomized clinical trial. <i>European Heart Journal</i> , 2019, 40, 1226-1232.	2.2	26
17	Use of medical resources and quality of life of patients with chronic heart failure: a prospective survey in a large Italian community hospital. <i>European Journal of Heart Failure</i> , 1999, 1, 411-417.	7.1	25
18	Clinical characteristics, management, and prognosis of octogenarians with acute heart failure admitted to cardiology wards: Results from the Italian Survey on Acute Heart Failure. <i>American Heart Journal</i> , 2009, 158, 126-132.	2.7	23

#	ARTICLE	IF	CITATIONS
19	American College of Cardiology/American Heart Association perioperative assessment guidelines for noncardiac surgery reduces cardiologic resource utilization preserving a favourable clinical outcome. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 882-888.	1.5	11
20	Estimation of infarct size by single measurements of creatine kinase levels in patients with a first myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2006, 7, 340-346.	1.5	9
21	The GISSI Story (1983?1996): A Comprehensive Review. <i>Journal of Interventional Cardiology</i> , 1997, 10, 3-28.	1.2	6
22	Thrombolysis in acute myocardial infarction.. <i>Chest</i> , 1991, 99, 121S.	0.8	5
23	Implications of ischaemic area at risk and mode of reperfusion in ST-elevation myocardial infarction. <i>Heart</i> , 2016, 102, 527-533.	2.9	4
24	How lower doses of direct oral anticoagulants are interpreted in clinical practice: a national survey of the Italian Atherosclerosis, Thrombosis and Vascular Biology (ATVB) Study Group. <i>Journal of Cardiovascular Medicine</i> , 2021, 22, 924-928.	1.5	4
25	Primary coronary angioplasty versus thrombolysis for acute myocardial infarction. <i>Lancet</i> , The, 2003, 361, 1303.	13.7	2
26	Conventional Risk Factors Reconsidered in Patients with Acute Myocardial Infarction. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1994, 1, 290-294.	2.8	1
27	[Budget impact analysis of idarucizumab for the management of patients treated with dabigatran in emergency / urgent situations in Italy]. <i>Farmeconomia E Percorsi Terapeutici</i> , 2016, 17, 47-58.	0.1	1
28	The Ideal Thrombolytic Agent: GISSI-2 and ISIS-3. <i>Journal of Interventional Cardiology</i> , 1990, 3, 157-168.	1.2	0
29	Efficacy of nisoldipine.. <i>Circulation</i> , 1992, 86, 1345-1346.	1.6	0
30	Ethical committees and noninformed consent. <i>Journal of the American College of Cardiology</i> , 1994, 24, 1178.	2.8	0
31	Pioglitazone vs Glimperiride in the PERISCOPE Trial. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 787.	7.4	0
32	Letter by Fresco Regarding Article "Primary Angioplasty Versus Fibrinolysis in Acute Myocardial Infarction: Long-Term Follow-Up in the Danish Acute Myocardial Infarction 2 Trial" • <i>Circulation</i> , 2010, 122, e640; author reply e641.	1.6	0
33	Long-term survival of patients with congestive heart failure and preserved left ventricular ejection fraction: 9 years of follow-up. <i>European Journal of Heart Failure</i> , Supplement, 2008, 7, 25-26.	0.0	0
34	ANMCO/GICR-IACPR/SICI-GISE Consensus Document: the clinical management of chronic ischaemic cardiomyopathy. <i>European Heart Journal Supplements</i> , 2017, 19, D163-D189.	0.1	0