
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10191588/publications.pdf Version: 2024-02-01



ΙΠΑΝ Ρ. ΛΙΔ+Λ

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Cleavage and activation of LIM kinase 1 as a novel mechanism for calpain 2-mediated regulation of nuclear dynamics. Scientific Reports, 2021, 11, 16339.   | 3.3  | 5         |
| 2  | Editorial: Organization and Functional Properties of the Blood-Brain Barrier. Frontiers in Physiology, 2021, 12, 796030.   | 2.8  | 1         |
| 3  | Role of Vitamin A in Mammary Gland Development and Lactation. Nutrients, 2020, 12, 80.   | 4.1  | 38        |
| 4  | From genetics to epigenetics to unravel the etiology of adolescent idiopathic scoliosis. Bone, 2020, 140, 115563.  | 2.9  | 33        |
| 5  | Vitamin A Deficiency and the Lung. Nutrients, 2018, 10, 1132.  | 4.1  | 111       |
| 6  | New localization and function of calpain-2 in nucleoli of colorectal cancer cells in ribosomal biogenesis: effect of KRAS status. Oncotarget, 2018, 9, 9100-9113.  | 1.8  | 4         |
| 7  | How Glutamate Is Managed by the Blood–Brain Barrier. Biology, 2016, 5, 37.   | 2.8  | 55        |
| 8  | Isoform-specific function of calpains in cell adhesion disruption: studies in postlactational mammary gland and breast cancer. Biochemical Journal, 2016, 473, 2893-2909.  | 3.7  | 7         |
| 9  | 184 Involvement of calpains in cell migration in different breast cancer cell lines. European Journal of<br>Cancer, 2015, 51, S24.   | 2.8  | 1         |
| 10 | Involvement of Different networks in mammary gland involution after the pregnancy/lactation cycle:<br>Implications in breast cancer. IUBMB Life, 2015, 67, 227-238.  | 3.4  | 21        |
| 11 | Differential functions of calpain 1 during epithelial cell death and adipocyte differentiation in mammary gland involution. Biochemical Journal, 2014, 459, 355-368.   | 3.7  | 15        |
| 12 | P674Metabolic deregulation in myocardial infarction is mediated by PGC-1 alpha pathway.<br>Cardiovascular Research, 2014, 103, S123.6-S123.  | 3.8  | 0         |
| 13 | In vivo genome-wide binding of Id2 to E2F4 target genes as part of a reversible program in mice liver.<br>Cellular and Molecular Life Sciences, 2014, 71, 3583-3597.   | 5.4  | 7         |
| 14 | Metabolomics in the Diagnosis of Acute Myocardial Ischemia. Journal of Cardiovascular Translational<br>Research, 2013, 6, 808-815.   | 2.4  | 27        |
| 15 | Calpains mediate epithelial-cell death during mammary gland involution: mitochondria and lysosomal destabilization. Cell Death and Differentiation, 2012, 19, 1536-1548.   | 11.2 | 58        |
| 16 | Evaluation of the Quality of Publications on Randomized Clinical Trials Using the Consolidated<br>Standards of Reporting Trials (CONSORT) Statement Guidelines in a Spanish Tertiary Hospital. Journal<br>of Clinical Pharmacology, 2012, 52, 1106-1114. | 2.0  | 6         |
| 17 | Metabolomic Profile of Human Myocardial Ischemia by Nuclear Magnetic Resonance Spectroscopy of<br>Peripheral Blood Serum. Journal of the American College of Cardiology, 2012, 59, 1629-1641.  | 2.8  | 84        |
| 18 | NF-Äß as Node for Signal Amplification During Weaning. Cellular Physiology and Biochemistry, 2011, 28,<br>833-846.   | 1.6  | 8         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Nitric oxide triggers mammary gland involution after weaning: remodelling is delayed but not<br>impaired in mice lacking inducible nitric oxide synthase. Biochemical Journal, 2010, 428, 451-462.  | 3.7 | 15        |
| 20 | Glutamate permeability at the blood-brain barrier in insulinopenic and insulin-resistant rats.<br>Metabolism: Clinical and Experimental, 2010, 59, 258-266.   | 3.4 | 13        |
| 21 | Circulating mononuclear cells nuclear factorâ€kappa B activity, plasma xanthine oxidase, and low grade<br>inflammatory markers in adult patients with familial hypercholesterolaemia. European Journal of<br>Clinical Investigation, 2010, 40, 89-94. | 3.4 | 36        |
| 22 | Molecular mechanisms of Id2 down-regulation in rat liver after acetaminophen overdose. Protection<br>by N-acetyl-L-cysteine. Free Radical Research, 2010, 44, 1044-1053.  | 3.3 | 4         |
| 23 | Triple-negative breast cancer: Molecular features, pathogenesis, treatment and current lines of research. Cancer Treatment Reviews, 2010, 36, 206-215.  | 7.7 | 228       |
| 24 | Increased plasma xanthine oxidase activity is related to nuclear factor kappa beta activation and<br>inflammatory markers in familial combined hyperlipidemia. Nutrition, Metabolism and Cardiovascular<br>Diseases, 2010, 20, 734-739.               | 2.6 | 29        |
| 25 | In vivo CSH depletion induces c-myc expression by modulation of chromatin protein complexes. Free<br>Radical Biology and Medicine, 2009, 46, 1534-1542.   | 2.9 | 18        |
| 26 | 241 IN VIVO GSH DEPLETION INDUCES C-MYC EXPRESSION BY MODULATION OF CHROMATIN PROTEIN COMPLEXES. Journal of Hepatology, 2009, 50, S97.  | 3.7 | 0         |
| 27 | Nitration of cathepsin D enhances its proteolytic activity during mammary gland remodelling after<br>lactation. Biochemical Journal, 2009, 419, 279-288.  | 3.7 | 27        |
| 28 | Retinoids induce MMP-9 expression through RARα during mammary gland remodeling. American Journal<br>of Physiology - Endocrinology and Metabolism, 2007, 292, E1140-E1148.   | 3.5 | 30        |
| 29 | SIRT1 regulation of insulin-signalling pathways in liver, white adipose tissue and pancreas during fasting or calorie restriction. Trends in Endocrinology and Metabolism, 2007, 18, 91-92.   | 7.1 | 4         |
| 30 | Pyroglutamate stimulates Na+-dependent glutamate transport across the blood-brain barrier. FEBS<br>Letters, 2006, 580, 4382-4386.   | 2.8 | 11        |
| 31 | Id2 leaves the chromatin of the E2F4–p130-controlled c-myc promoter during hepatocyte priming for<br>liver regeneration. Biochemical Journal, 2006, 398, 431-437.   | 3.7 | 37        |
| 32 | Structure of the Blood–Brain Barrier and Its Role in the Transport of Amino Acids. Journal of<br>Nutrition, 2006, 136, 218S-226S.   | 2.9 | 358       |
| 33 | Cationic amino acid transport across the blood-brain barrier is mediated exclusively by system y+.<br>American Journal of Physiology - Endocrinology and Metabolism, 2006, 291, E412-E419.  | 3.5 | 89        |
| 34 | Role of GSH in the modulation of NOS-2 expression in the weaned mammary gland. Biochemical Society<br>Transactions, 2005, 33, 1397-1398.  | 3.4 | 0         |
| 35 | Weaning induces NOS-2 expression through NF-κB modulation in the lactating mammary gland:<br>importance of GSH. Biochemical Journal, 2005, 391, 581-588.  | 3.7 | 24        |
| 36 | Vitamin E deficiency induces liver nuclear factor-κB DNA-binding activity and changes in related genes.<br>Free Radical Research, 2005, 39, 1127-1138.  | 3.3 | 33        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Na+-dependent neutral amino acid transporters A, ASC, and N of the blood-brain barrier: mechanisms<br>for neutral amino acid removal. American Journal of Physiology - Endocrinology and Metabolism,<br>2004, 287, E622-E629. | 3.5  | 48        |
| 38 | Glutathione Regulates Telomerase Activity in 3T3 Fibroblasts. Journal of Biological Chemistry, 2004, 279, 34332-34335.  | 3.4  | 69        |
| 39 | Retinol, at concentrations greater than the physiological limit, induces oxidative stress and apoptosis in human dermal fibroblasts. Experimental Dermatology, 2004, 13, 45-54.   | 2.9  | 39        |
| 40 | Vitamin E activates CRABP-II gene expression in cultured human fibroblasts, role of protein kinase C.<br>FEBS Letters, 2004, 569, 240-244.  | 2.8  | 15        |
| 41 | In vivo studies of altered expression patterns of p53 and proliferative control genes in chronic vitamin A deficiency and hypervitaminosis. FEBS Journal, 2003, 270, 1493-1501.   | 0.2  | 17        |
| 42 | Inhibition of liver trans-sulphuration pathway by propargylglycine mimics gene expression changes<br>found in the mammary gland of weaned lactating rats: role of glutathione. Biochemical Journal, 2003,<br>373, 825-834.    | 3.7  | 19        |
| 43 | Mitochondrial oxidative stress and CD95 ligand: A dual mechanism for hepatocyte apoptosis in chronic alcoholism. Hepatology, 2002, 35, 1205-1214.   | 7.3  | 110       |
| 44 | The Complementary Membranes Forming the Blood-Brain Barrier. IUBMB Life, 2002, 54, 101-107.   | 3.4  | 54        |
| 45 | Blood sulfur-amino acid concentration reflects an impairment of liver transsulfuration pathway in patients with acute abdominal inflammatory processes. British Journal of Nutrition, 2001, 85, 173-178.                      | 2.3  | 6         |
| 46 | Na+ dependent glutamate transporters (EAAT1, EAAT2, and EAAT3) in primary astrocyte cultures: effect of oxidative stress. Brain Research, 2001, 922, 21-29.   | 2.2  | 79        |
| 47 | Vitamin A deficiency causes oxidative damage to liver mitochondria in rats. Free Radical Biology and<br>Medicine, 2000, 29, 1-7.  | 2.9  | 37        |
| 48 | Oxidative damage to mitochondrial DNA and glutathione oxidation in apoptosis: studies <i>in<br/>vivo</i> and <i>in vitro</i> . FASEB Journal, 1999, 13, 1055-1064.  | 0.5  | 171       |
| 49 | Elevated Expression of Liver Î <sup>3</sup> -Cystathionase Is Required for the Maintenance of Lactation in Rats.<br>Journal of Nutrition, 1999, 129, 928-933.   | 2.9  | 32        |
| 50 | Chronic ethanol feeding causes oxidative stress in rat liver mitochondria. Prevention by S-adenosyl methionine. Free Radical Research, 1999, 30, 325-327.   | 3.3  | 22        |
| 51 | Homocysteine and fibrinolysis in acute occlusive coronary events. Lancet, The, 1999, 354, 1475.   | 13.7 | 0         |
| 52 | Na+-dependent Glutamate Transporters (EAAT1, EAAT2, and EAAT3) of the Blood-Brain Barrier. Journal of Biological Chemistry, 1999, 274, 31891-31895.   | 3.4  | 242       |
| 53 | The L-glutamate transporters GLAST (EAAT1) and GLT-1 (EAAT2): Expression and regulation in rat lactating mammary gland. Molecular Membrane Biology, 1998, 15, 237-242.  | 2.0  | 23        |
| 54 | Glutamine transport by the blood-brain barrier: a possible mechanism for nitrogen removal. American<br>Journal of Physiology - Cell Physiology, 1998, 274, C1101-C1107.   | 4.6  | 163       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Liver intracellular L-cysteine concentration is maintained after inhibition of the trans-sulfuration pathway by propargylglycine in rats. British Journal of Nutrition, 1997, 78, 823-831.   | 2.3 | 31        |
| 56 | Effect of nitrous oxide and propofol on amino acid metabolism in neoplasic patients. Nutrition and Cancer, 1997, 27, 80-83.  | 2.0 | 18        |
| 57 | Penetration of Glutamate into Brain of 7-day-old Rats. Metabolic Brain Disease, 1997, 12, 219-227.   | 2.9 | 0         |
| 58 | Comparison of the metabolic disturbances caused by end-to-side and side-to-side portacaval shunts.<br>Journal of Applied Physiology, 1996, 80, 885-891.                                      | 2.5 | 12        |
| 59 | Increased sensitivity to oxidative injury in chinese hamster ovary cells stably transfected with rat<br>liver S-adenosylmethionine synthetase cDNA. Biochemical Journal, 1996, 319, 767-773. | 3.7 | 33        |
| 60 | Role of Oxoproline in the Regulation of Neutral Amino Acid Transport across the Blood-Brain<br>Barrier. Journal of Biological Chemistry, 1996, 271, 19129-19133.                             | 3.4 | 51        |
| 61 | Biosynthesis and maintenance of GSH in primary astrocyte cultures: role ofl-cystine and ascorbate.<br>Brain Research, 1995, 680, 157-163.  | 2.2 | 49        |
| 62 | Hepatic Amino Acid Uptake Is Decreased in Lactating Rats. In Vivo and In Vitro Studies. Journal of Nutrition, 1994, 124, 2163-2171.  | 2.9 | 4         |
| 63 | Optimizing the measurement of regional cerebral glucose consumption with [6-14C]glucose. Journal of Neuroscience Methods, 1994, 54, 49-62.   | 2.5 | 8         |
| 64 | Glutathione metabolism in primary astrocyte cultures: flow cytometric evidence of heterogeneous distribution of GSH content. Brain Research, 1993, 618, 181-189.                             | 2.2 | 34        |
| 65 | Impairment of cysteine synthesis from methionine in rats exposed to surgical stress. British Journal of Nutrition, 1992, 68, 421-429.  | 2.3 | 37        |
| 66 | Brain Energy Consumption in Ethanol-Treated, Long-Evans Rats. Journal of Nutrition, 1991, 121, 879-886.  | 2.9 | 10        |
| 67 | Amino acid metabolism and protein synthesis in lactating rats fed on a liquid diet. Biochemical<br>Journal, 1990, 270, 77-82.  | 3.7 | 17        |
| 68 | Early establishment of cerebral dysfunction after portacaval shunting. American Journal of<br>Physiology - Endocrinology and Metabolism, 1990, 259, E104-E110.                               | 3.5 | 18        |
| 69 | Inhibition of γ-glutamyl transpeptidase decreases amino acid uptake in human keratinocytes in culture.<br>FEBS Letters, 1990, 269, 86-88.  | 2.8 | 12        |
| 70 | Oral glutathione increases hepatic glutathione and prevents acetaminophen toxicity. , 1990, , 724-729.   |     | 0         |
| 71 | Regulation of the Urea Cycle during Lactation. , 1990, , 291-294.  |     | 0         |
| 72 | Role of the gamma-glutamyl cycle in the regulation of amino acid translocation. American Journal of<br>Physiology - Endocrinology and Metabolism, 1989, 257, E916-E922.                      | 3.5 | 16        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Glutathione depletion by hyperphagia-induced obesity. Life Sciences, 1989, 45, 183-187.  | 4.3 | 28        |
| 74 | Effect of oral glutathione on hepatic glutathione levels in rats and mice. British Journal of Nutrition, 1989, 62, 683-691.  | 2.3 | 57        |
| 75 | Effect of glutathione depletion by treatment with substrates of the glutathione S-transferases on gluconeogenesis and phosphoenolpyruvate recycling in rat hepatocytes. Biochemical Society Transactions, 1987, 15, 223-224. | 3.4 | 0         |
| 76 | Effect of Fasting on Amino Acid Metabolism by Lactating Mammary Gland: Studies in Women and Rats.<br>Journal of Nutrition, 1987, 117, 533-538.   | 2.9 | 23        |
| 77 | Glutathione metabolism under the influence of hydroperoxides in the lactating mammary gland of the rat. Effect of glucose and extracellular ATP. Bioscience Reports, 1987, 7, 23-31.   | 2.4 | 4         |
| 78 | Are the Î <sup>3</sup> -glutamyl-amino acids signals for the amino acid uptake by lactating mammary gland?.<br>Biochemical Society Transactions, 1986, 14, 311-312.  | 3.4 | 3         |
| 79 | Role of oxoproline in amino acid transfer in placenta and lactating mammary gland. Biochemical<br>Society Transactions, 1986, 14, 1056-1057.   | 3.4 | 1         |
| 80 | The Influence of Nitrous Oxide on Methionine, S-adenosylmethionine, and Other Amino Acids.<br>Anesthesiology, 1986, 64, 490-495.   | 2.5 | 20        |
| 81 | Decreased urea synthesis in cafeteria diet-induced hyperphagia. Biochemical Society Transactions, 1985, 13, 743-744.   | 3.4 | Ο         |
| 82 | Blood flow and net amino acid uptake by the lactating mammary gland: effect of starvation.<br>Biochemical Society Transactions, 1985, 13, 876-877.   | 3.4 | 9         |
| 83 | Glucose formation from methylglyoxal in rat hepatocytes. Biochemical Society Transactions, 1985, 13, 945-946.  | 3.4 | 5         |
| 84 | Gamma-Glutamyl-Amino Acids as Signals for the Hormonal Regulation of Amino Acid Uptake by the<br>Mammary Gland of the Lactating Rat. Neonatology, 1985, 48, 250-256.   | 2.0 | 12        |
| 85 | Decreased urea synthesis in cafeteria-diet-induced obesity in the rat. Biochemical Journal, 1985, 230, 675-681.  | 3.7 | 62        |
| 86 | Cerebral glucose use measured with [14C]glucose labeled in the 1, 2, or 6 position. American Journal of Physiology - Cell Physiology, 1985, 248, C170-C176.  | 4.6 | 165       |
| 87 | Aerobic Glycolysis by the Pituitary Gland In Vivo. Journal of Neurochemistry, 1984, 42, 1479-1482.   | 3.9 | 13        |
| 88 | Effect of specific inhibition of gamma-glutamyl transpeptidase on amino acid uptake by mammary gland<br>of the lactating rat. FEBS Letters, 1983, 159, 119-122.  | 2.8 | 10        |
| 89 | Effect of starvation and refeeding on amino acid uptake by mammary gland of the lactating rat. Role of ketone bodies. Biochemical Journal, 1983, 216, 343-347.   | 3.1 | 16        |
| 90 | Effects of inhibition of protein synthesis by cycloheximide on lipogenesis in mammary gland and liver of lactating rats. Biochemical Journal, 1982, 204, 417-423.  | 3.1 | 8         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 91 | Role of prolactin in amino acid uptake by the lactating mammary gland of the rat. FEBS Letters, 1981, 126, 250-252.  | 2.8 | 42        |
| 92 | Involvement of Î <sup>3</sup> -glutamyltransferase in amino-acid uptake by the lactating mammary gland of the rat.<br>Biochemical Journal, 1981, 194, 99-102.              | 3.7 | 41        |
| 93 | Effects of lactation on <scp>l</scp> -leucine metabolism in the rat. Studies <i>in vivo</i> and <i>in vivo</i> vitro. Biochemical Journal, 1981, 194, 941-947.             | 3.7 | 29        |
| 94 | Utilization of l-alanine and l-glutamine by lactating mammary gland of the rat. A role for l-alanine as a<br>lipogenic precursor. Biochemical Journal, 1981, 196, 757-762. | 3.7 | 18        |
| 95 | Effect of premature weaning on amino acid uptake by the mammary gland of lactating rats.<br>Biochemical Journal, 1981, 200, 705-708.                                       | 3.7 | 35        |
| 96 | Control of amino acid uptake by the lactating mammary gland of the rat. Biochemical Society Transactions, 1981, 9, 392-392.  | 3.4 | 2         |
| 97 | Effect of acetaminophen (paracetamol) and its antagonists on glutathione (GSH) content in rat liver.<br>Biochemical Pharmacology, 1980, 29, 1968-1970.                     | 4.4 | 25        |