

Renzo Colombo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10198488/publications.pdf>

Version: 2024-02-01

199
papers

8,699
citations

38742

50
h-index

53230

85
g-index

209
all docs

209
docs citations

209
times ranked

6742
citing authors

#	ARTICLE	IF	CITATIONS
1	Bladder perforation during transurethral resection of the bladder: a comprehensive algorithm for diagnosis, management and follow-up. <i>Minerva Urology and Nephrology</i> , 2022, 74, .	2.5	7
2	Survival Outcomes After Immediate Radical Cystectomy Versus Conservative Management with Bacillus Calmette-Guérin Among T1 High-grade Micropapillary Bladder Cancer Patients: Results from a Multicentre Collaboration. <i>European Urology Focus</i> , 2022, 8, 1270-1277.	3.1	11
3	Perioperative and oncologic outcomes of open radical nephrectomy and inferior vena cava thrombectomy with liver mobilization and Pringle maneuver for Mayo III level tumor thrombus: single institution experience. <i>Minerva Urology and Nephrology</i> , 2022, 73, .	2.5	2
4	Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration. <i>World Journal of Urology</i> , 2022, 40, 1167-1174.	2.2	9
5	Upper Tract Urothelial Carcinoma in the Lynch Syndrome Tumour Spectrum: A Comprehensive Overview from the European Association of Urology - Young Academic Urologists and the Global Society of Rare Genitourinary Tumors. <i>European Urology Oncology</i> , 2022, 5, 30-41.	5.4	11
6	Diagnostic accuracy of preoperative lymph node staging of bladder cancer according to different lymph node locations: A multicenter cohort from the European Association of Urology – Young Academic Urologists. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 195.e27-195.e35.	1.6	5
7	Quality-of-Life Outcomes in Female Patients With Ileal Conduit or Orthotopic Neobladder Urinary Diversion: 6-Month Results of a Multicenter Prospective Study. <i>Frontiers in Oncology</i> , 2022, 12, 855546.	2.8	4
8	Prediction of the Need for an Extended Lymphadenectomy at the Time of Radical Cystectomy in Patients with Bladder Cancer. <i>European Urology Focus</i> , 2021, 7, 1067-1074.	3.1	7
9	Adjuvant chemotherapy is ineffective in patients with bladder cancer and variant histology treated with radical cystectomy with curative intent. <i>World Journal of Urology</i> , 2021, 39, 1947-1953.	2.2	7
10	The Value of Multiparametric Magnetic Resonance Imaging Sequences to Assist in the Decision Making of Muscle-invasive Bladder Cancer. <i>European Urology Oncology</i> , 2021, 4, 829-833.	5.4	20
11	Predicting the Pathologic Complete Response After Neoadjuvant Pembrolizumab in Muscle-Invasive Bladder Cancer. <i>Journal of the National Cancer Institute</i> , 2021, 113, 48-53.	6.3	30
12	Protocol of the Italian Radical Cystectomy Registry (RIC): a non-randomized, 24-month, multicenter study comparing robotic-assisted, laparoscopic, and open surgery for radical cystectomy in bladder cancer. <i>BMC Cancer</i> , 2021, 21, 51.	2.6	7
13	Association of patients' sex with treatment outcomes after intravesical bacillus Calmette-Guérin immunotherapy for T1G3/HG bladder cancer. <i>World Journal of Urology</i> , 2021, 39, 3337-3344.	2.2	9
14	Multicentre International Study for the Prevention with iAluRil of Radio-induced Cystitis (MISTIC): A Randomised Controlled Study. <i>European Urology Open Science</i> , 2021, 26, 45-54.	0.4	8
15	Factores de riesgo de enfermedad residual en la re-RTU en una gran cohorte de pacientes con enfermedad T1G3. <i>Actas Urológicas Españolas</i> , 2021, 45, 473-473.	0.7	0
16	Is There a Detrimental Effect of Antibiotic Therapy in Patients with Muscle-invasive Bladder Cancer Treated with Neoadjuvant Pembrolizumab?. <i>European Urology</i> , 2021, 80, 319-322.	1.9	24
17	Oncologic Surveillance for Variant Histology Bladder Cancer after Radical Cystectomy. <i>Journal of Urology</i> , 2021, 206, 885-893.	0.4	11
18	The Role of Prior Bladder Cancer on Recurrence in Patients Treated with Radical Nephroureterectomy. <i>Clinical Genitourinary Cancer</i> , 2021, , .	1.9	3

#	ARTICLE	IF	CITATIONS
19	Predictive factors of the absence of residual disease at repeated transurethral resection of the bladder. Is there a possibility to avoid it in well-selected patients?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 77.e1-77.e7.	1.6	26
20	How to improve patient selection for neoadjuvant chemotherapy in bladder cancer patients candidate for radical cystectomy and pelvic lymph node dissection. <i>World Journal of Urology</i> , 2020, 38, 1229-1233.	2.2	3
21	Complication rate after cystectomy following pelvic radiotherapy: an international, multicenter, retrospective series of 682 cases. <i>World Journal of Urology</i> , 2020, 38, 1959-1968.	2.2	22
22	Updated Results of PURE-01 with Preliminary Activity of Neoadjuvant Pembrolizumab in Patients with Muscle-invasive Bladder Carcinoma with Variant Histologies. <i>European Urology</i> , 2020, 77, 439-446.	1.9	228
23	Multiparametric Magnetic Resonance Imaging as a Noninvasive Assessment of Tumor Response to Neoadjuvant Pembrolizumab in Muscle-invasive Bladder Cancer: Preliminary Findings from the PURE-01 Study. <i>European Urology</i> , 2020, 77, 636-643.	1.9	75
24	Surgical Safety of Radical Cystectomy and Pelvic Lymph Node Dissection Following Neoadjuvant Pembrolizumab in Patients with Bladder Cancer: Prospective Assessment of Perioperative Outcomes from the PURE-01 Trial. <i>European Urology</i> , 2020, 77, 576-580.	1.9	55
25	Does the administration of preoperative pembrolizumab lead to sustained remission post-cystectomy? First survival outcomes from the PURE-01 study. <i>Annals of Oncology</i> , 2020, 31, 1755-1763.	1.2	65
26	Hospital care in Departments defined as COVID-free: A proposal for a safe hospitalization protecting healthcare professionals and patients not affected by COVID-19. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 92, .	0.8	14
27	Impact of Molecular Subtyping and Immune Infiltration on Pathological Response and Outcome Following Neoadjuvant Pembrolizumab in Muscle-invasive Bladder Cancer. <i>European Urology</i> , 2020, 77, 701-710.	1.9	128
28	Sex-specific Alterations in the Urinary and Tissue Microbiome in Therapy-naïve Urothelial Bladder Cancer Patients. <i>European Urology Oncology</i> , 2020, 3, 784-788.	5.4	41
29	Perioperative and oncologic outcomes of open radical nephrectomy and inferior vena cava thrombectomy with liver mobilization and Pringle maneuver for Mayo III level tumor thrombus: single institution experience. <i>Minerva Urology and Nephrology</i> , 2020, , .	2.5	3
30	Radical Cystectomy in Pathological T4a and T4b Bladder Cancer Patients: Is There Any Space for Sub Stratification?. <i>Urologia Internationalis</i> , 2019, 102, 269-276.	1.3	9
31	The impact of completeness of last transurethral resection of bladder tumors on the outcomes of radical cystectomy. <i>World Journal of Urology</i> , 2019, 37, 2707-2714.	2.2	6
32	Evaluation of Cause of Death After Radical Cystectomy for Patients With Bladder Cancer: The Impact of Age at the Time of Surgery. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e541-e548.	1.9	6
33	Development of a Prediction Tool for Exclusive Locoregional Recurrence After Radical Cystectomy in Patients With Muscle-Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2019, 17, 7-14.e3.	1.9	9
34	Adjuvant recMAGE-A3 Immunotherapy After Cystectomy for Muscle-invasive Bladder Cancer: Lessons Learned from the Phase 2 MAGNOLIA Clinical Trial. <i>European Urology Focus</i> , 2019, 5, 849-852.	3.1	2
35	Re: Evaluation of Cause of Death after Radical Cystectomy for Patients with Bladder Cancer: The Impact of Age at the Time of Surgery. <i>Journal of Urology</i> , 2019, 202, 1076-1077.	0.4	0
36	Surgical treatment for clinical node-positive bladder cancer patients treated with radical cystectomy without neoadjuvant chemotherapy. <i>World Journal of Urology</i> , 2018, 36, 639-644.	2.2	18

#	ARTICLE	IF	CITATIONS
37	Recurrence, progression and cancer-specific mortality according to stage at re-TUR in T1G3 bladder cancer patients treated with BCG: not as bad as previously thought. <i>World Journal of Urology</i> , 2018, 36, 1621-1627.	2.2	29
38	Pattern of node metastases in patients treated with radical cystectomy and extended or superextended pelvic lymph node dissection due to bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 307.e9-307.e14.	1.6	16
39	Feasibility and Clinical Roles of Different Substaging Systems at First and Second Transurethral Resection in Patients with T1 High-Grade Bladder Cancer. <i>European Urology Focus</i> , 2018, 4, 87-93.	3.1	31
40	Clinical Lymphadenopathy in Urothelial Cancer: A Transatlantic Collaboration on Performance of Cross-sectional Imaging and Oncologic Outcomes in Patients Treated with Radical Cystectomy Without Neoadjuvant Chemotherapy. <i>European Urology Focus</i> , 2018, 4, 245-251.	3.1	24
41	In reply to: Lawless <i>et al</i> . Stalk versus base invasion in $pT<1$ papillary cancers of the bladder: improved substaging system predicting the risk of progression. <i>Histopathology</i> , 2018, 72, 361-362.	2.9	0
42	Perioperative and Oncologic Outcomes of Nephrectomy and Caval Thrombectomy Using Extracorporeal Circulation and Deep Hypothermic Circulatory Arrest for Renal Cell Carcinoma Invading the Supradiaphragmatic Inferior Vena Cava and/or Right Atrium. <i>European Urology</i> , 2018, 73, 793-799.	1.9	33
43	Pembrolizumab as Neoadjuvant Therapy Before Radical Cystectomy in Patients With Muscle-Invasive Urothelial Bladder Carcinoma (PURE-01): An Open-Label, Single-Arm, Phase II Study. <i>Journal of Clinical Oncology</i> , 2018, 36, 3353-3360.	1.6	474
44	Predictors of oncological outcomes in T1G3 patients treated with BCG who undergo radical cystectomy. <i>World Journal of Urology</i> , 2018, 36, 1775-1781.	2.2	15
45	PECULIAR: An open label, multicenter, single-arm, phase 2 study of neoadjuvant pembrolizumab (PEM) and epacadostat (EPA), preceding radical cystectomy (Cy), for patients (pts) with muscle-invasive urothelial bladder cancer (MIUBC).. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS4595-TPS4595.	1.6	1
46	Pure but Not Mixed Histologic Variants Are Associated With Poor Survival at Radical Cystectomy in Bladder Cancer Patients. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e603-e607.	1.9	27
47	Incidence and effect of variant histology on oncological outcomes in patients with bladder cancer treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 335-341.	1.6	66
48	Impact of Intra- and Postoperative Blood Transfusion on the Incidence, Timing, and Pattern of Disease Recurrence After Radical Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e681-e688.	1.9	9
49	Bladder cancer cell growth and motility implicate cannabinoid 2 receptor-mediated modifications of sphingolipids metabolism. <i>Scientific Reports</i> , 2017, 7, 42157.	3.3	28
50	Is transurethral resection alone enough for the diagnosis of histological variants? A single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 528.e1-528.e5.	1.6	14
51	Impact of Prostate Involvement on Outcomes in Patients Treated with Radical Cystoprostatectomy for Bladder Cancer. <i>Urologia Internationalis</i> , 2017, 98, 290-297.	1.3	8
52	The presence of carcinoma in situ at radical cystectomy increases the risk of urothelial recurrence: Implications for follow-up schemes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 151.e17-151.e23.	1.6	13
53	Predicting local failure after radical cystectomy in patients with bladder cancer: Implications for the selection of candidates at adjuvant radiation therapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 672.e1-672.e6.	1.6	4
54	Effect of Stage Migration on Bladder Cancer: A Slow but Steady Improvement in Long-Term Survival Rates After Radical Cystectomy in Previous 25 Years. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e223-e228.	1.9	5

#	ARTICLE	IF	CITATIONS
55	The surgical management of patients with clinical stage T4 bladder cancer: A single institution experience. <i>European Journal of Surgical Oncology</i> , 2017, 43, 808-814.	1.0	8
56	Intravesical radiofrequency-induced hyperthermia combined with chemotherapy for non-muscle-invasive bladder cancer. <i>International Journal of Hyperthermia</i> , 2016, 32, 351-362.	2.5	28
57	Detrusor Muscle in TUR-Derived Bladder Tumor Specimens: Can We Actually Improve the Surgical Quality?. <i>Journal of Endourology</i> , 2016, 30, 400-405.	2.1	17
58	The impact of resectoscopic transurethral resection on clinical outcomes in a large multicentre cohort of patients with T1 high-grade/Grade 3 bladder cancer treated with bacille Calmette-Guérin. <i>BJU International</i> , 2016, 118, 44-52.	2.5	110
59	The efficacy of BCG TICE and BCG Connaught in a cohort of 2,099 patients with T1G3 non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 484.e19-484.e25.	1.6	53
60	Radiofrequency-Induced Thermo-Chemotherapy Effect (Rite) for Non Muscle Invasive Bladder Cancer Treatment: Current Role and Perspectives. <i>Urologia</i> , 2016, 83, 7-17.	0.7	6
61	The Clinical Value of PSA Increase during Intravesical Adjuvant Therapy for Nonmuscle-Invasive Bladder Cancer. <i>Urologia</i> , 2016, 83, 145-148.	0.7	6
62	Usefulness of pT1 substaging in papillary urothelial bladder carcinoma. <i>Diagnostic Pathology</i> , 2016, 11, 6.	2.0	33
63	Does the Compliance to Intravesical BCG Differ between Common Clinical Practice and International Multicentric Trials?. <i>Urologia Internationalis</i> , 2016, 96, 20-24.	1.3	22
64	Preoperative Favorable Characteristics in Bladder Cancer Patients Cannot Substitute the Necessity of Extended Lymphadenectomy During Radical Cystectomy: A Sensitivity Curve Analysis. <i>Urology</i> , 2016, 88, 97-103.	1.0	11
65	Patterns and prognostic significance of clinical recurrences after radical cystectomy for bladder cancer: A 20-year single center experience. <i>European Journal of Surgical Oncology</i> , 2016, 42, 735-743.	1.0	49
66	Incidence and Predictors of 30-Day Readmission in Patients Treated With Radical Cystectomy: A Single Center European Experience. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e341-e346.	1.9	10
67	The Impact of Perioperative Blood Transfusion on Survival of Bladder Cancer Patients Submitted to Radical Cystectomy: Role of Anemia Status. <i>European Urology Focus</i> , 2016, 2, 86-91.	3.1	20
68	Timing of blood transfusion and not ABO blood type is associated with survival in patients treated with radical cystectomy for nonmetastatic bladder cancer: Results from a single high-volume institution. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 256.e7-256.e13.	1.6	20
69	Potential Effect of Antiplatelet and Anticoagulant Therapy on the Timing of the Diagnosis of Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e245-e250.	1.9	7
70	A nomogram predicting the cancer-specific mortality in patients eligible for radical cystectomy evaluating clinical data and neoadjuvant cisplatinium-based chemotherapy. <i>World Journal of Urology</i> , 2016, 34, 207-213.	2.2	14
71	Effect on postoperative survival of the status of distal ureteral margin: The necessity to achieve negative margins at the time of radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 59.e15-59.e22.	1.6	16
72	Comparing long-term outcomes of primary and progressive carcinoma invading bladder muscle after radical cystectomy. <i>BJU International</i> , 2016, 117, 604-610.	2.5	68

#	ARTICLE	IF	CITATIONS
73	Urinary Bladder Preservation for Muscle-invasive Bladder Cancer: A Survey among Radiation Oncologists of Lombardy, Italy. <i>Tumori</i> , 2015, 101, 174-178.	1.1	9
74	Effect of Allogeneic Intraoperative Blood Transfusion on Survival in Patients Treated With Radical Cystectomy for Nonmetastatic Bladder Cancer: Results From a Single High-Volume Institution. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 562-567.	1.9	37
75	Fifteen-year single-centre experience with three different surgical procedures of nerve-sparing cystectomy in selected organ-confined bladder cancer patients. <i>World Journal of Urology</i> , 2015, 33, 1389-1395.	2.2	34
76	Oncological predictive value of the 2004 World Health Organisation grading classification in primary $T1$ non-muscle-invasive bladder cancer. A step forward or back?. <i>BJU International</i> , 2015, 115, 267-273.	2.5	23
77	Development and external validation of nomograms predicting disease-free and cancer-specific survival after radical cystectomy. <i>World Journal of Urology</i> , 2015, 33, 1419-1428.	2.2	19
78	The Clinical Use of Statistical Permutation Test Methodology: A Tool for Identifying Predictive Variables of Outcome. <i>Urologia Internationalis</i> , 2015, 94, 262-269.	1.3	4
79	Case Discussion: A Man with Two Synchronous and Symptomatic Malignancies Related to Smoking: The Case for Surgery. <i>European Urology Focus</i> , 2015, 1, 92-93.	3.1	0
80	Long-term Outcomes of Salvage Lymph Node Dissection for Clinically Recurrent Prostate Cancer: Results of a Single-institution Series with a Minimum Follow-up of 5 Years. <i>European Urology</i> , 2015, 67, 299-309.	1.9	211
81	Prognostic Factors and Risk Groups in T1G3 Non-muscle-invasive Bladder Cancer Patients Initially Treated with Bacillus Calmette-Guérin: Results of a Retrospective Multicenter Study of 2451 Patients. <i>European Urology</i> , 2015, 67, 74-82.	1.9	190
82	Concordance and Clinical Significance of Uncommon Variants of Bladder Urothelial Carcinoma in Transurethral Resection and Radical Cystectomy Specimens. <i>Urology</i> , 2014, 84, 1141-1146.	1.0	42
83	Perioperative Chemotherapy in Muscle-invasive Bladder Cancer: Overview and the Unmet Clinical Need for Alternative Adjuvant Therapy as Studied in the MAGNOLIA Trial. <i>European Urology</i> , 2014, 65, 509-511.	1.9	12
84	Impact of preoperative thrombocytosis on pathological outcomes and survival in patients treated with radical cystectomy for bladder carcinoma. <i>Anticancer Research</i> , 2014, 34, 3225-30.	1.1	33
85	Long-Term Follow-Up Using Testicle-Sparing Surgery for Leydig Cell Tumor. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 321-324.	1.9	45
86	Reply to Manish Garg, Apul Goel and Jai Prakash's Letter to the Editor re: Renzo Colombo, Lorenzo Rocchini, Nazareno Suardi, et al. Neoadjuvant Short-term Intensive Intravesical Mitomycin C Regimen Compared with Weekly Schedule for Low-grade Recurrent Non-muscle-invasive Bladder Cancer: Preliminary Results of a Randomised Phase 2 Study. <i>Eur Urol</i> 2012;62:797-802. <i>European Urology</i> , 2013, 63, e7-e8.	1.9	0
87	Lymphadenectomy for Bladder Cancer at the Time of Radical Cystectomy. <i>European Urology</i> , 2013, 64, 266-276.	1.9	62
88	When the Conservative Treatment in High-Risk Non-Muscle Invasive Bladder Cancer Patients should be Abandoned. <i>Urologia</i> , 2013, 80, 48-52.	0.7	0
89	Impact of the introduction of a robotic training programme on prostate cancer stage migration at a single tertiary referral centre. <i>BJU International</i> , 2013, 111, 1222-1230.	2.5	33
90	A novel tool to assess the risk of urinary incontinence after nerve-sparing radical prostatectomy. <i>BJU International</i> , 2013, 111, 905-913.	2.5	16

#	ARTICLE	IF	CITATIONS
91	Ureteral Endometriosis: Proposal for a Diagnostic and Therapeutic Algorithm with a Review of the Literature. <i>Urologia Internationalis</i> , 2013, 91, 1-9.	1.3	78
92	Serum Sex Steroids Depict a Nonlinear U-Shaped Association with High-Risk Prostate Cancer at Radical Prostatectomy. <i>Clinical Cancer Research</i> , 2012, 18, 3648-3657.	7.0	62
93	Diagnosis and Treatment of Bladder Endometriosis: State of the Art. <i>Urologia Internationalis</i> , 2012, 89, 249-258.	1.3	85
94	Preoperative circulating sex hormones are not predictors of positive surgical margins at open radical prostatectomy. <i>World Journal of Urology</i> , 2012, 30, 533-539.	2.2	6
95	Neoadjuvant Short-term Intensive Intravesical Mitomycin C Regimen Compared with Weekly Schedule for Low-grade Recurrent Non-muscle-invasive Bladder Cancer: Preliminary Results of a Randomised Phase 2 Study. <i>European Urology</i> , 2012, 62, 797-802.	1.9	41
96	Preoperative Erectile Function Represents a Significant Predictor of Postoperative Urinary Continence Recovery in Patients Treated With Bilateral Nerve Sparing Radical Prostatectomy. <i>Journal of Urology</i> , 2012, 187, 569-574.	0.4	35
97	There is no way to identify patients who will harbor small volume, unilateral prostate cancer at final pathology. Implications for focal therapies. <i>Prostate</i> , 2012, 72, 925-930.	2.3	12
98	Performance Characteristics of Computed Tomography in Detecting Lymph Node Metastases in Contemporary Patients with Prostate Cancer Treated with Extended Pelvic Lymph Node Dissection. <i>European Urology</i> , 2012, 61, 1132-1138.	1.9	120
99	Prediction of Functional Outcomes After Nerve-Sparing Radical Prostatectomy: Results of Conditional Survival Analyses. <i>European Urology</i> , 2012, 62, 42-52.	1.9	75
100	Choosing the Best Candidates for Penile Rehabilitation After Bilateral Nerve-Sparing Radical Prostatectomy. <i>Journal of Sexual Medicine</i> , 2012, 9, 608-617.	0.6	35
101	Extended Pelvic Lymph Node Dissection Does Not Affect Erectile Function Recovery in Patients Treated with Bilateral Nerve-sparing Radical Prostatectomy. <i>Journal of Sexual Medicine</i> , 2012, 9, 2187-2194.	0.6	17
102	Intravesical mitomycin C combined with hyperthermia for patients with T1G3 transitional cell carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011, 29, 259-264.	1.6	44
103	Clinical Reliability of the 2004 WHO Histological Classification System Compared With the 1973 WHO System for Ta Primary Bladder Tumors. <i>Journal of Urology</i> , 2011, 186, 2194-2200.	0.4	35
104	Re: Long-Term Outcomes of a Randomized Controlled Trial Comparing Thermochemotherapy With Mitomycin-C Alone as Adjuvant Treatment for Non-Muscle-Invasive Bladder Cancer (NMIBC). <i>Journal of Urology</i> , 2011, 186, 1808-1809.	0.4	1
105	Sex hormone-binding globulin is a significant predictor of extracapsular extension in men undergoing radical prostatectomy. <i>BJU International</i> , 2011, 107, 1243-1249.	2.5	11
106	Long-term outcomes of a randomized controlled trial comparing thermochemotherapy with mitomycin-C alone as adjuvant treatment for non-muscle-invasive bladder cancer (NMIBC). <i>BJU International</i> , 2011, 107, 912-918.	2.5	169
107	What Is the Definition of a Satisfactory Erectile Function After Bilateral Nerve Sparing Radical Prostatectomy?. <i>Journal of Sexual Medicine</i> , 2011, 8, 1210-1217.	0.6	38
108	The Role of a Combined Regimen With Intravesical Chemotherapy and Hyperthermia in the Management of Non-muscle-invasive Bladder Cancer: A Systematic Review. <i>European Urology</i> , 2011, 60, 81-93.	1.9	166

#	ARTICLE	IF	CITATIONS
109	Impact of Venous Tumour Thrombus Consistency (Solid vs Friable) on Cancer-specific Survival in Patients with Renal Cell Carcinoma. <i>European Urology</i> , 2011, 60, 358-365.	1.9	39
110	Pelvic/Retroperitoneal Salvage Lymph Node Dissection for Patients Treated With Radical Prostatectomy With Biochemical Recurrence and Nodal Recurrence Detected by [11C]Choline Positron Emission Tomography/Computed Tomography. <i>European Urology</i> , 2011, 60, 935-943.	1.9	209
111	Preoperative hypogonadism is not an independent predictor of high-risk disease in patients undergoing radical prostatectomy. <i>Cancer</i> , 2011, 117, 3953-3962.	4.1	47
112	Are Referral Centers for Non-Muscle-Invasive Bladder Cancer Compliant to EAU Guidelines? A Report from the Vesical Antiblasic Therapy Italian Study. <i>Urologia Internationalis</i> , 2011, 86, 19-24.	1.3	27
113	Can Gemcitabine Instillation Ablate Solitary Low-Risk Non-Muscle-Invasive Bladder Cancer? Results of a Phase II Marker Lesion Study. <i>Urologia Internationalis</i> , 2011, 87, 470-474.	1.3	7
114	Editorial Comment on: HYAL-1 Hyaluronidase: A Potential Prognostic Indicator for Progression to Muscle Invasion and Recurrence in Bladder Cancer. <i>European Urology</i> , 2010, 57, 93-94.	1.9	0
115	Prevention and Management of Complications Following Radical Cystectomy for Bladder Cancer. <i>European Urology</i> , 2010, 57, 983-1001.	1.9	194
116	A Critical Analysis of Orthotopic Bladder Substitutes in Adult Patients with Bladder Cancer: Is There a Perfect Solution?. <i>European Urology</i> , 2010, 58, 374-383.	1.9	52
117	Postoperative Orgasmic Function Increases over Time in Patients Undergoing Nerve-Sparing Radical Prostatectomy. <i>Journal of Sexual Medicine</i> , 2010, 7, 149-155.	0.6	17
118	Predicting Erectile Function Recovery after Bilateral Nerve Sparing Radical Prostatectomy: A Proposal of a Novel Preoperative Risk Stratification. <i>Journal of Sexual Medicine</i> , 2010, 7, 2521-2531.	0.6	102
119	Ileal Conduit as the Standard for Urinary Diversion After Radical Cystectomy for Bladder Cancer. <i>European Urology Supplements</i> , 2010, 9, 736-744.	0.1	53
120	Prevention and management of complications following radical cystectomy for bladder cancer. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2010, 36, 642-643.	1.5	2
121	Unsuccessful Investigation of Preoperative Sexual Health Issues in the Prostate Cancer "Couple": Results of a Real-Life Psychometric Survey at a Major Tertiary Academic Center. <i>Journal of Sexual Medicine</i> , 2009, 6, 3347-3355.	0.6	9
122	Editorial Comment on: Defining Early Morbidity of Radical Cystectomy for Patients with Bladder Cancer Using a Standardized Reporting Methodology. <i>European Urology</i> , 2009, 55, 175-176.	1.9	11
123	Are Infertile Men Less Healthy than Fertile Men? Results of a Prospective Case-Control Survey. <i>European Urology</i> , 2009, 56, 1025-1032.	1.9	141
124	Leydig cell tumour of the testis: presentation, therapy, long-term follow-up and the role of organ-sparing surgery in a single-institution experience. <i>BJU International</i> , 2009, 103, 197-200.	2.5	72
125	Combined Thermo-Chemotherapy for Recurrent Bladder Cancer After Bacillus Calmette-Guerin. <i>Journal of Urology</i> , 2009, 182, 1313-1317.	0.4	109
126	Is Sperm Banking of Interest to Patients With Nongerm Cell Urological Cancer Before Potentially Fertility Damaging Treatments?. <i>Journal of Urology</i> , 2009, 182, 1101-1107.	0.4	15

#	ARTICLE	IF	CITATIONS
127	Renal Sinus Fat Invasion in pT3a Clear Cell Renal Cell Carcinoma Affects Outcomes of Patients Without Nodal Involvement or Distant Metastases. <i>Journal of Urology</i> , 2009, 181, 2027-2032.	0.4	47
128	Nerve-Sparing Radical Retropubic Prostatectomy in Patients Previously Submitted to Holmium Laser Enucleation of the Prostate for Bladder Outlet Obstruction Due to Benign Prostatic Enlargement. <i>European Urology</i> , 2008, 53, 1180-1185.	1.9	35
129	Prognostic Value of Lymph Node Dissection in Patients with Muscle-Invasive Transitional Cell Carcinoma of the Upper Urinary Tract. <i>European Urology</i> , 2008, 53, 794-802.	1.9	137
130	Radical Prostatectomy for Incidental (Stage T1aâ€“T1b) Prostate Cancer: Analysis of Predictors for Residual Disease and Biochemical Recurrence. <i>European Urology</i> , 2008, 54, 118-125.	1.9	61
131	Editorial Comment on: Comparison of Complications in Three Incontinent Urinary Diversions. <i>European Urology</i> , 2008, 54, 833-834.	1.9	0
132	Impact of Surgical Volume on the Rate of Lymph Node Metastases in Patients Undergoing Radical Prostatectomy and Extended Pelvic Lymph Node Dissection for Clinically Localized Prostate Cancer. <i>European Urology</i> , 2008, 54, 794-804.	1.9	61
133	Radical Nephrocapsulectomy and Caval Thrombectomy with Extracorporeal Circulation and Deep Hypothermic Circulatory Arrest in Right Anterior Minithoracotomy: A Minimally Invasive Approach. <i>Urology</i> , 2008, 71, 957-961.	1.0	11
134	Combined treatment with local thermo-chemotherapy for non muscle invasive bladder cancer. The present role in the light of acquired data and preliminary cumulative clinical experiences. <i>Archivio Italiano Di Urologia Andrologia</i> , 2008, 80, 149-56.	0.8	7
135	A reappraisal of the role of vesicourethral anastomosis biopsy in patient candidates for salvage radiation therapy after radical prostatectomy. <i>Radiotherapy and Oncology</i> , 2007, 82, 30-37.	0.6	16
136	Conservative Surgical Therapy for Leydig Cell Tumor. <i>Journal of Urology</i> , 2007, 178, 507-511.	0.4	69
137	Secondary scrotal lymphedema: A novel microsurgical approach. <i>Microsurgery</i> , 2007, 27, 655-656.	1.3	28
138	Editorial Comment on: PO Stage at Radical Cystectomy for Bladder Cancer is Associated with Improved Outcome Independent of Traditional Clinical Risk Factors. <i>European Urology</i> , 2007, 52, 774-775.	1.9	0
139	Re: Lymphatic Invasion is a Prognostic Factor for Bladder Cancer Treated with Radical Cystectomy. <i>European Urology</i> , 2007, 52, 1797-1798.	1.9	1
140	Photodynamic diagnosis for follow-up of carcinoma in situ of the bladder. <i>Therapeutics and Clinical Risk Management</i> , 2007, 3, 1003-7.	2.0	9
141	Radical Prostatectomy After Previous Prostate Surgery: Clinical and Functional Outcomes. <i>Journal of Urology</i> , 2006, 176, 2459-2463.	0.4	104
142	Significant upgrading affects a third of men diagnosed with prostate cancer: predictive nomogram and internal validation. <i>BJU International</i> , 2006, 98, 329-334.	2.5	126
143	General versus spinal anesthesia with different forms of sedation in patients undergoing radical retropubic prostatectomy: Results of a prospective, randomized study. <i>International Journal of Urology</i> , 2006, 13, 1185-1190.	1.0	22
144	Bilateral Renal Mass Suggestive of Cancer. <i>European Urology</i> , 2006, 49, 746-747.	1.9	0

#	ARTICLE	IF	CITATIONS
145	Bilateral Renal Mass Suggestive of Cancer: Part 2. <i>European Urology</i> , 2006, 49, 918-920.	1.9	0
146	Holmium Laser Enucleation of the Prostate Versus Open Prostatectomy for Prostates >70g: 24-Month Follow-up. <i>European Urology</i> , 2006, 50, 563-568.	1.9	331
147	Update of the minimally invasive therapies for benign prostatic hyperplasia. <i>Current Opinion in Urology</i> , 2005, 15, 49-53.	1.8	15
148	A critical analysis of laser prostatectomy in the management of benign prostatic hyperplasia. <i>BJU International</i> , 2005, 96, 736-739.	2.5	8
149	Pfannenstiel versus Vertical Laparotomy in Patients Undergoing Radical Retropubic Prostatectomy with Spinal Anesthesia: Results of a Prospective, Randomized Trial. <i>European Urology</i> , 2005, 47, 202-208.	1.9	15
150	Effect of Ethanol and Red Wine on Ochratoxin A-Induced Experimental Acute Nephrotoxicity. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 6924-6929.	5.2	21
151	Primary and Pure Neuroendocrine Tumor of the Prostate. <i>European Urology</i> , 2004, 45, 166-170.	1.9	21
152	Sexual Dysfunction is Common in Women with Lower Urinary Tract Symptoms and Urinary Incontinence: Results of a Cross-Sectional Study. <i>European Urology</i> , 2004, 45, 642-648.	1.9	316
153	Preliminary European Results of Local Microwave Hyperthermia and Chemotherapy Treatment in Intermediate or High Risk Superficial Transitional Cell Carcinoma of the Bladder. <i>European Urology</i> , 2004, 46, 65-72.	1.9	144
154	Role of postoperative radiotherapy after pelvic lymphadenectomy and radical retropubic prostatectomy: a single institute experience of 415 patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 59, 674-683.	0.8	42
155	In regard to Cozzarini et al.: Role of postoperative radiotherapy after pelvic lymphadenectomy and radical retropubic prostatectomy: A single-institute experience of 415 patients (<i>Int J Radiat Oncol Biol</i>) Tj ETQq1 1 0.784314 0.8 BT /Over	0.8	43
156	Overall Clinical Outcomes After Nerve and Seminal Sparing Radical Cystectomy for the Treatment of Organ Confined Bladder Cancer. <i>Journal of Urology</i> , 2004, 171, 1819-1822.	0.4	89
157	Holmium Laser Enucleation Versus Transurethral Resection of the Prostate. Are Histological Findings Comparable?. <i>Journal of Urology</i> , 2004, 171, 1203-1206.	0.4	73
158	Monofocal and plurifocal high-grade prostatic intraepithelial neoplasia on extended prostate biopsies: factors predicting cancer detection on extended repeat biopsy. <i>Urology</i> , 2004, 63, 1105-1110.	1.0	56
159	General versus spinal anesthesia in patients undergoing radical retropubic prostatectomy: results of a prospective, randomized study. <i>Urology</i> , 2004, 64, 95-100.	1.0	52
160	Combined local bladder hyperthermia and intravesical chemotherapy for the treatment of high-grade superficial bladder cancer. <i>Urology</i> , 2004, 63, 466-471.	1.0	104
161	Laparoscopic Nerve- and Seminal-Sparing Cystectomy with Orthotopic Ileal Neobladder: The First Three Cases. <i>European Urology</i> , 2003, 44, 567-572.	1.9	33
162	Combination of intravesical chemotherapy and hyperthermia for the treatment of superficial bladder cancer: preliminary clinical experience. <i>Critical Reviews in Oncology/Hematology</i> , 2003, 47, 127-139.	4.4	36

#	ARTICLE	IF	CITATIONS
163	Multicentric Study Comparing Intravesical Chemotherapy Alone and With Local Microwave Hyperthermia for Prophylaxis of Recurrence of Superficial Transitional Cell Carcinoma. <i>Journal of Clinical Oncology</i> , 2003, 21, 4270-4276.	1.6	244
164	Vestibular Flap Urethroplasty for Strictures of the Female Urethra. <i>Urologia Internationalis</i> , 2002, 69, 12-16.	1.3	67
165	A Prospective Study Comparing Paroxetine Alone Versus Paroxetine Plus Sildenafil in Patients With Premature Ejaculation. <i>Journal of Urology</i> , 2002, 168, 2486-2489.	0.4	160
166	Re: Sexuality Preserving Cystectomy And Neobladder: Initial Results. <i>Journal of Urology</i> , 2002, 167, 1803-1803.	0.4	0
167	Urological complications after simultaneous renal and pancreatic transplantation. <i>The European Journal of Surgery</i> , 2002, 168, 609-613.	0.9	9
168	Re: Sexuality Preserving Cystectomy And Neobladder: Initial Results. <i>Journal of Urology</i> , 2002, , 1803.	0.4	0
169	Thermo–Chemotherapy and Electromotive Drug Administration of Mitomycin C in Superficial Bladder Cancer Eradication. <i>European Urology</i> , 2001, 39, 95-100.	1.9	70
170	Herniation of the amniotic sac into the bladder through a vesico-uterine fistula in the 32nd week of pregnancy. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 1300-1301.	0.9	2
171	RECONFIGURATION OF THE SEVERELY FIBROTIC PENIS WITH A PENILE IMPLANT. <i>Journal of Urology</i> , 2001, 166, 1782-1786.	0.4	41
172	LAPAROSCOPIC CROSS-TRIGONAL COHEN URETERONEOCYSTOSTOMY: NOVEL TECHNIQUE. <i>Journal of Urology</i> , 2001, 166, 1811-1814.	0.4	143
173	RE: NERVE AND SEMINAL SPARING RADICAL CYSTECTOMY WITH ORTHOTOPIC URINARY DIVERSION FOR SELECT PATIENTS WITH SUPERFICIAL BLADDER CANCER: AN INNOVATIVE SURGICAL APPROACH. <i>Journal of Urology</i> , 2001, 166, 1402-1402.	0.4	0
174	NERVE AND SEMINAL SPARING RADICAL CYSTECTOMY WITH ORTHOTOPIC URINARY DIVERSION FOR SELECT PATIENTS WITH SUPERFICIAL BLADDER CANCER: AN INNOVATIVE SURGICAL APPROACH. <i>Journal of Urology</i> , 2001, 165, 51-55.	0.4	75
175	Counselling the patient with prostate cancer about treatment-related erectile dysfunction. <i>Current Opinion in Urology</i> , 2001, 11, 611-617.	1.8	25
176	Effect of local hyperthermia of the bladder on mitomycin C pharmacokinetics during intravesical chemotherapy for the treatment of superficial transitional cell carcinoma. <i>British Journal of Clinical Pharmacology</i> , 2001, 52, 273-278.	2.4	73
177	Herniation of the amniotic sac into the bladder through a vesico-uterine fistula in the 32nd week of pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 1300-1301.	2.3	1
178	LOCAL MICROWAVE HYPERTHERMIA AND INTRAVESICAL CHEMOTHERAPY AS BLADDER SPARING TREATMENT FOR SELECT MULTIFOCAL AND UNRESECTABLE SUPERFICIAL BLADDER TUMORS. <i>Journal of Urology</i> , 1998, 159, 783-787.	0.4	48
179	Pathologic features and clinical outcome after anatomic radical prostatectomy by transcoccygeal approach. <i>Urology</i> , 1997, 49, 392-399.	1.0	0
180	Plasma mitomycin C concentrations determined by HPLC coupled to solid-phase extraction. <i>Clinical Chemistry</i> , 1997, 43, 615-618.	3.2	23

#	ARTICLE	IF	CITATIONS
181	Effects of Short-Term Treatment with the $\hat{\pm}$ (1)-Blocker Alfuzosin on Urodynamic Pressure/Flow Parameters in Patients with Benign Prostatic Hyperplasia. <i>European Urology</i> , 1997, 32, 47-53.	1.9	47
182	Neoadjuvant Combined Microwave Induced Local Hyperthermia and Topical Chemotherapy Versus Chemotherapy Alone for Superficial Bladder Cancer. <i>Journal of Urology</i> , 1996, 155, 1227-1232.	0.4	87
183	Dynamic Gadolinium-Enhanced Magnetic Resonance Imaging in Staging of Superficial Bladder Cancer. <i>Journal of Urology</i> , 1996, 155, 1594-1599.	0.4	48
184	Imaging of Renal Cell Carcinoma with Gadolinium-Enhanced Magnetic Resonance: Radiological and Pathological Study. <i>Urologia Internationalis</i> , 1995, 54, 121-127.	1.3	8
185	An original balloon-expanding urethral suture guide for radical prostatectomy. <i>Urology</i> , 1995, 46, 562-564.	1.0	6
186	Original Articles: Bladder Cancer: A New Approach Using Local Combined Microwave Hyperthermia and Chemotherapy in Superficial Transitional Bladder Carcinoma Treatment. <i>Journal of Urology</i> , 1995, 153, 959-963.	0.4	67
187	Detubularized Sigmoid Colon For Bladder Replacement After Radical Cystectomy. <i>Journal of Urology</i> , 1994, 152, 1409-1412.	0.4	22
188	Transrectal Prostatic Hyperthermia and Urinary Retention Secondary to Benign Prostatic Hyperplasia: A 2-Year Follow-Up Study. <i>Journal of Endourology</i> , 1992, 6, 261-264.	2.1	4
189	Transrectal Microwave Hyperthermia for Benign Prostatic Hyperplasia: Long-Term Clinical, Pathological and Ultrastructural Patterns. <i>Journal of Urology</i> , 1992, 148, 321-325.	0.4	53
190	Transrectal Microwave Hyperthermia for Advanced Prostate Cancer: Long-Term Clinical Results. <i>Journal of Urology</i> , 1992, 148, 342-345.	0.4	31
191	Transrectal Hyperthermia-Induced Histological and Ultrastructural Changes of Human Benign Prostatic Hyperplasia Tissue. <i>European Urology</i> , 1992, 22, 74-78.	1.9	8
192	Combined Intravesical Chemotherapy with Mitomycin C and Local Bladder Microwave-Induced Hyperthermia as a Preoperative Therapy for Superficial Bladder Tumors. <i>European Urology</i> , 1991, 20, 204-210.	1.9	40
193	Multimodal Therapy for Stones in Pelvic Kidneys. <i>Urologia Internationalis</i> , 1991, 46, 29-34.	1.3	15
194	Long Term Experience with the Prostatic Spiral for Urinary Retention due to Benign Prostatic Hyperplasia. <i>Scandinavian Journal of Urology and Nephrology</i> , 1991, 25, 21-24.	1.4	14
195	Morphodynamic and biochemical assessment of seminal plasma in patients who underwent local prostatic hyperthermia. <i>Prostate</i> , 1990, 16, 325-330.	2.3	16
196	Local Bacillus Calmette-Guerin Therapy for Superficial Bladder Cancer: Clinical, Histological and Ultrastructural Patterns. <i>Scandinavian Journal of Urology and Nephrology</i> , 1990, 24, 191-198.	1.4	6
197	Histological and Ultrastructural Evaluation of Extracorporeal Shock Wave Lithotripsy-Induced Acute Renal Lesions: Preliminary Report. <i>European Urology</i> , 1989, 16, 207-211.	1.9	29
198	Pembrolizumab as Neoadjuvant Therapy Preceding Radical Cystectomy in Patients with Muscle-Invasive Urothelial Bladder Carcinoma (PURE-01): An Open-Label, Single-Group, Phase 2 Study. <i>SSRN Electronic Journal</i> , 0, , .	0.4	12

#	ARTICLE	IF	CITATIONS
199	Multicentre International Study for the Prevention with laluriÂ® of Radio-Induced Cystitis (MISTIC): A Randomised Controlled Study. SSRN Electronic Journal, 0, , .	0.4	0