
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1020716/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Sarcopenia and dysphagia: Position paper by four professional organizations. Geriatrics and Gerontology International, 2019, 19, 91-97. | 1.5 | 249 |
| 2 | Decreased Tongue Pressure is Associated with Sarcopenia and Sarcopenic Dysphagia in the Elderly. Dysphagia, 2015, 30, 80-87. | 1.8 | 197 |
| 3 | Sarcopenia is an independent risk factor of dysphagia in hospitalized older people. Geriatrics and Gerontology International, 2016, 16, 515-521. | 1.5 | 182 |
| 4 | Reference body mass index values and the prevalence of malnutrition according to the Global Leadership Initiative on Malnutrition criteria. Clinical Nutrition, 2020, 39, 180-184. | 5.0 | 111 |
| 5 | Nutritional Improvement and Energy Intake Are Associated with Functional Recovery in Patients after Cerebrovascular Disorders. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 57-62. | 1.6 | 87 |
| 6 | Applicability of Disseminated Intravascular Coagulation Parameters in the Assessment of the Severity of Acute Pancreatitis. Pancreas, 2006, 32, 87-92. | 1.1 | 85 |
| 7 | Tentative nil per os leads to poor outcomes in older adults with aspiration pneumonia. Clinical Nutrition, 2016, 35, 1147-1152. | 5.0 | 76 |
| 8 | Predictive Accuracy of Calf Circumference Measurements to Detect Decreased Skeletal Muscle Mass and European Society for Clinical Nutrition and Metabolism-Defined Malnutrition in Hospitalized Older Patients. Annals of Nutrition and Metabolism, 2017, 71, 10-15. | 1.9 | 73 |
| 9 | Muscle Mass Loss Is a Potential Predictor of 90â€Day Mortality in Older Adults with Aspiration Pneumonia. Journal of the American Geriatrics Society, 2017, 65, e18-e22. | 2.6 | 71 |
| 10 | Decreased Skeletal Muscle Mass and Risk Factors of Sarcopenic Dysphagia: A Prospective Observational Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, glw190. | 3.6 | 70 |
| 11 | Undernutrition, Sarcopenia, and Frailty in Fragility Hip Fracture: Advanced Strategies for Improving Clinical Outcomes. Nutrients, 2020, 12, 3743. | 4.1 | 60 |
| 12 | High Nutritional-Related Risk on Admission Predicts Less Improvement of Functional Independence Measure in Geriatric Stroke Patients: A Retrospective Cohort Study. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1335-1341. | 1.6 | 56 |
| 13 | Impact of edema on length of calf circumference in older adults. Geriatrics and Gerontology International, 2019, 19, 993-998. | 1.5 | 55 |
| 14 | Treatment of Sarcopenic Dysphagia with Rehabilitation and Nutritional Support: A Comprehensive Approach. Journal of the Academy of Nutrition and Dietetics, 2016, 116, 573-577. | 0.8 | 54 |
| 15 | The Global Leadership Initiative on Malnutrition–Defined Malnutrition Predicts Prognosis in Persons With Stroke-Related Dysphagia. Journal of the American Medical Directors Association, 2019, 20, 1628-1633. | 2.5 | 45 |
| 16 | Oral Care May Reduce Pneumonia in the Tube-fed Elderly: A Preliminary Study. Dysphagia, 2014, 29, 616-621. | 1.8 | 44 |
| 17 | Rehabilitation and nutritional support for sarcopenic dysphagia and tongue atrophy after glossectomy: A case report. Nutrition, 2017, 35, 128-131. | 2.4 | 42 |
| 18 | Nutritional Management Enhances the Recovery of Swallowing Ability in Older Patients with Sarcopenic Dysphagia, Nutrients, 2021, 13, 596. | 4.1 | 41 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Textureâ€modified diets are associated with decreased muscle mass in older adults admitted to a rehabilitation ward. Geriatrics and Gerontology International, 2018, 18, 698-704. | 1.5 | 39 |
| 20 | Aggressive nutrition therapy in malnutrition and sarcopenia. Nutrition, 2021, 84, 111109. | 2.4 | 39 |
| 21 | Proinflammatory Role of Trypsin and Protease-activated Receptor-2 in a Rat Model of Acute Pancreatitis. Pancreas, 2005, 31, 54-62. | 1.1 | 38 |
| 22 | Early Commencement of Oral Intake and Physical Function are Associated with Early Hospital Discharge with Oral Intake in Hospitalized Elderly Individuals with Pneumonia. Journal of the American Geriatrics Society, 2015, 63, 2183-2185. | 2.6 | 38 |
| 23 | Poor oral health and mortality in geriatric patients admitted to an acute hospital: an observational study. BMC Geriatrics, 2020, 20, 26. | 2.7 | 36 |
| 24 | Related Factors and Clinical Outcomes of Osteosarcopenia: A Narrative Review. Nutrients, 2021, 13, 291. | 4.1 | 34 |
| 25 | Cognitive impairment is independently associated with definitive and possible sarcopenia in hospitalized older adults: The prevalence and impact of comorbidities. Geriatrics and Gerontology International, 2017, 17, 1048-1056. | 1.5 | 32 |
| 26 | Silent aspiration predicts mortality in older adults with aspiration pneumonia admitted to acute hospitals. Geriatrics and Gerontology International, 2018, 18, 828-832. | 1.5 | 31 |
| 27 | Development and Predictors of Sarcopenic Dysphagia during Hospitalization of Older Adults. Nutrients, 2020, 12, 70. | 4.1 | 31 |
| 28 | Osteosarcopenia, the co-existence of osteoporosis and sarcopenia, is associated with social frailty in older adults. Aging Clinical and Experimental Research, 2022, 34, 535-543. | 2.9 | 31 |
| 29 | Interferential current sensory stimulation, through the neck skin, improves airway defense and oral nutrition intake in patients with dysphagia: a double-blind randomized controlled trial. Clinical Interventions in Aging, 2017, Volume 12, 1879-1886. | 2.9 | 30 |
| 30 | Nutritional status change and activities of daily living in elderly pneumonia patients admitted to acute care hospital: A retrospective cohort study from the Japan Rehabilitation Nutrition Database. Nutrition, 2020, 71, 110613. | 2.4 | 30 |
| 31 | Calf circumference value for sarcopenia screening among older adults with stroke. Archives of Gerontology and Geriatrics, 2021, 93, 104290. | 3.0 | 29 |
| 32 | Nutritional intake is associated with activities of daily living and complications in older inpatients with stroke. Geriatrics and Gerontology International, 2018, 18, 1334-1339. | 1.5 | 28 |
| 33 | Prevalence of sarcopenia and association with oral healthâ€related quality of life and oral health status in older dental clinic outpatients. Geriatrics and Gerontology International, 2018, 18, 915-921. | 1.5 | 27 |
| 34 | Association of Sarcopenic Dysphagia with Underlying Sarcopenia Following Hip Fracture Surgery in Older Women. Nutrients, 2020, 12, 1365. | 4.1 | 27 |
| 35 | Sarcopenia Is Highly Prevalent in Older Medical Patients With Mobility Limitation. Nutrition in Clinical Practice, 2017, 32, 110-115. | 2.4 | 25 |
| 36 | Reliability and Validity of a Simplified Comprehensive Assessment Tool for Feeding Support: Kuchiâ€Kara Taberu Index. Journal of the American Geriatrics Society, 2016, 64, e248-e252. | 2.6 | 24 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Effects of Physical Rehabilitation and Nutritional Intake Management on Improvement in Tongue Strength in Sarcopenic Patients. Nutrients, 2020, 12, 3104. | 4.1 | 24 |
| 38 | Nutritional variables predict chances of returning home and activities of daily living in post-acute geriatric care. Clinical Interventions in Aging, 2018, Volume 13, 151-157. | 2.9 | 22 |
| 39 | Body mass index and recovery of activities of daily living in older patients with femoral fracture: An analysis of a national inpatient database in Japan. Archives of Gerontology and Geriatrics, 2020, 87, 104009. | 3.0 | 21 |
| 40 | Malnutrition at Admission Predicts In-Hospital Falls in Hospitalized Older Adults. Nutrients, 2020, 12, 541. | 4.1 | 21 |
| 41 | Predictive Validity of Body Mass Index Cutoff Values Used in the Global Leadership Initiative on Malnutrition Criteria for Discriminating Severe and Moderate Malnutrition Based on Inâ€Patients With Pneumonia in Asians. Journal of Parenteral and Enteral Nutrition, 2020, 45, 941-950. | 2.6 | 20 |
| 42 | Texture-Modified Diets are Associated with Poor Appetite in Older Adults who are Admitted to a Post-Acute Rehabilitation Hospital. Journal of the American Medical Directors Association, 2021, 22, 1960-1965. | 2.5 | 19 |
| 43 | Impact of Body Mass Index on Activities of Daily Living in Inpatients with Acute Heart Failure. Journal of Nutrition, Health and Aging, 2019, 23, 151-156. | 3.3 | 18 |
| 44 | Effect of low tongue pressure on nutritional status and improvement of swallowing function in sarcopenic dysphagia. Nutrition, 2021, 90, 111295. | 2.4 | 18 |
| 45 | SARC-F as a Screening Tool for Sarcopenia and Possible Sarcopenia Proposed by AWGS 2019 in Hospitalized Older Adults. Journal of Nutrition, Health and Aging, 2020, 24, 1053-1060. | 3.3 | 17 |
| 46 | Hospital Frailty Risk Score predicts adverse events in older patients with hip fractures after surgery: Analysis of a nationwide inpatient database in Japan. Archives of Gerontology and Geriatrics, 2022, 98, 104552. | 3.0 | 17 |
| 47 | Diagnostic accuracy of sarcopenia by "possible sarcopenia―premiered by the Asian Working Group for Sarcopenia 2019 definition. Archives of Gerontology and Geriatrics, 2021, 97, 104484. | 3.0 | 16 |
| 48 | Estimation of Deterioration Levels of Transmission Towers via Deep Learning Maximizing Canonical Correlation Between Heterogeneous Features. IEEE Journal on Selected Topics in Signal Processing, 2018, 12, 633-644. | 10.8 | 15 |
| 49 | Comparison between the Global Leadership Initiative on Malnutrition and the <scp>European Society for Clinical Nutrition and Metabolism</scp> definitions for the prevalence of malnutrition in geriatric rehabilitation care. Geriatrics and Gerontology International, 2020, 20, 1221-1227. | 1.5 | 15 |
| 50 | Impact of malnutrition on post-stroke cognitive impairment in convalescent rehabilitation ward inpatients. European Geriatric Medicine, 2021, 12, 167-174. | 2.8 | 15 |
| 51 | Impact of a multidisciplinary rehabilitation nutrition team on evaluating sarcopenia, cachexia and practice of rehabilitation nutrition. Journal of Medical Investigation, 2017, 64, 140-145. | 0.5 | 13 |
| 52 | Cognitive impairment has no impact on hospitalâ€associated dysphagia in aspiration pneumonia patients. Geriatrics and Gerontology International, 2018, 18, 233-239. | 1.5 | 13 |
| 53 | Assignment of Dental Hygienists Improves Outcomes in Japanese Rehabilitation Wards: A Retrospective Cohort Study. Journal of Nutrition, Health and Aging, 2020, 24, 28-36. | 3.3 | 13 |
| 54 | Relationship between nutritional status and improved ADL in individuals with cervical spinal cord injury in a convalescent rehabilitation ward. Spinal Cord, 2019, 57, 501-508. | 1.9 | 12 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Comprehensive Tool to Assess Oral Feeding Support for Functional Recovery in Post-acute Rehabilitation. Journal of the American Medical Directors Association, 2019, 20, 426-431. | 2.5 | 12 |
| 56 | Assessing skeletal muscle mass based on the cross-sectional area of muscles at the 12th thoracic vertebra level on computed tomography in patients with oral squamous cell carcinoma. Oral Oncology, 2021, 113, 105126. | 1.5 | 12 |
| 57 | Nutritional management in inpatients with aspiration pneumonia: a cohort medical claims database study. Archives of Gerontology and Geriatrics, 2021, 95, 104398. | 3.0 | 12 |
| 58 | High SARC-F score predicts poor survival of patients with cancer receiving palliative care. Supportive Care in Cancer, 2022, 30, 4065-4072. | 2.2 | 12 |
| 59 | Distress classification of class-imbalanced inspection data via correlation-maximizing weighted extreme learning machine. Advanced Engineering Informatics, 2018, 37, 79-87. | 8.0 | 11 |
| 60 | Nutritional Therapy in Older Patients With Hip Fractures Undergoing Rehabilitation: A Systematic Review and Meta-Analysis. Journal of the American Medical Directors Association, 2020, 21, 1364-1364.e6. | 2.5 | 11 |
| 61 | Impact of geniohyoid and masseter muscle masses on dysphagia after salvage surgery and radiotherapy in head and neck cancer. Scientific Reports, 2021, 11, 2278. | 3.3 | 11 |
| 62 | Delayed Dysphagia May Be Sarcopenic Dysphagia in Patients After Stroke. Journal of the American Medical Directors Association, 2021, 22, 2527-2533.e1. | 2.5 | 11 |
| 63 | Sarcopenia and cachexia evaluation in different healthcare settings: a questionnaire survey of health professionals. Asia Pacific Journal of Clinical Nutrition, 2018, 27, 167-175. | 0.4 | 11 |
| 64 | Association between food texture levels consumed and the prevalence of malnutrition and sarcopenia in older patients after stroke. European Journal of Clinical Nutrition, 2022, 76, 1576-1582. | 2.9 | 11 |
| 65 | Feeding Support Team for Frail, Disabled, or Elderly People during the Early Phase of a Disaster. Tohoku Journal of Experimental Medicine, 2017, 242, 259-261. | 1.2 | 10 |
| 66 | Burden of Premorbid Consumption of Texture Modified Diets in Daily Life on Nutritional Status and Outcomes of Hospitalization. Journal of Nutrition, Health and Aging, 2019, 23, 973-978. | 3.3 | 10 |
| 67 | Association between Food Store Availability and the Incidence of Functional Disability among Community-Dwelling Older Adults: Results from the Japanese Gerontological Evaluation Cohort Study. Nutrients, 2019, 11, 2369. | 4.1 | 10 |
| 68 | Safety of transcutaneous electrical sensory stimulation of the neck in terms of vital parameters in dysphagia rehabilitation. Scientific Reports, 2019, 9, 13481. | 3.3 | 10 |
| 69 | SARC-F Predicts Mortality Risk of Older Adults during Hospitalization. Journal of Nutrition, Health and Aging, 2021, 25, 914-920. | 3.3 | 10 |
| 70 | Goal setting for nutrition and body weight in rehabilitation nutrition: position paper by the Japanese Association of Rehabilitation Nutrition (secondary publication). Journal of General and Family Medicine, 2022, 23, 77-86. | 0.8 | 10 |
| 71 | Multidisciplinary Comprehensive Care for Early Recommencement of Oral Intake in Older Adults With Severe Pneumonia. Journal of Gerontological Nursing, 2016, 42, 21-29. | 0.6 | 9 |
| 72 | Sarcopenic Dysphagia with Low Tongue Pressure Is Associated with Worsening of Swallowing, Nutritional Status, and Activities of Daily Living. Journal of Nutrition, Health and Aging, 2021, 25, 883-888. | 3.3 | 9 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Rehabilitation nutrition support for a hemodialysis patient with protein-energy wasting and sarcopenic dysphagia: a case report. Renal Replacement Therapy, 2018, 4, . | 0.7 | 8 |
| 74 | Impact of Energy intake at One Week after Hospitalization on Prognosis for Older Adults with Pneumonia. Journal of Nutrition, Health and Aging, 2020, 24, 119-124. | 3.3 | 8 |
| 75 | Few-Shot Personalized Saliency Prediction Based on Adaptive Image Selection Considering Object and Visual Attention. Sensors, 2020, 20, 2170. | 3.8 | 8 |
| 76 | <scp>Hospital Frailty Risk Score</scp> predicts adverse events in older patients with vertebral compression fractures: Analysis of data in a nationwide inâ€patient database in <scp>Japan</scp> . Geriatrics and Gerontology International, 2022, 22, 233-239. | 1.5 | 8 |
| 77 | Coefficient of Determination between Estimated and Measured Renal Function in Japanese Patients with Sarcopenia May Be Improved by Adjusting for Muscle Mass and Sex: A Prospective Study. Biological and Pharmaceutical Bulletin, 2019, 42, 1350-1357. | 1.4 | 7 |
| 78 | Accuracy of the Simplified Nutritional Appetite Questionnaire for Malnutrition and Sarcopenia Screening among Older Patients Requiring Rehabilitation. Nutrients, 2021, 13, 2738. | 4.1 | 7 |
| 79 | Effects of Carbonation on Swallowing: Systematic Review and Metaâ€Analysis. Laryngoscope, 2022, 132, 1924-1933. | 2.0 | 7 |
| 80 | Early Wearing of Knee-Ankle-Foot Orthosis Improves Functional Prognosis in Patients after Stroke. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106261. | 1.6 | 7 |
| 81 | Diagnostic reasoning in rehabilitation nutrition: Position paper by the Japanese Association of Rehabilitation Nutrition (secondary publication). Journal of General and Family Medicine, 2022, 23, 205-216. | 0.8 | 7 |
| 82 | Home-based Combined Therapy with Rehabilitation and Aggressive Nutrition Management for a Parkinson's Disease Patient with Sarcopenic Dysphagia: A Case Report. Progress in Rehabilitation Medicine, 2018, 3, n/a. | 0.9 | 6 |
| 83 | Formula for the Cross-Sectional Area of the Muscles of the Third Lumbar Vertebra Level from the Twelfth Thoracic Vertebra Level Slice on Computed Tomography. Geriatrics (Switzerland), 2020, 5, 47. | 1.7 | 6 |
| 84 | Low tongue strength is associated with oral and cough-related abnormalities in older inpatients. Nutrition, 2021, 83, 111062. | 2.4 | 6 |
| 85 | Supervised Fractional-Order Embedding Multiview Canonical Correlation Analysis via Ordinal Label Dequantization for Image Interest Estimation. IEEE Access, 2021, 9, 21810-21822. | 4.2 | 6 |
| 86 | The functional assessment for control of trunk (FACT): An assessment tool for trunk function in stroke patients. NeuroRehabilitation, 2021, 48, 59-66. | 1.3 | 6 |
| 87 | Body mass index affects postoperative daily activities of older patients after gastrectomy. European Geriatric Medicine, 2021, 12, 825-835. | 2.8 | 6 |
| 88 | Association between osteosarcopenia and cognitive frailty in older outpatients visiting a frailty clinic. Archives of Gerontology and Geriatrics, 2022, 98, 104530. | 3.0 | 6 |
| 89 | Undernutrition at Admission Suppresses Post-Stroke Recovery of Trunk Function. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106354. | 1.6 | 6 |
| 90 | Diet-induced inflammation is associated with sarcopenia and muscle strength in older adults who visit a frailty clinic. Aging Clinical and Experimental Research, 2022, 34, 2525-2532. | 2.9 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Semi-Solid Nutrients for Prevention of Enteral Tube Feeding-Related Complications in Japanese Population: A Systematic Review and Meta-Analysis. Nutrients, 2020, 12, 1687. | 4.1 | 5 |
| 92 | Influence of potentially inappropriate medications on activities of daily living for patients with osteoporotic vertebral compression fractures: A retrospective cohort study. Journal of Orthopaedic Science, 2021, 26, 448-452. | 1.1 | 5 |
| 93 | European Society for Clinical Nutrition and Metabolism (ESPEN) Malnutrition Criteria for Predicting Major Complications After Hepatectomy and Pancreatectomy. World Journal of Surgery, 2021, 45, 243-251. | 1.6 | 5 |
| 94 | The SARC-F Score on Admission Predicts Falls during Hospitalization in Older Adults. Journal of Nutrition, Health and Aging, 2021, 25, 399-404. | 3.3 | 5 |
| 95 | Association of drinking behaviors with <i>TXNIP</i> DNA methylation levels in leukocytes among the general Japanese population. American Journal of Drug and Alcohol Abuse, 2022, , 1-9. | 2.1 | 5 |
| 96 | Effect of tongue strength on clinical outcomes of patients: A systematic review. Archives of Gerontology and Geriatrics, 2022, 102, 104749. | 3.0 | 5 |
| 97 | Nutrition Support Team Intervention Improves Activities of Daily Living in Older Patients Undergoing In-Patient Rehabilitation in Japan: A Retrospective Cohort Study. Journal of Nutrition in Gerontology and Geriatrics, 2017, 36, 166-177. | 1.0 | 4 |
| 98 | Nutritional status is associated with the return home in a longâ€ŧerm care health facility. Journal of General and Family Medicine, 2018, 19, 9-14. | 0.8 | 4 |
| 99 | Estimation of Interest Levels From Behavior Features via Tensor Completion Including Adaptive Similar User Selection. IEEE Access, 2020, 8, 126109-126118. | 4.2 | 4 |
| 100 | Supervised Fractional-Order Embedding Geometrical Multi-View CCA (SFGMCCA) for Multiple Feature Integration. IEEE Access, 2020, 8, 114340-114353. | 4.2 | 4 |
| 101 | Human-Centric Emotion Estimation Based on Correlation Maximization Considering Changes With Time in Visual Attention and Brain Activity. IEEE Access, 2020, 8, 203358-203368. | 4.2 | 4 |
| 102 | The effects of promoting oral intake using the Kuchi-kara Taberu index, a comprehensive feeding assistant tool, in older pneumonia patients: a cluster randomized controlled trial. BMC Geriatrics, 2020, 20, 36. | 2.7 | 4 |
| 103 | Distress Image Retrieval for Infrastructure Maintenance via Self-Trained Deep Metric Learning Using Experts' Knowledge. IEEE Access, 2021, 9, 65234-65245. | 4.2 | 4 |
| 104 | Deterioration Level Estimation Based on Convolutional Neural Network Using Confidence-Aware Attention Mechanism for Infrastructure Inspection. Sensors, 2022, 22, 382. | 3.8 | 4 |
| 105 | Prognostic role of low muscle mass and strength in palliative care patients with incurable cancer: a retrospective study. JCSM Clinical Reports, 2021, 6, 93-99. | 1.3 | 4 |
| 106 | The effect of TNF-α converting enzyme inhibitors on cytokine response in acute pancreatitis. International Congress Series, 2003, 1255, 173-175. | 0.2 | 3 |
| 107 | Availability of Early, Intensive, and Continuous Nutrition Management for Fournier's Gangrene with Rectal Cancer: A Case Report. Journal of the Academy of Nutrition and Dietetics, 2016, 116, 909-916. | 0.8 | 3 |
| 108 | Comprehensive Geriatric Assessment and Nutrition-Related Assessment: A Cross-Sectional Survey for Health Professionals. Geriatrics (Switzerland), 2019, 4, 23. | 1.7 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Rehabilitation nutrition in pressure ulcer management with type 2 diabetes: a case report. Asia Pacific Journal of Clinical Nutrition, 2018, 27, 728-734. | 0.4 | 3 |
| 110 | Discussion on Applicability of Disseminated Intravascular Coagulation Parameters in the Assessment of the Severity of Acute Pancreatitis. Pancreas, 2006, 33, 107-108. | 1.1 | 2 |
| 111 | Angiotensin-Converting Enzyme Inhibitor in Tube-Fed Patients With Stroke History. Journal of the American Medical Directors Association, 2015, 16, 896-897. | 2.5 | 2 |
| 112 | Swallowing function, skeletal muscle mass and sarcopenia in older adults requiring longâ€ŧerm care. Geriatrics and Gerontology International, 2016, 16, 1175-1176. | 1.5 | 2 |
| 113 | Rehabilitation nutrition for undernourished participants in nursing home and home care: Cluster randomized controlled study. Nutrition, 2016, 32, 503. | 2.4 | 2 |
| 114 | Effects of aging and sarcopenia on strength of swallowing muscles in older adults. Geriatrics and Gerontology International, 2017, 17, 360-361. | 1.5 | 2 |
| 115 | Estimating appendicular muscle mass in older adults with consideration on paralysis. Geriatrics and Gerontology International, 2020, 20, 1145-1150. | 1.5 | 2 |
| 116 | Tensor-Based Emotional Category Classification via Visual Attention-Based Heterogeneous CNN Feature Fusion. Sensors, 2020, 20, 2146. | 3.8 | 2 |
| 117 | Deterioration level estimation via neural network maximizing category-based ordinally supervised multi-view canonical correlation. Multimedia Tools and Applications, 2021, 80, 23091-23112. | 3.9 | 2 |
| 118 | Detection of Important Scenes in Baseball Videos via Bidirectional Time Lag Aware Deep Multiset Canonical Correlation Analysis. IEEE Access, 2021, 9, 84971-84981. | 4.2 | 2 |
| 119 | Rubber Material Property Prediction Using Electron Microscope Images of Internal Structures Taken under Multiple Conditions. Sensors, 2021, 21, 2088. | 3.8 | 2 |
| 120 | Detection of Important Scenes in Baseball Videos via a Time-Lag-Aware Multimodal Variational Autoencoder. Sensors, 2021, 21, 2045. | 3.8 | 2 |
| 121 | Relationship Between Performance Improvement in Activities of Daily Living and Energy Intake in Older Patients With Hip Fracture Undergoing Rehabilitation. Annals of Rehabilitation Medicine, 2019, 43, 562-569. | 1.6 | 2 |
| 122 | Effect of Parenteral Energy or Amino Acid Doses on In-Hospital Mortality Among Patients With Aspiration Pneumonia: A Cohort Medical Claims Database Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 1683-1690. | 3.6 | 2 |
| 123 | CLINICAL PERSPECTIVE OF PANCREATIC CANCER: A RECOLLECTING REPORT FROM THE RECORDS OF OUR DEPARTMENT DURING THE LAST 25 YEARS. Pancreas, 2005, 31, 4. | 1.1 | 1 |
| 124 | Changes in body composition in heart failure patients after a resistance exercise program and branched chain amino acid supplementation – Letter to Editor. Clinical Nutrition, 2015, 34, 779-780. | 5.0 | 1 |
| 125 | Pulmonary rehabilitation and oral nutritional supplement enriched with beta-hydroxy-beta-methylbutyrate for bronchiectasis participants: A prospective, randomised study. Clinical Nutrition, 2016, 35, 767-768. | 5.0 | 1 |
| 126 | Associations between tongue strength and swallowing difficulty in the older adults receiving long-term care. Clinical Nutrition, 2016, 35, 772-773. | 5.0 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Correlation between nutritional status and frailty regarding saliva secretion and occlusal force in communityâ€dwelling older people. Geriatrics and Gerontology International, 2017, 17, 177-179. | 1.5 | 1 |
| 128 | Causal inference from an observational study of geriatric rehabilitation pharmacotherapy. Geriatrics and Gerontology International, 2018, 18, 1307-1308. | 1.5 | 1 |
| 129 | Impact of Body Mass Index on Activities of Daily Living in Patients with Idiopathic Interstitial Pneumonias. Healthcare (Switzerland), 2020, 8, 385. | 2.0 | 1 |
| 130 | Determining the optimal value of the Geriatric Nutritional Risk Index to screen older patients with malnutrition risk: A study at a university hospital in Japan. Geriatrics and Gerontology International, 2020, 20, 811-816. | 1.5 | 1 |
| 131 | Evaluation of skeletal muscle mass using prediction formulas at the level of the 12th thoracic vertebra. Nutrition, 2021, 93, 111475. | 2.4 | 1 |
| 132 | Reliable Estimation of Deterioration Levels via Late Fusion Using Multi-View Distress Images for Practical Inspection. Journal of Imaging, 2021, 7, 273. | 3.0 | 1 |
| 133 | Relationship of body mass index on activities of daily living in hospitalized patients with chronic obstructive pulmonary disease. Respiratory Medicine and Research, 2022, 81, 100899. | 0.6 | 1 |
| 134 | Proinflammatory role of trypsin and protease-activated receptor-2 in a rat model of acute pancreatitis. Suizo, 2006, 21, 33-34. | 0.1 | 0 |
| 135 | Combined intervention of protein supplementation and resistance training in medical patients. Clinical Nutrition, 2015, 34, 1033-1034. | 5.0 | 0 |
| 136 | Combined intervention of whey protein intake and rehabilitation in female patients with hip fracture in the early postoperative period. Clinical Nutrition, 2015, 34, 1278-1279. | 5.0 | 0 |
| 137 | Association Between Protein Intake, Occlusal Force, and Walking Speed in Older Adults. Journal of the American Geriatrics Society, 2016, 64, 1381-1382. | 2.6 | 0 |
| 138 | The Relevance of Nutritional Status and Inactivity to Changes in Quadriceps Muscle Thickness in Patients after Acute Stroke. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 2566-2567. | 1.6 | 0 |
| 139 | The relevance of muscle mass and quality to postoperative complications after open colon resection. International Journal of Colorectal Disease, 2016, 31, 1541-1542. | 2.2 | 0 |
| 140 | Effect of early nutritional follow-up after discharge on activities of daily living in malnourished, independent, geriatric patients: Are activities of daily living only affected by nutrition intervention?. Journal of Nutrition, Health and Aging, 2016, 20, 583. | 3.3 | 0 |
| 141 | Sarcopenia Is a Possible Independent Risk Factor of Cognitive Decline in Community-Dwelling Older People. Journal of the American Medical Directors Association, 2016, 17, 559-560. | 2.5 | 0 |
| 142 | Relationship between body mass index and functional recovery in stroke rehabilitation setting. Disability and Rehabilitation, 2017, 39, 1146-1147. | 1.8 | 0 |
| 143 | Relationship between sarcopenia and household status in communityâ€dwelling older women. Geriatrics and Gerontology International, 2017, 17, 179-180. | 1.5 | 0 |
| 144 | Thoracic Paravertebral Neurolysis for the Treatment of Intractable Chest Wall Pain Caused by Neoplasms: A Case Series. Pain Medicine, 2021, 22, 2133-2135. | 1.9 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Applicability of disseminated intravascular coagulation parameters in the assessment of the severity of acute pancreatitis. Suizo, 2006, 21, 461-462. | 0.1 | 0 |
| 146 | Nutritional Care for Aspiration Pneumonia: Can a Nutritional Approach Change the Clinical Course of Aspiration Pneumonia?. Respiratory Disease Series, 2020, , 193-203. | 0.0 | 0 |
| 147 | Feature Integration Through Semi-Supervised Multimodal Gaussian Process Latent Variable Model With Pseudo-Labels for Interest Level Estimation. IEEE Access, 2021, 9, 163843-163850. | 4.2 | 0 |
| 148 | Refining Graph Representation for Cross-Domain Recommendation Based on Edge Pruning in Latent Space. IEEE Access, 2022, 10, 12503-12509. | 4.2 | 0 |
| 149 | A Score to Predict Home Discharge for Patients With Stroke in Rehabilitation Units. Journal of the American Medical Directors Association, 2022, , . | 2.5 | 0 |
| 150 | Decreased Diversity of Gut Microbiota Is Associated with Decreased Muscle Mass and Function in Older Adults Residing in a Nursing Home. Journal of Nutrition, Health and Aging, 2022, 26, 537-538. | 3.3 | 0 |