

Keisuke Maeda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1020716/publications.pdf>

Version: 2024-02-01

150
papers

2,907
citations

186265

28
h-index

206112

48
g-index

153
all docs

153
docs citations

153
times ranked

2098
citing authors

#	ARTICLE	IF	CITATIONS
1	Osteosarcopenia, the co-existence of osteoporosis and sarcopenia, is associated with social frailty in older adults. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 535-543.	2.9	31
2	Association between osteosarcopenia and cognitive frailty in older outpatients visiting a frailty clinic. <i>Archives of Gerontology and Geriatrics</i> , 2022, 98, 104530.	3.0	6
3	Effect of Parenteral Energy or Amino Acid Doses on In-Hospital Mortality Among Patients With Aspiration Pneumonia: A Cohort Medical Claims Database Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 1683-1690.	3.6	2
4	Goal setting for nutrition and body weight in rehabilitation nutrition: position paper by the Japanese Association of Rehabilitation Nutrition (secondary publication). <i>Journal of General and Family Medicine</i> , 2022, 23, 77-86.	0.8	10
5	Hospital Frailty Risk Score predicts adverse events in older patients with hip fractures after surgery: Analysis of a nationwide inpatient database in Japan. <i>Archives of Gerontology and Geriatrics</i> , 2022, 98, 104552.	3.0	17
6	Deterioration Level Estimation Based on Convolutional Neural Network Using Confidence-Aware Attention Mechanism for Infrastructure Inspection. <i>Sensors</i> , 2022, 22, 382.	3.8	4
7	Effects of Carbonation on Swallowing: Systematic Review and Meta-Analysis. <i>Laryngoscope</i> , 2022, 132, 1924-1933.	2.0	7
8	High SARC-F score predicts poor survival of patients with cancer receiving palliative care. <i>Supportive Care in Cancer</i> , 2022, 30, 4065-4072.	2.2	12
9	Refining Graph Representation for Cross-Domain Recommendation Based on Edge Pruning in Latent Space. <i>IEEE Access</i> , 2022, 10, 12503-12509.	4.2	0
10	<scp>Hospital Frailty Risk Score</scp> predicts adverse events in older patients with vertebral compression fractures: Analysis of data in a nationwide inpatient database in <scp>Japan</scp>. <i>Geriatrics and Gerontology International</i> , 2022, 22, 233-239.	1.5	8
11	Early Wearing of Knee-Ankle-Foot Orthosis Improves Functional Prognosis in Patients after Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106261.	1.6	7
12	A Score to Predict Home Discharge for Patients With Stroke in Rehabilitation Units. <i>Journal of the American Medical Directors Association</i> , 2022, , .	2.5	0
13	Undernutrition at Admission Suppresses Post-Stroke Recovery of Trunk Function. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106354.	1.6	6
14	Association between food texture levels consumed and the prevalence of malnutrition and sarcopenia in older patients after stroke. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 1576-1582.	2.9	11
15	Association of drinking behaviors with <i>TXNIP</i> DNA methylation levels in leukocytes among the general Japanese population. <i>American Journal of Drug and Alcohol Abuse</i> , 2022, , 1-9.	2.1	5
16	Diagnostic reasoning in rehabilitation nutrition: Position paper by the Japanese Association of Rehabilitation Nutrition (secondary publication). <i>Journal of General and Family Medicine</i> , 2022, 23, 205-216.	0.8	7
17	Decreased Diversity of Gut Microbiota Is Associated with Decreased Muscle Mass and Function in Older Adults Residing in a Nursing Home. <i>Journal of Nutrition, Health and Aging</i> , 2022, 26, 537-538.	3.3	0
18	Relationship of body mass index on activities of daily living in hospitalized patients with chronic obstructive pulmonary disease. <i>Respiratory Medicine and Research</i> , 2022, 81, 100899.	0.6	1

#	ARTICLE	IF	CITATIONS
19	Effect of tongue strength on clinical outcomes of patients: A systematic review. <i>Archives of Gerontology and Geriatrics</i> , 2022, 102, 104749.	3.0	5
20	Diet-induced inflammation is associated with sarcopenia and muscle strength in older adults who visit a frailty clinic. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 2525-2532.	2.9	6
21	Influence of potentially inappropriate medications on activities of daily living for patients with osteoporotic vertebral compression fractures: A retrospective cohort study. <i>Journal of Orthopaedic Science</i> , 2021, 26, 448-452.	1.1	5
22	Aggressive nutrition therapy in malnutrition and sarcopenia. <i>Nutrition</i> , 2021, 84, 111109.	2.4	39
23	Deterioration level estimation via neural network maximizing category-based ordinal supervised multi-view canonical correlation. <i>Multimedia Tools and Applications</i> , 2021, 80, 23091-23112.	3.9	2
24	Low tongue strength is associated with oral and cough-related abnormalities in older inpatients. <i>Nutrition</i> , 2021, 83, 111062.	2.4	6
25	Calf circumference value for sarcopenia screening among older adults with stroke. <i>Archives of Gerontology and Geriatrics</i> , 2021, 93, 104290.	3.0	29
26	European Society for Clinical Nutrition and Metabolism (ESPEN) Malnutrition Criteria for Predicting Major Complications After Hepatectomy and Pancreatectomy. <i>World Journal of Surgery</i> , 2021, 45, 243-251.	1.6	5
27	Impact of malnutrition on post-stroke cognitive impairment in convalescent rehabilitation ward inpatients. <i>European Geriatric Medicine</i> , 2021, 12, 167-174.	2.8	15
28	Related Factors and Clinical Outcomes of Osteosarcopenia: A Narrative Review. <i>Nutrients</i> , 2021, 13, 291.	4.1	34
29	Detection of Important Scenes in Baseball Videos via Bidirectional Time Lag Aware Deep Multiset Canonical Correlation Analysis. <i>IEEE Access</i> , 2021, 9, 84971-84981.	4.2	2
30	The SARC-F Score on Admission Predicts Falls during Hospitalization in Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 399-404.	3.3	5
31	Supervised Fractional-Order Embedding Multiview Canonical Correlation Analysis via Ordinal Label Dequantization for Image Interest Estimation. <i>IEEE Access</i> , 2021, 9, 21810-21822.	4.2	6
32	The functional assessment for control of trunk (FACT): An assessment tool for trunk function in stroke patients. <i>NeuroRehabilitation</i> , 2021, 48, 59-66.	1.3	6
33	Impact of geniohyoid and masseter muscle masses on dysphagia after salvage surgery and radiotherapy in head and neck cancer. <i>Scientific Reports</i> , 2021, 11, 2278.	3.3	11
34	Distress Image Retrieval for Infrastructure Maintenance via Self-Trained Deep Metric Learning Using Experts' Knowledge. <i>IEEE Access</i> , 2021, 9, 65234-65245.	4.2	4
35	Body mass index affects postoperative daily activities of older patients after gastrectomy. <i>European Geriatric Medicine</i> , 2021, 12, 825-835.	2.8	6
36	Nutritional Management Enhances the Recovery of Swallowing Ability in Older Patients with Sarcopenic Dysphagia. <i>Nutrients</i> , 2021, 13, 596.	4.1	41

#	ARTICLE	IF	CITATIONS
37	Assessing skeletal muscle mass based on the cross-sectional area of muscles at the 12th thoracic vertebra level on computed tomography in patients with oral squamous cell carcinoma. <i>Oral Oncology</i> , 2021, 113, 105126.	1.5	12
38	Rubber Material Property Prediction Using Electron Microscope Images of Internal Structures Taken under Multiple Conditions. <i>Sensors</i> , 2021, 21, 2088.	3.8	2
39	Detection of Important Scenes in Baseball Videos via a Time-Lag-Aware Multimodal Variational Autoencoder. <i>Sensors</i> , 2021, 21, 2045.	3.8	2
40	Sarcopenic Dysphagia with Low Tongue Pressure Is Associated with Worsening of Swallowing, Nutritional Status, and Activities of Daily Living. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 883-888.	3.3	9
41	SARC-F Predicts Mortality Risk of Older Adults during Hospitalization. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 914-920.	3.3	10
42	Thoracic Paravertebral Neurolysis for the Treatment of Intractable Chest Wall Pain Caused by Neoplasms: A Case Series. <i>Pain Medicine</i> , 2021, 22, 2133-2135.	1.9	0
43	Nutritional management in inpatients with aspiration pneumonia: a cohort medical claims database study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104398.	3.0	12
44	Delayed Dysphagia May Be Sarcopenic Dysphagia in Patients After Stroke. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 2527-2533.e1.	2.5	11
45	Accuracy of the Simplified Nutritional Appetite Questionnaire for Malnutrition and Sarcopenia Screening among Older Patients Requiring Rehabilitation. <i>Nutrients</i> , 2021, 13, 2738.	4.1	7
46	Evaluation of skeletal muscle mass using prediction formulas at the level of the 12th thoracic vertebra. <i>Nutrition</i> , 2021, 93, 111475.	2.4	1
47	Texture-Modified Diets are Associated with Poor Appetite in Older Adults who are Admitted to a Post-Acute Rehabilitation Hospital. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1960-1965.	2.5	19
48	Effect of low tongue pressure on nutritional status and improvement of swallowing function in sarcopenic dysphagia. <i>Nutrition</i> , 2021, 90, 111295.	2.4	18
49	Diagnostic accuracy of sarcopenia by "possible sarcopenia" premiered by the Asian Working Group for Sarcopenia 2019 definition. <i>Archives of Gerontology and Geriatrics</i> , 2021, 97, 104484.	3.0	16
50	Feature Integration Through Semi-Supervised Multimodal Gaussian Process Latent Variable Model With Pseudo-Labels for Interest Level Estimation. <i>IEEE Access</i> , 2021, 9, 163843-163850.	4.2	0
51	Prognostic role of low muscle mass and strength in palliative care patients with incurable cancer: a retrospective study. <i>JCSM Clinical Reports</i> , 2021, 6, 93-99.	1.3	4
52	Reliable Estimation of Deterioration Levels via Late Fusion Using Multi-View Distress Images for Practical Inspection. <i>Journal of Imaging</i> , 2021, 7, 273.	3.0	1
53	Reference body mass index values and the prevalence of malnutrition according to the Global Leadership Initiative on Malnutrition criteria. <i>Clinical Nutrition</i> , 2020, 39, 180-184.	5.0	111
54	Impact of Energy intake at One Week after Hospitalization on Prognosis for Older Adults with Pneumonia. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 119-124.	3.3	8

#	ARTICLE	IF	CITATIONS
55	Assignment of Dental Hygienists Improves Outcomes in Japanese Rehabilitation Wards: A Retrospective Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 28-36.	3.3	13
56	Nutritional status change and activities of daily living in elderly pneumonia patients admitted to acute care hospital: A retrospective cohort study from the Japan Rehabilitation Nutrition Database. <i>Nutrition</i> , 2020, 71, 110613.	2.4	30
57	Body mass index and recovery of activities of daily living in older patients with femoral fracture: An analysis of a national inpatient database in Japan. <i>Archives of Gerontology and Geriatrics</i> , 2020, 87, 104009.	3.0	21
58	Development and Predictors of Sarcopenic Dysphagia during Hospitalization of Older Adults. <i>Nutrients</i> , 2020, 12, 70.	4.1	31
59	Formula for the Cross-Sectional Area of the Muscles of the Third Lumbar Vertebra Level from the Twelfth Thoracic Vertebra Level Slice on Computed Tomography. <i>Geriatrics (Switzerland)</i> , 2020, 5, 47.	1.7	6
60	Estimating appendicular muscle mass in older adults with consideration on paralysis. <i>Geriatrics and Gerontology International</i> , 2020, 20, 1145-1150.	1.5	2
61	Impact of Body Mass Index on Activities of Daily Living in Patients with Idiopathic Interstitial Pneumonias. <i>Healthcare (Switzerland)</i> , 2020, 8, 385.	2.0	1
62	Determining the optimal value of the Geriatric Nutritional Risk Index to screen older patients with malnutrition risk: A study at a university hospital in Japan. <i>Geriatrics and Gerontology International</i> , 2020, 20, 811-816.	1.5	1
63	Estimation of Interest Levels From Behavior Features via Tensor Completion Including Adaptive Similar User Selection. <i>IEEE Access</i> , 2020, 8, 126109-126118.	4.2	4
64	Supervised Fractional-Order Embedding Geometrical Multi-View CCA (SFGMCCA) for Multiple Feature Integration. <i>IEEE Access</i> , 2020, 8, 114340-114353.	4.2	4
65	Predictive Validity of Body Mass Index Cutoff Values Used in the Global Leadership Initiative on Malnutrition Criteria for Discriminating Severe and Moderate Malnutrition Based on Inpatients With Pneumonia in Asians. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020, 45, 941-950.	2.6	20
66	SARC-F as a Screening Tool for Sarcopenia and Possible Sarcopenia Proposed by AWGS 2019 in Hospitalized Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 1053-1060.	3.3	17
67	Effects of Physical Rehabilitation and Nutritional Intake Management on Improvement in Tongue Strength in Sarcopenic Patients. <i>Nutrients</i> , 2020, 12, 3104.	4.1	24
68	Nutritional Therapy in Older Patients With Hip Fractures Undergoing Rehabilitation: A Systematic Review and Meta-Analysis. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1364-1364.e6.	2.5	11
69	Human-Centric Emotion Estimation Based on Correlation Maximization Considering Changes With Time in Visual Attention and Brain Activity. <i>IEEE Access</i> , 2020, 8, 203358-203368.	4.2	4
70	Undernutrition, Sarcopenia, and Frailty in Fragility Hip Fracture: Advanced Strategies for Improving Clinical Outcomes. <i>Nutrients</i> , 2020, 12, 3743.	4.1	60
71	Comparison between the Global Leadership Initiative on Malnutrition and the European Society for Clinical Nutrition and Metabolism definitions for the prevalence of malnutrition in geriatric rehabilitation care. <i>Geriatrics and Gerontology International</i> , 2020, 20, 1221-1227.	1.5	15
72	Association of Sarcopenic Dysphagia with Underlying Sarcopenia Following Hip Fracture Surgery in Older Women. <i>Nutrients</i> , 2020, 12, 1365.	4.1	27

#	ARTICLE	IF	CITATIONS
73	Semi-Solid Nutrients for Prevention of Enteral Tube Feeding-Related Complications in Japanese Population: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2020, 12, 1687.	4.1	5
74	Malnutrition at Admission Predicts In-Hospital Falls in Hospitalized Older Adults. <i>Nutrients</i> , 2020, 12, 541.	4.1	21
75	Poor oral health and mortality in geriatric patients admitted to an acute hospital: an observational study. <i>BMC Geriatrics</i> , 2020, 20, 26.	2.7	36
76	The effects of promoting oral intake using the Kuchi-kara Taberu index, a comprehensive feeding assistant tool, in older pneumonia patients: a cluster randomized controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 36.	2.7	4
77	Tensor-Based Emotional Category Classification via Visual Attention-Based Heterogeneous CNN Feature Fusion. <i>Sensors</i> , 2020, 20, 2146.	3.8	2
78	Few-Shot Personalized Saliency Prediction Based on Adaptive Image Selection Considering Object and Visual Attention. <i>Sensors</i> , 2020, 20, 2170.	3.8	8
79	Nutritional Care for Aspiration Pneumonia: Can a Nutritional Approach Change the Clinical Course of Aspiration Pneumonia?. <i>Respiratory Disease Series</i> , 2020, , 193-203.	0.0	0
80	Impact of edema on length of calf circumference in older adults. <i>Geriatrics and Gerontology International</i> , 2019, 19, 993-998.	1.5	55
81	Burden of Premorbid Consumption of Texture Modified Diets in Daily Life on Nutritional Status and Outcomes of Hospitalization. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 973-978.	3.3	10
82	Association between Food Store Availability and the Incidence of Functional Disability among Community-Dwelling Older Adults: Results from the Japanese Gerontological Evaluation Cohort Study. <i>Nutrients</i> , 2019, 11, 2369.	4.1	10
83	Sarcopenia and dysphagia: Position paper by four professional organizations. <i>Geriatrics and Gerontology International</i> , 2019, 19, 91-97.	1.5	249
84	Safety of transcutaneous electrical sensory stimulation of the neck in terms of vital parameters in dysphagia rehabilitation. <i>Scientific Reports</i> , 2019, 9, 13481.	3.3	10
85	The Global Leadership Initiative on Malnutrition—Defined Malnutrition Predicts Prognosis in Persons With Stroke-Related Dysphagia. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1628-1633.	2.5	45
86	Relationship between nutritional status and improved ADL in individuals with cervical spinal cord injury in a convalescent rehabilitation ward. <i>Spinal Cord</i> , 2019, 57, 501-508.	1.9	12
87	Coefficient of Determination between Estimated and Measured Renal Function in Japanese Patients with Sarcopenia May Be Improved by Adjusting for Muscle Mass and Sex: A Prospective Study. <i>Biological and Pharmaceutical Bulletin</i> , 2019, 42, 1350-1357.	1.4	7
88	Comprehensive Geriatric Assessment and Nutrition-Related Assessment: A Cross-Sectional Survey for Health Professionals. <i>Geriatrics (Switzerland)</i> , 2019, 4, 23.	1.7	3
89	Impact of Body Mass Index on Activities of Daily Living in Inpatients with Acute Heart Failure. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 151-156.	3.3	18
90	Comprehensive Tool to Assess Oral Feeding Support for Functional Recovery in Post-acute Rehabilitation. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 426-431.	2.5	12

#	ARTICLE	IF	CITATIONS
91	Relationship Between Performance Improvement in Activities of Daily Living and Energy Intake in Older Patients With Hip Fracture Undergoing Rehabilitation. <i>Annals of Rehabilitation Medicine</i> , 2019, 43, 562-569.	1.6	2
92	Prevalence of sarcopenia and association with oral health-related quality of life and oral health status in older dental clinic outpatients. <i>Geriatrics and Gerontology International</i> , 2018, 18, 915-921.	1.5	27
93	Silent aspiration predicts mortality in older adults with aspiration pneumonia admitted to acute hospitals. <i>Geriatrics and Gerontology International</i> , 2018, 18, 828-832.	1.5	31
94	Nutritional status is associated with the return home in a long-term care health facility. <i>Journal of General and Family Medicine</i> , 2018, 19, 9-14.	0.8	4
95	Texture-modified diets are associated with decreased muscle mass in older adults admitted to a rehabilitation ward. <i>Geriatrics and Gerontology International</i> , 2018, 18, 698-704.	1.5	39
96	Cognitive impairment has no impact on hospital-associated dysphagia in aspiration pneumonia patients. <i>Geriatrics and Gerontology International</i> , 2018, 18, 233-239.	1.5	13
97	Home-based Combined Therapy with Rehabilitation and Aggressive Nutrition Management for a Parkinson's Disease Patient with Sarcopenic Dysphagia: A Case Report. <i>Progress in Rehabilitation Medicine</i> , 2018, 3, n/a.	0.9	6
98	Causal inference from an observational study of geriatric rehabilitation pharmacotherapy. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1307-1308.	1.5	1
99	Nutritional variables predict chances of returning home and activities of daily living in post-acute geriatric care. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 151-157.	2.9	22
100	Estimation of Deterioration Levels of Transmission Towers via Deep Learning Maximizing Canonical Correlation Between Heterogeneous Features. <i>IEEE Journal on Selected Topics in Signal Processing</i> , 2018, 12, 633-644.	10.8	15
101	Nutritional intake is associated with activities of daily living and complications in older inpatients with stroke. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1334-1339.	1.5	28
102	Rehabilitation nutrition support for a hemodialysis patient with protein-energy wasting and sarcopenic dysphagia: a case report. <i>Renal Replacement Therapy</i> , 2018, 4, .	0.7	8
103	Distress classification of class-imbalanced inspection data via correlation-maximizing weighted extreme learning machine. <i>Advanced Engineering Informatics</i> , 2018, 37, 79-87.	8.0	11
104	Sarcopenia and cachexia evaluation in different healthcare settings: a questionnaire survey of health professionals. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018, 27, 167-175.	0.4	11
105	Rehabilitation nutrition in pressure ulcer management with type 2 diabetes: a case report. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018, 27, 728-734.	0.4	3
106	Decreased Skeletal Muscle Mass and Risk Factors of Sarcopenic Dysphagia: A Prospective Observational Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, glw190.	3.6	70
107	Relationship between body mass index and functional recovery in stroke rehabilitation setting. <i>Disability and Rehabilitation</i> , 2017, 39, 1146-1147.	1.8	0
108	Cognitive impairment is independently associated with definitive and possible sarcopenia in hospitalized older adults: The prevalence and impact of comorbidities. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1048-1056.	1.5	32

#	ARTICLE	IF	CITATIONS
109	Relationship between sarcopenia and household status in community-dwelling older women. <i>Geriatrics and Gerontology International</i> , 2017, 17, 179-180.	1.5	0
110	Effects of aging and sarcopenia on strength of swallowing muscles in older adults. <i>Geriatrics and Gerontology International</i> , 2017, 17, 360-361.	1.5	2
111	Correlation between nutritional status and frailty regarding saliva secretion and occlusal force in community-dwelling older people. <i>Geriatrics and Gerontology International</i> , 2017, 17, 177-179.	1.5	1
112	Rehabilitation and nutritional support for sarcopenic dysphagia and tongue atrophy after glossectomy: A case report. <i>Nutrition</i> , 2017, 35, 128-131.	2.4	42
113	Predictive Accuracy of Calf Circumference Measurements to Detect Decreased Skeletal Muscle Mass and European Society for Clinical Nutrition and Metabolism-Defined Malnutrition in Hospitalized Older Patients. <i>Annals of Nutrition and Metabolism</i> , 2017, 71, 10-15.	1.9	73
114	Muscle Mass Loss Is a Potential Predictor of 90-Day Mortality in Older Adults with Aspiration Pneumonia. <i>Journal of the American Geriatrics Society</i> , 2017, 65, e18-e22.	2.6	71
115	Sarcopenia Is Highly Prevalent in Older Medical Patients With Mobility Limitation. <i>Nutrition in Clinical Practice</i> , 2017, 32, 110-115.	2.4	25
116	Nutrition Support Team Intervention Improves Activities of Daily Living in Older Patients Undergoing In-Patient Rehabilitation in Japan: A Retrospective Cohort Study. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2017, 36, 166-177.	1.0	4
117	Feeding Support Team for Frail, Disabled, or Elderly People during the Early Phase of a Disaster. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 242, 259-261.	1.2	10
118	Interferential current sensory stimulation, through the neck skin, improves airway defense and oral nutrition intake in patients with dysphagia: a double-blind randomized controlled trial. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1879-1886.	2.9	30
119	Impact of a multidisciplinary rehabilitation nutrition team on evaluating sarcopenia, cachexia and practice of rehabilitation nutrition. <i>Journal of Medical Investigation</i> , 2017, 64, 140-145.	0.5	13
120	Multidisciplinary Comprehensive Care for Early Resumption of Oral Intake in Older Adults With Severe Pneumonia. <i>Journal of Gerontological Nursing</i> , 2016, 42, 21-29.	0.6	9
121	Association Between Protein Intake, Occlusal Force, and Walking Speed in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1381-1382.	2.6	0
122	The Relevance of Nutritional Status and Inactivity to Changes in Quadriceps Muscle Thickness in Patients after Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 2566-2567.	1.6	0
123	Reliability and Validity of a Simplified Comprehensive Assessment Tool for Feeding Support: Kuchi-Kara Taberu Index. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e248-e252.	2.6	24
124	Swallowing function, skeletal muscle mass and sarcopenia in older adults requiring long-term care. <i>Geriatrics and Gerontology International</i> , 2016, 16, 1175-1176.	1.5	2
125	The relevance of muscle mass and quality to postoperative complications after open colon resection. <i>International Journal of Colorectal Disease</i> , 2016, 31, 1541-1542.	2.2	0
126	Effect of early nutritional follow-up after discharge on activities of daily living in malnourished, independent, geriatric patients: Are activities of daily living only affected by nutrition intervention?. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 583.	3.3	0

#	ARTICLE	IF	CITATIONS
127	High Nutritional-Related Risk on Admission Predicts Less Improvement of Functional Independence Measure in Geriatric Stroke Patients: A Retrospective Cohort Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 1335-1341.	1.6	56
128	Sarcopenia Is a Possible Independent Risk Factor of Cognitive Decline in Community-Dwelling Older People. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 559-560.	2.5	0
129	Rehabilitation nutrition for undernourished participants in nursing home and home care: Cluster randomized controlled study. <i>Nutrition</i> , 2016, 32, 503.	2.4	2
130	Pulmonary rehabilitation and oral nutritional supplement enriched with beta-hydroxy-beta-methylbutyrate for bronchiectasis participants: A prospective, randomised study. <i>Clinical Nutrition</i> , 2016, 35, 767-768.	5.0	1
131	Associations between tongue strength and swallowing difficulty in the older adults receiving long-term care. <i>Clinical Nutrition</i> , 2016, 35, 772-773.	5.0	1
132	Treatment of Sarcopenic Dysphagia with Rehabilitation and Nutritional Support: A Comprehensive Approach. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 573-577.	0.8	54
133	Availability of Early, Intensive, and Continuous Nutrition Management for Fournier's Gangrene with Rectal Cancer: A Case Report. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016, 116, 909-916.	0.8	3
134	Tentative nil per os leads to poor outcomes in older adults with aspiration pneumonia. <i>Clinical Nutrition</i> , 2016, 35, 1147-1152.	5.0	76
135	Nutritional Improvement and Energy Intake Are Associated with Functional Recovery in Patients after Cerebrovascular Disorders. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 57-62.	1.6	87
136	Sarcopenia is an independent risk factor of dysphagia in hospitalized older people. <i>Geriatrics and Gerontology International</i> , 2016, 16, 515-521.	1.5	182
137	Early Commencement of Oral Intake and Physical Function are Associated with Early Hospital Discharge with Oral Intake in Hospitalized Elderly Individuals with Pneumonia. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2183-2185.	2.6	38
138	Combined intervention of protein supplementation and resistance training in medical patients. <i>Clinical Nutrition</i> , 2015, 34, 1033-1034.	5.0	0
139	Combined intervention of whey protein intake and rehabilitation in female patients with hip fracture in the early postoperative period. <i>Clinical Nutrition</i> , 2015, 34, 1278-1279.	5.0	0
140	Changes in body composition in heart failure patients after a resistance exercise program and branched chain amino acid supplementation – Letter to Editor. <i>Clinical Nutrition</i> , 2015, 34, 779-780.	5.0	1
141	Angiotensin-Converting Enzyme Inhibitor in Tube-Fed Patients With Stroke History. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 896-897.	2.5	2
142	Decreased Tongue Pressure is Associated with Sarcopenia and Sarcopenic Dysphagia in the Elderly. <i>Dysphagia</i> , 2015, 30, 80-87.	1.8	197
143	Oral Care May Reduce Pneumonia in the Tube-fed Elderly: A Preliminary Study. <i>Dysphagia</i> , 2014, 29, 616-621.	1.8	44
144	Proinflammatory role of trypsin and protease-activated receptor-2 in a rat model of acute pancreatitis. <i>Suizo</i> , 2006, 21, 33-34.	0.1	0

#	ARTICLE	IF	CITATIONS
145	Discussion on Applicability of Disseminated Intravascular Coagulation Parameters in the Assessment of the Severity of Acute Pancreatitis. <i>Pancreas</i> , 2006, 33, 107-108.	1.1	2
146	Applicability of Disseminated Intravascular Coagulation Parameters in the Assessment of the Severity of Acute Pancreatitis. <i>Pancreas</i> , 2006, 32, 87-92.	1.1	85
147	Applicability of disseminated intravascular coagulation parameters in the assessment of the severity of acute pancreatitis. <i>Suizo</i> , 2006, 21, 461-462.	0.1	0
148	Proinflammatory Role of Trypsin and Protease-activated Receptor-2 in a Rat Model of Acute Pancreatitis. <i>Pancreas</i> , 2005, 31, 54-62.	1.1	38
149	CLINICAL PERSPECTIVE OF PANCREATIC CANCER: A RECOLLECTING REPORT FROM THE RECORDS OF OUR DEPARTMENT DURING THE LAST 25 YEARS. <i>Pancreas</i> , 2005, 31, 4.	1.1	1
150	The effect of TNF- α converting enzyme inhibitors on cytokine response in acute pancreatitis. <i>International Congress Series</i> , 2003, 1255, 173-175.	0.2	3