

Adrian C Davis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1021665/publications.pdf>

Version: 2024-02-01

182
papers

92,369
citations

31976

53
h-index

4117

175
g-index

189
all docs

189
docs citations

189
times ranked

120803
citing authors

#	ARTICLE	IF	CITATIONS
1	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260.	13.7	9,397
2	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 766-781.	13.7	9,122
3	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	13.7	8,569
4	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	13.7	7,061
5	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.	13.7	6,376
6	Global, regional, and national ageâ€“sex specific all-cause and cause-specific mortality for 240 causes of death, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	13.7	5,847
7	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	13.7	5,298
8	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
9	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	13.7	4,951
10	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	13.7	4,934
11	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	13.7	4,203
12	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
13	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	13.7	1,612
14	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990â€“2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	13.7	1,544
15	Auditory and non-auditory effects of noise on health. Lancet, The, 2014, 383, 1325-1332.	13.7	1,418
16	Global, regional, and national levels and causes of maternal mortality during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	13.7	1,230
17	Acceptability, benefit and costs of early screening for hearing disability: a study of potential screening tests and models. Health Technology Assessment, 2007, 11, 1-294.	2.8	1,026
18	Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2129-2143.	13.7	1,013

#	ARTICLE	IF	CITATIONS
19	Disability weights for the Global Burden of Disease 2013 study. <i>The Lancet Global Health</i> , 2015, 3, e712-e723.	6.3	783
20	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2014, 384, 957-979.	13.7	609
21	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1725-1774.	13.7	571
22	Global and regional hearing impairment prevalence: an analysis of 42 studies in 29 countries. <i>European Journal of Public Health</i> , 2013, 23, 146-152.	0.3	494
23	UK health performance: findings of the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2013, 381, 997-1020.	13.7	479
24	The Prevalence of Hearing Impairment and Reported Hearing Disability among Adults in Great Britain. <i>International Journal of Epidemiology</i> , 1989, 18, 911-917.	1.9	452
25	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1813-1850.	13.7	413
26	Prevalence of permanent childhood hearing impairment in the United Kingdom and implications for universal neonatal hearing screening: questionnaire based ascertainment study Commentary: Universal newborn hearing screening: implications for coordinating and developing services for deaf and hearing impaired children. <i>BMJ: British Medical Journal</i> , 2001, 323, 536-536.	2.3	404
27	Developmental disabilities among children younger than 5 years in 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>The Lancet Global Health</i> , 2018, 6, e1100-e1121.	6.3	384
28	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2021, 397, 996-1009.	13.7	358
29	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 2091-2138.	13.7	335
30	Five insights from the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2020, 396, 1135-1159.	13.7	335
31	Changes in health in England, with analysis by English regions and areas of deprivation, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2015, 386, 2257-2274.	13.7	279
32	Aging and Hearing Health: The Life-course Approach. <i>Gerontologist</i> , The, 2016, 56, S256-S267.	3.9	249
33	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2021, 398, 870-905.	13.7	229
34	Hearing loss grades and the International classification of functioning, disability and health. <i>Bulletin of the World Health Organization</i> , 2019, 97, 725-728.	3.3	227
35	The prevalence of ear, nose and throat problems in the community: results from a national cross-sectional postal survey in Scotland. <i>Family Practice</i> , 2005, 22, 227-233.	1.9	215
36	Changes in health in the countries of the UK and 150 English Local Authority areas 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2018, 392, 1647-1661.	13.7	192

#	ARTICLE	IF	CITATIONS
37	Epidemiology of Permanent Childhood Hearing Impairment in Trent Region, 1985–1993. <i>International Journal of Audiology</i> , 1997, 31, 409-446.	0.7	191
38	The epidemiology of childhood hearing impairment: Factors relevant to planning of services. <i>International Journal of Audiology</i> , 1992, 26, 77-90.	0.7	164
39	Life-course influences on health in British adults: effects of socio-economic position in childhood and adulthood. <i>International Journal of Epidemiology</i> , 2007, 36, 532-539.	1.9	157
40	The epidemiology of hearing impairment in an Australian adult population. <i>International Journal of Epidemiology</i> , 1999, 28, 247-252.	1.9	149
41	Noise-induced hearing loss. <i>Noise and Health</i> , 2012, 14, 274.	0.5	144
42	Hearing in Middle Age. <i>Ear and Hearing</i> , 2014, 35, e44-e51.	2.1	135
43	Hearing loss: rising prevalence and impact. <i>Bulletin of the World Health Organization</i> , 2019, 97, 646-646A.	3.3	135
44	Current practice, accuracy, effectiveness and cost-effectiveness of the school entry hearing screen. <i>Health Technology Assessment</i> , 2007, 11, 1-168, iii-iv.	2.8	109
45	Global Burden of Childhood Epilepsy, Intellectual Disability, and Sensory Impairments. <i>Pediatrics</i> , 2020, 146, e20192623.	2.1	104
46	The effects of hearing loss and age of intervention on some language metrics in young hearing-impaired children. <i>International Journal of Audiology</i> , 1992, 26, 97-107.	0.7	102
47	A novel mutation in the mitochondrial tRNASer(LCN) gene in a family with non-syndromic sensorineural hearing impairment. <i>Journal of Medical Genetics</i> , 2000, 37, 692-694.	3.2	102
48	Comparing Utility Scores Before and After Hearing-Aid Provision. <i>Applied Health Economics and Health Policy</i> , 2004, 3, 103-105.	2.1	93
49	Performance and characteristics of the Newborn Hearing Screening Programme in England: The first seven years. <i>International Journal of Audiology</i> , 2015, 54, 353-358.	1.7	88
50	Handedness as a Function of Twinning, Age and Sex. <i>Cortex</i> , 1994, 30, 105-111.	2.4	72
51	Hearing impairment in children after bacterial meningitis: Incidence and resource implications. <i>International Journal of Audiology</i> , 1993, 27, 43-52.	0.7	68
52	Lifecourse influences on health among British adults: Effects of region of residence in childhood and adulthood. <i>International Journal of Epidemiology</i> , 2007, 36, 522-531.	1.9	61
53	Hearing loss and paid employment: Australian population survey findings. <i>International Journal of Audiology</i> , 2009, 48, 117-122.	1.7	59
54	Global and regional needs, unmet needs and access to hearing aids. <i>International Journal of Audiology</i> , 2020, 59, 166-172.	1.7	59

#	ARTICLE	IF	CITATIONS
55	Congenital non-syndromal sensorineural hearing impairment due to connexin 26 gene mutations – molecular and audiological findings. <i>International Journal of Pediatric Otorhinolaryngology</i> , 1999, 50, 3-13.	1.0	57
56	Field Sensitivity of Targeted Neonatal Hearing Screening by Transient-Evoked Otoacoustic Emissions. <i>Ear and Hearing</i> , 1997, 18, 265-276.	2.1	55
57	A comparison of the quality of life of hearing-impaired people as estimated by three different utility measures Un comparaci3n de la calidad de vida de personas con trastornos auditivos estimada por tres diferentes medidas de utilidad. <i>International Journal of Audiology</i> , 2005, 44, 157-163.	1.7	55
58	Feasibility and acceptability of targeted screening for congenital CMV-related hearing loss. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2014, 99, F230-F236.	2.8	55
59	Multiple work-related accidents: tracing the role of hearing status and noise exposure. <i>Occupational and Environmental Medicine</i> , 2009, 66, 319-324.	2.8	53
60	Estrogen-related receptor gamma and hearing function: evidence of a role in humans and mice. <i>Neurobiology of Aging</i> , 2013, 34, 2077.e1-2077.e9.	3.1	53
61	Epidemiology of bacterial meningitis.. <i>Archives of Disease in Childhood</i> , 1993, 68, 763-767.	1.9	52
62	A questionnaire study of the quality of life and quality of family life of individuals complaining of tinnitus pre- and postattendance at a tinnitus clinic. <i>International Journal of Audiology</i> , 2004, 43, 410-416.	1.7	51
63	Screening for hearing loss in childhood: issues, evidence and current approaches in the UK. <i>Journal of Medical Screening</i> , 2005, 12, 119-124.	2.3	51
64	Hearing Disorders in the Population: First Phase Findings of the MRC National Study of Hearing. , 1983, , 35-60.		48
65	EPIDEMIOLOGY OF BACTERIAL MENINGITIS. <i>Infectious Disease Clinics of North America</i> , 1999, 13, 515-525.	5.1	48
66	The impact of hearing impairment: a global health problem. <i>International Journal of Pediatric Otorhinolaryngology</i> , 1999, 49, S51-S54.	1.0	48
67	Evidence for Health II: Overcoming barriers to using evidence in policy and practice. <i>Health Research Policy and Systems</i> , 2016, 14, 17.	2.8	48
68	The High Prevalence of Hearing Disorders and its Implications for Services in the UK. <i>International Journal of Audiology</i> , 1981, 15, 241-251.	0.7	47
69	Hearing disability in people aged 50-65: effectiveness and acceptability of rehabilitative intervention.. <i>BMJ: British Medical Journal</i> , 1990, 300, 508-511.	2.3	47
70	First estimates of the potential cost and cost saving of protecting childhood hearing from damage caused by congenital CMV infection. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2015, 100, F501-F506.	2.8	47
71	Longitudinal study of hearing. <i>Acta Oto-Laryngologica</i> , 1991, 111, 12-22.	0.9	46
72	The Distribution of Hearing Threshold Levels in the General Population Aged 18-30 Years. <i>International Journal of Audiology</i> , 1994, 33, 327-350.	1.7	46

#	ARTICLE	IF	CITATIONS
73	False positives in universal neonatal screening for permanent childhood hearing impairment. <i>Lancet, The</i> , 2000, 356, 1903-1904.	13.7	44
74	Socioeconomic differences in hearing among middle-aged and older adults: cross-sectional analyses using the Health Survey for England. <i>BMJ Open</i> , 2018, 8, e019615.	1.9	44
75	The prevalence and type of social noise exposure in young adults in England. <i>Noise and Health</i> , 2000, 2, 41-56.	0.5	43
76	Population study of the ability to benefit from amplification and the provision of a hearing aid in 55-74-year-old first-time hearing aid users. <i>International Journal of Audiology</i> , 2003, 42, 39-52.	1.7	40
77	Hearing in 44-45 year olds with m.1555A>G, a genetic mutation predisposing to aminoglycoside-induced deafness: a population based cohort study. <i>BMJ Open</i> , 2012, 2, e000411.	1.9	40
78	Epidemiological profile of hearing impairments: The scale and nature of the problem with special reference to the elderly. <i>Acta Oto-Laryngologica</i> , 1991, 111, 23-31.	0.9	39
79	Hearing impairments in middle age: The acceptability, benefit and cost of detection (ABCD). <i>International Journal of Audiology</i> , 1992, 26, 1-14.	0.7	39
80	Hair Cell Distributions in the Normal Human Cochlea: A Report of a European Working Group. <i>Acta Oto-Laryngologica</i> , 1987, 104, 15-24.	0.9	37
81	Genome-wide association analysis on normal hearing function identifies <i>PCDH20</i> and <i>SLC28A3</i> as candidates for hearing function and loss. <i>Human Molecular Genetics</i> , 2015, 24, 5655-5664.	2.9	37
82	Follow up of people fitted with hearing aids after adult hearing screening: the need for support after fitting. <i>BMJ: British Medical Journal</i> , 2002, 325, 471-471.	2.3	36
83	Accelerating progress on early childhood development for children under 5 years with disabilities by 2030. <i>The Lancet Global Health</i> , 2022, 10, e438-e444.	6.3	36
84	The costs of early hearing screening in England and Wales. <i>Archives of Disease in Childhood</i> , 1998, 78, 14-19.	1.9	35
85	The newborn hearing screening programme in England. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2003, 67, S193-S196.	1.0	33
86	Field Sensitivity of Targeted Neonatal Hearing Screening using the Nottingham ABR Screener. <i>Ear and Hearing</i> , 1998, 19, 91-102.	2.1	32
87	Universal Neonatal Hearing Screening. <i>American Journal of Audiology</i> , 2001, 10, 3-12.	1.2	32
88	Adult Hearing Screening: Health Policy Issues-What Happens Next?1. <i>American Journal of Audiology</i> , 2013, 22, 167-170.	1.2	32
89	Hearing loss in patients with diabetic retinopathy. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 1983, 4, 342-346.	1.3	31
90	Behavioural and Autonomic Responses to Sound in Pre-Term and Full-Term Babies. <i>International Journal of Audiology</i> , 1997, 31, 315-329.	0.7	31

#	ARTICLE	IF	CITATIONS
91	Spectro-temporal analysis in normal hearing and cochlear-impaired listeners. <i>Journal of the Acoustical Society of America</i> , 1988, 84, 1325-1331.	1.1	30
92	A retrospective case-controlled study of 1490 consecutive patients presenting to a Neuro-Otology Clinic to examine the relationship between blood lipid levels and sensorineural hearing loss. <i>Clinical Otolaryngology</i> , 2000, 25, 511-517.	0.0	30
93	Hearing Aid Possession in the Population: Lessons from a Small Country: Posesi3n de auxiliares auditivos en la poblaci3n: Lecciones de un peque1o pais. <i>International Journal of Audiology</i> , 2001, 40, 104-111.	1.7	28
94	Interventions following hearing screening in adults: A systematic descriptive review. <i>International Journal of Audiology</i> , 2011, 50, 594-609.	1.7	28
95	Performance of neonatal and infant hearing screens: sensitivity and specificity. <i>International Journal of Audiology</i> , 2001, 35, 3-15.	0.7	26
96	Systematic review of the clinical and cost effectiveness of digital hearing aids. <i>International Journal of Audiology</i> , 2001, 35, 271-288.	0.7	25
97	Results From England's 2016 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2016, 13, S143-S149.	2.0	24
98	Bilateral or unilateral amplification: Is there a difference? A brief tutorial. <i>International Journal of Audiology</i> , 2006, 45, 3-11.	1.7	23
99	Effectiveness of targeted surveillance to identify moderate to profound permanent childhood hearing impairment in babies with risk factors who pass newborn screening. <i>International Journal of Audiology</i> , 2013, 52, 394-399.	1.7	23
100	The future role of genetic screening to detect newborns at risk of childhood-onset hearing loss. <i>International Journal of Audiology</i> , 2013, 52, 124-133.	1.7	23
101	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020, 8, e1038-e1060.	6.3	23
102	Acceptability of Binaural Hearing Aids: A Cross-Over Study. <i>Journal of the Royal Society of Medicine</i> , 1991, 84, 267-269.	2.0	22
103	Can social marketing make 20mph the new norm?. <i>Journal of Transport and Health</i> , 2014, 1, 165-173.	2.2	22
104	Evidence for Health I: Producing evidence for improving health and reducing inequities. <i>Health Research Policy and Systems</i> , 2016, 14, 18.	2.8	22
105	Universal Hearing Health Care: China. <i>ASHA Leader</i> , 2008, 13, 14-14.	0.1	22
106	Evaluating the feasibility of integrating salivary testing for congenital CMV into the Newborn Hearing Screening Programme in the UK. <i>European Journal of Pediatrics</i> , 2015, 174, 1117-1121.	2.7	21
107	Magnitude of diotic summation in speech-in-noise tasks: Performance region and appropriate baseline. <i>International Journal of Audiology</i> , 1990, 24, 11-16.	0.7	20
108	Epidemiology of Permanent Childhood Hearing Impairment in Estonia, 1985-1990: Epidemiologia de los trastornos auditivos permanentes de la infancia en Estonia (1985-1990). <i>International Journal of Audiology</i> , 2000, 39, 192-197.	1.7	19

#	ARTICLE	IF	CITATIONS
109	Is the relation of social class to change in hearing threshold levels from childhood to middle age explained by noise, smoking, and drinking behaviour?. <i>International Journal of Audiology</i> , 2008, 47, 100-108.	1.7	19
110	Clinical Characterization of the Hearing of the Adult British Population1. <i>Advances in Oto-Rhino-Laryngology</i> , 1983, 31, 217-223.	1.6	17
111	Hearing loss and motorcyclists. <i>Journal of Laryngology and Otology</i> , 1995, 109, 599-604.	0.8	17
112	Adult Hearing Screening: What comes next?. <i>International Journal of Audiology</i> , 2011, 50, 610-612.	1.7	17
113	A prospective case-controlled study of patients presenting with idiopathic sensorineural hearing loss to examine the relationship between hyperlipidaemia and sensorineural hearing loss 1. <i>Clinical Otolaryngology</i> , 1999, 24, 531-536.	0.0	16
114	Reliability of the Home Hearing Test: Implications for Public Health. <i>Journal of the American Academy of Audiology</i> , 2018, 30, 208-216.	0.7	16
115	Genetics and deafness: what do families want?. <i>Journal of Medical Genetics</i> , 2000, 37, 26e-26.	3.2	15
116	A Multicenter Trial of an Assess-and-Fit Hearing Aid Service Using Open Canal Fittings and Comply Ear Tips. <i>Trends in Amplification</i> , 2008, 12, 121-136.	2.4	15
117	Support and compliance with 20mph speed limits in Great Britain. <i>Transportation Research Part F: Traffic Psychology and Behaviour</i> , 2015, 31, 36-53.	3.7	15
118	Transient-Evoked Otoacoustic Emissions in a Representative Population Sample Aged 18 to 25 Years: Emisiones otoacústicas evocadas por transitorios en una muestra representativa de población con edades entre 18 y 25 años. <i>International Journal of Audiology</i> , 2000, 39, 125-134.	1.7	14
119	Hearing impairment among adults - extent of the problem and scientific evidence on the outcome of hearing aid rehabilitation. <i>Scandinavian Audiology</i> , 2001, 30, 8-15.	0.5	14
120	Early Detection of Hearing Impairment: What Role Is There for Behavioural Methods in the Neonatal Period?. <i>Acta Oto-Laryngologica</i> , 1991, 111, 103-110.	0.9	13
121	Hearing Impairment and the Log-Normal Distribution. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 1996, 45, 203.	1.0	13
122	Preschool hearing, speech, language, and vision screening. <i>Quality and Safety in Health Care</i> , 1998, 7, 240-247.	2.5	13
123	A prospective case-control study of 50 consecutive patients presenting with hyperlipidaemia. <i>Clinical Otolaryngology</i> , 2001, 26, 189-196.	0.0	13
124	Evaluation of a hearing screener. <i>Audiological Medicine</i> , 2008, 6, 115-119.	0.4	13
125	Clinically targeted screening for congenital CMV - potential for integration into the National Hearing Screening Programme. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, 928-933.	1.5	13
126	The conundrum of a global tool for early childhood development to monitor SDG indicator 4.2.1. <i>The Lancet Global Health</i> , 2021, 9, e586-e587.	6.3	13

#	ARTICLE	IF	CITATIONS
127	Children who could benefit from a cochlear implant: a European estimate of projected numbers, cost and relevant characteristics. <i>International Journal of Pediatric Otorhinolaryngology</i> , 1995, 31, 221-233.	1.0	12
128	Changing Performance of the Health Visitor Distraction Test When Targeted Neonatal Screening is Introduced into a Health District. <i>International Journal of Audiology</i> , 1997, 31, 55-61.	0.7	12
129	Diagnosing Patients with Age-Related Hearing Loss and Tinnitus: Supporting GP Clinical Engagement through Innovation and Pathway Redesign in Audiology Services. <i>International Journal of Otolaryngology</i> , 2012, 2012, 1-5.	0.9	12
130	Adult Hearing Screening: Follow-Up and Outcomes ¹ . <i>American Journal of Audiology</i> , 2013, 22, 183-185.	1.2	12
131	The benefits of using bluetooth accessories with hearing aids. <i>International Journal of Audiology</i> , 2014, 53, 770-773.	1.7	12
132	Evidence for Health III: Making evidence-informed decisions that integrate values and context. <i>Health Research Policy and Systems</i> , 2016, 14, 16.	2.8	12
133	Provision of hearing aid services: a comparison between the Nordic countries and the United Kingdom. <i>Scandinavian Audiology</i> , 2001, 30, 16-20.	0.5	11
134	Evaluation of an intervention to promote walking during the commute to work: a cluster randomised controlled trial. <i>BMC Public Health</i> , 2019, 19, 427.	2.9	11
135	Visual, hearing, and dual sensory impairment are associated with higher depression and anxiety in women. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1378-1385.	2.7	11
136	Patient Preferences for Direct Hearing Aid Provision by a Private Dispenser. A Discrete Choice Experiment. <i>Ear and Hearing</i> , 2008, 29, 557-564.	2.1	10
137	The epidemiology of hearing and balance disorders. , 2002, , 89-99.		10
138	Clinical Pure-Tone versus Three-Interval Forced-Choice Thresholds: Effects of Hearing Level and Age. <i>International Journal of Audiology</i> , 1992, 31, 31-44.	1.7	9
139	The feasibility of evoked otoacoustic emissions as an in-patient hearing check after meningitis. <i>International Journal of Audiology</i> , 1993, 27, 227-231.	0.7	9
140	Population-Based Genetic Study of Childhood Hearing Impairment in the Trent Region of the United Kingdom: Estudio Genetico Sobre Sordera Infantil en una Poblacion de la Region de Trent en el Reino Unido. <i>International Journal of Audiology</i> , 2000, 39, 226-231.	1.7	9
141	Results From England's 2018 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2018, 15, S347-S349.	2.0	9
142	A Life Course Approach to Hearing Health. , 2018, , 349-373.		9
143	Screening for congenital hearing impairment: time for a change. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 1998, 79, F73-F76.	2.8	8
144	Neonatal Hearing Screening: A Step Towards Better Services for Children and Families. <i>International Journal of Audiology</i> , 1998, 32, 1-6.	0.7	8

#	ARTICLE	IF	CITATIONS
145	A prospective case-controlled study of 197 men, 50-60 years old, selected at random from a population at risk from hyperlipidaemia to examine the relationship between hyperlipidaemia and sensorineural hearing loss 1. <i>Clinical Otolaryngology</i> , 1999, 24, 449-456.	0.0	8
146	Survey of Adult Hearing Aid Service Expenditure and Provision in Denmark, Finland and the UK. <i>Audiological Medicine</i> , 2003, 1, 107-114.	0.4	8
147	A simple method to estimate noise levels in the workplace based on self-reported speech communication effort in noise. <i>International Journal of Audiology</i> , 2019, 58, 450-453.	1.7	8
148	Combined Vision and Hearing Difficulties Results in Higher Levels of Depression and Chronic Anxiety: Data From a Large Sample of Spanish Adults. <i>Frontiers in Psychology</i> , 2020, 11, 627980.	2.1	8
149	Detecting hearing-impairment in neonates -the statistical decision criterion for the Auditory Response Cradle. <i>International Journal of Audiology</i> , 1984, 18, 163-168.	0.7	7
150	Social noise and hearing loss. <i>Lancet, The</i> , 1999, 353, 1185.	13.7	7
151	Hearing in Adults: A Digital Reprint of the Main Report From the MRC National Study of Hearing. <i>Trends in Hearing</i> , 2019, 23, 233121651988761.	1.3	7
152	Universal Hearing Health Care: Where Do Audiology and Hearing Aids Fit?. <i>ASHA Leader</i> , 2008, 13, 14-15.	0.1	7
153	“Clustering” Real or Apparent?: Probability Maps of Childhood Cancer in the West Midlands Health Authority Region. <i>International Journal of Epidemiology</i> , 1990, 19, 853-859.	1.9	6
154	Assessing service quality in paediatric audiology and early deaf education. <i>International Journal of Audiology</i> , 2001, 35, 329-338.	0.7	6
155	The influence of a perceived family history of hearing difficulties in an epidemiological study of hearing problems. <i>Audiological Medicine</i> , 2003, 1, 228-231.	0.4	6
156	The Effect of Childhood Infection on Hearing Function at Age 61 to 63 Years in the Newcastle Thousand Families Study. <i>Ear and Hearing</i> , 2015, 36, 185-190.	2.1	6
157	A workplace-based intervention to increase levels of daily physical activity: the Travel to Work cluster RCT. <i>Public Health Research</i> , 2019, 7, 1-128.	1.3	6
158	Vicious or virtuous circles? Exploring the vulnerability of drivers to break low urban speed limits. <i>Transportation Research, Part A: Policy and Practice</i> , 2016, 91, 195-212.	4.2	5
159	Frequency-resolving ability in systemic lupus erythematosus. <i>International Journal of Audiology</i> , 1989, 23, 69-72.	0.7	4
160	The impact of hearing impairment on television viewing in the UK. <i>International Journal of Audiology</i> , 1993, 27, 163-173.	0.7	4
161	Adult Hearing Screening: The Cyprus Pilot Program. <i>Audiology Research</i> , 2011, 1, 69-70.	1.8	4
162	Gender differences in the association between physical activity and obesity in adults with vision and hearing losses. <i>European Journal of Public Health</i> , 2021, 31, 835-840.	0.3	4

#	ARTICLE	IF	CITATIONS
163	Routine ultrasound scanning in pregnancy: Link with left handedness not established. <i>BMJ: British Medical Journal</i> , 1993, 307, 1562-1562.	2.3	3
164	Anomalous Screening Outcomes from Click-Evoked Otoacoustic Emissions and Auditory Brainstem Response Tests. <i>International Journal of Audiology</i> , 1998, 32, 399-410.	0.7	3
165	NHS Health Check programme: too early to conclude. <i>BMJ, The</i> , 2014, 349, g4785-g4785.	6.0	3
166	Sudden infant death syndrome (SIDS) and the routine otoacoustic emission infant hearing screening test: an epidemiological retrospective case-control study. <i>BMJ Open</i> , 2019, 9, e030026.	1.9	3
167	Targeted salivary screening for congenital CMV in the UK is feasible, acceptable and may improve hearing outcomes. <i>Archives of Disease in Childhood</i> , 2012, 97, A31.1-A31.	1.9	3
168	Reaction time as an indicator of access to frequency-resolved information. <i>International Journal of Audiology</i> , 1988, 22, 305-308.	0.7	2
169	An Australian Community Study of Parkinson's Disease: 1. Disease Severity and Functional Disability.. <i>Australian Journal on Ageing</i> , 1996, 15, 22-26.	0.3	2
170	Poor data produce poor models: children with developmental disabilities deserve better – Authors' reply. <i>The Lancet Global Health</i> , 2019, 7, e189.	6.3	2
171	The newborn hearing screening programme in England. <i>International Congress Series</i> , 2003, 1254, 335-339.	0.2	1
172	The epidemiology of hearing problems: how should we investigate it?. <i>Acta Oto-Laryngologica</i> , 2004, 124, 11-15.	0.9	1
173	Study finds compliant eartips can be used instead of custom earmolds. <i>Hearing Journal</i> , 2008, 61, 27-28.	0.1	1
174	Letter of Response to Chan et al.'s paper regarding Rhode Island Newborn Hearing screening finding and the Sudden Infant Death Syndrome. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013, 77, 613-614.	1.0	1
175	Universal Hearing Health Care: United Kingdom. <i>ASHA Leader</i> , 2008, 13, 16-16.	0.1	1
176	BMI over the lifecourse and hearing ability at age 45 years: a population based study. <i>Longitudinal and Life Course Studies</i> , 2011, 2, .	0.6	1
177	Deafness, Children and the Family. A Guide to Professional Practice. <i>Archives of Disease in Childhood</i> , 1995, 73, 383-384.	1.9	0
178	Study finds insufficient evidence regarding community provision of hearing aids. <i>Evidence-Based Healthcare and Public Health</i> , 2000, 4, 80.	0.0	0
179	The Epidemiology of Hearing in Aging Population. , 0, , 1211-1218.		0
180	Setting the record straight on measuring SDG 4.2.1 – Authors' reply. <i>The Lancet Global Health</i> , 2021, 9, e912.	6.3	0

#	ARTICLE	IF	CITATIONS
181	Elements of statistical treatment of speech and hearing science data. Stammering Research: an on-line Journal Published By the British Stammering Association, 2005, 1, 333-343.	0.8	0
182	Global investment to reduce the burden of hearing loss. The Lancet Global Health, 2022, 10, e4-e5.	6.3	0