

Willem van Mechelen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1022563/publications.pdf>

Version: 2024-02-01

486
papers

34,724
citations

3151

92
h-index

6128

159
g-index

498
all docs

498
docs citations

498
times ranked

31410
citing authors

#	ARTICLE	IF	CITATIONS
1	Accessing healthcare as a person with a rugby-related spinal cord injury in South Africa: the injured player's perspective. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 1639-1655.	0.6	1
2	Trail running injury risk factors: a living systematic review. <i>British Journal of Sports Medicine</i> , 2022, 56, 577-587.	3.1	14
3	Facilitators and barriers for the implementation of exercise as medicine in routine clinical care in Dutch university medical centres: a mixed methodology study on clinicians' perceptions. <i>BMJ Open</i> , 2022, 12, e052920.	0.8	6
4	Development of a trail running injury screening instrument: A multiple methods approach. <i>Physical Therapy in Sport</i> , 2022, 56, 60-75.	0.8	1
5	BokSmart rugby safety education courses are associated with improvements in behavioural determinants in attending coaches and referees: presurvey vs postsurvey study. <i>Injury Prevention</i> , 2021, 27, injuryprev-2020-043903.	1.2	2
6	In your shoes: A qualitative study on the perspectives of professional dancers and staff regarding dance injury and its prevention. <i>Translational Sports Medicine</i> , 2021, 4, 386-394.	0.5	10
7	Associations Between Self-Reported Sleep Duration and Mortality in Employed Individuals: Systematic Review and Meta-Analysis. <i>American Journal of Health Promotion</i> , 2021, 35, 853-865.	0.9	14
8	Epidemiology of Injury and Illness Among Trail Runners: A Systematic Review. <i>Sports Medicine</i> , 2021, 51, 917-943.	3.1	22
9	The mediating role of lifestyle in the relationship between shift work, obesity and diabetes. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 1287-1295.	1.1	23
10	Can we explain running-related injury preventive behavior? A path analysis. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 601-609.	1.1	2
11	The Association Between the Acute:Chronic Workload Ratio and Running-Related Injuries in Dutch Runners: A Prospective Cohort Study. <i>Sports Medicine</i> , 2021, 51, 2437-2447.	3.1	6
12	Willingness to Participate in Alcohol Prevention Interventions Targeting Risky Drinking Employees. The WIRUS Project. <i>Frontiers in Public Health</i> , 2021, 9, 692605.	1.3	3
13	Association between self-reported sleep duration and cardiometabolic risk in corporate executives. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 1809-1821.	1.1	1
14	A retrospective analysis of injury risk in physical education teacher education students between 2000-2014. <i>Translational Sports Medicine</i> , 2021, 4, 597-605.	0.5	2
15	Epidemiology, Clinical Characteristics, and Risk Factors for Running-Related Injuries among South African Trail Runners. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12620.	1.2	8
16	336...Epidemiology of injury and illness among trail runners: a systematic review. , 2021, , .		0
17	Contributions of changes in physical activity, sedentary time, diet and body weight to changes in cardiometabolic risk. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 166.	2.0	3
18	Letting the cat out of the bag: athletes, coaches and physiotherapists share their perspectives on injury prevention in elite sports. <i>British Journal of Sports Medicine</i> , 2020, 54, 871-877.	3.1	74

#	ARTICLE	IF	CITATIONS
19	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 303-314.	0.2	50
20	Physical activity in patients with cancer: self-report versus accelerometer assessments. <i>Supportive Care in Cancer</i> , 2020, 28, 3701-3709.	1.0	18
21	How does occupational physical activity influence health? An umbrella review of 23 health outcomes across 158 observational studies. <i>British Journal of Sports Medicine</i> , 2020, 54, 1474-1481.	3.1	70
22	Five-year cost-effectiveness analysis of the European Fans in Training (EuroFIT) physical activity intervention for men versus no intervention. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 30.	2.0	5
23	The moderating role of lifestyle, age, and years working in shifts in the relationship between shift work and being overweight. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 697-705.	1.1	12
24	Shift work, and burnout and distress among 7798 blue-collar workers. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 955-963.	1.1	16
25	Towards a better understanding of the "physical activity paradox": the need for a research agenda. <i>British Journal of Sports Medicine</i> , 2020, 54, 1055-1057.	3.1	37
26	Implementing Individually Tailored Prescription of Physical Activity in Routine Clinical Care: Protocol of the Physicians Implement Exercise = Medicine (PIE=M) Development and Implementation Project. <i>JMIR Research Protocols</i> , 2020, 9, e19397.	0.5	8
27	Seasonal time-loss match injury rates and burden in South African under-16 rugby teams. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 54-58.	0.6	8
28	"In a blink of an eye your life can change": experiences of players sustaining a rugby-related acute spinal cord injury. <i>Injury Prevention</i> , 2019, 25, 313-320.	1.2	6
29	Association between alcohol consumption and impaired work performance (presenteeism): a systematic review. <i>BMJ Open</i> , 2019, 9, e029184.	0.8	62
30	A Warm-Up Program to Reduce Injuries in Youth Field Hockey Players: A Quasi-Experiment. <i>Journal of Athletic Training</i> , 2019, 54, 374-383.	0.9	16
31	From the safety net to the injury prevention web: applying systems thinking to unravel injury prevention challenges and opportunities in Cirque du Soleil. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000492.	1.4	24
32	When This Happens, You Want the Best Care: Players' Experiences of Barriers and Facilitators of the Immediate Management of Rugby-Related Acute Spinal Cord Injury. <i>Qualitative Health Research</i> , 2019, 29, 1862-1876.	1.0	3
33	The effect of a programme to improve men's sedentary time and physical activity: The European Fans in Training (EuroFIT) randomised controlled trial. <i>PLoS Medicine</i> , 2019, 16, e1002736.	3.9	61
34	Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. <i>British Journal of Sports Medicine</i> , 2019, 53, 812-812.	3.1	67
35	How elite athletes, coaches, and physiotherapists perceive a sports injury. <i>Translational Sports Medicine</i> , 2019, 2, 17-23.	0.5	48
36	Do Physical Activity, Social Cohesion, and Loneliness Mediate the Association Between Time Spent Visiting Green Space and Mental Health?. <i>Environment and Behavior</i> , 2019, 51, 144-166.	2.1	101

#	ARTICLE	IF	CITATIONS
37	Injuries in Field Hockey Players: A Systematic Review. <i>Sports Medicine</i> , 2018, 48, 849-866.	3.1	42
38	Coach-directed education is associated with injury-prevention behaviour in players: an ecological cross-sectional study. <i>British Journal of Sports Medicine</i> , 2018, 52, 989-993.	3.1	23
39	Do Neurocognitive SCAT3 Baseline Test Scores Differ Between Footballers (Soccer) Living With and Without Disability? A Cross-Sectional Study. <i>Clinical Journal of Sport Medicine</i> , 2018, 28, 43-50.	0.9	20
40	Effectiveness of a nationwide intervention to increase helmet use in Dutch skiers and snowboarders: an observational cohort study. <i>Injury Prevention</i> , 2018, 24, 205-212.	1.2	7
41	Effectiveness of online tailored advice to prevent running-related injuries and promote preventive behaviour in Dutch trail runners: a pragmatic randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2018, 52, 851-858.	3.1	35
42	Users' Perspectives, Opportunities, and Barriers of the Strengthen Your Ankle App for Evidence-Based Ankle Sprain Prevention: Mixed-Methods Process Evaluation for a Randomized Controlled Trial. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2018, 5, e13.	1.1	3
43	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2018, 110, 1190-1200.	3.0	72
44	Can socioeconomic health differences be explained by physical activity at work and during leisure time? Rationale and protocol of the active worker individual participant meta-analysis. <i>BMJ Open</i> , 2018, 8, e023379.	0.8	11
45	Do highly physically active workers die early? A systematic review with meta-analysis of data from 193 696 participants. <i>British Journal of Sports Medicine</i> , 2018, 52, 1320-1326.	3.1	221
46	Quality of life among individuals with rugby-related spinal cord injuries in South Africa: a descriptive cross-sectional study. <i>BMJ Open</i> , 2018, 8, e020890.	0.8	14
47	Context Matters: Revisiting the First Step of the "Sequence of Prevention" of Sports Injuries. <i>Sports Medicine</i> , 2018, 48, 2227-2234.	3.1	147
48	Health and Economic Burden of Running-Related Injuries in Dutch Trailrunners: A Prospective Cohort Study. <i>Sports Medicine</i> , 2017, 47, 367-377.	3.1	55
49	Process Evaluation of a Participatory Supportive Return to Work Program for Workers Without a Permanent Employment Contract, Sick-Listed Due to a Common Mental Disorder. <i>Journal of Occupational Rehabilitation</i> , 2017, 27, 159-172.	1.2	8
50	A comparison of catastrophic injury incidence rates by Provincial Rugby Union in South Africa. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 643-647.	0.6	6
51	MONITORING FIELD HOCKEY INJURIES: THE FIRST STEP FOR PREVENTION. <i>British Journal of Sports Medicine</i> , 2017, 51, 312.1-312.	3.1	1
52	Exercise-Based Interventions for Injury Prevention in Tackle Collision Ball Sports: A Systematic Review. <i>Sports Medicine</i> , 2017, 47, 1847-1857.	3.1	10
53	Evaluation of the Effectiveness and Implementation of the BokSmartSafe Six Injury Prevention Programme: a study protocol. <i>Injury Prevention</i> , 2017, 23, 428-428.	1.2	11
54	Does time spent on visits to green space mediate the associations between the level of residential greenness and mental health?. <i>Urban Forestry and Urban Greening</i> , 2017, 25, 94-102.	2.3	44

#	ARTICLE	IF	CITATIONS
55	Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2167-2173.	0.5	15
56	Intervention Strategies Used in Sport Injury Prevention Studies: A Systematic Review Identifying Studies Applying the Haddon Matrix. Sports Medicine, 2017, 47, 2027-2043.	3.1	66
57	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. Cancer Treatment Reviews, 2017, 52, 91-104.	3.4	398
58	ARE EXERCISE-BASED INTERVENTIONS EFFECTIVE IN REDUCING INJURIES IN TACKLE COLLISION BALL SPORTS? A SYSTEMATIC REVIEW. British Journal of Sports Medicine, 2017, 51, 386.3-387.	3.1	0
59	CATASTROPHIC INJURY INCIDENCE RATES IN SOUTH AFRICAN RUGBY UNION: ARE THERE REGIONAL DIFFERENCES?. British Journal of Sports Medicine, 2017, 51, 291.2-291.	3.1	0
60	THE BOKSMART SAFE SIX: FUNCTIONAL WARM-UP TO REDUCE INJURIES IN RUGBY UNION. DESIGN OF A CLUSTER RCT. British Journal of Sports Medicine, 2017, 51, 386.2-386.	3.1	0
61	Players™ and coaches™ knowledge and awareness of the BokSmart Safe Six injury prevention programme: an ecological cross-sectional questionnaire study. BMJ Open, 2017, 7, e018575.	0.8	9
62	User Survey of 3 Ankle Braces in Soccer, Volleyball, and Running: Which Brace Fits Best?. Journal of Athletic Training, 2017, 52, 730-737.	0.9	9
63	A participatory supportive return to work program for workers without an employment contract, sick-listed due to a common mental disorder: an economic evaluation alongside a randomized controlled trial. BMC Public Health, 2017, 17, 162.	1.2	11
64	A 30-month worksite-based lifestyle program to promote cardiovascular health in middle-aged bank employees: Design of the TANSNIP-PESA randomized controlled trial. American Heart Journal, 2017, 184, 121-132.	1.2	22
65	Acceptability and perceptions of end-users towards an online sports-health surveillance system. BMJ Open Sport and Exercise Medicine, 2017, 3, e000275.	1.4	20
66	An active transition from offshore work to family life: Activities that may impact recovery. Work, 2017, 58, 371-381.	0.6	4
67	A research framework for the development and implementation of interventions preventing work-related musculoskeletal disorders. Scandinavian Journal of Work, Environment and Health, 2017, 43, 526-539.	1.7	65
68	A 7-Step Strategy for the Implementation of Worksite Lifestyle Interventions. Journal of Occupational and Environmental Medicine, 2016, 58, e159-e165.	0.9	2
69	Three types of scientific evidence to inform physical activity policy: results from a comparative scoping review. International Journal of Public Health, 2016, 61, 553-563.	1.0	38
70	Participation in and adherence to physical exercise after completion of primary cancer treatment. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 100.	2.0	73
71	Effects of physical activity on schoolchildren's academic performance: The Active Smarter Kids (ASK) cluster-randomized controlled trial. Preventive Medicine, 2016, 91, 322-328.	1.6	121
72	Coaches™ and referees™ perceptions of the BokSmart injury prevention™ programme. International Journal of Sports Science and Coaching, 2016, 11, 637-647.	0.7	15

#	ARTICLE	IF	CITATIONS
73	The economic burden of physical inactivity: a global analysis of major non-communicable diseases. <i>Lancet, The</i> , 2016, 388, 1311-1324.	6.3	1,406
74	Sedentary behavior in obese pregnant women is associated with inflammatory markers and lipid profile but not with glucose metabolism. <i>Cytokine</i> , 2016, 88, 91-98.	1.4	18
75	The Effects of Physical Activity and Fitness in Adolescence on Cognition in Adulthood and the Role of Insulin-Like Growth Factor I. <i>Journal of Physical Activity and Health</i> , 2016, 13, 392-402.	1.0	8
76	Study protocol of European Fans in Training (EuroFIT): a four-country randomised controlled trial of a lifestyle program for men delivered in elite football clubs. <i>BMC Public Health</i> , 2016, 16, 598.	1.2	31
77	Demographic, clinical, psychosocial, and environmental correlates of objectively assessed physical activity among breast cancer survivors. <i>Supportive Care in Cancer</i> , 2016, 24, 3333-3342.	1.0	40
78	Barriers and facilitators to the nationwide dissemination of the Dutch school-based obesity prevention programme DOiT. <i>European Journal of Public Health</i> , 2016, 26, 611-616.	0.1	21
79	Implemented or not implemented? Process evaluation of the school-based obesity prevention program DOiT and associations with program effectiveness. <i>Health Education Research</i> , 2016, 31, 220-233.	1.0	24
80	Children's route choice during active transportation to school: difference between shortest and actual route. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 48.	2.0	52
81	Execution of a participatory supportive return to work program within the Dutch social security sector: a qualitative evaluation of stakeholders' perceptions. <i>BMC Public Health</i> , 2016, 16, 323.	1.2	13
82	Mediators of Exercise Effects on HRQoL in Cancer Survivors after Chemotherapy. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1859-1865.	0.2	24
83	Misuse of "Power" and Other Mechanical Terms in Sport and Exercise Science Research. <i>Journal of Strength and Conditioning Research</i> , 2016, 30, 292-300.	1.0	99
84	Compliance with Sport Injury Prevention Interventions in Randomised Controlled Trials: A Systematic Review. <i>Sports Medicine</i> , 2016, 46, 1125-1139.	3.1	54
85	Visiting green space is associated with mental health and vitality: A cross-sectional study in four european cities. <i>Health and Place</i> , 2016, 38, 8-15.	1.5	240
86	More children more active: Tailored playgrounds positively affect physical activity levels amongst youth. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 250-254.	0.6	16
87	Sport Injuries Sustained by Athletes with Disability: A Systematic Review. <i>Sports Medicine</i> , 2016, 46, 1141-1153.	3.1	48
88	Longitudinal Associations Between Biopsychosocial Factors and Sustainable Return to Work of Sick-Listed Workers with a Depressive or Anxiety Disorder. <i>Journal of Occupational Rehabilitation</i> , 2016, 26, 70-79.	1.2	33
89	Interventions preventing ankle sprains; previous injury and high-risk sport participation as predictors of compliance. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 465-469.	0.6	13
90	An Internet-Based Physical Activity Intervention to Improve Quality of Life of Inactive Older Adults: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e74.	2.1	50

#	ARTICLE	IF	CITATIONS
91	Effectiveness of a return-to-work program for workers without an employment contract, sick-listed due to common mental disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 469-480.	1.7	12
92	Physical Activity and Relaxation During and After Work are Independently Associated With the Need for Recovery. <i>Journal of Physical Activity and Health</i> , 2015, 12, 109-115.	1.0	32
93	Vitality at work and its associations with lifestyle, self-determination, organizational culture, and with employees' performance and sustainable employability. <i>Work</i> , 2015, 52, 45-55.	0.6	39
94	Randomized controlled trial of the effects of high intensity and low-to-moderate intensity exercise on physical fitness and fatigue in cancer survivors: results of the Resistance and Endurance exercise After ChemoTherapy (REACT) study. <i>BMC Medicine</i> , 2015, 13, 275.	2.3	128
95	Economic Evaluation of a Web-Based Guided Self-Help Intervention for Employees With Depressive Symptoms. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, 666-675.	0.9	29
96	The relationship between moderate-to-vigorous intensity physical activity and insulin resistance, insulin-like growth factor (IGF-1) system 1, leptin and weight change in healthy women during pregnancy and after delivery. <i>Clinical Endocrinology</i> , 2015, 82, 68-75.	1.2	12
97	Autonomic Nervous System Responses to Viewing Green and Built Settings: Differentiating Between Sympathetic and Parasympathetic Activity. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 15860-15874.	1.2	76
98	Measuring sports injuries on the pitch: a guide to use in practice. <i>Brazilian Journal of Physical Therapy</i> , 2015, 19, 369-380.	1.1	25
99	Determining organisation-specific factors for developing health interventions in companies by a Delphi procedure: Organisational Mapping. <i>Journal of Health Psychology</i> , 2015, 20, 1509-1522.	1.3	6
100	Nonstandard working schedules and health: the systematic search for a comprehensive model. <i>BMC Public Health</i> , 2015, 15, 1084.	1.2	25
101	Self-Reported Recovery from 2-Week 12-Hour Shift Work Schedules: A 14-Day Follow-Up. <i>Safety and Health at Work</i> , 2015, 6, 240-248.	0.3	20
102	Injuries in Professional Male Soccer Players in the Netherlands: A Prospective Cohort Study. <i>Journal of Athletic Training</i> , 2015, 50, 211-216.	0.9	114
103	Neuromuscular training injury prevention strategies in youth sport: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2015, 49, 865-870.	3.1	196
104	The BokSmart intervention programme is associated with improvements in injury prevention behaviours of rugby union players: an ecological cross-sectional study. <i>Injury Prevention</i> , 2015, 21, 173-178.	1.2	25
105	The economic burden of time-loss injuries to youth players participating in week-long rugby union tournaments. <i>Journal of Science and Medicine in Sport</i> , 2015, 18, 394-399.	0.6	15
106	International Olympic Committee consensus statement on youth athletic development. <i>British Journal of Sports Medicine</i> , 2015, 49, 843-851.	3.1	537
107	Effectiveness of the PLAYgrounds programme on PA levels during recess in 6-year-old to 12-year-old children. <i>British Journal of Sports Medicine</i> , 2015, 49, 259-264.	3.1	33
108	Prevalence and characteristics of asthma in the aquatic disciplines. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 588-594.	1.5	51

#	ARTICLE	IF	CITATIONS
109	Neuroendocrine recovery after 2-week 12-h day and night shifts: an 11-day follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 247-257.	1.1	18
110	The association between daily steps and health, and the mediating role of body composition: a pedometer-based, cross-sectional study in an employed South African population. <i>BMC Public Health</i> , 2015, 15, 174.	1.2	25
111	Implementation evaluation of school-based obesity prevention programmes in youth; how, what and why?. <i>Public Health Nutrition</i> , 2015, 18, 1531-1534.	1.1	22
112	Supervised walking in comparison with fitness training for chronic back pain in physiotherapy. <i>Pain</i> , 2015, 156, 131-147.	2.0	64
113	An economic evaluation alongside a randomized controlled trial evaluating an individually tailored lifestyle intervention compared with usual care in people with Familial Hypercholesterolemia. <i>BMC Research Notes</i> , 2015, 8, 317.	0.6	2
114	Meta-Analyses of the Effects of Habitual Running on Indices of Health in Physically Inactive Adults. <i>Sports Medicine</i> , 2015, 45, 1455-1468.	3.1	179
115	Health benefits of green spaces in the living environment: A systematic review of epidemiological studies. <i>Urban Forestry and Urban Greening</i> , 2015, 14, 806-816.	2.3	529
116	Injury Risk During Different Physical Activity Behaviours in Children: A Systematic Review with Bias Assessment. <i>Sports Medicine</i> , 2015, 45, 327-336.	3.1	36
117	Long-Term Effect of a School-Based Physical Activity Program (KISS) on Fitness and Adiposity in Children: A Cluster-Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e87929.	1.1	79
118	Physical Activity in Overweight and Obese Pregnant Women Is Associated With Higher Levels of Proinflammatory Cytokines and With Reduced Insulin Response Through Interleukin-6. <i>Diabetes Care</i> , 2014, 37, 1132-1139.	4.3	21
119	2014 Consensus Statement from the first Economics of Physical Inactivity Consensus (EPIC) Conference (Vancouver). <i>British Journal of Sports Medicine</i> , 2014, 48, 947-951.	3.1	42
120	The Dutch Obesity Intervention in Teenagers (DOiT) cluster controlled implementation trial: intervention effects and mediators and moderators of adiposity and energy balance-related behaviours. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 158.	2.0	39
121	Number and appraisal of daily hassles and life events in young adulthood: the association with physical activity and screen time: a longitudinal cohort study. <i>BMC Public Health</i> , 2014, 14, 1067.	1.2	10
122	The Association between IGF-1 Polymorphisms, IGF-1 Serum Levels, and Cognitive Functions in Healthy Adults: The Amsterdam Growth and Health Longitudinal Study. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-8.	0.6	14
123	Bracing superior to neuromuscular training for the prevention of self-reported recurrent ankle sprains: a three-arm randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2014, 48, 1235-1239.	3.1	83
124	In Preparation of the Nationwide Dissemination of the School-Based Obesity Prevention Program <sc>DOiT</sc>: Stepwise Development Applying the Intervention Mapping Protocol. <i>Journal of School Health</i> , 2014, 84, 481-492.	0.8	7
125	The implementation effectiveness of the "Strengthen your ankle"™ smartphone application for the prevention of ankle sprains: design of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 2.	0.8	15
126	Determinants of exercise adherence and maintenance among cancer survivors: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 80.	2.0	149

#	ARTICLE	IF	CITATIONS
127	The Influence of Selective Participation in a Physical Activity Intervention on the Generalizability of Findings. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 291-297.	0.9	5
128	The Longitudinal Prediction of Costs due to Health Care Uptake and Productivity Losses in a Cohort of Employees With and Without Depression or Anxiety. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 794-801.	0.9	8
129	Effectiveness of a Combined Social and Physical Environmental Intervention on Presenteeism, Absenteeism, Work Performance, and Work Engagement in Office Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 258-265.	0.9	54
130	Motivations for Health and Their Associations With Lifestyle, Work Style, Health, Vitality, and Employee Productivity. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 540-546.	0.9	28
131	Longitudinal Person-Related Determinants of Physical Activity in Young Adults. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 529-536.	0.2	12
132	Test-retest reliability and construct validity of the DOI-T (Dutch Obesity Intervention in Teenagers) questionnaire: measuring energy balance-related behaviours in Dutch adolescents. <i>Public Health Nutrition</i> , 2014, 17, 277-286.	1.1	13
133	The Relationship of Objectively Measured Physical Activity and Sedentary Behaviour with Gestational Weight Gain and Birth Weight. <i>Journal of Pregnancy</i> , 2014, 2014, 1-6.	1.1	31
134	Sports injury prevention in your pocket?! Prevention apps assessed against the available scientific evidence: a review. <i>British Journal of Sports Medicine</i> , 2014, 48, 878-882.	3.1	39
135	Biological, socio-demographic, work and lifestyle determinants of sitting in young adult women: a prospective cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 7.	2.0	33
136	Self-reported time spent watching television is associated with arterial stiffness in young adults: the Amsterdam Growth and Health Longitudinal Study. <i>British Journal of Sports Medicine</i> , 2014, 48, 256-264.	3.1	21
137	A longitudinal study on the relationship between eating style and gestational weight gain. <i>Appetite</i> , 2014, 83, 304-308.	1.8	13
138	Feasibility of a worker-directed web-based intervention for employees with depressive symptoms. <i>Internet Interventions</i> , 2014, 1, 132-140.	1.4	16
139	Return to work of workers without a permanent employment contract, sick-listed due to a common mental disorder: design of a randomised controlled trial. <i>BMC Public Health</i> , 2014, 14, 594.	1.2	5
140	Effects of acute bouts of physical activity on children's attention: a systematic review of the literature. <i>SpringerPlus</i> , 2014, 3, 410.	1.2	44
141	Cost-Utility Analysis of a Collaborative Care Intervention for Major Depressive Disorder in an Occupational Healthcare Setting. <i>Journal of Occupational Rehabilitation</i> , 2014, 24, 555-562.	1.2	20
142	The Cost-Effectiveness of Measures to Prevent Recurrent Ankle Sprains. <i>American Journal of Sports Medicine</i> , 2014, 42, 1534-1541.	1.9	43
143	A systematic review on the effectiveness of school and community-based injury prevention programmes on risk behaviour and injury risk in 8-12 year old children. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 165-172.	0.6	10
144	Steps That Count: Physical Activity Recommendations, Brisk Walking, and Steps Per Minute—How Do They Relate?. <i>Journal of Physical Activity and Health</i> , 2014, 11, 502-508.	1.0	12

#	ARTICLE	IF	CITATIONS
145	Steps That Count: The Association Between the Number and Intensity of Steps Accumulated and Fitness and Health Measures. <i>Journal of Physical Activity and Health</i> , 2014, 11, 10-17.	1.0	23
146	Effectiveness of a Worksite Social & Physical Environment Intervention on Need for Recovery, Physical Activity and Relaxation; Results of a Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e114860.	1.1	47
147	Short-Term Effects of a Web-Based Guided Self-Help Intervention for Employees With Depressive Symptoms: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e121.	2.1	35
148	Long-Term Results of a Web-Based Guided Self-Help Intervention for Employees With Depressive Symptoms: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e168.	2.1	62
149	Dose-Response Effects of a Web-Based Physical Activity Program on Body Composition and Metabolic Health in Inactive Older Adults: Additional Analyses of a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e265.	2.1	22
150	The Associations Between Personality Characteristics and Absenteeism: A Cross-Sectional Study in Workers With and Without Depressive and Anxiety Disorders. <i>Journal of Occupational Rehabilitation</i> , 2013, 23, 309-317.	1.2	31
151	Web-based guided self-help for employees with depressive symptoms (Happy@Work): design of a randomized controlled trial. <i>BMC Psychiatry</i> , 2013, 13, 61.	1.1	12
152	Validation and responsiveness of the AQuAA for measuring physical activity in overweight and obese pregnant women. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 412-416.	0.6	12
153	Research priorities for child and adolescent physical activity and sedentary behaviours: an international perspective using a twin-panel Delphi procedure. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 112.	2.0	42
154	Prevention and Management of Non-Communicable Disease: The IOC Consensus Statement, Lausanne 2013. <i>Sports Medicine</i> , 2013, 43, 1075-1088.	3.1	54
155	What is actually measured in process evaluations for worksite health promotion programs: a systematic review. <i>BMC Public Health</i> , 2013, 13, 1190.	1.2	148
156	Associations between overweight, obesity, health measures and need for recovery in office employees: a cross-sectional analysis. <i>BMC Public Health</i> , 2013, 13, 1207.	1.2	25
157	Exploring facilitating factors and barriers to the nationwide dissemination of a Dutch school-based obesity prevention program – a study protocol. <i>BMC Public Health</i> , 2013, 13, 1201.	1.2	24
158	Effect of Moderate-Intensity Exercise Versus Activities of Daily Living on 24-Hour Blood Glucose Homeostasis in Male Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2013, 36, 3448-3453.	4.3	116
159	Translating the PLAYgrounds program into practice: A process evaluation using the RE-AIM framework. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 211-216.	0.6	13
160	Physiotherapy for Sleep Disturbance in People With Chronic Low Back Pain: Results of a Feasibility Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 2083-2092.	0.5	62
161	The incidence of rugby-related catastrophic injuries (including cardiac events) in South Africa from 2008 to 2011: a cohort study. <i>BMJ Open</i> , 2013, 3, e002475.	0.8	45
162	Longitudinal Relationship of Physical Activity With Insulin Sensitivity in Overweight and Obese Pregnant Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2929-2935.	1.8	36

#	ARTICLE	IF	CITATIONS
163	Process Evaluation of a Worksite Social and Physical Environmental Intervention. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 1409-1420.	0.9	21
164	A Mixed Methods Process Evaluation of the Implementation of JUMP-in, a Multilevel School-Based Intervention Aimed at Physical Activity Promotion. <i>Health Promotion Practice</i> , 2013, 14, 777-790.	0.9	46
165	Prevention and Management of Noncommunicable Disease. <i>Clinical Journal of Sport Medicine</i> , 2013, 23, 419-429.	0.9	16
166	Exercise and 24-h Glycemic Control. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 628-635.	0.2	51
167	Cohort Profile: The Amsterdam Growth and Health Longitudinal Study. <i>International Journal of Epidemiology</i> , 2013, 42, 422-429.	0.9	40
168	Prevention and management of non-communicable disease: the IOC consensus statement, Lausanne 2013. <i>British Journal of Sports Medicine</i> , 2013, 47, 1003-1011.	3.1	57
169	Collaborative care for sick-listed workers with major depressive disorder: a randomised controlled trial from the Netherlands Depression Initiative aimed at return to work and depressive symptoms. <i>Occupational and Environmental Medicine</i> , 2013, 70, 223-230.	1.3	69
170	Feelings and Intervention Judgments as Mediators in the Risk Perception-Intention Relationship. <i>American Journal of Health Behavior</i> , 2013, 37, 555-564.	0.6	2
171	Measurement error of waist circumference: gaps in knowledge. <i>Public Health Nutrition</i> , 2013, 16, 281-288.	1.1	99
172	Mediators of longitudinal changes in measures of adiposity in teenagers using parallel process latent growth modeling. <i>Obesity</i> , 2013, 21, 2387-2395.	1.5	14
173	A simple tool with which to study the course of chronic hand eczema in clinical practice: a reducedâ€œtem score. <i>Contact Dermatitis</i> , 2013, 69, 112-117.	0.8	11
174	Economic evaluation of an integrated care programme for patients with hand dermatitis. <i>Contact Dermatitis</i> , 2013, 69, 144-152.	0.8	17
175	Prevention of fall-related injuries in 7-year-old to 12-year-old children: a cluster randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2013, 47, 909-913.	3.1	16
176	Changes in Aerobic Fitness in Boys and Girls Over a Period of 25 Years: Data From the Amsterdam Growth and Health Longitudinal Study Revisited and Extended. <i>Pediatric Exercise Science</i> , 2013, 25, 524-535.	0.5	17
177	A Cost-effectiveness and Return-on-Investment Analysis of a Worksite Vitality Intervention Among Older Hospital Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 337-346.	0.9	21
178	The Associations Between Organizational Social Capital, Perceived Health, and Employees' Performance in Two Dutch Companies. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 371-377.	0.9	18
179	Economic Evaluation of an Occupational Health Care Guideline for Prevention of Weight Gain Among Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 1100-1109.	0.9	7
180	Effects of a Web-Based Intervention on Physical Activity and Metabolism in Older Adults: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e233.	2.1	130

#	ARTICLE	IF	CITATIONS
181	Effectiveness of a worksite lifestyle intervention on vitality, work engagement, productivity, and sick leave: results of a randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 66-75.	1.7	80
182	Economic evaluation of a participatory return-to-work intervention for temporary agency and unemployed workers sick-listed due to musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 46-56.	1.7	21
183	Long-term effects of an occupational health guideline on employees' body weight-related outcomes, cardiovascular disease risk factors, and quality of life: results from a randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013, 39, 284-294.	1.7	17
184	A worksite vitality intervention to improve older workers' lifestyle and vitality-related outcomes: results of a randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 1071-1078.	2.0	64
185	The application of an occupational health guideline reduces sedentary behaviour and increases fruit intake at work: results from an RCT. <i>Occupational and Environmental Medicine</i> , 2012, 69, 500-507.	1.3	51
186	From Theory to Practice. <i>Health Promotion Practice</i> , 2012, 13, 816-825.	0.9	13
187	Physical Activity and Performance at School. <i>JAMA Pediatrics</i> , 2012, 166, 49.	3.6	439
188	Physical inactivity is a risk factor for physical activity-related injuries in children. <i>British Journal of Sports Medicine</i> , 2012, 46, 669-674.	3.1	92
189	Associations between Safety from Crime, Cycling, and Obesity in a Dutch Elderly Population: Results from the Longitudinal Aging Study Amsterdam. <i>Journal of Environmental and Public Health</i> , 2012, 2012, 1-6.	0.4	9
190	The association between shift work and sick leave: a systematic review. <i>Occupational and Environmental Medicine</i> , 2012, 69, 701-712.	1.3	64
191	Barriers and Facilitators to Implementation of an Occupational Health Guideline Aimed at Preventing Weight Gain Among Employees in the Netherlands. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 954-960.	0.9	25
192	Adherence to Exercise Programs and Determinants of Maintenance in Older Adults With Mild Cognitive Impairment. <i>Journal of Aging and Physical Activity</i> , 2012, 20, 32-46.	0.5	56
193	Cost-effectiveness of an exercise program during pregnancy to prevent gestational diabetes: Results of an economic evaluation alongside a randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 64.	0.9	30
194	The effectiveness of physical activity monitoring and distance counseling in an occupational setting – Results from a randomized controlled trial (CoAct). <i>BMC Public Health</i> , 2012, 12, 344.	1.2	40
195	Is the process of delivery of an individually tailored lifestyle intervention associated with improvements in LDL cholesterol and multiple lifestyle behaviours in people with Familial Hypercholesterolemia?. <i>BMC Public Health</i> , 2012, 12, 348.	1.2	19
196	Working on wellness (WOW): A worksite health promotion intervention programme. <i>BMC Public Health</i> , 2012, 12, 372.	1.2	11
197	The development of the Be Active & Relax – Vitality in Practice (VIP) project and design of an RCT to reduce the need for recovery in office employees. <i>BMC Public Health</i> , 2012, 12, 592.	1.2	23
198	The design of a real-time formative evaluation of the implementation process of lifestyle interventions at two worksites using a 7-step strategy (BRAVO@Work). <i>BMC Public Health</i> , 2012, 12, 619.	1.2	14

#	ARTICLE	IF	CITATIONS
199	Steps that count!: The development of a pedometer-based health promotion intervention in an employed, health insured South African population. <i>BMC Public Health</i> , 2012, 12, 880.	1.2	12
200	Effectiveness of a multidisciplinary care program on recovery and return to work of patients after gynaecological surgery; design of a randomized controlled trial. <i>BMC Health Services Research</i> , 2012, 12, 29.	0.9	20
201	Economic evaluation of a weight control program with e-mail and telephone counseling among overweight employees: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 112.	2.0	17
202	Mediators of the effect of the JUMP-in intervention on physical activity and sedentary behavior in Dutch primary schoolchildren from disadvantaged neighborhoods. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 131.	2.0	19
203	No significant improvement of cardiovascular disease risk indicators by a lifestyle intervention in people with Familial Hypercholesterolemia compared to usual care: results of a randomised controlled trial. <i>BMC Research Notes</i> , 2012, 5, 181.	0.6	30
204	Predictors for postpartum pelvic girdle pain in working women: The Mom@Work cohort study. <i>Pain</i> , 2012, 153, 2370-2379.	2.0	35
205	Physical and psychosocial benefits of yoga in cancer patients and survivors, a systematic review and meta-analysis of randomized controlled trials. <i>BMC Cancer</i> , 2012, 12, 559.	1.1	263
206	Moderators of the mediated effect of intentions, planning, and saturated-fat intake in obese individuals.. <i>Health Psychology</i> , 2012, 31, 371-379.	1.3	7
207	Can Multiple Lifestyle Behaviours Be Improved in People with Familial Hypercholesterolemia? Results of a Parallel Randomised Controlled Trial. <i>PLoS ONE</i> , 2012, 7, e50032.	1.1	32
208	Alpe dâ€™HuZes Cancer Rehabilitation (A-CaRe) Research: Four Randomized Controlled Exercise Trials and Economic Evaluations in Cancer Patients and Survivors. <i>International Journal of Behavioral Medicine</i> , 2012, 19, 143-156.	0.8	23
209	The relative contribution of work exposure, leisure time exposure, and individual characteristics in the onset of armâ€™wristâ€™hand and neckâ€™shoulder symptoms among office workers. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 651-666.	1.1	33
210	The effectiveness of integrated care for patients with hand eczema: results of a randomized, controlled trial. <i>Contact Dermatitis</i> , 2012, 66, 197-204.	0.8	50
211	Process evaluation of an integrated, multidisciplinary intervention programme for hand eczema. <i>Contact Dermatitis</i> , 2012, 66, 254-263.	0.8	17
212	Direction of the association between body fatness and self-reported screen time in Dutch adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 4.	2.0	32
213	eHealth Program to Empower Patients in Returning to Normal Activities and Work After Gynecological Surgery: Intervention Mapping as a Useful Method for Development. <i>Journal of Medical Internet Research</i> , 2012, 14, e124.	2.1	40
214	A systematic review of the cost-effectiveness of worksite physical activity and/or nutrition programs. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 393-408.	1.7	35
215	International Olympic Committee consensus statement on the health and fitness of young people through physical activity and sport. <i>British Journal of Sports Medicine</i> , 2011, 45, 839-848.	3.1	109
216	Interventions for Preventing Gestational Diabetes Mellitus: A Systematic Review and Meta-Analysis. <i>Journal of Women's Health</i> , 2011, 20, 1551-1563.	1.5	89

#	ARTICLE	IF	CITATIONS
217	Determinants of physical activity and sedentary behaviour in young people: a review and quality synthesis of prospective studies. <i>British Journal of Sports Medicine</i> , 2011, 45, 896-905.	3.1	161
218	Sedentary Behaviors and Health Outcomes Among Adults. <i>American Journal of Preventive Medicine</i> , 2011, 40, 174-182.	1.6	545
219	A process evaluation of a vitality intervention among older hospital workers. <i>Occupational and Environmental Medicine</i> , 2011, 68, A124-A124.	1.3	0
220	Cost-Effectiveness and Cost-Benefit of a Lifestyle Intervention for Workers in the Construction Industry at Risk for Cardiovascular Disease. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 610-617.	0.9	26
221	Effectiveness of Phone and E-Mail Lifestyle Counseling for Long Term Weight Control Among Overweight Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 680-686.	0.9	32
222	Process Evaluation of an Occupational Health Guideline Aimed at Preventing Weight Gain Among Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 722-729.	0.9	17
223	Software-recorded and self-reported duration of computer use in relation to the onset of severe arm-wrist-hand pain and neck-shoulder pain. <i>Occupational and Environmental Medicine</i> , 2011, 68, 502-509.	1.3	59
224	Androgen receptor gene CAG repeat polymorphism in longitudinal height and body composition in children and adolescents. <i>Clinical Endocrinology</i> , 2011, 74, 732-735.	1.2	16
225	Effectiveness of prevention programmes for hand dermatitis: a systematic review of the literature. <i>Contact Dermatitis</i> , 2011, 64, 63-72.	0.8	52
226	The impact of adherence on sports injury prevention effect estimates in randomised controlled trials: Looking beyond the CONSORT statement. <i>Journal of Science and Medicine in Sport</i> , 2011, 14, 287-292.	0.6	43
227	Postpartum behaviour as predictor of weight change from before pregnancy to one year postpartum. <i>BMC Public Health</i> , 2011, 11, 165.	1.2	66
228	Cost-utility analysis of a one-time supervisor telephone contact at 6-weeks post-partum to prevent extended sick leave following maternity leave in The Netherlands: results of an economic evaluation alongside a randomized controlled trial. <i>BMC Public Health</i> , 2011, 11, 57.	1.2	9
229	Short and long term effects of a lifestyle intervention for construction workers at risk for cardiovascular disease: a randomized controlled trial. <i>BMC Public Health</i> , 2011, 11, 836.	1.2	69
230	A process evaluation of a worksite vitality intervention among ageing hospital workers. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 58.	2.0	29
231	For whom and under what circumstances do school-based energy balance behavior interventions work? Systematic review on moderators. <i>Pediatric Obesity</i> , 2011, 6, e46-e57.	3.2	72
232	Economic Evaluations of Occupational Health Interventions from a Company's Perspective: A Systematic Review of Methods to Estimate the Cost of Health-Related Productivity Loss. <i>Journal of Occupational Rehabilitation</i> , 2011, 21, 90-99.	1.2	31
233	A Participatory Return-to-Work Intervention for Temporary Agency Workers and Unemployed Workers Sick-Listed Due to Musculoskeletal Disorders: Results of a Randomized Controlled Trial. <i>Journal of Occupational Rehabilitation</i> , 2011, 21, 313-324.	1.2	51
234	Psychometric properties of two physical activity questionnaires, the AQuAA and the PASE, in cancer patients. <i>BMC Medical Research Methodology</i> , 2011, 11, 30.	1.4	47

#	ARTICLE	IF	CITATIONS
235	Comparative effectiveness of lifestyle interventions on cardiovascular risk factors among a Dutch overweight working population: A randomized controlled trial. <i>BMC Public Health</i> , 2011, 11, 49.	1.2	39
236	Ankles back in randomized controlled trial (ABrCt): braces versus neuromuscular exercises for the secondary prevention of ankle sprains. Design of a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 210.	0.8	21
237	Adolescent predictors of objectively measured physical activity and sedentary behaviour at age 42: the Amsterdam Growth and Health Longitudinal Study (AGAHLS). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 107.	2.0	14
238	An Individually Based Lifestyle Intervention for Workers at Risk for Cardiovascular Disease: A Process Evaluation. <i>American Journal of Health Promotion</i> , 2011, 25, 396-401.	0.9	9
239	Effectiveness of JUMP-in, a Dutch primary school-based community intervention aimed at the promotion of physical activity. <i>British Journal of Sports Medicine</i> , 2011, 45, 1052-1057.	3.1	40
240	Habitual Physical Activity and Peripheral Arterial Compliance in Young Adults: The Amsterdam Growth and Health Longitudinal Study. <i>American Journal of Hypertension</i> , 2011, 24, 200-208.	1.0	30
241	Estrogen Receptor-Alpha Gene Polymorphisms and Body Composition in Children and Adolescents. <i>Hormone Research in Paediatrics</i> , 2011, 76, 86-92.	0.8	6
242	Economic burden of physical activity-related injuries in Dutch children aged 10-12. <i>British Journal of Sports Medicine</i> , 2011, 45, 1058-1063.	3.1	57
243	Reduction in sugar-sweetened beverages is not associated with more water or diet drinks. <i>Public Health Nutrition</i> , 2011, 14, 1388-1393.	1.1	19
244	Responsibility of sport and exercise medicine in preventing and managing chronic disease: applying our knowledge and skill is overdue. <i>British Journal of Sports Medicine</i> , 2011, 45, 1272-1282.	3.1	55
245	The role of work ability in the relationship between aerobic capacity and sick leave: a mediation analysis. <i>Occupational and Environmental Medicine</i> , 2011, 68, 753-758.	1.3	24
246	Web-Based Risk Communication and Planning in an Obese Population: Exploratory Study. <i>Journal of Medical Internet Research</i> , 2011, 13, e100.	2.1	11
247	Exploratory Study of Web-Based Planning and Mobile Text Reminders in an Overweight Population. <i>Journal of Medical Internet Research</i> , 2011, 13, e118.	2.1	28
248	Evaluation of a cardiovascular disease risk assessment tool for the promotion of healthier lifestyles. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 519-523.	3.1	107
249	Cost-Effectiveness of Lumbar Supports for Home Care Workers With Recurrent Low Back Pain. <i>Spine</i> , 2010, 35, E1619-E1626.	1.0	21
250	Effect of integrated care for sick listed patients with chronic low back pain: economic evaluation alongside a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2010, 341, c6414-c6414.	2.4	118
251	Predictors of Running-Related Injuries in Novice Runners Enrolled in a Systematic Training Program. <i>American Journal of Sports Medicine</i> , 2010, 38, 273-280.	1.9	176
252	Training GP's to use a minimal intervention for stress-related mental disorders with sick leave (MISS): Effects on performance. <i>Patient Education and Counseling</i> , 2010, 78, 206-211.	1.0	18

#	ARTICLE	IF	CITATIONS
253	Determinants of the intention for using a lumbar support among home care workers with recurrent low back pain. <i>European Spine Journal</i> , 2010, 19, 1502-1507.	1.0	9
254	Design of the Resistance and Endurance exercise After ChemoTherapy (REACT) study: A randomized controlled trial to evaluate the effectiveness and cost-effectiveness of exercise interventions after chemotherapy on physical fitness and fatigue. <i>BMC Cancer</i> , 2010, 10, 658.	1.1	23
255	Process evaluation of a school based physical activity related injury prevention programme using the RE-AIM framework. <i>BMC Pediatrics</i> , 2010, 10, 86.	0.7	14
256	Associations between VO ₂ max and vitality in older workers: a cross-sectional study. <i>BMC Public Health</i> , 2010, 10, 684.	1.2	14
257	A tailored lifestyle intervention to reduce the cardiovascular disease risk of individuals with Familial Hypercholesterolemia (FH): design of the PRO-FIT randomised controlled trial. <i>BMC Public Health</i> , 2010, 10, 69.	1.2	27
258	Cost-effectiveness of a participatory return-to-work intervention for temporary agency workers and unemployed workers sick-listed due to musculoskeletal disorders: design of a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 60.	0.8	27
259	Physiotherapy for sleep disturbance in chronic low back pain: a feasibility randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 70.	0.8	13
260	Cost-effectiveness of a minimal intervention for stress-related sick leave in general practice: Results of an economic evaluation alongside a pragmatic randomised control trial. <i>Journal of Affective Disorders</i> , 2010, 120, 177-187.	2.0	21
261	Built Environmental Correlates of Walking and Cycling in Dutch Urban Children: Results from the SPACE Study. <i>International Journal of Environmental Research and Public Health</i> , 2010, 7, 2309-2324.	1.2	97
262	ECSS Position Statement 2009: Prevention of acute sports injuries. <i>European Journal of Sport Science</i> , 2010, 10, 223-236.	1.4	41
263	A workplace intervention for sick-listed employees with distress: results of a randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2010, 67, 596-602.	1.3	96
264	Economic evaluation of a workplace intervention for sick-listed employees with distress. <i>Occupational and Environmental Medicine</i> , 2010, 67, 603-610.	1.3	36
265	Randomised controlled trial of integrated care to reduce disability from chronic low back pain in working and private life. <i>BMJ: British Medical Journal</i> , 2010, 340, c1035-c1035.	2.4	230
266	Effectiveness of a School-Based Physical Activity Injury Prevention Program. <i>JAMA Pediatrics</i> , 2010, 164, 145-50.	3.6	47
267	Promoting physical activity in an adolescent and a young adult with physical disabilities. <i>Disability and Health Journal</i> , 2010, 3, 86-92.	1.6	19
268	The prognosis of chronic low back pain is determined by changes in pain and disability in the initial period. <i>Spine Journal</i> , 2010, 10, 847-856.	0.6	58
269	Effectiveness of a school-based physical activity-related injury prevention program on risk behavior and neuromotor fitness a cluster randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 9.	2.0	17
270	Potential Savings of a Program to Prevent Ankle Sprain Recurrence. <i>American Journal of Sports Medicine</i> , 2010, 38, 2194-2200.	1.9	77

#	ARTICLE	IF	CITATIONS
271	Effect of school based physical activity programme (KISS) on fitness and adiposity in primary schoolchildren: cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2010, 340, c785-c785.	2.4	405
272	Single-item and multiple-item measures of adherence to public health behavior guidelines were incongruent. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 75-84.	2.4	7
273	Accelerometers and Internet for physical activity promotion in youth? Feasibility and effectiveness of a minimal intervention [ISRCTN93896459]. <i>Preventive Medicine</i> , 2010, 51, 31-36.	1.6	72
274	Sustained body weight reduction by an individual-based lifestyle intervention for workers in the construction industry at risk for cardiovascular disease: Results of a randomized controlled trial. <i>Preventive Medicine</i> , 2010, 51, 240-246.	1.6	77
275	Behaviour, the Key Factor for Sports Injury Prevention. <i>Sports Medicine</i> , 2010, 40, 899-906.	3.1	120
276	Qualitative Attributes and Measurement Properties of Physical Activity Questionnaires. <i>Sports Medicine</i> , 2010, 40, 525-537.	3.1	206
277	Physical Activity Questionnaires for Youth. <i>Sports Medicine</i> , 2010, 40, 539-563.	3.1	254
278	Physical Activity Questionnaires for Adults. <i>Sports Medicine</i> , 2010, 40, 565-600.	3.1	508
279	Self-Administered Physical Activity Questionnaires for the Elderly. <i>Sports Medicine</i> , 2010, 40, 601-623.	3.1	140
280	Lifetime Vigorous But Not Light-To-Moderate Habitual Physical Activity Impacts Favorably on Carotid Stiffness in Young Adults. <i>Hypertension</i> , 2010, 55, 33-39.	1.3	79
281	Lifestyle-focused interventions at the workplace to reduce the risk of cardiovascular disease – a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010, 36, 202-215.	1.7	136
282	Economic evaluations of occupational health interventions from a corporate perspective – a systematic review of methodological quality. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010, 36, 273-288.	1.7	39
283	Return to work and occupational physicians'™ management of common mental health problems – a process evaluation of a randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010, 36, 488-498.	1.7	41
284	Age, period and cohort effects on body weight and body mass index in adults: The Doetinchem Cohort Study. <i>Public Health Nutrition</i> , 2009, 12, 862-870.	1.1	72
285	Dutch Obesity Intervention in Teenagers. <i>JAMA Pediatrics</i> , 2009, 163, 309.	3.6	165
286	Test-retest reliability of the PRIME-MD: limitations in diagnosing mental disorders in primary care. <i>European Journal of Public Health</i> , 2009, 19, 303-307.	0.1	47
287	Myoglobin concentration in skeletal muscle fibers of chronic heart failure patients. <i>Journal of Applied Physiology</i> , 2009, 107, 1138-1143.	1.2	20
288	The effectiveness of physical activity monitoring and distance counselling in an occupational health setting - a research protocol for a randomised controlled trial (CoAct). <i>BMC Public Health</i> , 2009, 9, 494.	1.2	5

#	ARTICLE	IF	CITATIONS
289	Effect of unsupervised home based proprioceptive training on recurrences of ankle sprain: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2009, 339, b2684-b2684.	2.4	186
290	Design of FitFor2 study: the effects of an exercise program on insulin sensitivity and plasma glucose levels in pregnant women at high risk for gestational diabetes. <i>BMC Pregnancy and Childbirth</i> , 2009, 9, 1.	0.9	155
291	Intervention mapping for development of a participatory return-to-work intervention for temporary agency workers and unemployed workers sick-listed due to musculoskeletal disorders. <i>BMC Public Health</i> , 2009, 9, 216.	1.2	42
292	Integrated, multidisciplinary care for hand eczema: design of a randomized controlled trial and cost-effectiveness study. <i>BMC Public Health</i> , 2009, 9, 438.	1.2	16
293	Design of the Balance@Work project: systematic development, evaluation and implementation of an occupational health guideline aimed at the prevention of weight gain among employees. <i>BMC Public Health</i> , 2009, 9, 461.	1.2	26
294	Phone and e-mail counselling are effective for weight management in an overweight working population: a randomized controlled trial. <i>BMC Public Health</i> , 2009, 9, 6.	1.2	99
295	An integrated care program to prevent work disability due to chronic low back pain: a process evaluation within a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 147.	0.8	33
296	A walking programme and a supervised exercise class versus usual physiotherapy for chronic low back pain: a single-blinded randomised controlled trial. (<i>The Supervised Walking In comparison to Tj ETQq0 0 0 rg018 Overlook 10 Tf 50</i>)		
297	Dose-response associations between screen time and overweight among youth. <i>Pediatric Obesity</i> , 2009, 4, 61-64.	3.2	19
298	Age-related differences in muscular capacity among workers. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 1115-1121.	1.1	20
299	Return to Work in a Cohort of Low Back Pain Patients: Development and Validation of a Clinical Prediction Rule. <i>Journal of Occupational Rehabilitation</i> , 2009, 19, 155-165.	1.2	55
300	A Participatory Workplace Intervention for Employees With Distress and Lost Time: A Feasibility Evaluation Within a Randomized Controlled Trial. <i>Journal of Occupational Rehabilitation</i> , 2009, 19, 212-222.	1.2	67
301	Glucocorticoid receptor gene variant is associated with increased body fatness in youngsters. <i>Clinical Endocrinology</i> , 2009, 71, 518-523.	1.2	15
302	The effect of a resistance-training program on muscle strength, physical workload, muscle fatigue and musculoskeletal discomfort: An experiment. <i>Applied Ergonomics</i> , 2009, 40, 396-403.	1.7	18
303	Equal task, equal exposure? Are men and women with the same tasks equally exposed to awkward working postures?. <i>Ergonomics</i> , 2009, 52, 1079-1086.	1.1	25
304	Physical exercise interventions in haematological cancer patients, feasible to conduct but effectiveness to be established: A systematic literature review. <i>Cancer Treatment Reviews</i> , 2009, 35, 185-192.	3.4	54
305	Sarcoplasmic reticulum ATPase activity in type I and II skeletal muscle fibres of chronic heart failure patients. <i>International Journal of Cardiology</i> , 2009, 133, 185-190.	0.8	11
306	Adult Active Transportation. <i>American Journal of Preventive Medicine</i> , 2009, 36, 189-194.	1.6	148

#	ARTICLE	IF	CITATIONS
307	The Vital@Work Study. The systematic development of a lifestyle intervention to improve older workers' vitality and the design of a randomised controlled trial evaluating this intervention. <i>BMC Public Health</i> , 2009, 9, 408.	1.2	37
308	Disagreement in physical activity assessed by accelerometer and self-report in subgroups of age, gender, education and weight status. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 17.	2.0	224
309	Ethnic differences in BMI among Dutch adolescents: what is the role of screen-viewing, active commuting to school, and consumption of soft drinks and high-caloric snacks?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 23.	2.0	17
310	Factors associated with non-participation and drop-out in a lifestyle intervention for workers with an elevated risk of cardiovascular disease. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 80.	2.0	72
311	Design of the iPlay Study. <i>Sports Medicine</i> , 2009, 39, 889-901.	3.1	43
312	Effect of Sensorimotor Training on Morphological, Neurophysiological and Functional Characteristics of the Ankle. <i>Sports Medicine</i> , 2009, 39, 591-605.	3.1	34
313	Correlates of Absolute and Excessive Weight Gain During Pregnancy. <i>Journal of Women's Health</i> , 2009, 18, 1559-1566.	1.5	57
314	National Survey on Sports Injuries in the Netherlands: Target Populations for Sports Injury Prevention Programs. <i>Clinical Journal of Sport Medicine</i> , 2009, 19, 101-106.	0.9	100
315	Meeting the 60-Min Physical Activity Guideline. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 81-86.	0.2	17
316	What Works Best for Whom?. <i>Spine</i> , 2009, 34, 1243-1249.	1.0	46
317	Validity and Reproducibility of Motion Sensors in Youth. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 818-827.	0.2	158
318	Reproducibility of a Triaxial Seismic Accelerometer (DynaPort). <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 810-817.	0.2	56
319	Macronutrient distribution over a period of 23 years in relation to energy intake and body fatness. <i>British Journal of Nutrition</i> , 2009, 101, 108-115.	1.2	28
320	Workplace interventions for preventing work disability. , 2009, , CD006955.		182
321	Feasibility and Effectiveness of a Walking Program for Community-Dwelling Older Adults with Mild Cognitive Impairment. <i>Journal of Aging and Physical Activity</i> , 2009, 17, 398-415.	0.5	35
322	Reliability and validity of the Activity Questionnaire for Adults and Adolescents (AQuAA). <i>BMC Medical Research Methodology</i> , 2009, 9, 58.	1.4	116
323	Feasibility and Effectiveness of Online Physical Activity Advice Based on a Personal Activity Monitor: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2009, 11, e27.	2.1	78
324	Is there a gender difference in the effect of work-related physical and psychosocial risk factors on musculoskeletal symptoms and related sickness absence?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009, 35, 85-95.	1.7	104

#	ARTICLE	IF	CITATIONS
325	Intensive group training protocol versus guideline physiotherapy for patients with chronic low back pain: a randomised controlled trial. <i>European Spine Journal</i> , 2008, 17, 1193-1200.	1.0	68
326	Graded activity for workers with low back pain: Who benefits most and how does it work?. <i>Arthritis and Rheumatism</i> , 2008, 59, 642-649.	6.7	45
327	Test-retest reliability and concurrent validity of a web-based questionnaire measuring workstation and individual correlates of work postures during computer work. <i>Applied Ergonomics</i> , 2008, 39, 685-696.	1.7	14
328	Post-disaster physical symptoms of firefighters and police officers: Role of types of exposure and post-traumatic stress symptoms. <i>British Journal of Health Psychology</i> , 2008, 13, 327-342.	1.9	25
329	Underlying mechanisms of improving physical activity behavior after rehabilitation. <i>International Journal of Behavioral Medicine</i> , 2008, 15, 101-108.	0.8	15
330	Accuracy of self-reported body weight, height and waist circumference in a Dutch overweight working population. <i>BMC Medical Research Methodology</i> , 2008, 8, 69.	1.4	193
331	Design of a RCT evaluating the (cost-) effectiveness of a lifestyle intervention for male construction workers at risk for cardiovascular disease: The Health under Construction study. <i>BMC Public Health</i> , 2008, 8, 1.	1.2	365
332	Cost-effectiveness of a workplace intervention for sick-listed employees with common mental disorders: design of a randomized controlled trial. <i>BMC Public Health</i> , 2008, 8, 12.	1.2	44
333	Vitalum study design: RCT evaluating the efficacy of tailored print communication and telephone motivational interviewing on multiple health behaviors. <i>BMC Public Health</i> , 2008, 8, 216.	1.2	37
334	The 2BFit study: is an unsupervised proprioceptive balance board training programme, given in addition to usual care, effective in preventing ankle sprain recurrences? Design of a Randomized Controlled Trial. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 71.	0.8	27
335	Multidisciplinary Collaborative Care for Depressive Disorder in the Occupational Health Setting: design of a randomised controlled trial and cost-effectiveness study. <i>BMC Health Services Research</i> , 2008, 8, 99.	0.9	31
336	The motivation of children to play an active video game. <i>Journal of Science and Medicine in Sport</i> , 2008, 11, 163-166.	0.6	147
337	The Functional Effects of Physical Exercise Training in Frail Older People. <i>Sports Medicine</i> , 2008, 38, 781-793.	3.1	206
338	Why did soft drink consumption decrease but screen time not? Mediating mechanisms in a school-based obesity prevention program. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 41.	2.0	35
339	No Effect of a Graded Training Program on the Number of Running-Related Injuries in Novice Runners. <i>American Journal of Sports Medicine</i> , 2008, 36, 33-39.	1.9	134
340	Personality characteristics in adolescence predict long-term changes in body fatness. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, e10-e13.	1.1	2
341	Acute physical activity and sports injuries in children. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008, 33, 393-401.	0.9	17
342	Use of health care and drugs by police officers 8.5. years after the air disaster in Amsterdam. <i>European Journal of Public Health</i> , 2008, 18, 92-94.	0.1	8

#	ARTICLE	IF	CITATIONS
343	Does musculoskeletal discomfort at work predict future musculoskeletal pain?. <i>Ergonomics</i> , 2008, 51, 637-648.	1.1	138
344	Vastus lateralis surface and single motor unit EMG following submaximal shortening and lengthening contractions. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008, 33, 1086-1095.	0.9	34
345	IOC Consensus Statement on Training the Elite Child Athlete. <i>Clinical Journal of Sport Medicine</i> , 2008, 18, 122-123.	0.9	24
346	Entry Correlates and Motivations of Older Adults Participating in Organized Exercise Programs. <i>Journal of Aging and Physical Activity</i> , 2008, 16, 342-354.	0.5	18
347	Economic Evaluation of an Intensive Group Training Protocol Compared With Usual Care Physiotherapy in Patients With Chronic Low Back Pain. <i>Spine</i> , 2008, 33, 445-451.	1.0	43
348	The Effects of Exercise on Cognition in Older Adults With and Without Cognitive Decline: A Systematic Review. <i>Clinical Journal of Sport Medicine</i> , 2008, 18, 486-500.	0.9	233
349	Test-retest reliability and validity of self-reported duration of computer use at work. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008, 34, 113-119.	1.7	23
350	What makes men and women with musculoskeletal complaints decide they are too sick to work?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008, 34, 107-112.	1.7	31
351	A Cluster-Randomised Trial Evaluating an Intervention for Patients with Stress-Related Mental Disorders and Sick Leave in Primary Care. <i>PLOS Clinical Trials</i> , 2007, 2, e26.	3.5	65
352	Does habit strength moderate the intention-behaviour relationship in the Theory of Planned Behaviour? The case of fruit consumption. <i>Psychology and Health</i> , 2007, 22, 899-916.	1.2	134
353	Determinants of Activity-Friendly Neighborhoods for Children: Results from the Space Study. <i>American Journal of Health Promotion</i> , 2007, 21, 312-316.	0.9	118
354	Short-term Effects of School-Based Weight Gain Prevention Among Adolescents. <i>JAMA Pediatrics</i> , 2007, 161, 565.	3.6	83
355	Lumbar Supports to Prevent Recurrent Low Back Pain among Home Care Workers. <i>Annals of Internal Medicine</i> , 2007, 147, 685.	2.0	41
356	The Physical Activity Scale for Individuals with Physical Disabilities: Test-Retest Reliability and Comparison With an Accelerometer. <i>Journal of Physical Activity and Health</i> , 2007, 4, 96-100.	1.0	111
357	A Brief Review on Correlates of Physical Activity and Sedentariness in Youth. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1241-1250.	0.2	929
358	Multidisciplinary Rehabilitation for Subacute Low Back Pain: Graded Activity or Workplace Intervention or Both?. <i>Spine</i> , 2007, 32, 291-298.	1.0	199
359	Successfully Improving Physical Activity Behavior after Rehabilitation. <i>American Journal of Health Promotion</i> , 2007, 21, 153-159.	0.9	72
360	Modest effects of a controlled worksite environmental intervention on cardiovascular risk in office workers. <i>Preventive Medicine</i> , 2007, 44, 356-362.	1.6	37

#	ARTICLE	IF	CITATIONS
361	A systematic review of the relation between physical capacity and future low back and neck/shoulder pain. <i>Pain</i> , 2007, 130, 93-107.	2.0	102
362	Adolescent skinfold thickness is a better predictor of high body fatness in adults than is body mass index: the Amsterdam Growth and Health Longitudinal Study. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1533-1539.	2.2	115
363	Detection of memory impairment in the general population: screening by questionnaire and telephone compared to subsequent face-to-face assessment. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 203-210.	1.3	21
364	Variable selection under multiple imputation using the bootstrap in a prognostic study. <i>BMC Medical Research Methodology</i> , 2007, 7, 33.	1.4	137
365	Design of a randomized controlled trial on the effects of Counseling of mental health problems by Occupational Physicians on return to work: the CO-OP-study. <i>BMC Public Health</i> , 2007, 7, 183.	1.2	22
366	Multidisciplinary outpatient care program for patients with chronic low back pain: design of a randomized controlled trial and cost-effectiveness study [ISRCTN28478651]. <i>BMC Public Health</i> , 2007, 7, 254.	1.2	37
367	Improving return-to-work after childbirth: design of the Mom@Work study, a randomised controlled trial and cohort study. <i>BMC Public Health</i> , 2007, 7, 43.	1.2	13
368	The GRONORUN study: is a graded training program for novice runners effective in preventing running related injuries? Design of a Randomized Controlled Trial. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 24.	0.8	28
369	Development of a workplace intervention for sick-listed employees with stress-related mental disorders: Intervention Mapping as a useful tool. <i>BMC Health Services Research</i> , 2007, 7, 127.	0.9	97
370	Erratum to "Promoting physical activity with people in different places" A Dutch perspective [J. Sci. Med. Sport 9 (5) (2006) 371-377]. <i>Journal of Science and Medicine in Sport</i> , 2007, 10, 271.	0.6	0
371	Health-related quality of life of firefighters and police officers 8.5 years after the air disaster in Amsterdam. <i>Quality of Life Research</i> , 2007, 16, 239-252.	1.5	30
372	The effect of walking and vitamin B supplementation on quality of life in community-dwelling adults with mild cognitive impairment: a randomized, controlled trial. <i>Quality of Life Research</i> , 2007, 16, 1137-1146.	1.5	51
373	Exploring the Contribution of Patient-Reported and Clinician Based Variables for the Prediction of Low Back Work Status. <i>Journal of Occupational Rehabilitation</i> , 2007, 17, 383-397.	1.2	23
374	Substantial sick-leave costs savings due to a graded activity intervention for workers with non-specific sub-acute low back pain. <i>European Spine Journal</i> , 2007, 16, 919-924.	1.0	58
375	Consensus-based findings and recommendations for estimating the costs of health-related productivity loss from a company's perspective. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 122-130.	1.7	37
376	Environmental influences on energy balance-related behaviors: a dual-process view. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006, 3, 9.	2.0	443
377	Associations of social-environmental and individual-level factors with adolescent soft drink consumption: results from the SMILE study. <i>Health Education Research</i> , 2006, 22, 227-237.	1.0	79
378	Modeling Individual and Physical Environmental Factors with Adolescent Physical Activity. <i>American Journal of Preventive Medicine</i> , 2006, 30, 507-512.	1.6	66

#	ARTICLE	IF	CITATIONS
379	Physical activity measurements affected participants' behavior in a randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 404-411.	2.4	124
380	Clinimetric review of motion sensors in children and adolescents. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 670-680.	2.4	203
381	The Effectiveness of High-Intensity Versus Low-Intensity Back Schools in an Occupational Setting. <i>Spine</i> , 2006, 31, 1075-1082.	1.0	83
382	Cross-sectional relationship between physical fitness components and functional performance in older persons living in long-term care facilities. <i>BMC Geriatrics</i> , 2006, 6, 4.	1.1	45
383	Effects of resistance and functional-skills training on habitual activity and constipation among older adults living in long-term care facilities: a randomized controlled trial. <i>BMC Geriatrics</i> , 2006, 6, 9.	1.1	57
384	Once a week not enough, twice a week not feasible?. <i>Patient Education and Counseling</i> , 2006, 63, 205-214.	1.0	54
385	Economic Evaluation of a Multi-Stage Return to Work Program for Workers on Sick-Leave Due to Low Back Pain. <i>Journal of Occupational Rehabilitation</i> , 2006, 16, 557-578.	1.2	94
386	Workers' Beliefs and Expectations Affect Return to Work Over 12 Months. <i>Journal of Occupational Rehabilitation</i> , 2006, 16, 685-695.	1.2	93
387	Promoting physical activity with people in different places? A Dutch perspective. <i>Journal of Science and Medicine in Sport</i> , 2006, 9, 371-377.	0.6	17
388	Effectiveness of a Minimal Intervention for Stress-related mental disorders with Sick leave (MISS); study protocol of a cluster randomised controlled trial in general practice [ISRCTN43779641]. <i>BMC Public Health</i> , 2006, 6, 124.	1.2	20
389	ALIFE@Work: a randomised controlled trial of a distance counselling lifestyle programme for weight control among an overweight working population [ISRCTN04265725]. <i>BMC Public Health</i> , 2006, 6, 140.	1.2	34
390	Attribution of physical complaints to the air disaster in Amsterdam by exposed rescue workers: an epidemiological study using historic cohorts. <i>BMC Public Health</i> , 2006, 6, 142.	1.2	6
391	Design of the New Life(style) study: a randomised controlled trial to optimise maternal weight development during pregnancy. [ISRCTN85313483]. <i>BMC Public Health</i> , 2006, 6, 168.	1.2	54
392	The effects of a controlled worksite environmental intervention on determinants of dietary behavior and self-reported fruit, vegetable and fat intake. <i>BMC Public Health</i> , 2006, 6, 253.	1.2	77
393	Design of the Dutch Obesity Intervention in Teenagers (NRG-DOIT): systematic development, implementation and evaluation of a school-based intervention aimed at the prevention of excessive weight gain in adolescents. <i>BMC Public Health</i> , 2006, 6, 304.	1.2	94
394	Prospective research on musculoskeletal disorders in office workers (PROMO): study protocol. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 55.	0.8	39
395	The Pediatric Athlete - Are We Doing The Right Thing?. <i>Clinical Journal of Sport Medicine</i> , 2006, 16, 455-456.	0.9	8
396	Does flexion "distraction help treat chronic low back pain?. <i>Nature Clinical Practice Rheumatology</i> , 2006, 2, 360-361.	3.2	4

#	ARTICLE	IF	CITATIONS
397	Predicting older adults' maintenance in exercise participation using an integrated social psychological model. <i>Health Education Research</i> , 2006, 21, 1-14.	1.0	72
398	Adherence to mental health guidelines by Dutch occupational physicians. <i>Occupational Medicine</i> , 2006, 56, 461-468.	0.8	42
399	Is an imbalance between physical capacity and exposure to work-related physical factors associated with low-back, neck or shoulder pain?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 190-197.	1.7	29
400	Effect of a Tailored Physical Activity Intervention Delivered in General Practice Settings: Results of a Randomized Controlled Trial. <i>American Journal of Public Health</i> , 2005, 95, 1825-1831.	1.5	93
401	Gender Differences in Self-Reported Physical and Psychosocial Exposures in Jobs With Both Female and Male Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 244-252.	0.9	68
402	Effects of retirement on lifestyle in relation to changes in weight and waist circumference in Dutch men: a prospective study. <i>Public Health Nutrition</i> , 2005, 8, 1266-1274.	1.1	90
403	Epidemiologic Study of the Autoimmune Health Effects of a Cargo Aircraft Disaster. <i>Archives of Internal Medicine</i> , 2005, 165, 2278.	4.3	16
404	Dropout from Exercise Programs for Seniors: A Prospective Cohort Study. <i>Journal of Aging and Physical Activity</i> , 2005, 13, 409-421.	0.5	24
405	The European Youth Heart Study—Cardiovascular Disease Risk Factors in Children: Rationale, Aims, Study Design, and Validation of Methods. <i>Journal of Physical Activity and Health</i> , 2005, 2, 115-129.	1.0	173
406	Epidemiological study air disaster in Amsterdam (ESADA): study design. <i>BMC Public Health</i> , 2005, 5, 54.	1.2	27
407	Physical Exercise Interventions to Improve Disability and Return to Work in Low Back Pain: Current Insights and Opportunities for Improvement. <i>Journal of Occupational Rehabilitation</i> , 2005, 15, 491-505.	1.2	56
408	The Effects of a Graded Activity Intervention for Low Back Pain in Occupational Health on Sick Leave, Functional Status and Pain: 12-Month Results of a Randomized Controlled Trial. <i>Journal of Occupational Rehabilitation</i> , 2005, 15, 569-580.	1.2	63
409	Prognostic Factors for Duration of Sick Leave Due to Low-Back Pain in Dutch Health Care Professionals. <i>Journal of Occupational Rehabilitation</i> , 2005, 15, 591-605.	1.2	61
410	Protocol for Project FACT: a randomised controlled trial on the effect of a walking program and vitamin B supplementation on the rate of cognitive decline and psychosocial wellbeing in older adults with mild cognitive impairment [ISRCTN19227688]. <i>BMC Geriatrics</i> , 2005, 5, 18.	1.1	19
411	An IGF-I promoter polymorphism modifies the relationships between birth weight and risk factors for cardiovascular disease and diabetes at age 36. <i>BMC Endocrine Disorders</i> , 2005, 5, 5.	0.9	14
412	Work-related disease in general practice: a systematic review. <i>Family Practice</i> , 2005, 22, 197-204.	0.8	69
413	Is personality related to fruit and vegetable intake and physical activity in adolescents?. <i>Health Education Research</i> , 2005, 20, 635-644.	1.0	57
414	Development of Fatness, Fitness, and Lifestyle From Adolescence to the Age of 36 Years. <i>Archives of Internal Medicine</i> , 2005, 165, 42.	4.3	175

#	ARTICLE	IF	CITATIONS
415	The Metabolic Syndrome, Cardiopulmonary Fitness, and Subcutaneous Trunk Fat as Independent Determinants of Arterial Stiffness. <i>Archives of Internal Medicine</i> , 2005, 165, 875.	4.3	167
416	Essay: Injury prevention in young people – time to accept responsibility. <i>Lancet, The</i> , 2005, 366, S46.	6.3	14
417	In a prospective study in young people, associations between changes in smoking behavior and risk factors for cardiovascular disease were complex. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 1165-1171.	2.4	20
418	The effect of a balance training programme on centre of pressure excursion in one-leg stance. <i>Clinical Biomechanics</i> , 2005, 20, 1094-1100.	0.5	79
419	Determinants of adolescent bicycle use for transportation and snacking behavior. <i>Preventive Medicine</i> , 2005, 40, 658-667.	1.6	113
420	Worksite Health Promotion Programs with Environmental Changes. <i>American Journal of Preventive Medicine</i> , 2005, 29, 61-70.	1.6	312
421	Assessing Cardiorespiratory Fitness Without Performing Exercise Testing. <i>American Journal of Preventive Medicine</i> , 2005, 29, 185-193.	1.6	287
422	Promoting physical activity using an activity monitor and a tailored web-based advice: design of a randomized controlled trial [ISRCTN93896459]. <i>BMC Public Health</i> , 2005, 5, 134.	1.2	31
423	Cognitive Determinants of Energy Balance-Related Behaviours. <i>Sports Medicine</i> , 2005, 35, 923-933.	3.1	69
424	Effectiveness of a return-to-work intervention for subacute low-back pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005, 31, 249-257.	1.7	47
425	Birthweight and arterial stiffness and blood pressure in adulthood—Results from the Amsterdam Growth and Health Longitudinal Study. <i>International Journal of Epidemiology</i> , 2004, 33, 154-161.	0.9	48
426	Comparison between Self-Report and a Dipstick Method (NicCheck 1 [®]) to Assess Nicotine Intake. <i>European Addiction Research</i> , 2004, 10, 163-167.	1.3	24
427	Central Fat Mass Versus Peripheral Fat and Lean Mass: Opposite (Adverse Versus Favorable) Associations with Arterial Stiffness? The Amsterdam Growth and Health Longitudinal Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2632-2639.	1.8	186
428	Comparison of Short Questionnaires on Alcohol Drinking Behavior in a Nonclinical Population of 36-Year-Old Men and Women. <i>Substance Use and Misuse</i> , 2004, 39, 1041-1060.	0.7	7
429	Feasibility and acceptability of a physical activity promotion programme in general practice. <i>Family Practice</i> , 2004, 21, 429-436.	0.8	31
430	Cost-effectiveness of an intensive group training protocol compared to physiotherapy guideline care for sub-acute and chronic low back pain: design of a randomised controlled trial with an economic evaluation. [ISRCTN45641649]. <i>BMC Musculoskeletal Disorders</i> , 2004, 5, 45.	0.8	20
431	Birth weight and musculoskeletal health in 36-year-old men and women: Results from the Amsterdam Growth and Health Longitudinal Study. <i>Osteoporosis International</i> , 2004, 15, 382-388.	1.3	24
432	Smoking and quantitative ultrasound parameters in the calcaneus in 36-year-old men and women. <i>Osteoporosis International</i> , 2004, 15, 735-741.	1.3	22

#	ARTICLE	IF	CITATIONS
433	Effects of resistance and all-round, functional training on quality of life, vitality and depression of older adults living in long-term care facilities: a 'randomized' controlled trial [ISRCTN87177281]. <i>BMC Geriatrics</i> , 2004, 4, 5.	1.1	66
434	The Effect of a Proprioceptive Balance Board Training Program for the Prevention of Ankle Sprains. <i>American Journal of Sports Medicine</i> , 2004, 32, 1385-1393.	1.9	454
435	Physical Activity for People with a Disability. <i>Sports Medicine</i> , 2004, 34, 639-649.	3.1	197
436	Back Schools in Occupational Health Care: Design of a Randomized Controlled Trial and Cost-Effectiveness Study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2004, 27, 457-465.	0.4	16
437	Stage-based lifestyle interventions in primary care. <i>American Journal of Preventive Medicine</i> , 2004, 26, 330-343.	1.6	116
438	Current and adolescent body fatness and fat distribution. <i>Journal of Hypertension</i> , 2004, 22, 145-155.	0.3	108
439	Graded Activity for Low Back Pain in Occupational Health Care. <i>Annals of Internal Medicine</i> , 2004, 140, 77.	2.0	176
440	Costs, benefits and effectiveness of worksite physical activity counseling from the employer's perspective. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004, 30, 36-46.	1.7	92
441	Gender differences in the relations between work-related physical and psychosocial risk factors and musculoskeletal complaints. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004, 30, 261-278.	1.7	103
442	Maximum rate of oxygen consumption related to succinate dehydrogenase activity in skeletal muscle fibres of chronic heart failure patients and controls. <i>Clinical Physiology and Functional Imaging</i> , 2003, 23, 337-343.	0.5	39
443	Ten-Year Longitudinal Relationship Between Physical Activity and Lumbar Bone Mass in (Young) Adults. <i>Journal of Bone and Mineral Research</i> , 2003, 18, 325-332.	3.1	39
444	Cost effectiveness of a multi-stage return to work program for workers on sick leave due to low back pain, design of a population based controlled trial [ISRCTN60233560]. <i>BMC Musculoskeletal Disorders</i> , 2003, 4, 26.	0.8	48
445	Birth Weight, Adult Body Composition, and Subcutaneous Fat Distribution. <i>Obesity</i> , 2003, 11, 202-208.	4.0	36
446	Effect of individual counseling on physical activity fitness and health. <i>American Journal of Preventive Medicine</i> , 2003, 24, 218-226.	1.6	116
447	Fat-Free Body Mass Is the Most Important Body Composition Determinant of 10-yr Longitudinal Development of Lumbar Bone in Adult Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 2607-2613.	1.8	83
448	A Longitudinal Study on Smoking in Relationship to Fitness and Heart Rate Response. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 793-800.	0.2	50
449	The Effectiveness of Worksite Physical Activity Programs on Physical Activity, Physical Fitness, and Health. <i>Clinical Journal of Sport Medicine</i> , 2003, 13, 106-117.	0.9	294
450	Longitudinal Changes in $\dot{V}O_{2\max}$: Associations with Carotid IMT and Arterial Stiffness. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1670-1678.	0.2	73

#	ARTICLE	IF	CITATIONS
451	Return-to-Work Interventions for Low Back Pain. Sports Medicine, 2002, 32, 251-267.	3.1	88
452	Introduction to the Special Issue on Measurement of Work Outcomes. Journal of Occupational Rehabilitation, 2002, 12, 115-117.	1.2	3
453	Effectiveness of physical activity programs at worksites with respect to work-related outcomes. Scandinavian Journal of Work, Environment and Health, 2002, 28, 75-84.	1.7	131
454	High physical and psychosocial load at work and sickness absence due to neck pain. Scandinavian Journal of Work, Environment and Health, 2002, 28, 222-231.	1.7	119
455	The Effect of Tape, Braces and Shoes on Ankle Range of Motion. Sports Medicine, 2001, 31, 667-677.	3.1	61
456	Clustering of Risk Factors for Coronary Heart Disease The Longitudinal Relationship with Lifestyle. Annals of Epidemiology, 2001, 11, 157-165.	0.9	59
457	High Quantitative Job Demands and Low Coworker Support As Risk Factors for Neck Pain. Spine, 2001, 26, 1896-1901.	1.0	124
458	A 15-year physical activity pattern is positively related to aerobic fitness in young males and females (13-27 years). European Journal of Applied Physiology, 2001, 84, 395-402.	1.2	59
459	Is calculating pack-years retrospectively a valid method to estimate life-time tobacco smoking? A comparison between prospectively calculated pack-years and retrospectively calculated pack-years. Addiction, 2001, 96, 1653-1661.	1.7	105
460	Psychosocial work characteristics and psychological strain in relation to low-back pain. Scandinavian Journal of Work, Environment and Health, 2001, 27, 258-267.	1.7	123
461	Physical activity of young people: the Amsterdam Longitudinal Growth and Health Study. Medicine and Science in Sports and Exercise, 2000, 32, 1610-1616.	0.2	340
462	The Effect of Preventive Measures on the Incidence of Ankle Sprains. Clinical Journal of Sport Medicine, 2000, 10, 291-296.	0.9	164
463	Blood Cholesterol Levels of 32-Year-Old Alcohol Consumers Are Better Than of Nonconsumers. Pharmacology Biochemistry and Behavior, 2000, 66, 163-167.	1.3	15
464	Tracking of activity and fitness and the relationship with cardiovascular disease risk factors. Medicine and Science in Sports and Exercise, 2000, 32, 1455-1461.	0.2	265
465	Positive and negative life events: the relationship with coronary heart disease risk factors in young adults. Journal of Psychosomatic Research, 2000, 49, 35-42.	1.2	8
466	Physical risk factors for neck pain. Scandinavian Journal of Work, Environment and Health, 2000, 26, 7-19.	1.7	405
467	The Effect of Ankle Bracing on Athletic Performance. Sports Medicine, 1999, 27, 171-178.	3.1	38
468	Changes in daily hassles and life events and the relationship with coronary heart disease risk factors. Journal of Psychosomatic Research, 1999, 46, 229-240.	1.2	59

#	ARTICLE	IF	CITATIONS
469	Clustering of Lifestyle CVD Risk Factors and Its Relationship with Biological CVD Risk Factors. <i>Pediatric Exercise Science</i> , 1999, 11, 169-177.	0.5	4
470	Clustering of Biological Risk Factors for Cardiovascular Disease and the Longitudinal Relationship with Lifestyle of an Adolescent Population: The Northern Ireland Young Hearts Project. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1999, 6, 355-362.	3.1	41
471	Longitudinal relationships between resting heart rate and biological risk factors for cardiovascular disease: The Amsterdam Growth and Health Study. <i>Journal of Sports Sciences</i> , 1998, 16, 17-23.	1.0	10
472	Which lifestyle parameters discriminate high- from low-risk participants for coronary heart disease risk factors. Longitudinal analysis covering adolescence and young adulthood. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1997, 4, 393-400.	1.5	20
473	Sports Injury Surveillance Systems. <i>Sports Medicine</i> , 1997, 24, 164-168.	3.1	104
474	The Severity of Sports Injuries. <i>Sports Medicine</i> , 1997, 24, 176-180.	3.1	90
475	The longitudinal development of running economy in males and females aged between 13 and 27 years: The Amsterdam Growth and Health Study. <i>European Journal of Applied Physiology</i> , 1997, 76, 214-220.	1.2	27
476	Factors Influencing Tracking of Cholesterol and High-Density Lipoprotein: The Amsterdam Growth and Health Study. <i>Preventive Medicine</i> , 1996, 25, 355-364.	1.6	44
477	Physical Fitness Testing of Children: A European Perspective. <i>Pediatric Exercise Science</i> , 1996, 8, 201-214.	0.5	57
478	Development and Tracking of Central Patterns of Subcutaneous Fat in Adolescence and Adulthood: The Amsterdam Growth and Health Study. <i>International Journal of Epidemiology</i> , 1996, 25, 1162-1171.	0.9	46
479	Subject-related risk factors for sports injuries: a 1-yr prospective study in young adults. <i>Medicine and Science in Sports and Exercise</i> , 1996, 28, 1171-1179.	0.2	139
480	Can Running Injuries Be Effectively Prevented?. <i>Sports Medicine</i> , 1995, 19, 161-165.	3.1	35
481	Prevention of running injuries by warm-up, cool-down, and stretching exercises. <i>American Journal of Sports Medicine</i> , 1993, 21, 711-719.	1.9	191
482	Efficacy of Preventive Knee Braces in Football. <i>Clinical Journal of Sport Medicine</i> , 1993, 3, 166-173.	0.9	4
483	Incidence, Severity, Aetiology and Prevention of Sports Injuries. <i>Sports Medicine</i> , 1992, 14, 82-99.	3.1	1,448
484	Running Injuries. <i>Sports Medicine</i> , 1992, 14, 320-335.	3.1	405
485	Epidemiology of Pediatric Sports-Related Injuries. , 0, , 143-150.		2
486	Interventions for preventing ankle ligament injuries. <i>The Cochrane Library</i> , 0, , .	1.5	1