

# Hao Wen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1026245/publications.pdf>

Version: 2024-02-01

134  
papers

4,980  
citations

147801

31  
h-index

110387

64  
g-index

144  
all docs

144  
docs citations

144  
times ranked

5039  
citing authors

#	ARTICLE	IF	CITATIONS
1	Breaking-then-curing strategy for efficient cystic echinococcosis therapy. <i>Chinese Chemical Letters</i> , 2022, 33, 2949-2953.	9.0	4
2	Netrin-1 promotes liver regeneration possibly by facilitating vagal nerve repair after partial hepatectomy in mice. <i>Cellular Signalling</i> , 2022, 91, 110227.	3.6	7
3	Reconstruction of hepatic venous outflow and management of its complications using ex vivo liver resection and autotransplantation: a single-center experience. <i>Expert Review of Gastroenterology and Hepatology</i> , 2022, 16, 279-287.	3.0	2
4	A Novel Hepatectomy Model in Mice Using a Gutta Cutter Tool: A Feasibility Study and Preliminary Results. <i>Transplantation Proceedings</i> , 2022, 54, 811-820.	0.6	0
5	Massive sympathetic nerve infiltration in advanced hepatic alveolar echinococcosis: a case report and review of the literature. <i>BMC Infectious Diseases</i> , 2022, 22, .	2.9	3
6	Roles of immune cells in the concurrence of <i>Echinococcus granulosus sensu lato</i> infection and hepatocellular carcinoma. <i>Experimental Parasitology</i> , 2022, 240, 108321.	1.2	0
7	<i>Echinococcus granulosus</i> protoscoleces promotes proliferation and invasion of hepatocellular carcinoma cells. <i>Cytotechnology</i> , 2021, 73, 13-22.	1.6	5
8	Feasibility of Retrohepatic Inferior Vena Cava Resection Without Reconstruction for Hepatic Alveolar Echinococcosis. <i>American Surgeon</i> , 2021, 87, 443-449.	0.8	2
9	Laparoscopic hepatectomy for the treatment of hepatic alveolar echinococcosis. <i>Parasite</i> , 2021, 28, 5.	2.0	9
10	Diagnosis and treatment modalities of hilar biliary duct stricture in hepatic cystic echinococcosis after endocystectomy. <i>Parasite</i> , 2021, 28, 51.	2.0	0
11	Th1/Th2/Th17 cytokine profile in hepatic cystic <i>Echinococcus</i> patients with different cyst stages. <i>Parasite Immunology</i> , 2021, 43, e12839.	1.5	8
12	Impact of Albendazole on Cytokine and Chemokine Response Profiles in <i>Echinococcus multilocularis</i> -Inoculated Mice. <i>BioMed Research International</i> , 2021, 2021, 1-10.	1.9	3
13	Laparoscopic or open treatment for hepatic alveolar echinococcosis: A single-institution experience. <i>International Journal of Infectious Diseases</i> , 2021, 107, 182-187.	3.3	8
14	Quantitative evaluation of range and metabolic activity of hepatic alveolar echinococcosis lesion microenvironment using PET/CT and multi-site sampling method. <i>BMC Infectious Diseases</i> , 2021, 21, 702.	2.9	3
15	Prognostic value of plasma IL-27 on biological viability of hepatic cystic echinococcosis. <i>International Journal of Infectious Diseases</i> , 2021, 109, 63-71.	3.3	2
16	Identification of infiltrating immune cell subsets and heterogeneous macrophages in the lesion microenvironment of hepatic cystic echinococcosis patients with different cyst viability. <i>Acta Tropica</i> , 2021, 221, 106029.	2.0	7
17	Involvement of TIGIT in Natural Killer Cell Exhaustion and Immune Escape in Patients and Mouse Model With Liver <i>Echinococcus multilocularis</i> Infection. <i>Hepatology</i> , 2021, 74, 3376-3393.	7.3	22
18	Single-Cell RNA Sequencing Reveals the Heterogeneity of Infiltrating Immune Cell Profiles in the Hepatic Cystic Echinococcosis Microenvironment. <i>Infection and Immunity</i> , 2021, 89, e0029721.	2.2	7

#	ARTICLE	IF	CITATIONS
19	Use of the ligamentum teres hepatis for outflow reconstruction during exÂvivo liver resection and autotransplantation in patients with hepatic alveolar echinococcosis: A case series of 24 patients. <i>Surgery</i> , 2021, 170, 822-830.	1.9	8
20	Tetrazine-mediated bioorthogonal removal of 3-isocyanopropyl groups enables the controlled release of nitric oxide <i>in vivo</i>. <i>Biomaterials Science</i> , 2021, 9, 1816-1825.	5.4	6
21	Double versus single T-tube drainage for frank cysto-biliary communication in patients with hepatic cystic echinococcosis: a retrospective cohort study with median 11Âyears follow-up. <i>BMC Surgery</i> , 2021, 21, 12.	1.3	4
22	Immune Exhaustion of T Cells in Alveolar Echinococcosis Patients and Its Reversal by Blocking Checkpoint Receptor TIGIT in a Murine Model. <i>Hepatology</i> , 2020, 71, 1297-1315.	7.3	41
23	Auxiliary Partial Autologous Liver Transplantation for High-selective Alveolar Echinococcosis: A Proof of Concept. <i>Transplantation</i> , 2020, 104, e138-e139.	1.0	5
24	Comparative Analysis of Immunoactivation by Nanosecond Pulsed Electric Fields and PD-1 Blockade in Murine Hepatocellular Carcinoma. <i>Analytical Cellular Pathology</i> , 2020, 2020, 1-8.	1.4	9
25	Direct effects of transforming growth factor-Î²1 signaling on the differentiation fate of fetal hepatic progenitor cells. <i>Regenerative Medicine</i> , 2020, 15, 1719-1733.	1.7	1
26	International consensus on terminology to be used in the field of echinococcoses. <i>Parasite</i> , 2020, 27, 41.	2.0	152
27	Consensus recommendations of three-dimensional visualization for diagnosis and management of liver diseases. <i>Hepatology International</i> , 2020, 14, 437-453.	4.2	68
28	Pharmacokinetics and tissue distribution study of liposomal albendazole in naturally Echinococcus granulosus infected sheep by a validated UPLC-Q-TOF-MS method. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1141, 122016.	2.3	6
29	Progress and applications of single-cell sequencing techniques. <i>Infection, Genetics and Evolution</i> , 2020, 80, 104198.	2.3	31
30	Co-existence of hepatocellular carcinoma and cystic echinococcosis. <i>Infectious Agents and Cancer</i> , 2020, 15, 5.	2.6	13
31	Dual Role of Hepatic Macrophages in the Establishment of the Echinococcus multilocularis Metacestode in Mice. <i>Frontiers in Immunology</i> , 2020, 11, 600635.	4.8	20
32	Kupffer Cells: Important Participant of Hepatic Alveolar Echinococcosis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 8.	3.9	9
33	Gut microbiome analysis as a tool towards targeted non-invasive biomarkers for early hepatocellular carcinoma. <i>Gut</i> , 2019, 68, 1014-1023.	12.1	498
34	TGF-Î²1 signaling activates hepatic stellate cells through Notch pathway. <i>Cytotechnology</i> , 2019, 71, 881-891.	1.6	24
35	Accumulation of Tumor-Infiltrating CD49a+ NK Cells Correlates with Poor Prognosis for Human Hepatocellular Carcinoma. <i>Cancer Immunology Research</i> , 2019, 7, 1535-1546.	3.4	66
36	Compared efficacy of University of Wisconsin and histidine-tryptophan-ketoglutarate solutions in ex-situ liver resection and autotransplantation for end-stage hepatic alveolar echinococcosis patients. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019, 18, 430-438.	1.3	3

#	ARTICLE	IF	CITATIONS
37	Acute symptomatic seizure due to tacrolimus-related encephalopathy after liver transplantation: two case reports. <i>Journal of International Medical Research</i> , 2019, 47, 6397-6403.	1.0	6
38	<i>Echinococcus multilocularis</i> inoculation induces NK cell functional decrease through high expression of NKG2A in C57BL/6 mice. <i>BMC Infectious Diseases</i> , 2019, 19, 792.	2.9	12
39	Subcutaneous Inoculation of <i>Echinococcus multilocularis</i> Induces Delayed Regeneration after Partial Hepatectomy. <i>Scientific Reports</i> , 2019, 9, 462.	3.3	3
40	Hypoxia alleviation-triggered enhanced photodynamic therapy in combination with IDO inhibitor for preferable cancer therapy. <i>Biomaterials</i> , 2019, 206, 170-182.	11.4	107
41	<i>Echinococcosis: Advances in the 21st Century</i> . <i>Clinical Microbiology Reviews</i> , 2019, 32, .	13.6	558
42	Thioredoxin peroxidase secreted by <i>Echinococcus granulosus</i> (sensu stricto) promotes the alternative activation of macrophages via PI3K/AKT/mTOR pathway. <i>Parasites and Vectors</i> , 2019, 12, 542.	2.5	20
43	The local immune response during <i>Echinococcus granulosus</i> growth in a quantitative hepatic experimental model. <i>Scientific Reports</i> , 2019, 9, 19612.	3.3	19
44	Resection of retrohepatic inferior vena cava without reconstruction for hepatic alveolar echinococcosis. <i>Chinese Medical Journal</i> , 2019, 132, 1623-1624.	2.3	1
45	Left trisectionectomy and supra-hepatic caval reconstruction with vascular prosthesis for chronic Budd-Chiari syndrome caused by hepatic alveolar echinococcosis. <i>Chinese Medical Journal</i> , 2019, 132, 2886-2888.	2.3	3
46	Human CD96 Correlates to Natural Killer Cell Exhaustion and Predicts the Prognosis of Human Hepatocellular Carcinoma. <i>Hepatology</i> , 2019, 70, 168-183.	7.3	209
47	Identification of Functional MKK3/6 and MEK1/2 Homologs from <i>Echinococcus granulosus</i> and Investigation of Protoscolecidal Activity of Mitogen-Activated Protein Kinase Signaling Pathway Inhibitors In Vitro and In Vivo. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	25
48	Identification of combined T-cell and B-cell reactive <i>Echinococcus granulosus</i> 95 antigens for the potential development of a multi-epitope vaccine. <i>Annals of Translational Medicine</i> , 2019, 7, 652-652.	1.7	12
49	Treatment of hepatic cystic echinococcosis patients with clear cell renal carcinoma: a case report. <i>Open Life Sciences</i> , 2019, 14, 647-650.	1.4	0
50	CD19CD24CD38 Regulatory B cells Involved in Hepatic Alveolar Hydatid Infection in Humans. <i>Annals of Clinical and Laboratory Science</i> , 2019, 49, 338-343.	0.2	4
51	Plasma IL-23 and IL-5 as surrogate markers of lesion metabolic activity in patients with hepatic alveolar echinococcosis. <i>Scientific Reports</i> , 2018, 8, 4417.	3.3	12
52	Larval <i>Echinococcus multilocularis</i> infection reduces dextran sulphate sodium-induced colitis in mice by attenuating T helper type 1/type 17-mediated immune reactions. <i>Immunology</i> , 2018, 154, 76-88.	4.4	14
53	<i>Echinococcus granulosus sensu stricto</i> : silencing of thioredoxin peroxidase impairs the differentiation of protoscolecetes into metacestodes. <i>Parasite</i> , 2018, 25, 57.	2.0	19
54	Reduced CD160 Expression Contributes to Impaired NK-cell Function and Poor Clinical Outcomes in Patients with HCC. <i>Cancer Research</i> , 2018, 78, 6581-6593.	0.9	32

#	ARTICLE	IF	CITATIONS
55	Effect of Huaier granule on recurrence after curative resection of HCC: a multicentre, randomised clinical trial. <i>Gut</i> , 2018, 67, 2006-2016.	12.1	147
56	Experimental Nanopulse Ablation of Multiple Membrane Parasite on Ex Vivo Hydatid Cyst. <i>BioMed Research International</i> , 2018, 2018, 1-9.	1.9	5
57	Ex vivo liver resection and autotransplantation as alternative to allotransplantation for end-stage hepatic alveolar echinococcosis. <i>Journal of Hepatology</i> , 2018, 69, 1037-1046.	3.7	88
58	Foxp3 <sup>+</sup> T Regulatory Cells as a Potential Target for Immunotherapy against Primary Infection with <i>Echinococcus multilocularis</i> Eggs. <i>Infection and Immunity</i> , 2018, 86, .	2.2	43
59	Sequence analysis of mitochondrial cytochrome c oxidase 1 and cytochrome b genes of <i>Echinococcus multilocularis</i> from human patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 795-801.	0.5	0
60	High NKG2A expression contributes to NK cell exhaustion and predicts a poor prognosis of patients with liver cancer. <i>OncImmunology</i> , 2017, 6, e1264562.	4.6	180
61	Depletion of FoxP3 <sup>+</sup> Tregs improves control of larval <i>Echinococcus multilocularis</i> infection by promoting co-stimulation and Th1/17 immunity. <i>Immunity, Inflammation and Disease</i> , 2017, 5, 435-447.	2.7	34
62	Nanosecond pulsed electric field (nsPEF) disrupts the structure and metabolism of human <i>Echinococcus granulosus</i> protoscolex in vitro with a dose effect. <i>Parasitology Research</i> , 2017, 116, 1345-1351.	1.6	15
63	Recurrent multiple-organ involvement of disseminated alveolar echinococcosis in 3 patients. <i>Medicine (United States)</i> , 2017, 96, e7632.	1.0	2
64	Survival prediction model for postoperative hepatocellular carcinoma patients. <i>Medicine (United States)</i> , 2017, 96, e7632.	1.0	13
65	T-cell tolerance and exhaustion in the clearance of <i>Echinococcus multilocularis</i> : role of inoculum size in a quantitative hepatic experimental model. <i>Scientific Reports</i> , 2017, 7, 11153.	3.3	40
66	Novel Interventional Management of Hepatic Hydatid Cyst with Nanosecond Pulses on Experimental Mouse Model. <i>Scientific Reports</i> , 2017, 7, 4491.	3.3	10
67	Efficacy of radiotherapy for the treatment of cystic echinococcosis in naturally infected sheep. <i>Infectious Diseases of Poverty</i> , 2017, 6, 88.	3.7	3
68	Genetic variation of mitochondrial genes among <i>Echinococcus multilocularis</i> isolates collected in western China. <i>Parasites and Vectors</i> , 2017, 10, 265.	2.5	21
69	Robust phase-retrieval-based X-ray tomography for morphological assessment of early hepatic echinococcosis infection in rats. <i>PLoS ONE</i> , 2017, 12, e0183396.	2.5	10
70	Improved experimental model of hepatic cystic hydatid disease resembling natural infection route with stable growing dynamics and immune reaction. <i>World Journal of Gastroenterology</i> , 2017, 23, 7989-7999.	3.3	12
71	Expression of toll-like receptor 2, 4 and related cytokines in intraperitoneally inoculated Balb/C mice with. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 7947-7955.	0.5	2
72	In vitro culture of <i>Echinococcus multilocularis</i> producing protoscolexes and mouse infection with the cultured vesicles. <i>Parasites and Vectors</i> , 2016, 9, 411.	2.5	29

#	ARTICLE	IF	CITATIONS
73	Hydatid cyst fluid promotes peri-cystic fibrosis in cystic echinococcosis by suppressing miR-19 expression. <i>Parasites and Vectors</i> , 2016, 9, 278.	2.5	40
74	Bioinformatic prediction of the antigenic epitopes of recombinant ferritin of <i>Echinococcus granulosus</i> . <i>Molecular Medicine Reports</i> , 2016, 13, 888-894.	2.4	2
75	Surgical Procedure Choice for Removing Hepatic Cysts of <i>Echinococcus granulosus</i> in Children. <i>European Journal of Pediatric Surgery</i> , 2016, 26, 363-367.	1.3	8
76	Analysis of the clinical value of 18F-FDG PET/CT in hepatic alveolar echinococcosis before and after autologous liver transplantation. <i>Experimental and Therapeutic Medicine</i> , 2016, 11, 43-48.	1.8	12
77	Homeobox genes gain trimethylation of histone H3 lysine 4 in glioblastoma tissue. <i>Bioscience Reports</i> , 2016, 36, .	2.4	4
78	Parasitic infection as a potential therapeutic tool against rheumatoid arthritis. <i>Experimental and Therapeutic Medicine</i> , 2016, 12, 2359-2366.	1.8	3
79	Comparative Evaluation of Liposomal Albendazole and Tablet-Albendazole Against Hepatic Cystic Echinococcosis. <i>Medicine (United States)</i> , 2016, 95, e2237.	1.0	14
80	Serum miRNAs as predictive and preventive biomarker for pre-clinical hepatocellular carcinoma. <i>Cancer Letters</i> , 2016, 373, 234-240.	7.2	43
81	Activity in mice of recombinant BCG-EgG1Y162 vaccine for <i>Echinococcus granulosus</i> infection. <i>Human Vaccines and Immunotherapeutics</i> , 2016, 12, 170-175.	3.3	12
82	Increased Expression of TGF- $\beta$ 1 in Correlation with Liver Fibrosis during <i>Echinococcus granulosus</i> Infection in Mice. <i>Korean Journal of Parasitology</i> , 2016, 54, 519-525.	1.3	22
83	Molecular Cloning and Characterization of a P38-Like Mitogen-Activated Protein Kinase from <i>Echinococcus granulosus</i> . <i>Korean Journal of Parasitology</i> , 2016, 54, 759-769.	1.3	5
84	Immunological effect induced by mesenchymal stem cells in a rat liver transplantation model. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 401-406.	1.8	12
85	CCR7 <sup>lo</sup> PD-1 <sup>hi</sup> CXCR5 <sup>+</sup> CD4 <sup>+</sup> T cells are positively correlated with levels of IL-21 in active and transitional cystic echinococcosis patients. <i>BMC Infectious Diseases</i> , 2015, 15, 457.	2.9	19
86	The Comparison of 2 New Promising Weapons for the Treatment of Hydatid Cyst Disease. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2015, 25, 358-362.	0.8	18
87	The Potential Role of Th9 Cell Related Cytokine and Transcription Factors in Patients with Hepatic Alveolar Echinococcosis. <i>Journal of Immunology Research</i> , 2015, 2015, 1-7.	2.2	13
88	Expression of Toll-Like Receptors 2 and 4 and Related Cytokines in Patients with Hepatic Cystic and Alveolar Echinococcosis. <i>Mediators of Inflammation</i> , 2015, 2015, 1-9.	3.0	28
89	Independent evaluation of a canine Echinococcosis Control Programme in Hobukesar County, Xinjiang, China. <i>Acta Tropica</i> , 2015, 145, 1-7.	2.0	22
90	Deletion of Fibrinogen-like Protein 2 (FGL-2), a Novel CD4 <sup>+</sup> CD25 <sup>+</sup> Treg Effector Molecule, Leads to Improved Control of <i>Echinococcus multilocularis</i> Infection in Mice. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003755.	3.0	45

#	ARTICLE	IF	CITATIONS
91	Upregulation of PD-1 on CD4+CD25+T cells is associated with immunosuppression in liver of mice infected with <i>Echinococcus multilocularis</i> . <i>International Immunopharmacology</i> , 2015, 26, 357-366.	3.8	33
92	Application of a Three-Dimensional Reconstruction Technique in Liver Autotransplantation for End-Stage Hepatic Alveolar Echinococcosis. <i>Journal of Gastrointestinal Surgery</i> , 2015, 19, 1457-1465.	1.7	36
93	Expression of Hypoxia-Inducible Factor-1 $\alpha$ in the Infiltrative Belt Surrounding Hepatic Alveolar Echinococcosis in Rats. <i>Journal of Parasitology</i> , 2015, 101, 369-373.	0.7	5
94	Efficiency of liposomal albendazole for the treatment of the patients with complex alveolar echinococcosis: a comparative analysis of CEUS, CT, and PET/CT. <i>Parasitology Research</i> , 2015, 114, 4175-4180.	1.6	12
95	Epidemiology and control of echinococcosis in central Asia, with particular reference to the People's Republic of China. <i>Acta Tropica</i> , 2015, 141, 235-243.	2.0	171
96	Cystic echinococcosis accompanied by hepatocellular carcinoma in a female herdsman. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 2985-8.	1.3	5
97	Transcriptional Profiles of Cytokine/Chemokine Factors of Immune Cell-Homing to the Parasitic Lesions: A Comprehensive One-Year Course Study in the Liver of <i>E. multilocularis</i> -Infected Mice. <i>PLoS ONE</i> , 2014, 9, e91638.	2.5	46
98	Identification and characterization of functional Smad8 and Smad4 homologues from <i>Echinococcus granulosus</i> . <i>Parasitology Research</i> , 2014, 113, 3745-3757.	1.6	9
99	Clinical Outcome and Immune Follow-Up of Different Surgical Approaches for Human Cyst Hydatid Disease in Liver. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014, 91, 801-805.	1.4	15
100	Application of a cDNA microarray for profiling the gene expression of <i>Echinococcus granulosus</i> protoscoleces treated with albendazole and artemisinin. <i>Molecular and Biochemical Parasitology</i> , 2014, 198, 59-65.	1.1	7
101	Construction and identification of the recombinant plasmid pET30a-EgA31-Eg95 of <i>Echinococcus granulosus</i> . <i>Experimental and Therapeutic Medicine</i> , 2014, 7, 204-208.	1.8	8
102	Th9/IL-9 Profile in Human Echinococcosis: Their Involvement in Immune Response during Infection by <i>Echinococcus granulosus</i> . <i>Mediators of Inflammation</i> , 2014, 2014, 1-11.	3.0	34
103	<i>Echinococcus granulosus</i> infection reduces airway inflammation of mice likely through enhancing IL-10 and down-regulation of IL-5 and IL-17A. <i>Parasites and Vectors</i> , 2014, 7, 522.	2.5	38
104	TGF- $\beta$ 2/Smad signaling pathway regulates Th17/Treg balance during <i>Echinococcus multilocularis</i> infection. <i>International Immunopharmacology</i> , 2014, 20, 248-257.	3.8	69
105	Treatment experiences of pelvic bone hydatidosis. <i>International Journal of Infectious Diseases</i> , 2014, 18, 57-61.	3.3	20
106	World review of laparoscopic treatment of liver cystic echinococcosis—914 patients. <i>International Journal of Infectious Diseases</i> , 2014, 24, 43-50.	3.3	80
107	Laparoscopic approach for total cystectomy in treating hepatic cystic echinococcosis. <i>Parasite</i> , 2014, 21, 65.	2.0	13
108	Innovation in hepatic alveolar echinococcosis imaging: best use of old tools, and necessary evaluation of new ones. <i>Parasite</i> , 2014, 21, 74.	2.0	70

#	ARTICLE	IF	CITATIONS
109	Th17 cells are associated with the Th1/Th2-cell balance during <i>Echinococcus multilocularis</i> infection. <i>Molecular Medicine Reports</i> , 2014, 10, 236-240.	2.4	29
110	Chemotherapy in alveolar echinococcosis of multi-organs: what's the role?. <i>Parasitology Research</i> , 2013, 112, 2237-2243.	1.6	12
111	The genome of the hydatid tapeworm <i>Echinococcus granulosus</i> . <i>Nature Genetics</i> , 2013, 45, 1168-1175.	21.4	260
112	Quantitative analysis reveals increased histone modifications and a broad nucleosome-free region bound by histone acetylases in highly expressed genes in human CD4+ T cells. <i>Genomics</i> , 2013, 101, 113-119.	2.9	7
113	The prediction of T- and B-combined epitope and tertiary structure of the Eg95 antigen of <i>Echinococcus granulosus</i> . <i>Experimental and Therapeutic Medicine</i> , 2013, 6, 657-662.	1.8	14
114	TGF- $\beta$ 2 and TGF- $\beta$ 2/Smad Signaling in the Interactions between <i>Echinococcus multilocularis</i> and Its Hosts. <i>PLoS ONE</i> , 2013, 8, e55379.	2.5	57
115	Immunology and Immunodiagnosis of Cystic Echinococcosis: An Update. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-10.	3.3	151
116	Analysis of economic burden for patients with cystic echinococcosis in five hospitals in northwest China. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2012, 106, 743-748.	1.8	15
117	Hepatocyte Proliferation/Growth Arrest Balance in the Liver of Mice during <i>E. multilocularis</i> Infection: A Coordinated 3-Stage Course. <i>PLoS ONE</i> , 2012, 7, e30127.	2.5	28
118	Time Course of Gene Expression Profiling in the Liver of Experimental Mice Infected with <i>Echinococcus multilocularis</i> . <i>PLoS ONE</i> , 2011, 6, e14557.	2.5	25
119	Ex vivo liver resection followed by autotransplantation for end-stage hepatic alveolar echinococcosis. <i>Chinese Medical Journal</i> , 2011, 124, 2813-7.	2.3	21
120	Suppression of acute rejective response following orthotopic liver transplantation in experimental rats infected with <i>Echinococcus multilocularis</i> . <i>Chinese Medical Journal</i> , 2011, 124, 2818-23.	2.3	6
121	A historical view of alveolar echinococcosis, 160 years after the discovery of the first case in humans: part 1. What have we learnt on the distribution of the disease and on its parasitic agent?. <i>Chinese Medical Journal</i> , 2011, 124, 2943-53.	2.3	20
122	Community survey, treatment and long-term follow-up for human cystic echinococcosis in northwest China. <i>Chinese Medical Journal</i> , 2011, 124, 3176-9.	2.3	2
123	Diagnosis and management against the complications of human cystic echinococcosis. <i>Frontiers of Medicine in China</i> , 2010, 4, 394-398.	0.1	27
124	Dot immunogold filtration assay (DIGFA) with multiple native antigens for rapid serodiagnosis of human cystic and alveolar echinococcosis. <i>Acta Tropica</i> , 2010, 113, 114-120.	2.0	58
125	Th1 and Th2 cytokines in mice infected with <i>Echinococcus granulosus</i> and immunized with Eg95 genetic vaccine. <i>Cell Biology International</i> , 2008, 32, S48-S49.	3.0	2
126	Study on identifying genotypes of <i>Echinococcus granulosus</i> by microsatellite markers. <i>Cell Biology International</i> , 2008, 32, S61-S61.	3.0	0



#	ARTICLE	IF	CITATIONS
127	Two Polymorphisms in NEDD4L Gene and Essential Hypertension in Chinese Hansâ€”A Population-Based Case-Control Study. <i>Clinical and Experimental Hypertension</i> , 2008, 30, 87-94.	1.3	22
128	Evaluation of Three PCR Assays for the Identification of the Sheep Strain (Genotype 1) of <i>Echinococcus granulosus</i> in Canid Feces and Parasite Tissues. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 777-783.	1.4	35
129	Evaluation of three PCR assays for the identification of the sheep strain (genotype 1) of <i>Echinococcus granulosus</i> in canid feces and parasite tissues. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 78, 777-83.	1.4	10
130	WHO classification of alveolar echinococcosis: Principles and application. <i>Parasitology International</i> , 2006, 55, S283-S287.	1.3	249
131	Post-survey follow-up for human cystic echinococcosis in northwest China. <i>Acta Tropica</i> , 2006, 98, 43-51.	2.0	30
132	Induction of immune tolerance with heart-thymus composite allotransplantation in rats. <i>Central South University</i> , 2005, 12, 331-336.	0.5	0
133	Establishment and improvement of model of vascularized heart-thymus composite transplantation in rats. <i>Central South University</i> , 2005, 12, 347-349.	0.5	0
134	Immunoglobulin G Subclass Responses in Human Cystic and Alveolar Echinococcosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 1994, 51, 741-748.	1.4	115