

# Anna Pint

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10262635/publications.pdf>

Version: 2024-02-01

23  
papers

470  
citations

759233

12  
h-index

713466

21  
g-index

23  
all docs

23  
docs citations

23  
times ranked

618  
citing authors

#	ARTICLE	IF	CITATIONS
1	The early Holocene humid period in NW Saudi Arabia – Sediments, microfossils and palaeo-hydrological modelling. <i>Quaternary International</i> , 2012, 266, 131-141.	1.5	78
2	Noding of <i>Cyprideis torosa</i> valves (Ostracoda) – a proxy for salinity? New data from field observations and a long-term microcosm experiment. <i>International Review of Hydrobiology</i> , 2012, 97, 314-329.	0.9	57
3	Distribution of <i>Cyprideis torosa</i> (Ostracoda) in Quaternary Athalassic Sediments in Germany and its Application for Palaeoecological Reconstructions. <i>International Review of Hydrobiology</i> , 2012, 97, 330-355.	0.9	55
4	Traces of historical tropical cyclones and tsunamis in the Ashburton Delta (north-west Australia). <i>Sedimentology</i> , 2015, 62, 1546-1572.	3.1	36
5	Human impact on Holocene sediment dynamics in the Eastern Mediterranean – the example of the Roman harbour of Ephesus. <i>Earth Surface Processes and Landforms</i> , 2016, 41, 980-996.	2.5	35
6	Comment on the letter of the Society of Vertebrate Paleontology (SVP) dated April 21, 2020 regarding – Fossils from conflict zones and reproducibility of fossil-based scientific data – Myanmar amber. <i>Palaontologische Zeitschrift</i> , 2020, 94, 431-437.	1.6	28
7	Salinity-dependent sieve pore variability in <i>Cyprideis torosa</i> : an experiment. <i>Journal of Micropalaeontology</i> , 2017, 36, 57-62.	3.6	24
8	Prograded foredunes of Western Australia's macro-tidal coast – implications for Holocene sea-level change and high-energy wave impacts. <i>Earth Surface Processes and Landforms</i> , 2015, 40, 726-740.	2.5	18
9	Ostracoda from inland waterbodies with saline influence in Central Germany: Implications for palaeoenvironmental reconstruction. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 419, 37-46.	2.3	18
10	Palaeogeographic Changes at Lake Chokrak on the Kerkir Peninsula, Ukraine, during the Mid- and Late-Holocene. <i>Geoarchaeology - an International Journal</i> , 2012, 27, 206-219.	1.5	16
11	How To Discriminate Athalassic and Marginal Marine Microfaunas: Foraminifera and Other Fossils from an Early Holocene Continental Lake in Northern Saudi Arabia. <i>Journal of Foraminiferal Research</i> , 2017, 47, 175-187.	0.5	16
12	Modern and historical tropical cyclone and tsunami deposits at the coast of Myanmar: Implications for their identification and preservation in the geological record. <i>Sedimentology</i> , 2020, 67, 1431-1459.	3.1	14
13	Elaia, Pergamon's maritime satellite: the rise and fall of an ancient harbour city shaped by shoreline migration. <i>Journal of Quaternary Science</i> , 2019, 34, 228-244.	2.1	13
14	Comment on the letter of the Society of Vertebrate Paleontology (SVP) dated April 21, 2020 regarding – Fossils from conflict zones and reproducibility of fossil-based scientific data – the importance of private collections. <i>Palaontologische Zeitschrift</i> , 2020, 94, 413-429.	1.6	13
15	Using a Multi-Proxy Approach to Detect and Date a Buried part of the Hellenistic City Wall of Ainos (NW Turkey). <i>Geosciences (Switzerland)</i> , 2018, 8, 357.	2.2	9
16	Marine and marginal marine Ostracoda as proxies in geoarchaeology. <i>Marine Micropaleontology</i> , 2022, 174, 102054.	1.2	7
17	'Lake Gorgana' - A paleolake in the Lower Danube Valley revealed using multi-proxy and regionalisation approaches. <i>Quaternary International</i> , 2019, 511, 107-123.	1.5	6
18	Mid- to late Holocene environmental changes and human-environment interactions in the surroundings of La Silla del Papa, SW Spain. <i>Geoarchaeology - an International Journal</i> , 2021, 36, 573-600.	1.5	6

#	ARTICLE	IF	CITATIONS
19	High-resolution facies analysis of a coastal sabkha in the eastern Gulf of Salwa (Qatar): A spatio-temporal reconstruction. <i>Sedimentology</i> , 2022, 69, 1119-1150.	3.1	6
20	Late Quaternary salinity variation in the Lake of Siebleben (Thuringia, Central Germany) – Methods of palaeoenvironmental analysis using Ostracoda and pollen. <i>Holocene</i> , 2017, 27, 526-540.	1.7	4
21	Fossil bog soils (two horizons™) and their relation to Holocene coastal changes in the Jade Weser region, southern North Sea, Germany. <i>Journal of Coastal Conservation</i> , 2018, 22, 51-69.	1.6	4
22	Nonmarine Ostracoda as proxies in (geo)archaeology – A review. <i>Geoarchaeology - an International Journal</i> , 2022, 37, 711-732.	1.5	4
23	Insights into Holocene relative sea-level changes in the southern North Sea using an improved microfauna-based transfer function. <i>Journal of Quaternary Science</i> , 2022, 37, 71.	2.1	3