
Willy Mayo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1030613/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Attention-deficit/hyperactivity and obsessive-compulsive symptoms in adult patients with primary restless legs syndrome. Applied Neuropsychology Adult, 2022, , 1-8.	0.7	0
2	Assessment of dream-related aspects and beliefs in a large cohort of French students using a validated French version of the Mannheim Dream questionnaire. PLoS ONE, 2021, 16, e0247506.	1.1	0
3	Attention-Deficit Hyperactivity and Obsessive-Compulsive Symptoms in Adult Patients With Primary Restless Legs Syndrome: Different Phenotypes of the Same Disease?. Behavioral Sleep Medicine, 2019, 17, 246-253.	1.1	11
4	3-D motion capture for long-term tracking of spontaneous locomotor behaviors and circadian sleep/wake rhythms in mouse. Journal of Neuroscience Methods, 2018, 295, 51-57.	1.3	13
5	¹²³ I-lodobenzovesamicol SPECT Imaging of Cholinergic Systems in Dementia with Lewy Bodies. Journal of Nuclear Medicine, 2017, 58, 123-128.	2.8	29
6	Activity/rest cycle and disturbances of structural backbone of cerebral networks in aging. NeuroImage, 2017, 146, 814-820.	2.1	24
7	Mood Influences the Concordance of Subjective and Objective Measures of Sleep Duration in Older Adults. Frontiers in Aging Neuroscience, 2016, 08, 181.	1.7	33
8	Affective Prosody and Depression After Stroke. Stroke, 2016, 47, 2397-2400.	1.0	10
9	Circadian Sleep/Wake Rhythm Abnormalities as a Risk Factor of a Poststroke Apathy. International Journal of Stroke, 2015, 10, 710-715.	2.9	22
10	Impulsive aggressive obsessions following cerebellar strokes: a case study. Journal of Neurology, 2015, 262, 1775-1776.	1.8	9
11	Simplified Quantification Method for In Vivo SPECT Imaging of the Vesicular Acetylcholine Transporter with 1231-Iodobenzovesamicol. Journal of Nuclear Medicine, 2015, 56, 862-868.	2.8	2
12	[123I]-IBVM SPECT imaging of cholinergic systems in multiple system atrophy: A specific alteration of the ponto-thalamic cholinergic pathways (Ch5–Ch6). NeuroImage: Clinical, 2013, 3, 212-217.	1.4	15
13	Cerebellum involvement in post-stroke mood: A combined ecological and MRI study. Psychiatry Research - Neuroimaging, 2013, 212, 158-160.	0.9	6
14	Improvement of in Vivo Quantification of [¹²³ I]-lodobenzovesamicol in Single-Photon Emission Computed Tomography/Computed Tomography Using Anatomic Image to Brain Atlas Nonrigid Registration. Molecular Imaging, 2013, 12, 7290.2012.00043.	0.7	4
15	Improvement of in vivo quantification of [123I]-Iodobenzovesamicol in single-photon emission computed tomography/computed tomography using anatomic image to brain atlas nonrigid registration. Molecular Imaging, 2013, 12, 288-99.	0.7	4
16	Progressive Supranuclear Palsy: In Vivo SPECT Imaging of Presynaptic Vesicular Acetylcholine Transporter with [¹²³ I]-lodobenzovesamicol. Radiology, 2012, 265, 537-543.	3.6	23
17	Low Brain Allopregnanolone Levels Mediate Flattened Circadian Activity Associated with Memory Impairments in Aged Rats. Biological Psychiatry, 2010, 68, 956-963.	0.7	30
18	Paradoxical effect of severe dietary restriction on Long-Evans rat life span. International Journal for Vitamin and Nutrition Research, 2010, 80, 386-393.	0.6	4

#	Article	IF	CITATIONS
19	Alteration of Attentional Blink in High Functioning Autism: A Pilot Study. Journal of Autism and Developmental Disorders, 2009, 39, 1522-1528.	1.7	11
20	Chronic exposure of rats to noise: Relationship between long-term memory deficits and slow wave sleep disturbances. Behavioural Brain Research, 2006, 171, 303-312.	1.2	33
21	Smad-dependent alterations of PPT cholinergic neurons as a pathophysiological mechanism of age-related sleep-dependent memory impairments. Neurobiology of Aging, 2006, 27, 1848-1858.	1.5	10
22	Motherhood-induced memory improvement persists across lifespan in rats but is abolished by a gestational stress. European Journal of Neuroscience, 2006, 23, 3368-3374.	1.2	73
23	Neurosteroids and cholinergic systems: implications for sleep and cognitive processes and potential role of age-related changes. Psychopharmacology, 2006, 186, 402-413.	1.5	44
24	Chronic exposure to an environmental noise permanently disturbs sleep in rats: Inter-individual vulnerability. Brain Research, 2005, 1059, 72-82.	1.1	33
25	Pregnenolone sulfate enhances neurogenesis and PSA-NCAM in young and aged hippocampus. Neurobiology of Aging, 2005, 26, 103-114.	1.5	80
26	New insights into the role of neuroactive steroids in cognitive aging. Experimental Gerontology, 2004, 39, 1695-1704.	1.2	18
27	Deleterious effects of an environmental noise on sleep and contribution of its physical components in a rat model. Brain Research, 2004, 1009, 88-97.	1.1	35
28	Sleep-wake states and cortical synchronization control by pregnenolone sulfate into the pedunculopontine nucleus. Journal of Neuroscience Research, 2004, 76, 742-747.	1.3	17
29	Steroid hormones and neurosteroids in normal and pathological aging of the nervous system. Progress in Neurobiology, 2003, 71, 3-29.	2.8	262
30	Individual differences in cognitive aging: implication of pregnenolone sulfate. Progress in Neurobiology, 2003, 71, 43-48.	2.8	51
31	Spatial memory performances of aged rats in the water maze predict levels of hippocampal neurogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 14385-14390.	3.3	594
32	Neuroactive steroids: new biomarkers of cognitive aging. Journal of Steroid Biochemistry and Molecular Biology, 2003, 85, 329-335.	1.2	20
33	The Effect of Education on Cognitive Performances and Its Implication for the Constitution of the Cognitive Reserve. Developmental Neuropsychology, 2003, 23, 317-337.	1.0	199
34	Anti- <i>S</i> -Nitrosocysteine Antibodies Are a Predictive Marker for Demyelination in Experimental Autoimmune Encephalomyelitis: Implications for Multiple Sclerosis. Journal of Neuroscience, 2002, 22, 123-132.	1.7	64
35	The effect of restraint stress on paradoxical sleep is influenced by the circadian cycle. Brain Research, 2002, 937, 45-50.	1.1	39
36	The neurosteroid pregnenolone sulfate infused into the medial septum nucleus increases hippocampal acetylcholine and spatial memory in rats. Brain Research, 2002, 951, 237-242.	1.1	46

#	Article	IF	CITATIONS
37	The neurosteroid allopregnanolone increases dopamine release and dopaminergic response to morphine in the rat nucleus accumbens. European Journal of Neuroscience, 2002, 16, 169-173.	1.2	87
38	The Neurosteroid Pregnenolone Sulfate Increases Cortical Acetylcholine Release: A Microdialysis Study in Freely Moving Rats. Journal of Neurochemistry, 2002, 71, 2018-2022.	2.1	41
39	Individual vulnerability to substance abuse and affective disorders: Role of early environmental influences. Neurotoxicity Research, 2002, 4, 281-296.	1.3	38
40	Neurosteroids in learning and memory processes. International Review of Neurobiology, 2001, 46, 273-320.	0.9	75
41	Pregnenolone Sulfate and Aging of Cognitive Functions: Behavioral, Neurochemical, and Morphological Investigations. Hormones and Behavior, 2001, 40, 215-217.	1.0	44
42	Role of pregnenolone, dehydroepiandrosterone and their sulfate esters on learning and memory in cognitive aging. Brain Research Reviews, 2001, 37, 301-312.	9.1	181
43	Long term neurodevelopmental and behavioral effects of perinatal life events in rats. Neurotoxicity Research, 2001, 3, 65-83.	1.3	46
44	Pregnenolone sulfate increases hippocampal acetylcholine release and spatial recognition. Brain Research, 2000, 852, 173-179.	1.1	67
45	PSA-NCAM: an important regulator of hippocampal plasticity. International Journal of Developmental Neuroscience, 2000, 18, 213-220.	0.7	119
46	Hormones corticostéroÃ⁻diennes et cerveau. Société De Biologie Journal, 1999, 193, 275-283.	0.3	0
47	Ciliary Neurotrophic Factor is a Regulator of Muscular Strength in Aging. Journal of Neuroscience, 1999, 19, 1257-1262.	1.7	84
48	Long-term effects of prenatal stress and postnatal handling on age-related glucocorticoid secretion and cognitive performance: a longitudinal study in the rat. European Journal of Neuroscience, 1999, 11, 2906-2916.	1.2	325
49	The neurosteroid pregnenolone sulphate increases dopamine release and the dopaminergic response to morphine in the rat nucleus accumbens. European Journal of Neuroscience, 1999, 11, 3757-3760.	1.2	43
50	The promnesic neurosteroid pregnenolone sulfate increases paradoxical sleep in rats. Brain Research, 1999, 818, 492-498.	1.1	20
51	Infusion of neurosteroids into the rat nucleus basalis affects paradoxical sleep in accordance with their memory modulating properties. Neuroscience, 1999, 92, 583-588.	1.1	28
52	Neurosteroids. , 1999, , 317-335.		11
53	Reaction of sleep–wakefulness cycle to stress is related to differences in hypothalamo–pituitary–adrenal axis reactivity in rat. Brain Research, 1998, 804, 114-124.	1.1	35
54	An experimental model of acute encephalopathy after total body irradiation in the rat: effect of liposome-entrapped Cu/Zn superoxide dismutase. International Journal of Radiation Oncology Biology Physics, 1998, 42, 179-184.	0.4	11

#	Article	IF	CITATIONS
55	The neurosteroid pregnenolone sulfate infused into the nucleus basalis increases both acetylcholine release in the frontal cortex or amygdala and spatial memory. Neuroscience, 1998, 87, 551-558.	1.1	74
56	Neurosteroids: Deficient cognitive performance in aged rats depends on low pregnenolone sulfate levels in the hippocampus. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 14865-14870.	3.3	284
57	Prenatal Stress Induces High Anxiety and Postnatal Handling Induces Low Anxiety in Adult Offspring: Correlation with Stress-Induced Corticosterone Secretion. Journal of Neuroscience, 1997, 17, 2626-2636.	1.7	702
58	Facilitation of Cognitive Performance in Aged Rats by Past Experience Depends on the Type of Information Processing Involved: A Combined Cross-Sectional and Longitudinal Study. Neurobiology of Learning and Memory, 1997, 67, 121-128.	1.0	48
59	Effect of aging on the basal expression of c-fos, c-jun, and egr-1 proteins in the hippocampus. Neurobiology of Aging, 1997, 18, 37-44.	1.5	73
60	Inter-individual differences in the effects of acute stress on the sleep-wakefulness cycle in the rat. Neuroscience Letters, 1997, 225, 193-196.	1.0	26
61	Decrease in highly polysialylated neuronal cell adhesion molecules and in spatial learning during ageing are not correlated. Brain Research, 1997, 744, 285-292.	1.1	43
62	Novelty-Seeking in Rats-Biobehavioral Characteristics and Possible Relationship with the Sensation-Seeking Trait in Man. Neuropsychobiology, 1996, 34, 136-145.	0.9	356
63	Early and Later Adoptions Have Different Long-Term Effects on Male Rat Offspring. Journal of Neuroscience, 1996, 16, 7783-7790.	1.7	134
64	Behavioral reactivity to novelty during youth as a predictive factor of stress-induced corticosterone secretion in the elderly—a life-span study in rats. Psychoneuroendocrinology, 1996, 21, 441-453.	1.3	106
65	Long-term effects of prenatal stress and handling on metabolic parameters: relationship to corticosterone secretion response. Brain Research, 1996, 712, 287-292.	1.1	138
66	Biosynthesis and assay of neurosteroids in rats and mice: Functional correlates. Journal of Steroid Biochemistry and Molecular Biology, 1995, 53, 355-360.	1.2	104
67	Reactivity to novelty during youth as a predictive factor of cognitive impairment in the elderly: a longitudinal study in rats. Brain Research, 1994, 653, 51-56.	1.1	84
68	Infusion of neurosteroids into the nucleus basalis magnocellularis affects cognitive processes in the rat. Brain Research, 1993, 607, 324-328.	1.1	205
69	Individual differences in behavioral responses to novelty in rats. Possible relationship with the sensation-seeking trait in man. Personality and Individual Differences, 1993, 15, 411-418.	1.6	70
70	Cognitive enhancing properties of β-CCM infused into the nucleus basalis magnocellularis of the rat. Brain Research, 1992, 589, 109-114.	1.1	39
71	A two-trial memory task with automated recording: study in young and aged rats. Brain Research, 1992, 588, 132-139.	1.1	336
72	Learning disturbances following excitotoxic lesion of cholinergic pedunculo-pontine nucleus in the rat. Brain Research, 1991, 544, 126-132.	1.1	83

#	Article	IF	CITATIONS
73	Choline acetyltransferase activity and [3H]vesamicol binding in the temporal cortex of patients with Alzheimer's disease, Parkinson's disease, and rats with basal forebrain lesions. Neuroscience, 1990, 35, 327-333.	1.1	102
74	The nucleus basalis is involved in brain modulation of the immune system in rats. Brain Research, 1990, 516, 345-348.	1.1	14
75	lodobenzamide for in vivo exploration of central dopamine receptros: Evaluation in animal models of supersensitivity. Life Sciences, 1990, 47, 729-734.	2.0	6
76	Locomotor hyperactivity in the rat after infusion of muscimol and [d-Ala2]Met-enkephalin into the nucleus basalis magnocellularis. Possible interaction with cortical cholinergic projections. Brain Research, 1988, 452, 203-211.	1.1	37
77	Memory disturbances following ibotenic acid injections in the nucleus basalis magnocellularis of the rat. Brain Research, 1988, 455, 213-222.	1.1	35
78	Profound disturbances of spontaneous and learned behaviors following lesions of the nucleus basalis magnocellularis in the rat. Brain Research, 1985, 338, 249-258.	1.1	157
79	Cortical cholinergic projections from the basal forebrain of the rat, with special reference to the prefrontal cortex innervation. Neuroscience Letters, 1984, 47, 149-154.	1.0	44