

Leticia Quintanilla-Martinez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1032143/publications.pdf>

Version: 2024-02-01

148
papers

6,873
citations

61984

43
h-index

74163

75
g-index

155
all docs

155
docs citations

155
times ranked

7312
citing authors

#	ARTICLE	IF	CITATIONS
1	Burkitt lymphoma with a granulomatous reaction: an M1/Th1-polarised microenvironment is associated with controlled growth and spontaneous regression. <i>Histopathology</i> , 2022, 80, 430-442.	2.9	8
2	Diffuse large B-cell lymphomas in adults with aberrant coexpression of CD10, BCL6, and MUM1 are enriched in <i>IRF4</i> rearrangements. <i>Blood Advances</i> , 2022, 6, 2361-2372.	5.2	26
3	Mast cells partly contribute to allergic enteritis development: Findings in two different mast cell-deficient mice. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1051-1054.	5.7	1
4	Immune pathway upregulation and lower genomic instability distinguish EBV-positive nodal T/NK-cell lymphoma from ENKTL and PTCL-NOS. <i>Haematologica</i> , 2022, 107, 1864-1879.	3.5	37
5	The Grey Zones of Classic Hodgkin Lymphoma. <i>Cancers</i> , 2022, 14, 742.	3.7	12
6	Turning up the heat on salivary gland MALT lymphoma. <i>Blood</i> , 2022, 139, 2094-2096.	1.4	5
7	<i>Npm1</i> Haploinsufficiency in collaboration with <i>MEIS1</i> is sufficient to induce AML in mice. <i>Blood Advances</i> , 2022, , .	5.2	1
8	A unifying hypothesis for PNMZL and PTFL: morphological variants with a common molecular profile. <i>Blood Advances</i> , 2022, 6, 4661-4674.	5.2	19
9	The International Consensus Classification of Mature Lymphoid Neoplasms: a report from the Clinical Advisory Committee. <i>Blood</i> , 2022, 140, 1229-1253.	1.4	512
10	Genomic profiling identifies distinct genetic subtypes in extra-nodal natural killer/T-cell lymphoma. <i>Leukemia</i> , 2022, 36, 2064-2075.	7.2	15
11	Abstract LB058: Imaging of CD8+ cytotoxic T-cells by Zr-89-Df-IAB22M2C PET/MRI: First clinical experience in patients with metastatic cancer. <i>Cancer Research</i> , 2022, 82, LB058-LB058.	0.9	0
12	CD147 a direct target of miR-146a supports energy metabolism and promotes tumor growth in ALK+ ALCL. <i>Leukemia</i> , 2022, 36, 2050-2063.	7.2	5
13	Genetic evolution of <i>in situ</i> follicular neoplasia to aggressive B-cell lymphoma of germinal center subtype. <i>Haematologica</i> , 2021, 106, 2673-2681.	3.5	21
14	Mastocytosis. <i>American Journal of Clinical Pathology</i> , 2021, 155, 239-266.	0.7	12
15	The inflammation in cutaneous lichen planus is dominated by IFN- γ and IL-21: A basis for therapeutic JAK1 inhibition. <i>Experimental Dermatology</i> , 2021, 30, 262-270.	2.9	35
16	EBV and the Pathogenesis of NK/T Cell Lymphoma. <i>Cancers</i> , 2021, 13, 1414.	3.7	31
17	All activated signaling pathways lead to anaplastic large cell lymphoma (ALCL). <i>Leukemia and Lymphoma</i> , 2021, 62, 1541-1543.	1.3	0
18	Recognizing but not harming. Borderline B-cell lymphoid proliferations. <i>Hematological Oncology</i> , 2021, 39, 61-67.	1.7	0

#	ARTICLE	IF	CITATIONS
19	SOX11, CD70, and Treg cells configure the tumor immune microenvironment of aggressive mantle cell lymphoma. <i>Blood</i> , 2021, 138, 2202-2215.	1.4	22
20	CXCR4 hyperactivation cooperates with TCL1 in CLL development and aggressiveness. <i>Leukemia</i> , 2021, 35, 2895-2905.	7.2	7
21	The molecular hallmarks of primary and secondary vitreoretinal lymphoma. <i>Blood Advances</i> , 2021, , .	5.2	16
22	Proteinuric chronic kidney disease is associated with altered red blood cell lifespan, deformability and metabolism. <i>Kidney International</i> , 2021, 100, 1227-1239.	5.2	37
23	Essential role of DNA-PKcs and plasminogen for the development of doxorubicin-induced glomerular injury in mice. <i>DMM Disease Models and Mechanisms</i> , 2021, 14, .	2.4	4
24	Machine learning identifies stroke features between species. <i>Theranostics</i> , 2021, 11, 3017-3034.	10.0	12
25	Myeloid/Lymphoid Neoplasms Associated With Eosinophilia and Rearrangements of <i>PDGFRA</i> , <i>PDGFRB</i> , or <i>FGFR1</i> or With <i>PCM1-JAK2</i> . <i>American Journal of Clinical Pathology</i> , 2021, 155, 160-178.	0.7	42
26	Reactive Eosinophil Proliferations in Tissue and the Lymphocytic Variant of Hypereosinophilic Syndrome. <i>American Journal of Clinical Pathology</i> , 2021, 155, 211-238.	0.7	12
27	Eosinophilia/Hypereosinophilia in the Setting of Reactive and Idiopathic Causes, Well-Defined Myeloid or Lymphoid Leukemias, or Germline Disorders. <i>American Journal of Clinical Pathology</i> , 2021, 155, 179-210.	0.7	13
28	Addressing the Challenges of Eosinophilia and Mastocytosis. <i>American Journal of Clinical Pathology</i> , 2021, 155, 156-159.	0.7	0
29	Cytogenetically cryptic <i>TNIP1-PDGFRB</i> and <i>PCM1-FGFR1</i> fusion leading to myeloid/lymphoid neoplasms with eosinophilia (MLN-eo) in children. <i>Blood</i> , 2021, 138, 4638-4638.	1.4	0
30	Human Leucocyte Antigen G and Murine Qa-2 Are Critical for Myeloid Derived Suppressor Cell Expansion and Activation and for Successful Pregnancy Outcome. <i>Frontiers in Immunology</i> , 2021, 12, 787468.	4.8	5
31	Highly sensitive and specific <i>in situ</i> hybridization assay for quantification of <i>SOX11</i> mRNA in mantle cell lymphoma reveals association of <i>TP53</i> mutations with negative and low <i>SOX11</i> expression. <i>Haematologica</i> , 2020, 105, 754-764.	3.5	13
32	Temporal Dynamics of Reactive Oxygen and Nitrogen Species and NF- κ B Activation During Acute and Chronic T Cell-Driven Inflammation. <i>Molecular Imaging and Biology</i> , 2020, 22, 504-514.	2.6	8
33	Epstein - Barr virus positive T and NK-cell lymphoproliferations: Morphological features and differential diagnosis. <i>Seminars in Diagnostic Pathology</i> , 2020, 37, 32-46.	1.5	34
34	Epstein-Barr virus NK and T cell lymphoproliferative disease: report of a 2018 international meeting. <i>Leukemia and Lymphoma</i> , 2020, 61, 808-819.	1.3	42
35	Mutational profile and EBV strains of extranodal NK/T-cell lymphoma, nasal type in Latin America. <i>Modern Pathology</i> , 2020, 33, 781-791.	5.5	42
36	GD2-targeted chimeric antigen receptor T cells prevent metastasis formation by elimination of breast cancer stem-like cells. <i>Oncolimmunology</i> , 2020, 9, 1683345.	4.6	54

#	ARTICLE	IF	CITATIONS
37	Genetic Loss of LCK Kinase Leads to Acceleration of Chronic Lymphocytic Leukemia. <i>Frontiers in Immunology</i> , 2020, 11, 1995.	4.8	3
38	Câ€Cbl regulates câ€MPL receptor trafficking and its internalization. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 12491-12503.	3.6	7
39	Follicular lymphoma t(14;18)-negative is genetically a heterogeneous disease. <i>Blood Advances</i> , 2020, 4, 5652-5665.	5.2	67
40	Immune landscape in Burkitt lymphoma reveals M2-macrophage polarization and correlation between PD-L1 expression and non-canonical EBV latency program. <i>Infectious Agents and Cancer</i> , 2020, 15, 28.	2.6	30
41	Existence of reprogrammed lymphoma stem cells in a murine ALCL-like model. <i>Leukemia</i> , 2020, 34, 3242-3255.	7.2	4
42	shRNA-mediated inhibition of PhosphoGlycerate Kinase 1 (PGK1) enhances cytotoxicity of intraperitoneal chemotherapy in peritoneal metastasis of gastric origin. <i>European Journal of Surgical Oncology</i> , 2020, 46, 613-619.	1.0	10
43	Distinct molecular profile of IRF4-rearranged large B-cell lymphoma. <i>Blood</i> , 2020, 135, 274-286.	1.4	81
44	Panniculitis T-Cell Lymphoma. <i>Encyclopedia of Pathology</i> , 2020, , 389-392.	0.0	0
45	The time to relapse correlates with the histopathological growth pattern in nodular lymphocyte predominant Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2019, 94, 1208-1213.	4.1	25
46	Absence of NKG2D ligands defines leukaemia stem cells and mediates their immune evasion. <i>Nature</i> , 2019, 572, 254-259.	27.8	246
47	Deciphering hydroa vacciniforme. <i>Blood</i> , 2019, 133, 2735-2737.	1.4	14
48	CCR8 leads to eosinophil migration and regulates neutrophil migration in murine allergic enteritis. <i>Scientific Reports</i> , 2019, 9, 9608.	3.3	11
49	Novel markers in pediatric-type follicular lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 771-779.	2.8	22
50	Context-specific regulation of cell survival by a miRNA-controlled BIM rheostat. <i>Genes and Development</i> , 2019, 33, 1673-1687.	5.9	13
51	Enriched Environmental Conditions Modify the Gut Microbiome Composition and Fecal Markers of Inflammation in Parkinsonâ€™s Disease. <i>Frontiers in Neuroscience</i> , 2019, 13, 1032.	2.8	17
52	Cysteine-type cathepsins promote the effector phase of acute cutaneous delayed-type hypersensitivity reactions. <i>Theranostics</i> , 2019, 9, 3903-3917.	10.0	16
53	Klotho Deficiency Induces Arteriolar Hyalinosis in a Trade-Off with Vascular Calcification. <i>American Journal of Pathology</i> , 2019, 189, 2503-2515.	3.8	6
54	Rare mature Bâ€cell lymphomas in children and adolescents. <i>Hematological Oncology</i> , 2019, 37, 53-61.	1.7	22

#	ARTICLE	IF	CITATIONS
55	â€˜Grey zonesâ€™™ in the differential diagnosis of lymphoma pathology. <i>Diagnostic Histopathology</i> , 2019, 25, 191-216.	0.4	3
56	Imaging fibrosis in inflammatory diseases: targeting the exposed extracellular matrix. <i>Theranostics</i> , 2019, 9, 2868-2881.	10.0	13
57	Evaluation of the therapeutic potential of the selective p38 MAPK inhibitor Skepinone-L and the dual p38/JNK 3 inhibitor LN 950 in experimental K/BxN serum transfer arthritis. <i>Inflammopharmacology</i> , 2019, 27, 1217-1227.	3.9	10
58	PiggyBac transposon tools for recessive screening identify B-cell lymphoma drivers in mice. <i>Nature Communications</i> , 2019, 10, 1415.	12.8	37
59	The pathological features of angioimmunoblastic T-cell lymphomas with IDH2 mutations. <i>Modern Pathology</i> , 2019, 32, 1123-1134.	5.5	54
60	The administration route of tumor-antigen-specific T-helper cells differentially modulates the tumor microenvironment and senescence. <i>Carcinogenesis</i> , 2019, 40, 289-302.	2.8	4
61	Clonally related duodenal-type follicular lymphoma and in situ follicular neoplasia. <i>Haematologica</i> , 2019, 104, e537-e539.	3.5	10
62	The ParaHox gene Cdx4 induces acute erythroid leukemia in mice. <i>Blood Advances</i> , 2019, 3, 3729-3739.	5.2	4
63	Cyclin D1-positive Mediastinal Large B-Cell Lymphoma With Copy Number Gains of CCND1 Gene. <i>American Journal of Surgical Pathology</i> , 2019, 43, 110-120.	3.7	15
64	CCND2 and CCND3 hijack immunoglobulin light-chain enhancers in cyclin D1 ^{hi} mantle cell lymphoma. <i>Blood</i> , 2019, 133, 940-951.	1.4	77
65	Activated gp130 signaling selectively targets B cell differentiation to induce mature lymphoma and plasmacytoma. <i>JCI Insight</i> , 2019, 4, .	5.0	18
66	CREBBP gene mutations are frequently detected in in situ follicular neoplasia. <i>Blood</i> , 2018, 132, 2687-2690.	1.4	36
67	t(14;18)-positive B cells: is it seed or soil?. <i>Blood</i> , 2018, 132, 1631-1632.	1.4	3
68	The Pathological Spectrum of Systemic Anaplastic Large Cell Lymphoma (ALCL). <i>Cancers</i> , 2018, 10, 107.	3.7	50
69	EBV-Positive Lymphoproliferations of B- T- and NK-Cell Derivation in Non-Immunocompromised Hosts. <i>Pathogens</i> , 2018, 7, 28.	2.8	88
70	Absence of NKG2D Ligands Defines Human Acute Myeloid Leukaemia Stem Cells and Mediates Their Immune Evasion. <i>Blood</i> , 2018, 132, 769-769.	1.4	2
71	In Vivo Hypoxia PET Imaging Quantifies the Severity of Arthritic Joint Inflammation in Line with Overexpression of Hypoxia-Inducible Factor and Enhanced Reactive Oxygen Species Generation. <i>Journal of Nuclear Medicine</i> , 2017, 58, 853-860.	5.0	19
72	Human immunodeficiency virus (HIV) and Epstein-Barr virus (EBV) related lymphomas, pathology view point. <i>Seminars in Diagnostic Pathology</i> , 2017, 34, 352-363.	1.5	68

#	ARTICLE	IF	CITATIONS
73	The 2016 updated WHO classification of lymphoid neoplasias. <i>Hematological Oncology</i> , 2017, 35, 37-45.	1.7	75
74	EMMPRIN (CD147) is induced by C/EBP β and is differentially expressed in ALK+ and ALK β anaplastic large-cell lymphoma. <i>Laboratory Investigation</i> , 2017, 97, 1095-1102.	3.7	13
75	Mutations of MAP2K1 are frequent in pediatric-type follicular lymphoma and result in ERK pathway activation. <i>Blood</i> , 2017, 130, 323-327.	1.4	69
76	NFAT2 is a critical regulator of the anergic phenotype in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 755.	12.8	38
77	Loss of Endometrial Sodium Glucose Cotransporter SGLT1 is Detrimental to Embryo Survival and Fetal Growth in Pregnancy. <i>Scientific Reports</i> , 2017, 7, 12612.	3.3	27
78	Cre/lox-assisted non-invasive in vivo tracking of specific cell populations by positron emission tomography. <i>Nature Communications</i> , 2017, 8, 444.	12.8	33
79	A Novel Unsupervised Segmentation Approach Quantifies Tumor Tissue Populations Using Multiparametric MRI: First Results with Histological Validation. <i>Molecular Imaging and Biology</i> , 2017, 19, 391-397.	2.6	16
80	Spectral Clustering Predicts Tumor Tissue Heterogeneity Using Dynamic 18F-FDG PET: A Complement to the Standard Compartmental Modeling Approach. <i>Journal of Nuclear Medicine</i> , 2017, 58, 651-657.	5.0	9
81	EBV-negative aggressive B-cell lymphomas of donor origin after allogeneic hematopoietic stem cell transplantation: a report of three cases. <i>Leukemia and Lymphoma</i> , 2016, 57, 2603-2611.	1.3	7
82	Genome-wide analysis of pediatric-type follicular lymphoma reveals low genetic complexity and recurrent alterations of TNFRSF14 gene. <i>Blood</i> , 2016, 128, 1101-1111.	1.4	115
83	Decoding Intratumoral Heterogeneity of Breast Cancer by Multiparametric <i>In Vivo</i> Imaging: A Translational Study. <i>Cancer Research</i> , 2016, 76, 5512-5522.	0.9	33
84	MEIS2 Is an Oncogenic Partner in AML1-ETO-Positive AML. <i>Cell Reports</i> , 2016, 16, 498-507.	6.4	32
85	Type II enteropathy-associated T-cell lymphoma features a unique genomic profile with highly recurrent SETD2 alterations. <i>Nature Communications</i> , 2016, 7, 12602.	12.8	146
86	Comparison of small animal CT contrast agents. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 272-284.	0.8	33
87	Bicarbonate-sensitive calcification and lifespan of klotho-deficient mice. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F102-F108.	2.7	15
88	In this issue: small B cell lymphomas, more than just a size. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 125-126.	2.8	0
89	A Population-Based Gaussian Mixture Model Incorporating ¹⁸ F-FDG PET and Diffusion-Weighted MRI Quantifies Tumor Tissue Classes. <i>Journal of Nuclear Medicine</i> , 2016, 57, 473-479.	5.0	29
90	The Synergistic Effect of Selumetinib/Docetaxel Combination Therapy Monitored by [¹⁸ F]FDG/[¹⁸ F]FLT PET and Diffusion-Weighted Magnetic Resonance Imaging in a Colorectal Tumor Xenograft Model. <i>Molecular Imaging and Biology</i> , 2016, 18, 249-257.	2.6	6

#	ARTICLE	IF	CITATIONS
91	Indolent lymphomas in the pediatric population: follicular lymphoma, IRF4/MUM1+ lymphoma, nodal marginal zone lymphoma and chronic lymphocytic leukemia. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 141-157.	2.8	73
92	Acetazolamide sensitive tissue calcification and aging of klotho-hypomorphic mice. <i>Journal of Molecular Medicine</i> , 2016, 94, 95-106.	3.9	22
93	The heterogeneity of follicular lymphomas: from early development to transformation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 127-139.	2.8	31
94	The many faces of small B cell lymphomas with plasmacytic differentiation and the contribution of MYD88 testing. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 259-275.	2.8	97
95	Mantle cell lymphoma—a spectrum from indolent to aggressive disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 245-257.	2.8	65
96	In Europe expression of EBNA2 is associated with poor survival in EBV-positive diffuse large B-cell lymphoma of the elderly. <i>Leukemia and Lymphoma</i> , 2016, 57, 39-44.	1.3	20
97	The Positron Emission Tomography Tracer ³ â€™-Deoxy- ³ â€™-[¹⁸ F]Fluorothymidine ([¹⁸ F]FLT) Is Not Suitable to Detect Tissue Proliferation Induced by Systemic <i>Yersinia enterocolitica</i> Infection in Mice. <i>PLoS ONE</i> , 2016, 11, e0164163.	2.5	2
98	VENTX induces expansion of primitive erythroid cells and contributes to the development of acute myeloid leukemia in mice. <i>Oncotarget</i> , 2016, 7, 86889-86901.	1.8	6
99	New pathogen-specific immunoPET/MR tracer for molecular imaging of a systemic bacterial infection. <i>Oncotarget</i> , 2016, 7, 10990-11001.	1.8	31
100	IX. Is it only about MYC? How to approach the diagnosis of diffuse large B-cell lymphomas. <i>Hematological Oncology</i> , 2015, 33, 50-55.	1.7	4
101	<i>BRAF</i> ^{V600E} mutations are found in Richter syndrome and may allow targeted therapy in a subset of patients. <i>British Journal of Haematology</i> , 2015, 170, 282-285.	2.5	7
102	High frequency of MYD88 mutations in vitreoretinal B-cell lymphoma: a valuable tool to improve diagnostic yield of vitreous aspirates. <i>Blood</i> , 2015, 126, 76-79.	1.4	169
103	<i>MYD88</i> L265P and <i>CXCR4</i> mutations in lymphoplasmacytic lymphoma identify cases with high disease activity. <i>British Journal of Haematology</i> , 2015, 169, 795-803.	2.5	90
104	ALK-positive anaplastic large cell lymphoma an evolving story. <i>Frontiers in Bioscience - Scholar</i> , 2015, 7, 248-259.	2.1	5
105	Large B-cell lymphoma arising in cardiac myxoma or intracardiac fibrinous mass: a localized lymphoma usually associated with Epstein-Barr virus?. <i>Cardiovascular Pathology</i> , 2015, 24, 60-64.	1.6	35
106	Next-Generation Sequencing Identifies Dereglulation of MicroRNAs Involved in Both Innate and Adaptive Immune Response in ALK+ ALCL. <i>PLoS ONE</i> , 2015, 10, e0117780.	2.5	22
107	Assessment of murine brain tissue shrinkage caused by different histological fixatives using magnetic resonance and computed tomography imaging. <i>Histology and Histopathology</i> , 2015, 30, 601-13.	0.7	51
108	Utility and Diagnostic Pitfalls of SOX11 Monoclonal Antibodies in Mantle Cell Lymphoma and Other Lymphoproliferative Disorders. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014, 22, 720-727.	1.2	24

#	ARTICLE	IF	CITATIONS
109	The BCL2 E17 and SP66 antibodies discriminate 2 immunophenotypically and genetically distinct subgroups of conventionally BCL2- α -negative grade 1/2 follicular lymphomas. <i>Human Pathology</i> , 2013, 44, 1817-1826.	2.0	40
110	Non- α -Mycosis Fungoides Cutaneous T-Cell Lymphomas. <i>American Journal of Clinical Pathology</i> , 2013, 139, 491-514.	0.7	64
111	Cutaneous B-Cell Lymphoproliferative Disorders. <i>American Journal of Clinical Pathology</i> , 2013, 139, 515-535.	0.7	55
112	CCND2 rearrangements are the most frequent genetic events in cyclin D1 $^{+}$ mantle cell lymphoma. <i>Blood</i> , 2013, 121, 1394-1402.	1.4	183
113	Hydroa vacciniforme-like lymphoma: a chronic EBV+ lymphoproliferative disorder with risk to develop a systemic lymphoma. <i>Blood</i> , 2013, 122, 3101-3110.	1.4	147
114	Identification of C/EBP $^{\beta}$ Target Genes in ALK+ Anaplastic Large Cell Lymphoma (ALCL) by Gene Expression Profiling and Chromatin Immunoprecipitation. <i>PLoS ONE</i> , 2013, 8, e64544.	2.5	28
115	Mantle cell lymphoma with intrafollicular growth pattern. <i>Journal of Hematopathology</i> , 2012, 5, 117-121.	0.4	1
116	Geographic variation in the prevalence of Epstein-Barr virus-positive diffuse large B-cell lymphoma of the elderly: a comparative analysis of a Mexican and a German population. <i>Modern Pathology</i> , 2011, 24, 1046-1054.	5.5	112
117	Epstein-Barr Virus-positive Diffuse Large B-cell Lymphomas of the Elderly. <i>Advances in Anatomic Pathology</i> , 2011, 18, 349-355.	4.3	62
118	Response: proliferative versus functional anergy. <i>Blood</i> , 2011, 118, 3442-3442.	1.4	16
119	A unique case of follicular lymphoma provides insights to the clonal evolution from follicular lymphoma in situ to manifest follicular lymphoma. <i>Blood</i> , 2011, 118, 3442-3444.	1.4	36
120	Mediastinal gray zone lymphoma. <i>Haematologica</i> , 2011, 96, 496-499.	3.5	26
121	Cyclin D1 positive diffuse large B-cell lymphoma is a post-germinal center-type lymphoma without alterations in the CCND1 gene locus. <i>Leukemia and Lymphoma</i> , 2011, 52, 458-466.	1.3	45
122	C/EBP β expression in ALK-positive anaplastic large cell lymphomas is required for cell proliferation and is induced by the STAT3 signaling pathway. <i>Haematologica</i> , 2010, 95, 760-767.	3.5	58
123	Efficient shRNA delivery into B and T lymphoma cells using lentiviral vector-mediated transfer. <i>Journal of Hematopathology</i> , 2009, 2, 9-19.	0.4	33
124	Commentary on the 2008 WHO classification of mature T- and NK-cell neoplasms. <i>Journal of Hematopathology</i> , 2009, 2, 65-73.	0.4	49
125	Gray zones around diffuse large B cell lymphoma. Conclusions based on the workshop of the XIV meeting of the European Association for Hematopathology and the Society of Hematopathology in Bordeaux, France. <i>Journal of Hematopathology</i> , 2009, 2, 211-236.	0.4	75
126	Differential diagnosis of cyclin D2+ mantle cell lymphoma based on fluorescence in situ hybridization and quantitative real-time-PCR. <i>Haematologica</i> , 2009, 94, 1595-1598.	3.5	42

#	ARTICLE	IF	CITATIONS
127	Cyclin D1 positive multiple myeloma: Predominance of the short, 3'UTR-deficient transcript is associated with high cyclin D1 mRNA levels in cases with t(11;14) translocation, but does not correlate with proliferation rate or genomic deletions. <i>Leukemia Research</i> , 2008, 32, 79-88.	0.8	12
128	Overexpression of CDX2 perturbs HOX gene expression in murine progenitors depending on its N-terminal domain and is closely correlated with deregulated HOX gene expression in human acute myeloid leukemia. <i>Blood</i> , 2008, 111, 309-319.	1.4	61
129	Cyclin D1-negative mantle cell lymphoma with cryptic t(12;14)(p13;q32) and cyclin D2 overexpression. <i>Blood</i> , 2008, 111, 1745-1746.	1.4	39
130	IgVH Mutational Status and Clonality Analysis of Richter's Transformation. <i>American Journal of Surgical Pathology</i> , 2007, 31, 1605-1614.	3.7	224
131	NPM-ALK-dependent expression of the transcription factor CCAAT/enhancer binding protein β in ALK-positive anaplastic large cell lymphoma. <i>Blood</i> , 2006, 108, 2029-2036.	1.4	47
132	Real-time Quantitative RT-PCR Shows Variable, Assay-dependent Sensitivity to Formalin Fixation: Implications for Direct Comparison of Transcript Levels in Paraffin-embedded Tissues. <i>Diagnostic Molecular Pathology</i> , 2006, 15, 149-156.	2.1	42
133	Acute myeloid leukemia is propagated by a leukemic stem cell with lymphoid characteristics in a mouse model of CALM/AF10-positive leukemia. <i>Cancer Cell</i> , 2006, 10, 363-374.	16.8	119
134	The AML1-ETO fusion gene and the FLT3 length mutation collaborate in inducing acute leukemia in mice. <i>Journal of Clinical Investigation</i> , 2005, 115, 2159-2168.	8.2	194
135	Ectopic expression of the homeobox gene Cdx2 is the transforming event in a mouse model of t(12;13)(p13;q12) acute myeloid leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 817-822.	7.1	133
136	Different mechanisms of cyclin D1 overexpression in multiple myeloma revealed by fluorescence in situ hybridization and quantitative analysis of mRNA levels. <i>Blood</i> , 2004, 104, 1120-1126.	1.4	108
137	Analysis of Signal Transducer and Activator of Transcription 3 (Stat 3) Pathway in Multiple Myeloma. <i>American Journal of Pathology</i> , 2003, 162, 1449-1461.	3.8	87
138	Sequestration of p27Kip1 protein by cyclin D1 in typical and blastic variants of mantle cell lymphoma (MCL): implications for pathogenesis. <i>Blood</i> , 2003, 101, 3181-3187.	1.4	81
139	Identification of cyclin D1 mRNA overexpression in B-cell neoplasias by real-time reverse transcription-PCR of microdissected paraffin sections. <i>Clinical Cancer Research</i> , 2002, 8, 2902-11.	7.0	56
140	p53 Mutations in Nasal Natural Killer/T-Cell Lymphoma from Mexico. <i>American Journal of Pathology</i> , 2001, 159, 2095-2105.	3.8	123
141	p27Kip1 Immunostaining for the Differential Diagnosis of Small B-Cell Neoplasms in Trephine Bone Marrow Biopsies. <i>Modern Pathology</i> , 2001, 14, 1022-1029.	5.5	12
142	Fulminant EBV+ T-cell lymphoproliferative disorder following acute/chronic EBV infection: a distinct clinicopathologic syndrome. <i>Blood</i> , 2000, 96, 443-451.	1.4	262
143	High prevalence of a 30-base pair deletion in the Epstein-Barr virus (EBV) latent membrane protein 1 gene and of strain type B EBV in Mexican classical Hodgkin's disease and reactive lymphoid tissue. <i>Human Pathology</i> , 1999, 30, 781-787.	2.0	43
144	Histological and immunophenotypic profile of nasal NK/T cell lymphomas from Peru: High prevalence of p53 overexpression. <i>Human Pathology</i> , 1999, 30, 849-855.	2.0	124

#	ARTICLE	IF	CITATIONS
145	Peripheral T-Cell Lymphoma With Reed-Sternberg-like Cells of B-Cell Phenotype and Genotype Associated With Epstein-Barr Virus Infection. <i>American Journal of Surgical Pathology</i> , 1999, 23, 1233.	3.7	167
146	Transcription Factor B-Cell-Specific Activator Protein (BSAP) Is Differentially Expressed in B Cells and in Subsets of B-Cell Lymphomas. <i>Blood</i> , 1998, 92, 1308-1316.	1.4	125
147	Human immunodeficiency virus-associated Hodgkin's disease contains latent, not replicative, Epstein-Barr virus. <i>Human Pathology</i> , 1995, 26, 1191-1195.	2.0	43
148	Aggressive B-cell lymphomas—from morphology to molecular pathogenesis. <i>Annals of Lymphoma</i> , 0, 3, 1-1.	4.5	19