

Bharat Bhushan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1034576/publications.pdf>

Version: 2024-02-01

1,020
papers

56,151
citations

1172

111
h-index

2385

198
g-index

1100
all docs

1100
docs citations

1100
times ranked

33604
citing authors

#	ARTICLE	IF	CITATIONS
1	Natural and biomimetic artificial surfaces for superhydrophobicity, self-cleaning, low adhesion, and drag reduction. <i>Progress in Materials Science</i> , 2011, 56, 1-108.	32.8	1,614
2	Nanotribology: friction, wear and lubrication at the atomic scale. <i>Nature</i> , 1995, 374, 607-616.	27.8	1,514
3	A review of nanoindentation continuous stiffness measurement technique and its applications. <i>Materials Characterization</i> , 2002, 48, 11-36.	4.4	1,275
4	Biomimetics: lessons from nature—“an overview. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2009, 367, 1445-1486.	3.4	993
5	Multifunctional surface structures of plants: An inspiration for biomimetics. <i>Progress in Materials Science</i> , 2009, 54, 137-178.	32.8	756
6	Bioinspired self-cleaning surfaces with superhydrophobicity, superoleophobicity, and superhydrophilicity. <i>RSC Advances</i> , 2013, 3, 671-690.	3.6	702
7	Micro-, nano- and hierarchical structures for superhydrophobicity, self-cleaning and low adhesion. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2009, 367, 1631-1672.	3.4	660
8	Diversity of structure, morphology and wetting of plant surfaces. <i>Soft Matter</i> , 2008, 4, 1943.	2.7	613
9	Fabrication of artificial Lotus leaves and significance of hierarchical structure for superhydrophobicity and low adhesion. <i>Soft Matter</i> , 2009, 5, 1386.	2.7	605
10	Shark-skin surfaces for fluid-drag reduction in turbulent flow: a review. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2010, 368, 4775-4806.	3.4	542
11	Tribology and Mechanics of Magnetic Storage Devices. , 1996, , .		539
12	Superhydrophobic surfaces and emerging applications: Non-adhesion, energy, green engineering. <i>Current Opinion in Colloid and Interface Science</i> , 2009, 14, 270-280.	7.4	531
13	Fabrication of Superhydrophobic Surfaces with High and Low Adhesion Inspired from Rose Petal. <i>Langmuir</i> , 2010, 26, 8207-8217.	3.5	440
14	Adhesion and stiction: Mechanisms, measurement techniques, and methods for reduction. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2003, 21, 2262.	1.6	437
15	Self-Cleaning Efficiency of Artificial Superhydrophobic Surfaces. <i>Langmuir</i> , 2009, 25, 3240-3248.	3.5	436
16	Biofouling: lessons from nature. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2012, 370, 2381-2417.	3.4	425
17	The rose petal effect and the modes of superhydrophobicity. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2010, 368, 4713-4728.	3.4	418
18	Hierarchical structure and mechanical properties of nacre: a review. <i>RSC Advances</i> , 2012, 2, 7617.	3.6	415

#	ARTICLE	IF	CITATIONS
19	Wetting Behavior of Water and Oil Droplets in Three-Phase Interfaces for Hydrophobicity/philicity and Oleophobicity/philicity. <i>Langmuir</i> , 2009, 25, 14165-14173.	3.5	407
20	Contact angle, adhesion and friction properties of micro-and nanopatterned polymers for superhydrophobicity. <i>Nanotechnology</i> , 2006, 17, 4970-4980.	2.6	400
21	Comparison of surface roughness measurements by stylus profiler, AFM and non-contact optical profiler. <i>Wear</i> , 1995, 190, 76-88.	3.1	390
22	Structural coloration in nature. <i>RSC Advances</i> , 2013, 3, 14862.	3.6	380
23	A Review of Ionic Liquids for Green Molecular Lubrication in Nanotechnology. <i>Tribology Letters</i> , 2010, 40, 247-268.	2.6	378
24	Nanomechanical characterisation of solid surfaces and thin films. <i>International Materials Reviews</i> , 2003, 48, 125-164.	19.3	375
25	Mechanically Durable Carbon Nanotube Composite Hierarchical Structures with Superhydrophobicity, Self-Cleaning, and Low-Drag. <i>ACS Nano</i> , 2009, 3, 4155-4163.	14.6	357
26	Hydrophobicity, Adhesion, and Friction Properties of Nanopatterned Polymers and Scale Dependence for Micro- and Nanoelectromechanical Systems. <i>Nano Letters</i> , 2005, 5, 1607-1613.	9.1	354
27	Atomic-Scale Friction Measurements Using Friction Force Microscopy: Part I General Principles and New Measurement Techniques. <i>Journal of Tribology</i> , 1994, 116, 378-388.	1.9	352
28	Chemical, mechanical and tribological characterization of ultra-thin and hard amorphous carbon coatings as thin as 3.5 nm: recent developments. <i>Diamond and Related Materials</i> , 1999, 8, 1985-2015.	3.9	338
29	Biomimetic Superhydrophobic Surfaces: A Multiscale Approach. <i>Nano Letters</i> , 2007, 7, 2633-2637.	9.1	338
30	Dynamic Effects of Bouncing Water Droplets on Superhydrophobic Surfaces. <i>Langmuir</i> , 2008, 24, 6262-6269.	3.5	323
31	Contact mechanics of rough surfaces in tribology: multiple asperity contact. <i>Tribology Letters</i> , 1998, 4, 1-35.	2.6	321
32	Nanotribology and nanomechanics of MEMS/NEMS and BioMEMS/BioNEMS materials and devices. <i>Microelectronic Engineering</i> , 2007, 84, 387-412.	2.4	320
33	Bioinspired rice leaf and butterfly wing surface structures combining shark skin and lotus effects. <i>Soft Matter</i> , 2012, 8, 11271.	2.7	315
34	Wetting study of patterned surfaces for superhydrophobicity. <i>Ultramicroscopy</i> , 2007, 107, 1033-1041.	1.9	310
35	Plant Surfaces: Structures and Functions for Biomimetic Innovations. <i>Nano-Micro Letters</i> , 2017, 9, 23.	27.0	304
36	Micro- and nanoscale characterization of hydrophobic and hydrophilic leaf surfaces. <i>Nanotechnology</i> , 2006, 17, 2758-2772.	2.6	303

#	ARTICLE	IF	CITATIONS
37	Mechanical characterization of micro/nanoscale structures for MEMS/NEMS applications using nanoindentation techniques. Ultramicroscopy, 2003, 97, 481-494.	1.9	294
38	Modern Tribology Handbook, Two Volume Set. , 0, , .		283
39	Fracture mechanisms of thin amorphous carbon films in nanoindentation. Acta Materialia, 1997, 45, 4453-4461.	7.9	271
40	Roughness optimization for biomimetic superhydrophobic surfaces. Microsystem Technologies, 2005, 11, 535-549.	2.0	270
41	Nanotribological characterization of molecularly thick lubricant films for applications to MEMS/NEMS by AFM. Ultramicroscopy, 2003, 97, 321-340.	1.9	264
42	Fluid Drag Reduction with Sharkâ€™s Skin Riblet Inspired Microstructured Surfaces. Advanced Functional Materials, 2013, 23, 4507-4528.	14.9	261
43	Hierarchical roughness makes superhydrophobic states stable. Microelectronic Engineering, 2007, 84, 382-386.	2.4	258
44	Nanotribology and nanomechanics. Wear, 2005, 259, 1507-1531.	3.1	254
45	Nanoindentation hardness measurements using atomic force microscopy. Applied Physics Letters, 1994, 64, 1653-1655.	3.3	253
46	Wetting transition of water droplets on superhydrophobic patterned surfaces. Scripta Materialia, 2007, 57, 1057-1060.	5.2	253
47	Wetting, adhesion and friction of superhydrophobic and hydrophilic leaves and fabricated micro/nanopatterned surfaces. Journal of Physics Condensed Matter, 2008, 20, 225010.	1.8	250
48	Transparent, Superhydrophobic, and Wear-Resistant Coatings on Glass and Polymer Substrates Using SiO ₂ , ZnO, and ITO Nanoparticles. Langmuir, 2012, 28, 11391-11399.	3.5	245
49	Micromechanical and tribological characterization of doped single-crystal silicon and polysilicon films for microelectromechanical systems devices. Journal of Materials Research, 1997, 12, 54-63.	2.6	244
50	Biologically Inspired Surfaces: Broadening the Scope of Roughness**. Advanced Functional Materials, 2008, 18, 843-855.	14.9	244
51	Hierarchical roughness optimization for biomimetic superhydrophobic surfaces. Ultramicroscopy, 2007, 107, 969-979.	1.9	236
52	Multiscale friction mechanisms and hierarchical surfaces in nano- and bio-tribology. Materials Science and Engineering Reports, 2007, 58, 162-193.	31.8	235
53	An overview of additive manufacturing (3D printing) for microfabrication. Microsystem Technologies, 2017, 23, 1117-1124.	2.0	226
54	Theoretical investigation of the distance dependence of capillary and van der Waals forces in scanning force microscopy. Physical Review B, 2000, 62, 13667-13673.	3.2	222

#	ARTICLE	IF	CITATIONS
55	Tribology and Mechanics of Magnetic Storage Devices. , 1990, , .		221
56	Nanoindentation and picondentation measurements using a capacitive transducer system in atomic force microscopy. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1996, 74, 1117-1128.	0.6	219
57	Microtribological Characterization of Self-Assembled and Langmuir-Blodgett Monolayers by Atomic and Friction Force Microscopy. Langmuir, 1995, 11, 3189-3198.	3.5	215
58	Fluid drag reduction and efficient self-cleaning with rice leaf and butterfly wing bioinspired surfaces. Nanoscale, 2013, 5, 7685.	5.6	212
59	Measurement of surface topography of magnetic tapes by Mirau interferometry. Applied Optics, 1985, 24, 1489.	2.1	209
60	Effects of particle size, polishing pad and contact pressure in free abrasive polishing. Wear, 1996, 200, 281-295.	3.1	202
61	Blockchain for smart cities: A review of architectures, integration trends and future research directions. Sustainable Cities and Society, 2020, 61, 102360.	10.4	201
62	Anti-fouling properties of microstructured surfaces bio-inspired by rice leaves and butterfly wings. Journal of Colloid and Interface Science, 2014, 419, 114-133.	9.4	198
63	Rice- and butterfly-wing effect inspired self-cleaning and low drag micro/nanopatterned surfaces in water, oil, and air flow. Nanoscale, 2014, 6, 76-96.	5.6	198
64	Bioinspired Structured Surfaces. Langmuir, 2012, 28, 1698-1714.	3.5	196
65	Multiscale Dissipative Mechanisms and Hierarchical Surfaces. Nanoscience and Technology, 2008, , .	1.5	195
66	Patterned Nonadhesive Surfaces: Superhydrophobicity and Wetting Regime Transitions. Langmuir, 2008, 24, 1525-1533.	3.5	193
67	Generalized fractal analysis and its applications to engineering surfaces. Wear, 1995, 180, 17-34.	3.1	191
68	Development of AFM-based techniques to measure mechanical properties of nanoscale structures. Sensors and Actuators A: Physical, 2002, 101, 338-351.	4.1	189
69	Surface characterization and adhesion and friction properties of hydrophobic leaf surfaces. Ultramicroscopy, 2006, 106, 709-719.	1.9	187
70	Scale dependence of micro/nano-friction and adhesion of MEMS/NEMS materials, coatings and lubricants. Nanotechnology, 2004, 15, 1561-1570.	2.6	182
71	Nanotribological properties and mechanisms of alkylthiol and biphenyl thiol self-assembled monolayers studied by AFM. Physical Review B, 2001, 63, .	3.2	180
72	Measurement of fracture toughness of ultra-thin amorphous carbon films. Thin Solid Films, 1998, 315, 214-221.	1.8	179

#	ARTICLE	IF	CITATIONS
73	A Numerical Three-Dimensional Model for the Contact of Rough Surfaces by Variational Principle. <i>Journal of Tribology</i> , 1996, 118, 33-42.	1.9	173
74	Principles and Applications to Tribology. , 2013, , .		171
75	Atomic-scale and microscale friction studies of graphite and diamond using friction force microscopy. <i>Journal of Applied Physics</i> , 1994, 76, 5022-5035.	2.5	169
76	Transparent, wear-resistant, superhydrophobic and superoleophobic poly(dimethylsiloxane) (PDMS) surfaces. <i>Journal of Colloid and Interface Science</i> , 2017, 488, 118-126.	9.4	168
77	Dynamic Effects Induced Transition of Droplets on Biomimetic Superhydrophobic Surfaces. <i>Langmuir</i> , 2009, 25, 9208-9218.	3.5	167
78	Biomimetic structures for fluid drag reduction in laminar and turbulent flows. <i>Journal of Physics Condensed Matter</i> , 2010, 22, 035104.	1.8	166
79	An Optical Profilometer for Surface Characterization of Magnetic Media. <i>ASLE Transactions</i> , 1984, 27, 101-113.	0.6	165
80	Enhanced production of a thermostable xylanase from <i>Streptomyces</i> sp. QG-11-3 and its application in biobleaching of eucalyptus kraft pulp. <i>Enzyme and Microbial Technology</i> , 2000, 27, 459-466.	3.2	163
81	Investigation of nanotribological properties of self-assembled monolayers with alkyl and biphenyl spacer chains (Invited). <i>Ultramicroscopy</i> , 2002, 91, 185-202.	1.9	161
82	Mechanically durable, superoleophobic coatings prepared by layer-by-layer technique for anti-smudge and oil-water separation. <i>Scientific Reports</i> , 2015, 5, 8701.	3.3	160
83	Dual pH- and ammonia-vapor-responsive electrospun nanofibrous membranes for oil-water separations. <i>Journal of Membrane Science</i> , 2017, 537, 128-139.	8.2	157
84	Biomimetics inspired surfaces for drag reduction and oleophobicity/phobicity. <i>Beilstein Journal of Nanotechnology</i> , 2011, 2, 66-84.	2.8	155
85	Microtribological studies of unlubricated and lubricated surfaces using atomic force/friction force microscopy. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1996, 14, 2378-2391.	2.1	150
86	AFM study of perfluoroalkylsilane and alkylsilane self-assembled monolayers for anti-stiction in MEMS/NEMS. <i>Ultramicroscopy</i> , 2005, 105, 176-188.	1.9	149
87	Friction model for the velocity dependence of nanoscale friction. <i>Nanotechnology</i> , 2005, 16, 2309-2324.	2.6	149
88	Durable Lotus-effect surfaces with hierarchical structure using micro- and nanosized hydrophobic silica particles. <i>Journal of Colloid and Interface Science</i> , 2012, 368, 584-591.	9.4	148
89	Self-cleaning, stain-resistant and anti-bacterial superhydrophobic cotton fabric prepared by simple immersion technique. <i>Journal of Colloid and Interface Science</i> , 2019, 535, 66-74.	9.4	148
90	Effect of normal load on microscale friction measurements. <i>Thin Solid Films</i> , 1996, 278, 49-56.	1.8	147

#	ARTICLE	IF	CITATIONS
91	Roughness-induced superhydrophobicity: a way to design non-adhesive surfaces. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 225009.	1.8	144
92	Tribological studies of silicon for magnetic recording applications (invited). <i>Journal of Applied Physics</i> , 1994, 75, 5741-5746.	2.5	143
93	Thin-film friction and adhesion studies using atomic force microscopy. <i>Journal of Applied Physics</i> , 2000, 87, 1201-1210.	2.5	141
94	Use of phase imaging in atomic force microscopy for measurement of viscoelastic contrast in polymer nanocomposites and molecularly thick lubricant films. <i>Ultramicroscopy</i> , 2003, 97, 151-169.	1.9	137
95	Ultrathin Wear-Resistant Ionic Liquid Films for Novel MEMS/NEMS Applications. <i>Advanced Materials</i> , 2008, 20, 1194-1198.	21.0	137
96	Boundary slip and nanobubble study in micro/nanofluidics using atomic force microscopy. <i>Soft Matter</i> , 2010, 6, 29-66.	2.7	137
97	Nano- to microscale wear and mechanical characterization using scanning probe microscopy. <i>Wear</i> , 2001, 251, 1105-1123.	3.1	136
98	Recent Advances in Attacks, Technical Challenges, Vulnerabilities and Their Countermeasures in Wireless Sensor Networks. <i>Wireless Personal Communications</i> , 2018, 98, 2037-2077.	2.7	134
99	Towards optimization of patterned superhydrophobic surfaces. <i>Journal of the Royal Society Interface</i> , 2007, 4, 643-648.	3.4	132
100	Lotus-Like Biomimetic Hierarchical Structures Developed by the Self-Assembly of Tubular Plant Waxes. <i>Langmuir</i> , 2009, 25, 1659-1666.	3.5	132
101	Micro/nanomechanical characterization of ceramic films for microdevices. <i>Thin Solid Films</i> , 1999, 340, 210-217.	1.8	131
102	Nanostructures for superhydrophobicity and low adhesion. <i>Soft Matter</i> , 2008, 4, 1799.	2.7	131
103	Application of an alkaline and thermostable polygalacturonase from <i>Bacillus</i> sp. MG-cp-2 in degumming of ramie (<i>Boehmeria nivea</i>) and sunn hemp (<i>Crotalaria juncea</i>) bast fibres. <i>Process Biochemistry</i> , 2001, 36, 803-807.	3.7	130
104	Use of a nanoscale Kelvin probe for detecting wear precursors. <i>Review of Scientific Instruments</i> , 1998, 69, 3618-3624.	1.3	125
105	Frictional behavior of highly oriented pyrolytic graphite. <i>Journal of Applied Physics</i> , 1994, 76, 8117-8120.	2.5	124
106	Topography-induced contributions to friction forces measured using an atomic force/friction force microscope. <i>Journal of Applied Physics</i> , 2000, 88, 4825.	2.5	124
107	Contact Mechanics of Rough Surfaces in Tribology: Single Asperity Contact. <i>Applied Mechanics Reviews</i> , 1996, 49, 275-298.	10.1	123
108	Micro/nanotribological studies of polysilicon and SiC films for MEMS applications. <i>Wear</i> , 1998, 217, 251-261.	3.1	121

#	ARTICLE	IF	CITATIONS
109	Micro/nanomechanical and tribological characterization of ultrathin amorphous carbon coatings. <i>Journal of Materials Research</i> , 1999, 14, 2328-2337.	2.6	121
110	AFM-based nanotribological and electrical characterization of ultrathin wear-resistant ionic liquid films. <i>Journal of Colloid and Interface Science</i> , 2008, 317, 275-287.	9.4	121
111	Adhesion of multi-level hierarchical attachment systems in gecko feet. <i>Journal of Adhesion Science and Technology</i> , 2007, 21, 1213-1258.	2.6	119
112	Effect of scan size and surface roughness on microscale friction measurements. <i>Journal of Applied Physics</i> , 1997, 81, 2472-2479.	2.5	118
113	Blockchain based solutions to secure IoT: Background, integration trends and a way forward. <i>Journal of Network and Computer Applications</i> , 2021, 181, 103050.	9.1	118
114	Atomic Force Microscopy of Magnetic Rigid Disks and Sliders and Its Applications to Tribology. <i>Journal of Tribology</i> , 1991, 113, 452-457.	1.9	116
115	The micro-meniscus effect of a thin liquid film on the static friction of rough surface contact. <i>Journal Physics D: Applied Physics</i> , 1996, 29, 163-178.	2.8	114
116	Bioadhesion: a review of concepts and applications. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2012, 370, 2321-2347.	3.4	114
117	Micromechanical properties of amorphous carbon coatings deposited by different deposition techniques. <i>Thin Solid Films</i> , 1995, 270, 391-398.	1.8	113
118	Measurements and analysis of surface potential change during wear of single-crystal silicon (100) at ultralow loads using Kelvin probe microscopy. <i>Applied Surface Science</i> , 2000, 157, 373-381.	6.1	113
119	Nanomechanical characterization of human hair using nanoindentation and SEM. <i>Ultramicroscopy</i> , 2005, 105, 248-266.	1.9	112
120	Surface modification of silicon and polydimethylsiloxane surfaces with vapor-phase-deposited ultrathin fluorosilane films for biomedical nanodevices. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2006, 24, 1197-1202.	2.1	112
121	Bioinspired, roughness-induced, water and oil super-philic and super-phobic coatings prepared by adaptable layer-by-layer technique. <i>Scientific Reports</i> , 2015, 5, 14030.	3.3	112
122	Unification of Blockchain and Internet of Things (BloT): requirements, working model, challenges and future directions. <i>Wireless Networks</i> , 2021, 27, 55-90.	3.0	112
123	Atomic-Scale Friction Measurements Using Friction Force Microscopy: Part II—Application to Magnetic Media. <i>Journal of Tribology</i> , 1994, 116, 389-396.	1.9	111
124	Nanoscale tribophysics and tribomechanics. <i>Wear</i> , 1999, 225-229, 465-492.	3.1	111
125	Liver Regeneration after Acetaminophen Hepatotoxicity. <i>American Journal of Pathology</i> , 2019, 189, 719-729.	3.8	111
126	Contact Analysis of Non-Gaussian Surfaces for Minimum Static and Kinetic Friction and Wear. <i>Tribology Transactions</i> , 1996, 39, 890-898.	2.0	109

#	ARTICLE	IF	CITATIONS
127	Bioinspired superoleophobic/superhydrophilic functionalized cotton for efficient separation of immiscible oil-water mixtures and oil-water emulsions. <i>Journal of Colloid and Interface Science</i> , 2019, 548, 123-130.	9.4	109
128	Micro/nanotribology of ultra-thin hard amorphous carbon coatings using atomic force/friction force microscopy. <i>Wear</i> , 1999, 225-229, 678-689.	3.1	108
129	Tribological studies of chromium oxide films for magnetic recording applications. <i>Thin Solid Films</i> , 1997, 311, 67-80.	1.8	107
130	Scale effects in friction using strain gradient plasticity and dislocation-assisted sliding (microslip). <i>Acta Materialia</i> , 2003, 51, 4331-4345.	7.9	107
131	Adhesion analysis of multi-level hierarchical attachment system contacting with a rough surface. <i>Journal of Adhesion Science and Technology</i> , 2007, 21, 1-20.	2.6	105
132	Biomimetic hierarchical structure for self-cleaning. <i>Applied Physics Letters</i> , 2008, 93, .	3.3	104
133	Conceptualizing smart city applications: Requirements, architecture, security issues, and emerging trends. <i>Expert Systems</i> , 2022, 39, .	4.5	104
134	Adhesion analysis of two-level hierarchical morphology in natural attachment systems for 'smart adhesion'. <i>Journal of Adhesion Science and Technology</i> , 2006, 20, 1475-1491.	2.6	103
135	Nanoscale characterization of human hair and hair conditioners. <i>Progress in Materials Science</i> , 2008, 53, 585-710.	32.8	103
136	Material removal mechanisms of single-crystal silicon on nanoscale and at ultralow loads. <i>Wear</i> , 1998, 223, 66-78.	3.1	102
137	Production and partial purification and characterization of a thermo-alkali stable polygalacturonase from <i>Bacillus</i> sp. MG-cp-2. <i>Process Biochemistry</i> , 2000, 36, 467-473.	3.7	100
138	Biotransformation of Hexahydro-1,3,5-Trinitro-1,3,5-Triazine (RDX) by a Rabbit Liver Cytochrome P450: Insight into the Mechanism of RDX Biodegradation by <i>Rhodococcus</i> sp. Strain DN22. <i>Applied and Environmental Microbiology</i> , 2003, 69, 1347-1351.	3.1	100
139	Structure and mechanical properties of beetle wings: a review. <i>RSC Advances</i> , 2012, 2, 12606.	3.6	100
140	Wear-resistant rose petal-effect surfaces with superhydrophobicity and high droplet adhesion using hydrophobic and hydrophilic nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2012, 384, 182-188.	9.4	100
141	Morphological, antimicrobial, durability, and physical properties of untreated and treated textiles using silver-nanoparticles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013, 436, 975-989.	4.7	100
142	Shark skin inspired low-drag microstructured surfaces in closed channel flow. <i>Journal of Colloid and Interface Science</i> , 2013, 393, 384-396.	9.4	100
143	Fullerene (C ₆₀) Films for Solid Lubrication. <i>Tribology Transactions</i> , 1993, 36, 573-580.	2.0	99
144	Adhesion and Friction Studies of Silicon and Hydrophobic and Low Friction Films and Investigation of Scale Effects. <i>Journal of Tribology</i> , 2004, 126, 583-590.	1.9	99

#	ARTICLE	IF	CITATIONS
145	Suppression of Nuclear Factor- κ B Activation and Inflammation in Microglia by Physically Modified Saline. <i>Journal of Biological Chemistry</i> , 2012, 287, 29529-29542.	3.4	99
146	Smart polymer brushes and their emerging applications. <i>RSC Advances</i> , 2012, 2, 8557.	3.6	99
147	An internet of health thingsâ€driven deep learning framework for detection and classification of skin cancer using transfer learning. <i>Transactions on Emerging Telecommunications Technologies</i> , 2021, 32, e3963.	3.9	99
148	Mechanical and tribological properties of hard carbon coatings for magnetic recording heads. <i>Wear</i> , 1995, 190, 110-122.	3.1	98
149	Chemotaxis-mediated biodegradation of cyclic nitramine explosives RDX, HMX, and CL-20 by <i>Clostridium</i> sp. EDB2. <i>Biochemical and Biophysical Research Communications</i> , 2004, 316, 816-821.	2.1	98
150	Chemotaxis of a <i>Ralstonia</i> sp. SJ98 toward Different Nitroaromatic Compounds and Their Degradation. <i>Biochemical and Biophysical Research Communications</i> , 2000, 269, 117-123.	2.1	97
151	Friction and wear studies of human hair and skin. <i>Wear</i> , 2005, 259, 1012-1021.	3.1	97
152	Bioinspired materials for water supply and management: water collection, water purification and separation of water from oil. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2016, 374, 20160135.	3.4	97
153	Impact of albumin based approaches in nanomedicine: Imaging, targeting and drug delivery. <i>Advances in Colloid and Interface Science</i> , 2017, 246, 13-39.	14.7	97
154	Micro/nanotribology and its applications to magnetic storage devices and MEMS. <i>Tribology International</i> , 1995, 28, 85-96.	5.9	96
155	Localized surface elasticity measurements using an atomic force microscope. <i>Review of Scientific Instruments</i> , 1997, 68, 4498-4505.	1.3	96
156	Rice and Butterfly Wing Effect Inspired Low Drag and Antifouling Surfaces: A Review. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2015, 40, 1-37.	12.3	96
157	Kinetics of Biodegradation of p-Nitrophenol by Different Bacteria. <i>Biochemical and Biophysical Research Communications</i> , 2000, 274, 626-630.	2.1	95
158	Mechanical property measurements of nanoscale structures using an atomic force microscope. <i>Ultramicroscopy</i> , 2002, 91, 111-118.	1.9	95
159	Adhesion and friction studies of microelectromechanical systems/nanoelectromechanical systems materials using a novel microtriboapparatus. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2003, 21, 1528-1538.	2.1	95
160	Nanotribological characterization of self-assembled monolayers deposited on silicon and aluminium substrates. <i>Nanotechnology</i> , 2005, 16, 1549-1558.	2.6	94
161	Green tribology: principles, research areas and challenges. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2010, 368, 4677-4694.	3.4	94
162	Tribological properties of polished diamond films. <i>Journal of Applied Physics</i> , 1993, 74, 4174-4180.	2.5	93

#	ARTICLE	IF	CITATIONS
163	Micro/nanoscale studies of boundary layers of liquid lubricants for magnetic disks. Journal of Applied Physics, 1996, 79, 8071-8075.	2.5	93
164	Fatigue studies of nanoscale structures for MEMS/NEMS applications using nanoindentation techniques. Surface and Coatings Technology, 2003, 163-164, 521-526.	4.8	92
165	Nanotribological characterization of human hair and skin using atomic force microscopy. Ultramicroscopy, 2005, 105, 155-175.	1.9	92
166	Static friction and surface roughness studies of surface micromachined electrostatic micromotors using an atomic force/friction force microscope. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2001, 19, 1777-1785.	2.1	91
167	Bonding, degradation, and environmental effects on novel perfluoropolyether lubricants. Wear, 2005, 259, 1352-1361.	3.1	91
168	Comprehensive model for scale effects in friction due to adhesion and two- and three-body deformation (plowing). Acta Materialia, 2004, 52, 2461-2474.	7.9	90
169	Durable, superoleophobic polymer-nanoparticle composite surfaces with re-entrant geometry via solvent-induced phase transformation. Scientific Reports, 2016, 6, 21048.	3.3	89
170	Bioinspired self-healing materials: lessons from nature. Beilstein Journal of Nanotechnology, 2018, 9, 907-935.	2.8	86
171	Sublimed C60films for tribology. Applied Physics Letters, 1993, 62, 3253-3255.	3.3	85
172	Development of a continuous microscratch technique in an atomic force microscope and its application to study scratch resistance of ultrathin hard amorphous carbon coatings. Journal of Materials Research, 2001, 16, 437-445.	2.6	83
173	Phase contrast imaging of nanocomposites and molecularly thick lubricant films in magnetic media. Nanotechnology, 2003, 14, 886-895.	2.6	83
174	Micro-nanotribological study of perfluorosilane SAMs for antistiction and low wear. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2005, 23, 995.	1.6	83
175	Theory, fabrication and applications of microfluidic and nanofluidic biosensors. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2012, 370, 2269-2303.	3.4	82
176	Evaluation of fracture toughness of ultra-thin amorphous carbon coatings deposited by different deposition techniques. Thin Solid Films, 1999, 355-356, 330-336.	1.8	81
177	Meniscus and viscous forces during separation of hydrophilic and hydrophobic surfaces with liquid-mediated contacts. Materials Science and Engineering Reports, 2008, 61, 78-106.	31.8	81
178	Mechanics and Reliability of Flexible Magnetic Media. , 2000, , .		81
179	The adhesion model considering capillarity for gecko attachment system. Journal of the Royal Society Interface, 2008, 5, 319-327.	3.4	80
180	Biomass production and distribution of roots in three stands of Populus deltoides. Forest Ecology and Management, 1994, 65, 135-147.	3.2	79

#	ARTICLE	IF	CITATIONS
181	Chemotaxis and Biodegradation of 3-Methyl- 4-Nitrophenol by <i>Ralstonia</i> sp. SJ98. <i>Biochemical and Biophysical Research Communications</i> , 2000, 275, 129-133.	2.1	78
182	Scale effects in dry and wet friction, wear, and interface temperature. <i>Nanotechnology</i> , 2004, 15, 749-761.	2.6	78
183	Micro/nanotribological characterization of PDMS and PMMA used for BioMEMS/NEMS applications. <i>Ultramicroscopy</i> , 2005, 105, 238-247.	1.9	78
184	Facile approach to develop durable and reusable superhydrophobic/superoleophilic coatings for steel mesh surfaces. <i>Journal of Colloid and Interface Science</i> , 2019, 535, 50-57.	9.4	78
185	Silicon Nitride Rolling Bearings for Extreme Operating Conditions. <i>ASLE Transactions</i> , 1982, 25, 417-428.	0.6	77
186	In situ tensile deformation characterization of human hair with atomic force microscopy. <i>Acta Materialia</i> , 2008, 56, 774-781.	7.9	77
187	Thermodynamics of surface degradation, self-organization and self-healing for biomimetic surfaces. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2009, 367, 1607-1627.	3.4	77
188	Normal and Lateral Force Calibration Techniques for AFM Cantilevers. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2010, 35, 73-104.	12.3	77
189	Energy transitions in superhydrophobicity: low adhesion, easy flow and bouncing. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 395005.	1.8	76
190	Self-healing of voids in the wax coating on plant surfaces. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2009, 367, 1673-1688.	3.4	76
191	Wear-Resistant and Antismudge Superoleophobic Coating on Polyethylene Terephthalate Substrate Using SiO ₂ Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 743-755.	8.0	75
192	Mechanically durable superoleophobic aluminum surfaces with microstep and nanoreticula hierarchical structure for self-cleaning and anti-smudge properties. <i>Journal of Colloid and Interface Science</i> , 2016, 461, 273-284.	9.4	75
193	Tribological performance of magnetic thin-film glass disks: its relation to surface roughness and lubricant structure and its thickness. <i>Wear</i> , 1995, 190, 60-75.	3.1	74
194	Micromechanical and tribological characterization of hard amorphous carbon coatings as thin as 5 nm for magnetic recording heads. <i>Wear</i> , 1998, 220, 51-58.	3.1	74
195	Contact mechanics of multilayered rough surfaces. <i>Applied Mechanics Reviews</i> , 2002, 55, 435-480.	10.1	74
196	Analysis of the Real Area of Contact Between a Polymeric Magnetic Medium and a Rigid Surface. <i>Journal of Tribology</i> , 1984, 106, 26-34.	1.9	72
197	A Meniscus Model for Optimization of Texturing and Liquid Lubrication of Magnetic Thin-Film Rigid Disks. <i>Tribology Transactions</i> , 1995, 38, 201-212.	2.0	72
198	Scanning and transmission electron microscopies of single-crystal silicon microworn/machined using atomic force microscopy. <i>Journal of Materials Research</i> , 1997, 12, 3219-3224.	2.6	72

#	ARTICLE	IF	CITATIONS
199	Multiscale effects and capillary interactions in functional biomimetic surfaces for energy conversion and green engineering. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2009, 367, 1511-1539.	3.4	72
200	A comprehensive kinetic meniscus model for prediction of long-term static friction. Journal of Applied Physics, 1999, 86, 4649-4656.	2.5	71
201	Instrumentation for direct, low frequency scanning capacitance microscopy, and analysis of position dependent stray capacitance. Review of Scientific Instruments, 2002, 73, 3525-3533.	1.3	71
202	Morphology and adhesion of biomolecules on silicon based surfaces. Acta Biomaterialia, 2005, 1, 327-341.	8.3	71
203	Boundary Slip Study on Hydrophilic, Hydrophobic, and Superhydrophobic Surfaces with Dynamic Atomic Force Microscopy. Langmuir, 2009, 25, 8117-8121.	3.5	71
204	Neutron depth profiling technique for studying aging in Li-ion batteries. Electrochimica Acta, 2011, 56, 4735-4743.	5.2	71
205	Silver nanoparticle incorporated composite nanofibers for potential wound dressing applications. Journal of Applied Polymer Science, 2015, 132, .	2.6	71
206	Mechanics and Reliability of Flexible Magnetic Media. , 1992, , .		71
207	Characterization of chemical bonding and physical characteristics of diamond-like amorphous carbon and diamond films. Journal of Materials Research, 1992, 7, 404-410.	2.6	70
208	Title is missing!. , 1998, 20, 157-159.		70
209	Investigation of scale effects and directionality dependence on friction and adhesion of human hair using AFM and macroscale friction test apparatus. Ultramicroscopy, 2006, 106, 720-734.	1.9	70
210	Adhesion, friction and wear characterization of skin and skin cream using atomic force microscope. Colloids and Surfaces B: Biointerfaces, 2010, 76, 1-15.	5.0	70
211	Kelvin probe microscopy measurements of surface potential change under wear at low loads. Wear, 2000, 244, 104-117.	3.1	69
212	Topography and phase imaging using the torsional resonance mode. Nanotechnology, 2004, 15, 731-742.	2.6	69
213	Adhesion and friction properties of polymers in microfluidic devices. Nanotechnology, 2005, 16, 467-478.	2.6	69
214	Fabrication and characterization of the hierarchical structure for superhydrophobicity and self-cleaning. Ultramicroscopy, 2009, 109, 1029-1034.	1.9	69
215	Security vulnerabilities, attacks and countermeasures in wireless sensor networks at various layers of OSI reference model: A survey. , 2017, , .		69
216	Simulation of dynamic modes of atomic force microscopy using a 3D finite element model. Ultramicroscopy, 2006, 106, 847-873.	1.9	68

#	ARTICLE	IF	CITATIONS
217	Designing bioinspired superoleophobic surfaces. <i>APL Materials</i> , 2016, 4, .	5.1	68
218	Modeling and optimization of shark-inspired riblet geometries for low drag applications. <i>Journal of Colloid and Interface Science</i> , 2016, 474, 206-215.	9.4	68
219	Nanoindentation, microscratch, friction and wear studies of coatings for contact recording applications. <i>Wear</i> , 1995, 181-183, 743-758.	3.1	67
220	AFM studies of environmental effects on nanomechanical properties and cellular structure of human hair. <i>Ultramicroscopy</i> , 2006, 106, 755-764.	1.9	67
221	Adhesion and friction of a multiwalled carbon nanotube sliding against single-walled carbon nanotube. <i>Physical Review B</i> , 2008, 77, .	3.2	67
222	Nanotribological characterization of perfluoroalkylphosphonate self-assembled monolayers deposited on aluminum-coated silicon substrates. <i>Microsystem Technologies</i> , 2006, 12, 588-596.	2.0	66
223	The structure and mechanical properties of dragonfly wings and their role on flyability. <i>Comptes Rendus - Mecanique</i> , 2012, 340, 3-17.	2.1	66
224	Fluid flow analysis of a shark-inspired microstructure. <i>Journal of Fluid Mechanics</i> , 2014, 756, 5-29.	3.4	66
225	A new three-dimensional non-contact digital optical profiler. <i>Wear</i> , 1988, 122, 301-312.	3.1	65
226	Surface characterization and friction of a bio-inspired reversible adhesive tape. <i>Microsystem Technologies</i> , 2006, 13, 71-78.	2.0	65
227	Effect of stiffness of multi-level hierarchical attachment system on adhesion enhancement. <i>Ultramicroscopy</i> , 2007, 107, 902-912.	1.9	63
228	Mechanically durable, superomniphobic coatings prepared by layer-by-layer technique for self-cleaning and anti-smudge. <i>Journal of Colloid and Interface Science</i> , 2015, 456, 210-218.	9.4	63
229	Man-in-the-middle attack in wireless and computer networking " A review. , 2017, , .		63
230	Optimization of bioinspired conical surfaces for water collection from fog. <i>Journal of Colloid and Interface Science</i> , 2019, 551, 26-38.	9.4	63
231	Nanotribology and nanomechanics in nano/biotechnology. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2008, 366, 1499-1537.	3.4	62
232	Nanotribological characterization of digital micromirror devices using an atomic force microscope. <i>Ultramicroscopy</i> , 2004, 100, 391-412.	1.9	61
233	Stochastic model for metastable wetting of roughness-induced superhydrophobic surfaces. <i>Microsystem Technologies</i> , 2006, 12, 231-237.	2.0	61
234	Wetting of rough three-dimensional superhydrophobic surfaces. <i>Microsystem Technologies</i> , 2006, 12, 273-281.	2.0	61

#	ARTICLE	IF	CITATIONS
235	Dual-layered-coated mechanically-durable superomniphobic surfaces with anti-smudge properties. <i>Journal of Colloid and Interface Science</i> , 2013, 409, 227-236.	9.4	61
236	Bioinspired micro/nanostructured surfaces for oil drag reduction in closed channel flow. <i>Soft Matter</i> , 2013, 9, 1620-1635.	2.7	61
237	The coupling of surface charge and boundary slip at the solid-liquid interface and their combined effect on fluid drag: A review. <i>Journal of Colloid and Interface Science</i> , 2015, 454, 152-179.	9.4	61
238	Nanoindentation studies of sublimed fullerene films using atomic force microscopy. <i>Journal of Materials Research</i> , 1993, 8, 3019-3022.	2.6	59
239	Nanotribology, nanomechanics and nanomaterials characterization. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2008, 366, 1351-1381.	3.4	59
240	Atomic force microscopy measurement of boundary slip on hydrophilic, hydrophobic, and superhydrophobic surfaces. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2009, 27, 754-760.	2.1	59
241	Modification of paper using polyhydroxybutyrate to obtain biomimetic superhydrophobic substrates. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013, 416, 51-55.	4.7	59
242	Biotransformation of Hexahydro-1,3,5-trinitro-1,3,5-triazine Catalyzed by a NAD(P)H: Nitrate Oxidoreductase from <i>Aspergillus niger</i> . <i>Environmental Science & Technology</i> , 2002, 36, 3104-3108.	10.0	58
243	Roughness-Induced Shear- and Squeeze-Film Effects in Magnetic Recording Part I: Analysis. <i>Journal of Tribology</i> , 1989, 111, 220-227.	1.9	57
244	Microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices. <i>Sensors and Actuators A: Physical</i> , 1996, 57, 91-102.	4.1	57
245	A new atomic force microscopy based technique for studying nanoscale friction at high sliding velocities. <i>Journal Physics D: Applied Physics</i> , 2005, 38, 764-773.	2.8	57
246	Introduction to Nanotechnology. <i>Springer Handbooks</i> , 2017, , 1-19.	0.6	57
247	Fabrication techniques for bioinspired, mechanically-durable, superliquiphobic surfaces for water, oil, and surfactant repellency. <i>Advances in Colloid and Interface Science</i> , 2017, 241, 1-23.	14.7	56
248	Biomimetics. <i>Springer Series in Materials Science</i> , 2018, , .	0.6	56
249	Thermal diffusivity study of aged Li-ion batteries using flash method. <i>Journal of Power Sources</i> , 2010, 195, 872-876.	7.8	55
250	Routing Protocols in Wireless Sensor Networks. <i>Studies in Computational Intelligence</i> , 2019, , 215-248.	0.9	55
251	Nanoindentation measurements of amorphous carbon coatings. <i>Journal of Materials Research</i> , 1997, 12, 2707-2714.	2.6	54
252	Investigation of the adhesion, friction, and wear properties of biphenyl thiol self-assembled monolayers by atomic force microscopy. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2001, 19, 1234-1240.	2.1	54

#	ARTICLE	IF	CITATIONS
253	Wetting properties of human hair by means of dynamic contact angle measurement. Journal of Applied Polymer Science, 2006, 102, 5255-5265.	2.6	54
254	On the reliability of electrostatic NEMS/MEMS devices: Review of present knowledge on the dielectric charging and stiction failure mechanisms and novel characterization methodologies. Microelectronics Reliability, 2011, 51, 1810-1818.	1.7	54
255	Nano/picoindentation measurements on single-crystal aluminum using modified atomic force microscopy. Materials Letters, 1996, 29, 221-227.	2.6	53
256	A Numerical Three-Dimensional Model for the Contact of Layered Elastic/Plastic Solids With Rough Surfaces by a Variational Principle. Journal of Tribology, 2001, 123, 330-342.	1.9	53
257	Depth-sensing indentation of nanomaterials and nanostructures. Materials Characterization, 2013, 78, 1-20.	4.4	53
258	In situ electrochemical studies of lithium-ion battery cathodes using atomic force microscopy. Journal of Power Sources, 2014, 249, 373-384.	7.8	53
259	Why re-entrant surface topography is needed for robust oleophobicity. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2016, 374, 20160185.	3.4	53
260	Stick-Slip Induced Noise Generation in Water-Lubricated Compliant Rubber Bearings. Journal of Lubrication Technology, 1980, 102, 201-210.	0.1	52
261	Materials characterization and effect of purity and ion implantation on the friction and wear of sublimed fullerene films. Journal of Materials Research, 1994, 9, 2823-2838.	2.6	52
262	Micro/nanomechanical and tribological studies of bulk and thin-film materials used in magnetic recording heads. Thin Solid Films, 2001, 398-399, 313-319.	1.8	52
263	Finite-element vibration analysis of tapping-mode atomic force microscopy in liquid. Ultramicroscopy, 2007, 107, 1095-1104.	1.9	52
264	Nanotribological characterization of fluoropolymer thin films for biomedical micro/nanoelectromechanical system applications. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2005, 23, 804-810.	2.1	51
265	Nanomanufacturing of bioinspired surfaces. Tribology International, 2019, 129, 67-74.	5.9	51
266	Electrical Measurement Techniques in Atomic Force Microscopy. Critical Reviews in Solid State and Materials Sciences, 2010, 35, 38-51.	12.3	50
267	Multi-Scale Characterization Studies of Aged Li-Ion Large Format Cells for Improved Performance: An Overview. Journal of the Electrochemical Society, 2013, 160, A2111-A2154.	2.9	50
268	Bioarchitecture: bioinspired art and architectureâ€™a perspective. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2016, 374, 20160192.	3.4	50
269	Prediction model using SMOTE, genetic algorithm and decision tree (PMSGD) for classification of diabetes mellitus. Multimedia Systems, 2022, 28, 1289-1307.	4.7	50
270	The Real Area of Contact in Polymeric Magnetic Mediaâ€™II: Experimental Data and Analysis. ASLE Transactions, 1985, 28, 181-197.	0.6	49

#	ARTICLE	IF	CITATIONS
271	Diaphorase catalyzed biotransformation of RDX via N-denitration mechanism. Biochemical and Biophysical Research Communications, 2002, 296, 779-784.	2.1	49
272	A surface topography-independent friction measurement technique using torsional resonance mode in an AFM. Nanotechnology, 2004, 15, 923-935.	2.6	49
273	Scale Effect in Dry Friction During Multiple-Asperity Contact. Journal of Tribology, 2005, 127, 37-46.	1.9	49
274	Nanotribological and nanomechanical characterization of human hair using a nanoscratch technique. Ultramicroscopy, 2006, 106, 742-754.	1.9	49
275	Surface self-organization: From wear to self-healing in biological and technical surfaces. Applied Surface Science, 2010, 256, 3982-3987.	6.1	49
276	Fabrication and characterization of hierarchical nanostructured smart adhesion surfaces. Journal of Colloid and Interface Science, 2012, 372, 231-238.	9.4	49
277	Fabrication of bioinspired, self-cleaning superliquiphilic/phobic stainless steel using different pathways. Journal of Colloid and Interface Science, 2018, 518, 284-297.	9.4	49
278	<i>In situ</i> microscopic surface characterization studies of polymeric thin films during tensile deformation using atomic force microscopy. Journal of Materials Research, 2001, 16, 844-855.	2.6	48
279	Development of a nanoscale fatigue measurement technique and its application to ultrathin amorphous carbon coatings. Scripta Materialia, 2002, 47, 473-479.	5.2	48
280	Degradation Mechanisms and Environmental Effects on Perfluoropolyether, Self-Assembled Monolayers, and Diamondlike Carbon Films. Langmuir, 2005, 21, 2391-2399.	3.5	48
281	Nanoindents produced by nanobubbles on ultrathin polystyrene films in water. Nanotechnology, 2009, 20, 045301.	2.6	48
282	The study of surface wetting, nanobubbles and boundary slip with an applied voltage: A review. Beilstein Journal of Nanotechnology, 2014, 5, 1042-1065.	2.8	48
283	Security vulnerabilities and countermeasures against jamming attacks in Wireless Sensor Networks: A survey. , 2017, , .		48
284	Ultraviolet-driven switchable superliquiphobic/superliquiphilic coating for separation of oil-water mixtures and emulsions and water purification. Journal of Colloid and Interface Science, 2019, 557, 395-407.	9.4	48
285	Phase behavior of capillary bridges: towards nanoscale water phase diagram. Physical Chemistry Chemical Physics, 2008, 10, 2137.	2.8	47
286	The Hydraulic Mechanism of the Unfolding of Hind Wings in <i>Dorcus titanus platymelus</i> (Order: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14	4.1	47
287	Requirements, Protocols, and Security Challenges in Wireless Sensor Networks: An Industrial Perspective. , 2020, , 683-713.		47
288	Effect of bonded lubricant films on the tribological performance of magnetic thin-film rigid disks. Wear, 1996, 202, 50-59.	3.1	46

#	ARTICLE	IF	CITATIONS
289	Nanorheology and boundary slip in confined liquids using atomic force microscopy. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 315201.	1.8	46
290	Nanotribological and nanomechanical properties of skin with and without cream treatment using atomic force microscopy and nanoindentation. <i>Journal of Colloid and Interface Science</i> , 2012, 367, 1-33.	9.4	46
291	Genomic scans for selection signatures revealed candidate genes for adaptation and production traits in a variety of cattle breeds. <i>Genomics</i> , 2021, 113, 955-963.	2.9	46
292	Lotus Versus Rose: Biomimetic Surface Effects. <i>Green Energy and Technology</i> , 2012, , 25-40.	0.6	46
293	Effect of amino acids on production of xylanase and pectinase from <i>Streptomyces</i> sp. QG-11-3. <i>World Journal of Microbiology and Biotechnology</i> , 2000, 16, 211-213.	3.6	45
294	A numerical three-dimensional contact model for rough, multilayered elastic/plastic solid surfaces. <i>Wear</i> , 2005, 259, 1408-1423.	3.1	45
295	The effect of riblets in rectangular duct flow. <i>Applied Surface Science</i> , 2012, 258, 3936-3947.	6.1	45
296	Depth-sensing nanoindentation measurement techniques and applications. <i>Microsystem Technologies</i> , 2017, 23, 1595-1649.	2.0	45
297	Friction and wear studies of magnetic thin-film rigid disks with glass-ceramic, glass and aluminum-magnesium substrates. <i>Wear</i> , 1995, 190, 44-59.	3.1	44
298	Effect of ethnicity and treatments on in situ tensile response and morphological changes of human hair characterized by atomic force microscopy. <i>Acta Materialia</i> , 2008, 56, 3585-3597.	7.9	44
299	Biomimetics. <i>Biological and Medical Physics Series</i> , 2012, , .	0.4	44
300	Effect of MoS ₂ and WS ₂ Nanotubes on Nanofriction and Wear Reduction in Dry and Liquid Environments. <i>Tribology Letters</i> , 2013, 49, 323-339.	2.6	44
301	Lubrication performance and mechanisms of Mg/Al-, Zn/Al-, and Zn/Mg/Al-layered double hydroxide nanoparticles as lubricant additives. <i>Applied Surface Science</i> , 2016, 378, 308-319.	6.1	44
302	Microtribological studies of Al ₂ O ₃ , Al ₂ O ₃ /TiC, polycrystalline and single-crystal Mn-Zn ferrite, and SiC head slider materials. <i>Wear</i> , 1996, 202, 110-122.	3.1	43
303	Tensile and dynamic mechanical properties of improved ultrathin polymeric films. <i>Journal of Applied Polymer Science</i> , 2002, 83, 2225-2244.	2.6	43
304	Atomic force microscopy dynamic modes: modeling and applications. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 225012.	1.8	43
305	Transparent, superhydrophobic, and wear-resistant surfaces using deep reactive ion etching on PDMS substrates. <i>Journal of Colloid and Interface Science</i> , 2016, 481, 82-90.	9.4	43
306	SR ² SR ² : An acknowledgement-based mobile sink routing protocol with rechargeable sensors for wireless sensor networks. <i>Wireless Networks</i> , 2019, 25, 2697-2721.	3.0	43

#	ARTICLE	IF	CITATIONS
307	Tribology of Ion Bombarded Silicon for Micromechanical Applications. <i>Journal of Tribology</i> , 1993, 115, 392-399.	1.9	42
308	Friction and wear studies of various head materials and magnetic tapes in a linear mode accelerated test using a new nano-scratch wear measurement technique. <i>Wear</i> , 1995, 190, 1-15.	3.1	42
309	Meniscus and viscous forces during normal separation of liquid-mediated contacts. <i>Nanotechnology</i> , 2007, 18, 465704.	2.6	42
310	Quantification of Surface Charge Density and Its Effect on Boundary Slip. <i>Langmuir</i> , 2013, 29, 6953-6963.	3.5	42
311	Surface Roughness Analysis and Measurement Techniques. <i>Mechanics & Materials Science</i> , 2000, , .	0.1	41
312	Continuous stiffness measurement and creep behavior of composite magnetic tapes. <i>Thin Solid Films</i> , 2000, 377-378, 401-406.	1.8	41
313	Mechanism of xanthine oxidase catalyzed biotransformation of HMX under anaerobic conditions. <i>Biochemical and Biophysical Research Communications</i> , 2003, 306, 509-515.	2.1	41
314	Nanoscale adhesion, friction and wear studies of biomolecules on silane polymer-coated silica and alumina-based surfaces. <i>Journal of the Royal Society Interface</i> , 2009, 6, 719-733.	3.4	41
315	Improved Nanobubble Immobility Induced by Surface Structures on Hydrophobic Surfaces. <i>Langmuir</i> , 2009, 25, 9328-9336.	3.5	41
316	Tribological performance of thin film amorphous carbon overcoats for magnetic recording rigid disks in various environments. <i>Surface and Coatings Technology</i> , 1994, 68-69, 644-650.	4.8	40
317	Metabolic alterations in children with obstructive sleep apnea. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2014, 78, 854-859.	1.0	40
318	Bioinspired water collection methods to supplement water supply. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20190119.	3.4	40
319	Real contact area measurements on magnetic rigid disks. <i>Wear</i> , 1990, 137, 41-50.	3.1	39
320	The sliding friction and wear behavior of single-crystal, polycrystalline and oxidized silicon. <i>Wear</i> , 1994, 171, 25-32.	3.1	39
321	Surface roughness analysis of glass-ceramic substrates and finished magnetic disks, and Ni-P coated Al-Mg and glass substrates. <i>Wear</i> , 1995, 190, 89-109.	3.1	39
322	Initial Reaction(s) in Biotransformation of CL-20 Is Catalyzed by Salicylate 1-Monooxygenase from <i>Pseudomonas</i> sp. Strain ATCC 29352. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4040-4047.	3.1	39
323	Scanning capacitance microscopy for thin film measurements. <i>Nanotechnology</i> , 2006, 17, 1484-1491.	2.6	39
324	Surface potential measurement of aged Li-ion batteries using Kelvin probe microscopy. <i>Journal of Power Sources</i> , 2011, 196, 1508-1512.	7.8	39

#	ARTICLE	IF	CITATIONS
325	AFM characterization of nanobubble formation and slip condition in oxygenated and electrokinetically altered fluids. <i>Journal of Colloid and Interface Science</i> , 2013, 392, 105-116.	9.4	39
326	Friction, wear and mechanical behavior of nano-objects on the nanoscale. <i>Materials Science and Engineering Reports</i> , 2015, 95, 1-43.	31.8	39
327	Passive water harvesting by desert plants and animals: lessons from nature. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2020, 378, 20190444.	3.4	39
328	The role of environment in the friction of diamond for magnetic recording head applications. <i>Wear</i> , 1992, 153, 79-89.	3.1	38
329	Friction and wear studies of silicon in sliding contact with thin-film magnetic rigid disks. <i>Journal of Materials Research</i> , 1993, 8, 1611-1628.	2.6	38
330	Nanotribological effects of hair care products and environment on human hair using atomic force microscopy. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2005, 23, 1034-1045.	2.1	38
331	Surface characterization of human hair using tapping mode atomic force microscopy and measurement of conditioner thickness distribution. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2006, 24, 1258-1269.	2.1	38
332	Engineering functional protein interfaces for immunologically modified field effect transistor (ImmunoFET) by molecular genetic means. <i>Journal of the Royal Society Interface</i> , 2008, 5, 123-127.	3.4	38
333	Molecularly thick dicationic ionic liquid films for nanolubrication. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2009, 27, 986-995.	2.1	38
334	Propensity and geometrical distribution of surface nanobubbles: effect of electrolyte, roughness, pH, and substrate bias. <i>Soft Matter</i> , 2011, 7, 9184.	2.7	38
335	Biomimetics. <i>Biological and Medical Physics Series</i> , 2016, , .	0.4	38
336	Blockchain for Industry 5.0: Vision, Opportunities, Key Enablers, and Future Directions. <i>IEEE Access</i> , 2022, 10, 69160-69199.	4.2	38
337	Roughness-Induced Shear- and Squeeze-Film Effects in Magnetic Recording Part II: Applications. <i>Journal of Tribology</i> , 1989, 111, 228-237.	1.9	37
338	Durability studies of micro/nanoelectromechanical systems materials, coatings and lubricants at high sliding velocities (up to 10mm ² s) using a modified atomic force microscope. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2005, 23, 830-835.	2.1	37
339	Microfabrication and nanomechanical characterization of polymer microelectromechanical system for biological applications. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2005, 23, 811-819.	2.1	37
340	Nanoscale adhesion, friction and wear studies of biomolecules on silicon based surfaces. <i>Acta Biomaterialia</i> , 2006, 2, 39-49.	8.3	37
341	Adhesion and friction between individual carbon nanotubes measured using force-versus-distance curves in atomic force microscopy. <i>Physical Review B</i> , 2008, 78, .	3.2	37
342	Bioadhesion of various proteins on random, diblock and triblock copolymer surfaces and the effect of pH conditions. <i>Journal of the Royal Society Interface</i> , 2011, 8, 630-640.	3.4	37

#	ARTICLE	IF	CITATIONS
343	Role of surface charge on boundary slip in fluid flow. <i>Journal of Colloid and Interface Science</i> , 2013, 392, 117-121.	9.4	37
344	Pharmacologic Inhibition of Epidermal Growth Factor Receptor Suppresses Nonalcoholic Fatty Liver Disease in a Murine Fast-Food Diet Model. <i>Hepatology</i> , 2019, 70, 1546-1563.	7.3	37
345	Mechanochemical robust, magnetic-driven, superhydrophobic 3D porous materials for contaminated oil recovery. <i>Journal of Colloid and Interface Science</i> , 2019, 538, 25-33.	9.4	37
346	Design of water harvesting towers and projections for water collection from fog and condensation. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2020, 378, 20190440.	3.4	37
347	Friction in Magnetic Tapes I: Assessment of Relevant Theory. <i>ASLE Transactions</i> , 1984, 27, 33-44.	0.6	36
348	Microtribology of PET Polymeric Films. <i>Tribology Transactions</i> , 1995, 38, 119-127.	2.0	36
349	Nanomechanical characterization of multilayered thin film structures for digital micromirror devices. <i>Ultramicroscopy</i> , 2004, 100, 375-389.	1.9	36
350	Surface potential and resistance measurements for detecting wear of chemically-bonded and unbonded molecularly-thick perfluoropolyether lubricant films using atomic force microscopy. <i>Journal of Colloid and Interface Science</i> , 2007, 315, 261-269.	9.4	36
351	Scanning spreading resistance characterization of aged Li-ion batteries using atomic force microscopy. <i>Scripta Materialia</i> , 2009, 60, 933-936.	5.2	36
352	Effect of heat shock protein 70 polymorphism on thermotolerance in Tharparkar cattle. <i>Veterinary World</i> , 2016, 9, 113-117.	1.7	36
353	TCPOBOP-Induced Hepatomegaly and Hepatocyte Proliferation are Attenuated by Combined Disruption of MET and EGFR Signaling. <i>Hepatology</i> , 2019, 69, 1702-1718.	7.3	36
354	Measurement of dynamic material behavior under nearly uniaxial strain conditions. <i>International Journal of Solids and Structures</i> , 1978, 14, 739-753.	2.7	35
355	Contact analysis of three-dimensional rough surfaces under frictionless and frictional contact. <i>Wear</i> , 1996, 200, 265-280.	3.1	35
356	Biotransformation of 2,4,6,8,10,12-Hexanitro-2,4,6,8,10,12-Hexaazaisowurtzitane (CL-20) by Denitrifying <i>Pseudomonas</i> sp. Strain FA1. <i>Applied and Environmental Microbiology</i> , 2003, 69, 5216-5221.	3.1	35
357	In situ study of nano-cracking in multilayered magnetic tapes under monotonic and fatigue loading using an AFM. <i>Ultramicroscopy</i> , 2004, 100, 359-373.	1.9	35
358	New technique for studying nanoscale friction at sliding velocities up to 200mm/s using atomic force microscope. <i>Review of Scientific Instruments</i> , 2006, 77, 103705.	1.3	35
359	Velocity dependence of nanoscale wear in atomic force microscopy. <i>Applied Physics Letters</i> , 2007, 91, .	3.3	35
360	Slip-length measurement of confined air flow using dynamic atomic force microscopy. <i>Physical Review E</i> , 2008, 78, 027302.	2.1	35

#	ARTICLE	IF	CITATIONS
361	Study of the Relationship between Boundary Slip and Nanobubbles on a Smooth Hydrophobic Surface. <i>Langmuir</i> , 2016, 32, 11287-11294.	3.5	35
362	Ultrathin diamond-like carbon coatings used for reduction of pole tip recession in magnetic tape heads. <i>Journal of Applied Physics</i> , 2000, 87, 6182-6184.	2.5	34
363	Title is missing!. <i>World Journal of Microbiology and Biotechnology</i> , 2001, 17, 5-8.	3.6	34
364	Identifying materials with low friction and adhesion for nanotechnology applications. <i>Applied Physics Letters</i> , 2005, 86, 061906.	3.3	34
365	Wetting properties of AFM probes by means of contact angle measurement. <i>Journal Physics D: Applied Physics</i> , 2006, 39, 3858-3862.	2.8	34
366	Biophysics of Human Hair. <i>Biological and Medical Physics Series</i> , 2010, , .	0.4	34
367	In situ atomic force microscopy analysis of morphology and particle size changes in Lithium Iron Phosphate cathode during discharge. <i>Journal of Colloid and Interface Science</i> , 2014, 423, 151-157.	9.4	34
368	Development of continuous stiffness measurement technique for composite magnetic tapes. <i>Scripta Materialia</i> , 2000, 42, 929-935.	5.2	33
369	Investigation of nanotribological and nanomechanical properties of the digital micromirror device by atomic force microscopy. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2004, 22, 1388-1396.	2.1	33
370	Meniscus and viscous forces during separation of hydrophilic and hydrophobic smooth/rough surfaces with symmetric and asymmetric contact angles. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2008, 366, 1627-1647.	3.4	33
371	A nanoscale friction investigation during the manipulation of nanoparticles in controlled environments. <i>Nanotechnology</i> , 2008, 19, 315710.	2.6	33
372	Nanoscale biomimetics studies of <i>Salvinia molesta</i> for micropattern fabrication. <i>Journal of Colloid and Interface Science</i> , 2011, 363, 187-192.	9.4	33
373	Nanomechanical and nanotribological characterization of two synthetic skins with and without skin cream treatment using atomic force microscopy. <i>Journal of Colloid and Interface Science</i> , 2013, 398, 247-254.	9.4	33
374	Applied Scanning Probe Methods. <i>Nanoscience and Technology</i> , 2004, , .	1.5	33
375	Electrical and dielectric behavior of a zinc oxide composite. <i>Journal of Applied Physics</i> , 1981, 52, 2932-2936.	2.5	32
376	Friction in Magnetic Tapes II: Role of Physical Properties. <i>ASLE Transactions</i> , 1984, 27, 89-100.	0.6	32
377	Numerical contact and stiction analyses of Gaussian isotropic surfaces for magnetic head slider/disk contact. <i>Wear</i> , 1996, 202, 68-82.	3.1	32
378	Optimization of Asperities for Laser-Textured Magnetic Disk Surfaces. <i>Tribology Transactions</i> , 1997, 40, 303-311.	2.0	32

#	ARTICLE	IF	CITATIONS
379	Stress analysis of nanostructures using a finite element method. <i>Nanotechnology</i> , 2002, 13, 515-523.	2.6	32
380	A technique to measure Poisson's ratio of ultrathin polymeric films using atomic force microscopy. <i>Review of Scientific Instruments</i> , 2003, 74, 1043-1047.	1.3	32
381	Velocity dependence and rest time effect on nanoscale friction of ultrathin films at high sliding velocities. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2007, 25, 1267-1274.	2.1	32
382	Effect of physical wear and triboelectric interaction on surface charge as measured by Kelvin probe microscopy. <i>Journal of Colloid and Interface Science</i> , 2007, 310, 321-330.	9.4	32
383	Gecko-inspired fibril nanostructures for reversible adhesion in biomedical applications. <i>Materials Letters</i> , 2013, 92, 409-412.	2.6	32
384	Electroviscous effect on fluid drag in a microchannel with large zeta potential. <i>Beilstein Journal of Nanotechnology</i> , 2015, 6, 2207-2216.	2.8	32
385	Designing bioinspired surfaces for water collection from fog. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20180269.	3.4	32
386	Micromechanical and tribological characterization of alternate pole tip materials for magnetic recording heads. <i>Wear</i> , 1996, 202, 99-109.	3.1	31
387	Pole tip recession studies of hard carbon-coated thin-film tape heads. <i>Journal of Applied Physics</i> , 1996, 79, 5916.	2.5	31
388	Three-dimensional contact analysis of layered elastic/plastic solids with rough surfaces. <i>Wear</i> , 2001, 249, 741-760.	3.1	31
389	Quantitative extraction of in-plane surface properties using torsional resonance mode of atomic force microscopy. <i>Journal of Applied Physics</i> , 2005, 97, 083533.	2.5	31
390	Nanotribology and nanomechanics of AFM probe-based data recording technology. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 365207.	1.8	31
391	Tactile perception of skin and skin cream by friction induced vibrations. <i>Journal of Colloid and Interface Science</i> , 2016, 481, 131-143.	9.4	31
392	Substrate-independent superliquiphobic coatings for water, oil, and surfactant repellency: An overview. <i>Journal of Colloid and Interface Science</i> , 2018, 526, 90-105.	9.4	31
393	Development of r.f. sputtered chromium oxide coating for wear application. <i>Thin Solid Films</i> , 1979, 64, 231-241.	1.8	30
394	Friction in Magnetic Tapes III: Role of Chemical Properties. <i>ASLE Transactions</i> , 1984, 27, 207-219.	0.6	30
395	Friction and Wear Properties of Chemomechanically Polished Diamond Films. <i>Journal of Tribology</i> , 1994, 116, 445-453.	1.9	30
396	Nanoindentation studies of ion implanted silicon. <i>Surface and Coatings Technology</i> , 1994, 68-69, 564-570.	4.8	30

#	ARTICLE	IF	CITATIONS
397	Nanomechanical characterization of polymer beam structures for BioMEMS applications. <i>Sensors and Actuators A: Physical</i> , 2007, 135, 637-650.	4.1	30
398	Effect of boundary slip and surface charge on the pressure-driven flow. <i>Journal of Colloid and Interface Science</i> , 2013, 392, 15-26.	9.4	30
399	Biomechanical Evaluation of Wasp and Honeybee Stingers. <i>Scientific Reports</i> , 2018, 8, 14945.	3.3	30
400	Modification of Tribological Properties of Silicon by Boron Ion Implantation. <i>Tribology Transactions</i> , 1994, 37, 601-607.	2.0	29
401	Platinum-coated probes sliding at up to 100 mm s ⁻¹ against coated silicon wafers for AFM probe-based recording technology. <i>Nanotechnology</i> , 2007, 18, 345504.	2.6	29
402	Coalescence and movement of nanobubbles studied with tapping mode AFM and tip-bubble interaction analysis. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 485004.	1.8	29
403	Durable superoleophobic polypropylene surfaces. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2016, 374, 20160193.	3.4	29
404	Bioinspired oil-water separation approaches for oil spill clean-up and water purification. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20190120.	3.4	29
405	Designing bioinspired conical surfaces for water collection from condensation. <i>Journal of Colloid and Interface Science</i> , 2020, 560, 138-148.	9.4	29
406	Role of epidermal growth factor receptor in liver injury and lipid metabolism: Emerging new roles for an old receptor. <i>Chemico-Biological Interactions</i> , 2020, 324, 109090.	4.0	29
407	Metallurgical re-examination of wear modes II: adhesive and abrasive. <i>Thin Solid Films</i> , 1985, 123, 113-126.	1.8	28
408	Title is missing!. <i>Tribology Letters</i> , 1999, 6, 129-139.	2.6	28
409	Nanofatigue studies of ultrathin hard carbon overcoats used in magnetic storage devices. <i>Journal of Applied Physics</i> , 2002, 91, 8334.	2.5	28
410	Characterization of nanomechanical and nanotribological properties of digital micromirror devices. <i>Nanotechnology</i> , 2004, 15, 1785-1791.	2.6	28
411	Adhesion, friction and wear on the nanoscale of MWNT tips and SWNT and MWNT arrays. <i>Nanotechnology</i> , 2008, 19, 125702.	2.6	28
412	Nanotribological properties of novel lubricants for magnetic tapes. <i>Ultramicroscopy</i> , 2009, 109, 980-990.	1.9	28
413	Surface, tribological, and mechanical characterization of synthetic skins for tribological applications in cosmetic science. <i>Journal of Applied Polymer Science</i> , 2011, 120, 2881-2890.	2.6	28
414	Scale effects of nanomechanical properties and deformation behavior of Au nanoparticle and thin film using depth sensing nanoindentation. <i>Beilstein Journal of Nanotechnology</i> , 2014, 5, 822-836.	2.8	28

#	ARTICLE	IF	CITATIONS
415	Mechanisms of static and kinetic friction of polypropylene, polyethylene terephthalate, and high-density polyethylene pairs during sliding. <i>Tribology International</i> , 2016, 94, 165-175.	5.9	28
416	Liquid-impregnated porous polypropylene surfaces for liquid repellency. <i>Journal of Colloid and Interface Science</i> , 2017, 487, 437-443.	9.4	28
417	A review of beetle hindwings: Structure, mechanical properties, mechanism and bioinspiration. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 94, 63-73.	3.1	28
418	Nanotribological effects of silicone type, silicone deposition level, and surfactant type on human hair using atomic force microscopy. <i>Journal of Cosmetic Science</i> , 2006, 57, 37-56.	0.1	28
419	Microscale mechanical and tribological characterization of hard amorphous carbon coatings as thin as 5 nm for magnetic disks. <i>Surface and Coatings Technology</i> , 1995, 76-77, 655-669.	4.8	27
420	Measurement and Origin of Tape Edge Damage in a Linear Tape Drive. <i>Tribology Letters</i> , 2003, 14, 167-180.	2.6	27
421	Surface potential measurement of human hair using Kelvin probe microscopy. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2007, 25, 893-902.	2.1	27
422	Nanotribological Characterization and Lubricant Degradation Studies of Metal-Film Magnetic Tapes Using Novel Lubricants. <i>Journal of Tribology</i> , 2007, 129, 621-627.	1.9	27
423	Physics and tribology of chemical mechanical planarization. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 225011.	1.8	27
424	Role of Electric Field on Surface Wetting of Polystyrene Surface. <i>Langmuir</i> , 2011, 27, 9425-9429.	3.5	27
425	Nanomechanical characterization and mechanical integrity of unaged and aged Li-ion battery cathodes. <i>Journal of Power Sources</i> , 2014, 246, 219-224.	7.8	27
426	Combinatorial approaches for controlling pericarp browning in Litchi (<i>Litchi chinensis</i>) fruit. <i>Journal of Food Science and Technology</i> , 2015, 52, 5418-5426.	2.8	27
427	Fluid flow analysis of continuous and segmented riblet structures. <i>RSC Advances</i> , 2016, 6, 10962-10978.	3.6	27
428	A comprehensive survey of secure and energy efficient routing protocols and data collection approaches in wireless sensor networks. , 2017, , .		27
429	Fabrication of bioinspired superliquiphobic synthetic leather with self-cleaning and low adhesion. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 545, 130-137.	4.7	27
430	Friction and Wear of Ceramics for Magnetic Recording Applications: Part I—A Review. <i>Journal of Tribology</i> , 1990, 112, 1-16.	1.9	26
431	Magnetic media tribology: State of the art and future challenges. <i>Wear</i> , 1990, 136, 169-197.	3.1	26
432	Macro and microtribological studies of CrO ₂ video tapes. <i>Wear</i> , 1995, 180, 9-16.	3.1	26

#	ARTICLE	IF	CITATIONS
433	Nanoscale mechanical characterization of glass fibers. <i>Materials Letters</i> , 1996, 29, 215-220.	2.6	26
434	Nano-asperity contact analysis and surface optimization for magnetic head slider/disk contact. <i>Wear</i> , 1996, 202, 83-98.	3.1	26
435	Effective mechanical properties of layered rough surfaces. <i>Thin Solid Films</i> , 2005, 473, 278-295.	1.8	26
436	Nanoscale friction mapping. <i>Applied Physics Letters</i> , 2005, 86, 193102.	3.3	26
437	Coupling of cantilever lateral bending and torsion in torsional resonance and lateral excitation modes of atomic force microscopy. <i>Journal of Applied Physics</i> , 2006, 99, 094911.	2.5	26
438	Discovery of lithium in copper current collectors used in batteries. <i>Scripta Materialia</i> , 2012, 67, 669-672.	5.2	26
439	Nanomechanical behavior of MoS ₂ and WS ₂ multi-walled nanotubes and Carbon nanohorns. <i>Scientific Reports</i> , 2015, 5, 8539.	3.3	26
440	Enhancement of water collection and transport in bioinspired triangular patterns from combined fog and condensation. <i>Journal of Colloid and Interface Science</i> , 2019, 557, 528-536.	9.4	26
441	Measurement of rheological properties of ultrathin lubricant films at very high shear rates and near-ambient pressure. <i>Journal of Applied Physics</i> , 1995, 78, 3107-3114.	2.5	25
442	Surface Modification of AFM Si ₃ N ₄ Probes for Adhesion/Friction Reduction and Imaging Improvement. <i>Journal of Tribology</i> , 2006, 128, 865-875.	1.9	25
443	Nanotribological characterization of vapor phase deposited fluorosilane self-assembled monolayers deposited on polydimethylsiloxane surfaces for biomedical micro-/nanodevices. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2007, 25, 1285-1293.	2.1	25
444	Effect of rubbing load on nanoscale charging characteristics of human hair characterized by AFM based Kelvin probe. <i>Journal of Colloid and Interface Science</i> , 2008, 325, 580-587.	9.4	25
445	A review of block copolymer-based biomaterials that control protein and cell interactions. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 2467-2480.	4.0	25
446	A dynamic nanoindentation technique to investigate the nanomechanical properties of a colored beetle. <i>RSC Advances</i> , 2016, 6, 79106-79113.	3.6	25
447	Micro/Nanotribology. <i>Mechanics & Materials Science</i> , 2000, , .	0.1	24
448	Nitroreductase catalyzed biotransformation of CL-20. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 271-276.	2.1	24
449	Introduction to Nanotechnology. , 2010, , 1-13.		24
450	Bis- η -cyclopentadienyl and Bis- η -methylcyclopentadienylN,N-dialkyldithiocarbamate(chloro)titanium(IV) compounds. <i>Transition Metal Chemistry</i> , 1978, 3, 215-217.	1.4	23

#	ARTICLE	IF	CITATIONS
451	The tribological and dynamic behavior of alternative magnetic tape substrates. <i>Wear</i> , 1995, 190, 28-43.	3.1	23
452	High shear rate viscosity measurements of perfluoropolyether lubricants for magnetic thin-film rigid disks. <i>Journal of Applied Physics</i> , 1997, 81, 5384-5386.	2.5	23
453	Tribological performance of PFPE and X-1P lubricants at head-disk interface. Part II. Mechanisms. <i>Tribology Letters</i> , 1999, 6, 141-148.	2.6	23
454	Corrosion and wear studies of uncoated and ultra-thin DLC coated magnetic tape-write heads and magnetic tapes. <i>Wear</i> , 2000, 243, 31-42.	3.1	23
455	Nanoscale friction and wear maps. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2008, 366, 1405-1424.	3.4	23
456	Lotus Effect: Surfaces with Roughness-Induced Superhydrophobicity, Self-Cleaning, and Low Adhesion. , 2010, , 1437-1524.		23
457	Multifunctional Plant Surfaces and Smart Materials. , 2010, , 1399-1436.		23
458	Correlation between respiratory cultures and sinus cultures in children with cystic fibrosis. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013, 77, 686-689.	1.0	23
459	Probing the aging effects on nanomechanical properties of a LiFePO ₄ cathode in a large format prismatic cell. <i>Journal of Power Sources</i> , 2015, 280, 256-262.	7.8	23
460	Rapid, ultraviolet-induced, reversibly switchable wettability of superhydrophobic/superhydrophilic surfaces. <i>Beilstein Journal of Nanotechnology</i> , 2019, 10, 866-873.	2.8	23
461	Multistep Wettability Gradient on Bioinspired Conical Surfaces for Water Collection from Fog. <i>Langmuir</i> , 2019, 35, 16944-16947.	3.5	23
462	Micromechanical Characterization of Ni-P Coated Aluminum-Magnesium, Glass, and Glass-Ceramic Substrates and Finished Magnetic Thin-Film Rigid Disks. , 1995, , 193-208.		23
463	A novel technique to measure the Poisson's ratio and submicron lateral dimensional changes of ultrathin polymeric films. <i>Review of Scientific Instruments</i> , 2002, 73, 1813-1820.	1.3	22
464	Sliding Contact Analysis of Layered Elastic/Plastic Solids With Rough Surfaces. <i>Journal of Tribology</i> , 2002, 124, 46-61.	1.9	22
465	Optimization of biomimetic attachment system contacting with a rough surface. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2007, 25, 1003-1012.	2.1	22
466	Wear detection of candidate MEMS/NEMS lubricant films using atomic force microscopy-based surface potential measurements. <i>Scripta Materialia</i> , 2007, 57, 821-824.	5.2	22
467	Capillary effects and instabilities in nanocontacts. <i>Ultramicroscopy</i> , 2008, 108, 1181-1185.	1.9	22
468	Technique to measure contact angle of micro/nanodroplets using atomic force microscopy. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2008, 26, 777-782.	2.1	22

#	ARTICLE	IF	CITATIONS
469	Classification and analysis of security attacks in WSNs and IEEE 802.15.4 standards : A survey. , 2017, , .		22
470	Lessons from mosquitoesâ€™ painless piercing. Journal of the Mechanical Behavior of Biomedical Materials, 2018, 84, 178-187.	3.1	22
471	Scanning Probe Microscopy â€“ Principle of Operation, Instrumentation, and Probes. , 2010, , 573-617.		22
472	Frictional Properties as a Function of Physical and Chemical Changes in Magnetic Tapes During Wear. ASLE Transactions, 1986, 29, 402-413.	0.6	21
473	Contact analysis of laser textured disks in magnetic headâ€™disk interface. Wear, 1999, 230, 11-23.	3.1	21
474	Effect of particulate concentration, materials and size on the friction and wear of a negative-pressure picoslider flying on a laser-textured disk. Wear, 2001, 247, 180-190.	3.1	21
475	Orientation and relocation of biphenyl thiol self-assembled monolayers under sliding. Ultramicroscopy, 2002, 91, 177-183.	1.9	21
476	Tape edge study in a linear tape drive with single-flanged guides. Journal of Magnetism and Magnetic Materials, 2004, 271, 409-430.	2.3	21
477	Protein binding on thermally grown silicon dioxide. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2005, 23, 1856.	1.6	21
478	Effect of spherical Au nanoparticles on nanofriction and wear reduction in dry and liquid environments. Beilstein Journal of Nanotechnology, 2012, 3, 759-772.	2.8	21
479	Self-Assembled Monolayers on Aluminum and Copper Oxide Surfaces: Surface and Interface Characteristics, Nanotribological Properties, and Chemical Stability. , 2008, , 235-281.		21
480	Micro/Nanotribological Studies of Single-Crystal Silicon and Polysilicon and SiC Films for Use in MEMS Devices. , 1998, , 407-430.		21
481	Synthesis and Characterisation of Bis(Î¶-cyclopentadienyl) N-aryl Substituted Dithiocarbamate Chloro Titanium (IV) Compounds. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 1978, 8, 467-476.	1.8	20
482	Influence of test parameters on the measurement of the coefficient of friction of magnetic tapes. Wear, 1984, 93, 81-99.	3.1	20
483	Wear and degradation mechanisms of magnetic thin-film rigid disks with different lubricants using mass spectrometry. Journal of Applied Physics, 1997, 81, 5390-5392.	2.5	20
484	Nanoscale fatigue and fracture toughness measurements of multilayered thin film structures for digital micromirror devices. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2004, 22, 1397-1405.	2.1	20
485	Biotransformation of CL-20 by a dehydrogenase enzyme from Clostridium sp. EDB2. Applied Microbiology and Biotechnology, 2005, 69, 448-455.	3.6	20
486	Synthesis and morphological characterization of block copolymers for improved biomaterials. Ultramicroscopy, 2010, 110, 639-649.	1.9	20

#	ARTICLE	IF	CITATIONS
487	Nanobubbles and their role in slip and drag. <i>Journal of Physics Condensed Matter</i> , 2013, 25, 184003.	1.8	20
488	The effect of surface charge on the boundary slip of various oleophilic/phobic surfaces immersed in liquids. <i>Soft Matter</i> , 2015, 11, 7680-7695.	2.7	20
489	Combined Systemic Disruption of MET and Epidermal Growth Factor Receptor Signaling Causes Liver Failure in Normal Mice. <i>American Journal of Pathology</i> , 2018, 188, 2223-2235.	3.8	20
490	Effect of microtrichia on the interlocking mechanism in the Asian ladybeetle, <i>Harmonia axyridis</i> (Coleoptera: Coccinellidae). <i>Beilstein Journal of Nanotechnology</i> , 2018, 9, 812-823.	2.8	20
491	Core-shell magnetic nanoparticles for substrate-independent super-amphiphobic surfaces and mechanochemically robust liquid marbles. <i>Chemical Engineering Journal</i> , 2020, 391, 123523.	12.7	20
492	Machine Learning Approaches for Smart City Applications: Emergence, Challenges and Opportunities. <i>Intelligent Systems Reference Library</i> , 2022, , 147-163.	1.2	20
493	Novel nonohmic binary composite. <i>Applied Physics Letters</i> , 1981, 38, 160-161.	3.3	19
494	The Real Area of Contact in Polymeric Magnetic Media: Critical Assessment of Experimental Techniques. <i>ASLE Transactions</i> , 1985, 28, 75-86.	0.6	19
495	Lubrication of advanced metal evaporated tape using novel perfluoropolyether lubricants. <i>Microsystem Technologies</i> , 2006, 12, 579-587.	2.0	19
496	Do hierarchical mechanisms of superhydrophobicity lead to self-organized criticality?. <i>Scripta Materialia</i> , 2008, 59, 941-944.	5.2	19
497	Nanolubrication of sliding components in adaptive optics used in microprojectors. <i>Applied Surface Science</i> , 2010, 256, 7545-7558.	6.1	19
498	Liquid Microdroplet Sliding on Hydrophobic Surfaces in the Presence of an Electric Field. <i>Langmuir</i> , 2010, 26, 4013-4017.	3.5	19
499	Local electronic structure of LiFePO ₄ nanoparticles in aged Li-ion batteries. <i>Acta Materialia</i> , 2011, 59, 6917-6926.	7.9	19
500	Fabrication and characterization of multi-level hierarchical surfaces. <i>Faraday Discussions</i> , 2012, 156, 235.	3.2	19
501	Effect of carbon nanohorns on nanofriction and wear reduction in dry and liquid environments. <i>Journal of Colloid and Interface Science</i> , 2013, 400, 147-160.	9.4	19
502	Boundary Slip of Superoleophilic, Oleophobic, and Superoleophobic Surfaces Immersed in Deionized Water, Hexadecane, and Ethylene Glycol. <i>Langmuir</i> , 2013, 29, 14691-14700.	3.5	19
503	Characterization of nanofriction of MoS ₂ and WS ₂ nanotubes. <i>Materials Letters</i> , 2015, 142, 207-210.	2.6	19
504	Study on Nanobubble-on-Pancake Objects Forming at Polystyrene/Water Interface. <i>Langmuir</i> , 2016, 32, 11256-11264.	3.5	19

#	ARTICLE	IF	CITATIONS
505	Discovery of riblets in a bird beak (<i>Rynchops</i>) for low fluid drag. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2016, 374, 20160134.	3.4	19
506	Multistep wettability gradient in bioinspired triangular patterns for water condensation and transport. Journal of Colloid and Interface Science, 2020, 560, 866-873.	9.4	19
507	Propagation of weak waves in elastic-plastic and elastic-viscoplastic solids with interfaces. International Journal of Solids and Structures, 1978, 14, 39-51.	2.7	18
508	Bis (Î-cyclopentadienyl) N-aryl substituted dithiocarbamate chloro zirconium(IV) compounds. Journal of Inorganic and Nuclear Chemistry, 1980, 42, 457-461.	0.5	18
509	Metal Core Recession and Head Stain Studies of MIG Heads Sliding against Cobalt-Doped Gamma Iron Oxide and Metal Particle Tapes. Tribology Transactions, 1995, 38, 941-949.	2.0	18
510	Non-Gaussian surface roughness distribution of magnetic media for minimum friction/stiction. Journal of Applied Physics, 1996, 79, 5794.	2.5	18
511	Pole tip recession studies of thin-film rigid disk head sliders I. Mechanisms of pole tip recession growth. Wear, 1998, 219, 16-29.	3.1	18
512	Effect of thermal oxidation on indentation and scratching of single-crystal silicon carbide on microscale. Wear, 2000, 237, 116-128.	3.1	18
513	Three-Dimensional Dry/Wet Contact Analysis of Multilayered Elastic/Plastic Solids With Rough Surfaces. Journal of Tribology, 2006, 128, 18-31.	1.9	18
514	Lotus Effect: Roughness-Induced Superhydrophobic Surfaces. , 2008, , 995-1072.		18
515	Evidence of the No-Slip Boundary Condition of Water Flow between Hydrophilic Surfaces Using Atomic Force Microscopy. Langmuir, 2009, 25, 12002-12005.	3.5	18
516	Anti-smudge screening apparatus for electronic touch screens. Microsystem Technologies, 2013, 19, 1261-1263.	2.0	18
517	Extracellular biosynthesis and characterization of gold nanoparticles using the fungus Penicillium chrysogenum. Microsystem Technologies, 2015, 21, 2279-2285.	2.0	18
518	Bioinspired triangular patterns for water collection from fog. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2019, 377, 20190128.	3.4	18
519	Facile approach to develop anti-corrosive superhydrophobic aluminium with high mechanical, chemical and thermal durability. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2019, 377, 20180272.	3.4	18
520	Water condensation and transport on bioinspired triangular patterns with heterogeneous wettability at a low temperature. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2019, 377, 20180335.	3.4	18
521	Viscoelastic and shrinkage behavior of ultrathin polymeric films. Journal of Applied Polymer Science, 1995, 58, 2381-2398.	2.6	17
522	Enhanced production of xylanase from Staphylococcus sp. SG-13 using amino acids. World Journal of Microbiology and Biotechnology, 1999, 15, 511-512.	3.6	17

#	ARTICLE	IF	CITATIONS
523	ImmunoFET feasibility in physiological salt environments. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2012, 370, 2474-2488.	3.4	17
524	Friction and durability of virgin and damaged skin with and without skin cream treatment using atomic force microscopy. Beilstein Journal of Nanotechnology, 2012, 3, 731-746.	2.8	17
525	The hydraulic mechanism in the hind wing veins of <i>Cybister japonicus</i> Sharp (order:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	2.8	17
526	Slip length measurement of gas flow. Nanotechnology, 2016, 27, 374004.	2.6	17
527	Lessons from nature for green science and technology: an overview and bioinspired superliquiphobic/philic surfaces. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2019, 377, 20180274.	3.4	17
528	Friction and Wear of Metal Particle, Barium Ferrite and Metal Evaporated Tapes in Rotary Head Recorders. Journal of Tribology, 1996, 118, 21-32.	1.9	16
529	Fundamental wear studies with magnetic particles and head cleaning agents used in magnetic tapes. Wear, 1996, 202, 3-16.	3.1	16
530	Nanotribology of carbon nanotubes. Journal of Physics Condensed Matter, 2008, 20, 365214.	1.8	16
531	The mRNA expression of immune-related genes in crossbred and Tharparkar cattle in response to in vitro infection with Theileria annulata. Molecular Biology Reports, 2015, 42, 1247-1255.	2.3	16
532	Tumor-targeted folate-decorated albumin-stabilised silver nanoparticles induce apoptosis at low concentration in human breast cancer cells. RSC Advances, 2015, 5, 86242-86253.	3.6	16
533	Nanomechanical, nanotribological and macrotribological characterization of hard coatings and surface treatment of H-13 steel. Tribology International, 2015, 81, 149-158.	5.9	16
534	Nanofriction and nanowear of polypropylene, polyethylene terephthalate, and high-density polyethylene during sliding. Wear, 2016, 352-353, 18-23.	3.1	16
535	Optimization of bioinspired triangular patterns for water condensation and transport. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2019, 377, 20190127.	3.4	16
536	Microscopic Friction Between A Sharp Diamond Tip and Thin Film Magnetic Rigid Disks by Friction Force Microscopy. , 1995, , 151-161.		16
537	Appositeness of Optimized and Reliable Machine Learning for Healthcare: A Survey. Archives of Computational Methods in Engineering, 2022, 29, 3981-4003.	10.2	16
538	Friction and wear of ion-implanted diamondlike carbon and fullerene films for thin-film rigid disks. Journal of Applied Physics, 1994, 75, 6156-6158.	2.5	15
539	Environmental effects on the pause mode performance of metal-evaporated and metal-particle tapes. Journal of Applied Physics, 1996, 79, 5802.	2.5	15
540	Time-dependent mechanical properties and tribological behavior of magnetic tapes. Wear, 2001, 251, 1150-1158.	3.1	15

#	ARTICLE	IF	CITATIONS
541	Finite element analysis of nanostructures with roughness and scratches. <i>Ultramicroscopy</i> , 2003, 97, 495-507.	1.9	15
542	Nanotribological and nanomechanical properties of lubricated PZT thin films for ferroelectric data storage applications. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2008, 26, 768-776.	2.1	15
543	Manipulating microobject by using liquid droplet as a transporting vehicle. <i>Journal of Colloid and Interface Science</i> , 2009, 329, 196-201.	9.4	15
544	Role of surface roughness and lubricant film thickness in nanolubrication of sliding components in adaptive optics. <i>Journal of Colloid and Interface Science</i> , 2011, 353, 574-581.	9.4	15
545	Governance, policy, and legislation of nanotechnology: a perspective. <i>Microsystem Technologies</i> , 2015, 21, 1137-1155.	2.0	15
546	Designing liquid repellent, icephobic and self-cleaning surfaces with high mechanical and chemical durability. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20180270.	3.4	15
547	Measurement of Creep Properties in Compression and Their Influence on the Friction of Magnetic Tapes. <i>ASLE Transactions</i> , 1985, 28, 325-335.	0.6	14
548	Accelerated Wear Test Using Magnetic-Particle Slurries. <i>Tribology Transactions</i> , 1988, 31, 228-238.	2.0	14
549	Creep and shrinkage behavior of improved ultrathin polymeric films. <i>Journal of Applied Polymer Science</i> , 2002, 84, 1477-1498.	2.6	14
550	Effects of operating speed and tension and sources of lateral tape motion in a linear tape drive. <i>Journal of Magnetism and Magnetic Materials</i> , 2005, 293, 826-848.	2.3	14
551	Adhesion hysteresis and friction at nanometer and micrometer lengths. <i>Journal of Applied Physics</i> , 2006, 99, 014310.	2.5	14
552	Three-Dimensional Sliding Contact Analysis of Multilayered Solids With Rough Surfaces. <i>Journal of Tribology</i> , 2007, 129, 40-59.	1.9	14
553	Triboelectrification studies of skin and skin cream using Kelvin probe microscopy. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2010, 28, 1018-1028.	2.1	14
554	High resolution morphology and electrical characterization of aged Li-ion battery cathode. <i>Journal of Colloid and Interface Science</i> , 2012, 380, 187-191.	9.4	14
555	Nanomanipulation, nanotribology and nanomechanics of Au nanorods in dry and liquid environments using an AFM and depth sensing nanoindenter. <i>Nanoscale</i> , 2014, 6, 5838-5852.	5.6	14
556	Perspective: Science and technology policy â€œ What is at stake and why should scientists participate?. <i>Science and Public Policy</i> , 2015, 42, 887-900.	2.4	14
557	Superhydrophilic Al ₂ O ₃ Particle Layer for Efficient Separation of Oil-in-Water (O/W) and Water-in-Oil (W/O) Emulsions. <i>Langmuir</i> , 2020, 36, 13285-13291.	3.5	14
558	Scanning Probe Microscopy â€œ Principle of Operation, Instrumentation, and Probes. , 2011, , 37-110.		14

#	ARTICLE	IF	CITATIONS
559	Chemical analyses of stains formed on Co–Nb–Zr metal-in-gap heads sliding against oxide and metal particle magnetic tapes. <i>Journal of Materials Research</i> , 1995, 10, 1795-1810.	2.6	13
560	Lubricant film thickness mapping using a capacitance technique on magnetic thin-film rigid disks. <i>Review of Scientific Instruments</i> , 1998, 69, 3339-3349.	1.3	13
561	Effect of peak radius on design of W-type donut shaped laser textured surfaces. <i>Wear</i> , 1999, 230, 118-123.	3.1	13
562	Comparison studies on degradation mechanisms of perfluoropolyether lubricants and model lubricants. <i>Tribology Letters</i> , 2001, 9, 187-197.	2.6	13
563	Bending and fatigue study on a nanoscale hinge by an atomic force microscope. <i>Nanotechnology</i> , 2004, 15, 1246-1251.	2.6	13
564	Dynamic analysis of torsional resonance mode of atomic force microscopy and its application to in-plane surface property extraction. <i>Microsystem Technologies</i> , 2006, 12, 219-230.	2.0	13
565	Platinum-coated probes sliding at up to 100 mm/s against lead zirconate titanate films for atomic force microscopy probe-based ferroelectric recording technology. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2008, 26, 783-793.	2.1	13
566	Kelvin probe force microscopy-based characterization techniques applied for electrostatic MEMS/NEMS devices and bare dielectric films to investigate the dielectric and substrate charging phenomena. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2011, 29, 051101.	2.1	13
567	Designing nanostructured block copolymer surfaces to control protein adhesion. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2012, 370, 2348-2380.	3.4	13
568	Mechanically durable liquid-impregnated honeycomb surfaces. <i>Scientific Reports</i> , 2017, 7, 6083.	3.3	13
569	Global gene expression profile of peripheral blood mononuclear cells challenged with <i>Theileria annulata</i> in crossbred and indigenous cattle. <i>Infection, Genetics and Evolution</i> , 2017, 47, 9-18.	2.3	13
570	Nullifying phosphatidic acid effect and controlling phospholipase D associated browning in litchi pericarp through combinatorial application of hexanal and inositol. <i>Scientific Reports</i> , 2019, 9, 2402.	3.3	13
571	Yes–Associated Protein Is Crucial for Constitutive Androstane Receptor–Driven Hepatocyte Proliferation But Not for Induction of Drug Metabolism Genes in Mice. <i>Hepatology</i> , 2021, 73, 2005-2022.	7.3	13
572	Nanotribology, Nanomechanics, and Materials Characterization. , 2011, , 3-106.		13
573	Surface analysis study of electrical-arc-induced wear. <i>Thin Solid Films</i> , 1983, 108, 135-156.	1.8	12
574	Prediction of surface parameters in magnetic media. <i>Wear</i> , 1984, 95, 19-27.	3.1	12
575	Viscoelastic Properties of Poly(ethylene Terephthalate). <i>ASLE Transactions</i> , 1986, 29, 489-499.	0.6	12
576	Wear Behavior of Ceramic Sliders in Sliding Contact with Rigid Magnetic Thin-Film Disks. <i>Tribology Transactions</i> , 1992, 35, 603-610.	2.0	12

#	ARTICLE	IF	CITATIONS
577	In Situ Studies of Wear Mechanisms in Magnetic Thin-Film Disks. Tribology Transactions, 1997, 40, 549-558.	2.0	12
578	Pole tip recession studies of thin-film rigid disk head sliders II. Effects of air bearing surface and pole tip region designs and carbon coating. Wear, 1998, 219, 30-41.	3.1	12
579	Three-dimensional finite element analysis of the magnetic tape slitting process. Journal of Materials Processing Technology, 2005, 170, 71-88.	6.3	12
580	Nanomechanical and nanotribological characterization of noble metal-coated AFM tips for probe-based ferroelectric data recording. Nanotechnology, 2008, 19, 105705.	2.6	12
581	The role of lubricants, scanning velocity and operating environment in adhesion, friction and wear of Pt/Ir coated probes for atomic force microscope probe-based ferroelectric recording technology. Journal of Physics Condensed Matter, 2008, 20, 325240.	1.8	12
582	Raman and NMR studies of aged LiFePO ₄ cathode. Applied Surface Science, 2012, 259, 49-54.	6.1	12
583	Association and Expression Analysis of Single Nucleotide Polymorphisms of Partial Tumor Necrosis Factor Alpha Gene with Mastitis in Crossbred Cattle. Animal Biotechnology, 2015, 26, 98-104.	1.5	12
584	Historical evolution of magnetic data storage devices and related conferences. Microsystem Technologies, 2018, 24, 4423-4436.	2.0	12
585	Properties of Blisters Formed on Polymer Films and Differentiating them from Nanobubbles/Nanodrops. Langmuir, 2019, 35, 3005-3012.	3.5	12
586	Development of polyurethane-based superhydrophobic coatings on steel surfaces. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2020, 378, 20190446.	3.4	12
587	Bis(η ⁵ -cyclopentadienyl) BIS(N-aryl substituted dithiocarbamate) titanium(IV) complexes. Journal of Inorganic and Nuclear Chemistry, 1979, 41, 159-160.	0.5	11
588	Effect of Interchanging Tapes and Head Contour on the Durability of Metal Evaporated, Metal Particle and Barium Ferrite Magnetic Tapes. Tribology Transactions, 1995, 38, 801-810.	2.0	11
589	Rough surface contact analysis and its relation to plastic deformation at the head-disk interface. Journal of Applied Physics, 1996, 79, 5799.	2.5	11
590	Ultrathin Liquid Lubrication of Magnetic Head-Rigid Disk Interface for Near-Contact Recording: Part I—A Closed-Form Solution to the Reynolds Equation. Journal of Tribology, 1996, 118, 388-395.	1.9	11
591	Concurrent measurement of in situ friction force and head signal amplitude during dropouts in rotary head tape drives. Wear, 1996, 202, 35-49.	3.1	11
592	Humidity effect on friction/stiction and durability of head-disk interface with polar perfluoropolyether lubricant. Journal of Applied Physics, 1997, 81, 5387-5389.	2.5	11
593	Mechanical, hygroscopic, and thermal properties of ultrathin polymeric substrates for magnetic tapes. Journal of Applied Polymer Science, 2003, 89, 3052-3080.	2.6	11
594	Measurement and Prediction of Tape Cupping Under Mechanical and Hygrothermal Loads and Its Influence on Debris Generation in Linear Tape Drives. Journal of Tribology, 2003, 125, 364-376.	1.9	11

#	ARTICLE	IF	CITATIONS
595	Stereo-specificity for pro-(R) hydrogen of NAD(P)H during enzyme-catalyzed hydride transfer to CL-20. <i>Biochemical and Biophysical Research Communications</i> , 2005, 337, 1080-1083.	2.1	11
596	Vibration modeling of magnetic tape with vibro-impact of tape's guide contact. <i>Journal of Sound and Vibration</i> , 2006, 289, 632-655.	3.9	11
597	Thermally-treated Pt-coated silicon AFM tips for wear resistance in ferroelectric data storage. <i>Acta Materialia</i> , 2008, 56, 4233-4241.	7.9	11
598	Nanotribology of polyvinylidene difluoride (PVDF) in the presence of electric field. <i>Journal of Colloid and Interface Science</i> , 2011, 360, 777-784.	9.4	11
599	Nanotribology-based novel characterization techniques for the dielectric charging failure mechanism in electrostatically actuated NEMS/MEMS devices using force-distance curve measurements. <i>Journal of Colloid and Interface Science</i> , 2012, 365, 236-253.	9.4	11
600	FLEAC: Fuzzy Logic-based Energy Adequate Clustering Protocol for Wireless Sensor Networks using Improved Grasshopper Optimization Algorithm. <i>Wireless Personal Communications</i> , 2022, 124, 573-606.	2.7	11
601	On the Correlation Between Friction-Coefficients and Adhesion Stresses. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 1975, 97, 285-287.	1.4	10
602	Characterization of r.f.-sputter-deposited chromium oxide films. <i>Thin Solid Films</i> , 1980, 73, 255-265.	1.8	10
603	Material Study for Advanced Stern-Tube Bearings and Face Seals. <i>ASLE Transactions</i> , 1981, 24, 398-409.	0.6	10
604	Metallurgical re-examination of wear modes I: erosive, electrical arcing and fretting. <i>Thin Solid Films</i> , 1985, 123, 93-112.	1.8	10
605	Contact Analysis of Regular Patterned Rough Surfaces in Magnetic Recording. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , 1995, 117, 26-33.	1.8	10
606	Role of tape abrasivity on friction, wear, staining and signal degradation in audio tapes. <i>Wear</i> , 1995, 190, 16-27.	3.1	10
607	Accelerated Friction and Wear Studies of Various Particulate and Thin-Film Magnetic Tapes Against Tape Path Materials in Pure Sliding and Rotary/Sliding Modes. <i>Tribology Transactions</i> , 1995, 38, 329-341.	2.0	10
608	Atomic-scale topographic and friction force imaging and cantilever dynamics in friction force microscopy. <i>Physical Review B</i> , 2006, 74, .	3.2	10
609	Adhesion properties of polymer/silicon interfaces for biological micro-/nanoelectromechanical systems applications. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2007, 25, 1275-1284.	2.1	10
610	Integrating electrowetting into micromanipulation of liquid droplets. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 485009.	1.8	10
611	Green tribology. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2010, 368, 4675-4676.	3.4	10
612	Introduction to Nanotechnology: History, Status, and Importance of Nanoscience and Nanotechnology Education. <i>Science Policy Reports</i> , 2016, , 1-31.	0.1	10

#	ARTICLE	IF	CITATIONS
613	Surface charge-induced EDL interaction on the contact angle of surface nanobubbles. <i>Langmuir</i> , 2016, 32, 11123-11132.	3.5	10
614	Friction and wear of various polymer pairs used for label and wiper in labeling machine. <i>Tribology International</i> , 2016, 98, 10-19.	5.9	10
615	Plant Surfaces: Structures and Functions for Biomimetic Applications. <i>Springer Handbooks</i> , 2017, , 1265-1305.	0.6	10
616	Fabrication of superoleophobic cotton fabric for multi-purpose applications. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20190129.	3.4	10
617	Water droplet dynamics on bioinspired conical surfaces. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20190118.	3.4	10
618	A Hybrid Secure and Energy Efficient Cluster Based Intrusion Detection system for Wireless Sensing Environment. , 2019, , .		10
619	Enhancement of security and energy efficiency in WSNs: Machine Learning to the rescue. , 2019, , .		10
620	Nanotribology and its Applications to Magnetic Storage Devices and MEMS. , 1995, , 367-395.		10
621	Static evaluation of surface coatings for compliant gas bearings in an oxidizing atmosphere to 650Å°C. <i>Thin Solid Films</i> , 1978, 53, 313-331.	1.8	9
622	Development of a Wear Test Apparatus for Screening Bearing-Flange Materials in Computer Tape Drives. <i>ASLE Transactions</i> , 1987, 30, 187-195.	0.6	9
623	A study by scanning electron microscopy of magnetic head-disk interface sliding. <i>Wear</i> , 1990, 139, 367-381.	3.1	9
624	Grain Boundary and Crystallographic Orientation Effects on Friction. <i>Tribology Transactions</i> , 2000, 43, 33-38.	2.0	9
625	Long-term mechanical and viscoelastic behavior of constitutive polymeric materials used for magnetic tapes. <i>Journal of Applied Polymer Science</i> , 2001, 81, 1142-1160.	2.6	9
626	Micro/nano-scale differential wear of multiphase materials: pole tip recession in magnetic-tape heads. <i>Wear</i> , 2002, 252, 103-122.	3.1	9
627	New technique for monitoring lateral tape motion using a magnetic signal. <i>Microsystem Technologies</i> , 2006, 12, 565-570.	2.0	9
628	Generation of Composite Surfaces With Bimodal Distribution and Contact Analysis for Optimum Tribological Performance. <i>Journal of Tribology</i> , 2006, 128, 851-864.	1.9	9
629	Humidity effect on the interaction between carbon nanotubes and graphite. <i>Applied Surface Science</i> , 2010, 256, 4672-4676.	6.1	9
630	Chemical bonding and degradation of ultrathin liquid films for nanolubrication of sliding components in adaptive optics. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010, 369, 39-52.	4.7	9

#	ARTICLE	IF	CITATIONS
631	Effect of Deposition Gas Ratio, RF Power, and Substrate Temperature on the Charging/Discharging Processes in PECVD Silicon Nitride Films for Electrostatic NEMS/MEMS Reliability Using Atomic Force Microscopy. <i>Journal of Microelectromechanical Systems</i> , 2011, 20, 1395-1418.	2.5	9
632	Interfacial design and structure of protein/polymer films on oxidized AlGaN surfaces. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 034010.	2.8	9
633	Nanoscale adhesion, friction and wear of proteins on polystyrene. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 102, 484-491.	5.0	9
634	Effect of Nanoparticles on Nanomechanical and Nanotribological Properties of Polyethylene Blend Films. <i>Macromolecular Reaction Engineering</i> , 2013, 7, 538-548.	1.5	9
635	Bioinspired conical design for efficient water collection from fog. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20190125.	3.4	9
636	Spontaneous transport of air bubbles on bioinspired superhydrophilic triangular patterns. <i>Journal of Colloid and Interface Science</i> , 2020, 575, 399-405.	9.4	9
637	Selection of breed-specific SNPs in three Indian sheep breeds using ovine 50K array. <i>Small Ruminant Research</i> , 2021, 205, 106545.	1.2	9
638	Development of Surface Coatings for Air-Lubricated, Compliant Journal Bearings to 650°C. <i>ASLE Transactions</i> , 1980, 23, 185-196.	0.6	8
639	Bis[n(chlorophenyl)dithiocarbamato] complexes of Cu(II), Zn(II), Cd(II) and Sn(II). <i>Thermochimica Acta</i> , 1984, 76, 345-357.	2.7	8
640	BisN(chlorophenyl)dithiocarbamato complexes of cobalt(II), nickel(II), palladium(II) and platinum(II). <i>Transition Metal Chemistry</i> , 1984, 9, 250-255.	1.4	8
641	Dielectric behaviour of ZnO-based ceramic semiconductors. <i>Bulletin of Materials Science</i> , 1987, 9, 169-180.	1.7	8
642	Friction and Wear of Ceramics for Magnetic Recording Applications—Part II: Friction Measurements. <i>Journal of Tribology</i> , 1991, 113, 313-317.	1.9	8
643	Friction and wear of ultrahigh-density magnetic tapes. <i>Journal of Applied Physics</i> , 1994, 75, 5771-5773.	2.5	8
644	Role of water vapor on the wear of Mn—Zn ferrite heads sliding against magnetic tapes. <i>Wear</i> , 1996, 202, 30-34.	3.1	8
645	Gecko Feet: Natural Attachment Systems for Smart Adhesion. <i>Nanoscience and Technology</i> , 2007, , 41-76.	1.5	8
646	Noble metal-coated probes sliding at up to 100 mm s ⁻¹ against PZT films for AFM probe-based ferroelectric recording technology. <i>Journal of Physics Condensed Matter</i> , 2008, 20, 225013.	1.8	8
647	Introduction—Human Hair, Skin, and Hair Care Products. <i>Biological and Medical Physics Series</i> , 2010, , 1-19.	0.4	8
648	Shark skin Surface for Fluid-Drag Reduction in Turbulent Flow. <i>Biological and Medical Physics Series</i> , 2012, , 227-265.	0.4	8

#	ARTICLE	IF	CITATIONS
649	Protein conformation changes on block copolymer surfaces detected by antibody-€functionalized atomic force microscope tips. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 18-25.	4.0	8
650	No change in mRNA expression of immune-related genes in peripheral blood mononuclear cells challenged with <i>Theileria annulata</i> in Murrah buffalo (<i>Bubalus bubalis</i>). <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 754-758.	2.7	8
651	Bioinspired self-healing, superliquiphobic and self-cleaning hydrogel-coated surfaces with high durability. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20190117.	3.4	8
652	Endometrial transcript profile of progesterone-€regulated genes during early pregnancy of Water Buffalo (<i>Bubalus bubalis</i>). <i>Reproduction in Domestic Animals</i> , 2019, 54, 100-107.	1.4	8
653	Frontiers in nanotribology: Magnetic storage, bio/nanotechnology, cosmetics, and bioinspiration. <i>Journal of Colloid and Interface Science</i> , 2020, 577, 127-162.	9.4	8
654	Contact angles and movement of air bubbles on bioinspired conical surfaces. <i>Journal of Colloid and Interface Science</i> , 2020, 577, 530-541.	9.4	8
655	Comparison of liver regeneration after partial hepatectomy and acetaminophen-induced acute liver failure: A global picture based on transcriptome analysis. <i>Food and Chemical Toxicology</i> , 2020, 139, 111186.	3.6	8
656	Micro/Nanotribology and Micro/Nanomechanics. , 1996, , 864-963.		8
657	MEMS/NEMS and BioMEMS/BioNEMS: Materials, Devices, and Biomimetics. , 2011, , 833-945.		8
658	Mimicking high strength lightweight novel structures inspired from the trabecular bone microarchitecture. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2020, 378, 20190448.	3.4	8
659	Temperatures in Sliding. <i>Journal of Lubrication Technology</i> , 1973, 95, 535-536.	0.1	7
660	A model of pole tip recession growth in magnetic heads. <i>Journal of Applied Physics</i> , 2002, 91, 8328.	2.5	7
661	Mechanical, hygroscopic, and thermal properties of metal particle and metal evaporated tapes and their individual layers. <i>Journal of Applied Polymer Science</i> , 2004, 92, 1319-1345.	2.6	7
662	Failure Mechanisms of Advanced Metal Evaporated Tape in an Advanced Linear Tape Drive. <i>Tribology Transactions</i> , 2006, 49, 79-91.	2.0	7
663	Tribology and Superhydrophobicity of Laser-Controlled-Melted Alumina Surfaces with Hard Particles. <i>Jom</i> , 2014, 66, 1068-1079.	1.9	7
664	Effect of Surface Charge on the Nanofriction and Its Velocity Dependence in an Electrolyte Based on Lateral Force Microscopy. <i>Langmuir</i> , 2017, 33, 1792-1798.	3.5	7
665	Differential expression of ten candidate genes regulating prostaglandin action in reproductive tissues of buffalo during estrous cycle and pregnancy. <i>Theriogenology</i> , 2018, 105, 7-14.	2.1	7
666	Blockchain for Internet of Things: Architecture, Consensus Advancements, Challenges and Application Areas. , 2019, , .		7

#	ARTICLE	IF	CITATIONS
667	Scanning Probe Microscopy—Principle of Operation, Instrumentation, and Probes. , 2017, , 33-93.		7
668	Modeling of Tip-Cantilever Dynamics in Atomic Force Microscopy. Nanoscience and Technology, 2007, , 149-223.	1.5	7
669	Gecko Feet: Natural Hairy Attachment Systems for Smart Adhesion — Mechanism, Modeling and Development of Bio-Inspired Materials. , 2008, , 1073-1134.		7
670	Gecko Feet: Natural Hairy Attachment Systems for Smart Adhesion. , 2011, , 701-767.		7
671	Surface pretreatment of thin inconel X-750 foils for improved coating adherence. Thin Solid Films, 1978, 53, 99-107.	1.8	6
672	Voltage contrast imaging of barriers in ceramic semiconductors. Journal of Applied Physics, 1983, 54, 1610-1612.	2.5	6
673	Osteopathia Striata with Cranial Sclerosis. Journal of Medical Imaging and Radiation Oncology, 1990, 34, 249-252.	0.6	6
674	Tribological studies of various magnetic heads and thin-film rigid disks. Wear, 1992, 153, 65-78.	3.1	6
675	Thermal considerations for the edge guiding of thin magnetic tape in a longitudinal tape transport. Wear, 1994, 171, 179-193.	3.1	6
676	Tribology of Solid Contacts in Magnetic Recording Devices. Applied Mechanics Reviews, 1994, 47, S199-S203.	10.1	6
677	Ultrathin Liquid Lubrication of Magnetic Head—Rigid Disk Interface for Near-Contact Recording: Part II—Shear Thinning and Thermal Thinning. Journal of Tribology, 1996, 118, 396-401.	1.9	6
678	The relationship between dynamic mechanical behavior, transverse curvature, and wear of magnetic tapes. Wear, 1996, 202, 17-29.	3.1	6
679	Erratum to —Effect of normal load on microscale friction measurements—[Thin Solid Films, 278 (1996) 49—56]. Thin Solid Films, 1997, 293, 333.	1.8	6
680	Studies on Degradation Mechanisms of Tape Lubricants in a High Vacuum Environment. , 2001, 11, 133-141.		6
681	Introduction to Nanotechnology. , 2004, , 1-6.		6
682	Finite element analysis of the magnetic tape slitting process. Journal of Materials Processing Technology, 2005, 166, 205-217.	6.3	6
683	Effects of Different Magnetic Tapes and Operating Parameters on Lateral Tape Motion in a Linear Tape Drive. Tribology Transactions, 2006, 49, 347-360.	2.0	6
684	Antibody sensed protein surface conformation. Materials Today, 2011, 14, 616-621.	14.2	6

#	ARTICLE	IF	CITATIONS
685	Laser Treatment of Sintered Silicon Carbide Surface for Enhanced Hydrophobicity. <i>Jom</i> , 2014, 66, 87-94.	1.9	6
686	Study on the Formation and Properties of Trapped Nanobubbles and Surface Nanobubbles by Spontaneous and Temperature Difference Methods. <i>Langmuir</i> , 2019, 35, 12035-12041.	3.5	6
687	<i>In vivo</i> structural dynamic analysis of the dragonfly wing: the effect of stigma as its modulator. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2019, 377, 20190132.	3.4	6
688	Movement of air bubbles under various liquids using bioinspired conical surfaces. <i>Journal of Colloid and Interface Science</i> , 2021, 582, 41-50.	9.4	6
689	Internet of Things (IoT) Toward 5G Network: Design Requirements, Integration Trends, and Future Research Directions. <i>Advances in Intelligent Systems and Computing</i> , 2021, , 887-899.	0.6	6
690	Scanning Probe Microscopy – Principle of Operation, Instrumentation, and Probes. , 2005, , 41-115.		6
691	Scanning Probe Microscopy – Principle of Operation, Instrumentation, and Probes. , 2007, , 591-636.		6
692	The Present State of the Art on Degradation Models of Perfluoropolyethers with Dlc Coatings in Thin- Film Magnetic Rigid Disks. , 2001, , 735-745.		6
693	Self-Assembled Monolayers for Controlling Friction and WearHydrophobicity and/or. <i>Mechanics & Materials Science</i> , 2000, , .	0.1	6
694	Opportunistic Internet of Things (OIoT): Elucidating the Active Opportunities of Opportunistic Networks on the Way to IoT. <i>Intelligent Systems Reference Library</i> , 2022, , 209-224.	1.2	6
695	Friction and Wear Results From Sputter-Deposited Chrome Oxide With and Without Nichrome Metallic Binders and Interlayers. <i>Journal of Lubrication Technology</i> , 1981, 103, 218-227.	0.1	5
696	In situ microviscoelastic measurements by polarization-interferometric monitoring of indentation depth. <i>Applied Optics</i> , 1988, 27, 541.	2.1	5
697	Friction, Scratching/Wear, Indentation and Lubrication on Micro- to Nanoscales. , 1997, , 169-191.		5
698	Bending stiffness measurements of magnetic tapes and substrates. <i>Thin Solid Films</i> , 1997, 308-309, 323-328.	1.8	5
699	Effect of Particulate Contamination on Pole Tip Recession in a Linear Tape Drive. <i>Tribology Letters</i> , 2002, 12, 235-245.	2.6	5
700	Technique development and measurement of Poisson's ratio, lateral creep behavior, and thermal and hygroscopic expansion of individual layers in magnetic tapes. <i>Journal of Applied Polymer Science</i> , 2003, 88, 2082-2096.	2.6	5
701	Dynamic mechanical and thermal analyses of magnetic particle and metal evaporated tapes and their individual layers. <i>Journal of Applied Polymer Science</i> , 2003, 89, 548-567.	2.6	5
702	Modeling of creep and shrinkage behavior of polymeric films used in magnetic tapes. <i>Journal of Applied Polymer Science</i> , 2004, 91, 78-88.	2.6	5

#	ARTICLE	IF	CITATIONS
703	Self-Assembled Monolayers for Controlling Adhesion, Friction and Wear. , 2005, , 885-928.		5
704	Magnetic evaluation of advanced metal-evaporated tape in an advanced linear tape drive. Journal of Magnetism and Magnetic Materials, 2007, 308, 153-164.	2.3	5
705	Effect of temperature on nanowear of platinum-coated probes sliding against coated silicon wafers for probe-based recording technology. Acta Materialia, 2008, 56, 380-386.	7.9	5
706	Dry and Wet Contact Modeling of Multilayered Rough Solid Surfaces. Applied Mechanics Reviews, 2008, 61, 050803.	10.1	5
707	MEMS/NEMS and BioMEMS/BioNEMS: Materials, Devices, and Biomimetics. , 2010, , 1663-1740.		5
708	Biomimetics Inspired Surfaces for Superhydrophobicity, Self-cleaning, Low Adhesion, and Drag Reduction. , 2011, , 533-699.		5
709	Protein adhesion of block copolymer surfaces. Colloid and Polymer Science, 2011, 289, 219-225.	2.1	5
710	Slip Length Measurement of Confined Air Flow on Three Smooth Surfaces. Langmuir, 2013, 29, 4298-4302.	3.5	5
711	Role of liquid repellency on fluid slip, fluid drag, and formation of nanobubbles. Microsystem Technologies, 2017, 23, 4367-4390.	2.0	5
712	Insects locomotion, piercing, sucking and stinging mechanisms. Microsystem Technologies, 2018, 24, 4703-4728.	2.0	5
713	Effect of vein microstructure and nanomechanical behaviors on wind-resistant performance of Asian ladybeetle hindwing. Tribology International, 2020, 142, 105719.	5.9	5
714	Water collection and transport in bioinspired nested triangular patterns. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2020, 378, 20190441.	3.4	5
715	Micro/Nanotribology of MEMS/NEMS Materials and Devices. , 2005, , 1031-1089.		5
716	Micro/Nanotribology of MEMS/NEMS Materials and Devices. , 2004, , 983-1021.		5
717	Nanotribology and Materials Characterization of MEMS/NEMS and BioMEMS/BioNEMS Materials and Devices. , 2007, , 1575-1638.		5
718	Torsional Resonance Microscopy and Its Applications. Nanoscience and Technology, 2007, , 113-148.	1.5	5
719	Nanotribology and Materials Characterization of MEMS/NEMS and BioMEMS/BioNEMS Materials and Devices. , 2008, , 1199-1295.		5
720	Architecture, Security Vulnerabilities, and the Proposed Countermeasures in Agriculture-Internet-of-Things (AIoT) Systems. Studies in Big Data, 2022, , 329-353.	1.1	5

#	ARTICLE	IF	CITATIONS
721	Preventing and Detecting Intrusion of Cyberattacks in Smart Grid by Integrating Blockchain. Lecture Notes in Networks and Systems, 2022, , 119-130.	0.7	5
722	Intrusion Detection System (IDS) for Security Enhancement in Wireless Sensing Applications. Lecture Notes in Networks and Systems, 2022, , 39-49.	0.7	5
723	Material Study for Advanced Stern-Tube Lip Seals. ASLE Transactions, 1981, 24, 410-422.	0.6	4
724	Influence of Abrasive Properties on Residual Stresses in Lapped Ferrite and Alumina. Journal of the American Ceramic Society, 1990, 73, 1907-1911.	3.8	4
725	Processing of diamond/alumina composites for low wear applications. Journal of Materials Research, 1992, 7, 3010-3018.	2.6	4
726	Macro- and microtribology of magnetic rigid-disk storage devices. Journal of Magnetism and Magnetic Materials, 1996, 155, 318-322.	2.3	4
727	Wear and friction studies of contact recording interface with microfabricated heads. Wear, 1996, 202, 60-67.	3.1	4
728	Erratum to "Tribological studies of chromium oxide films for magnetic recording applications"[Thin Solid Films, 311 (1997) 67-80]. Thin Solid Films, 1998, 320, 330.	1.8	4
729	Nanotribology, Nanomechanics and Materials Characterization. , 2007, , 791-858.		4
730	Vibration analysis of axially moving magnetic tape with comparisons to static and dynamic experimental results. Microsystem Technologies, 2007, 13, 689-699.	2.0	4
731	Nanomechanical characterization of adaptive optics components in microprojectors. Journal of Micromechanics and Microengineering, 2010, 20, 064002.	2.6	4
732	New insights into reliability of electrostatic capacitive RF MEMS switches. International Journal of Microwave and Wireless Technologies, 2011, 3, 571-586.	1.9	4
733	Shark-Skin Surface for Fluid-Drag Reduction in Turbulent Flow. Biological and Medical Physics Series, 2016, , 327-382.	0.4	4
734	Biophysics of Skin and Its Treatments. Biological and Medical Physics Series, 2017, , .	0.4	4
735	Nanofabrication Techniques Used for Superhydrophobic Surfaces. Springer Series in Materials Science, 2018, , 109-119.	0.6	4
736	<i>In-vitro</i> analysis of Interleukin-10 expression in cell cultures of Crossbred cattle, Tharparkar cattle and Murrah buffalo in response to mastitis causing antigens derived from <i>Staphylococcus aureus</i> and <i>Escherichia coli</i> . Biological Rhythm Research, 2022, 53, 197-206.	0.9	4
737	Peptidoglycan and Lipoteichoic Acid Induces Differential mRNA Response of Immune-Related Genes in PBMC of Crossbred, Tharparkar Cattle and Murrah Buffalo. Animal Biotechnology, 2019, 30, 166-174.	1.5	4
738	Bioinspired movement of gas bubbles: composition, applications, generation, contact angle, and movement – an overview. Molecular Systems Design and Engineering, 2020, 5, 1555-1577.	3.4	4

#	ARTICLE	IF	CITATIONS
739	Transcriptome profiling of buffalo endometrium reveals molecular signature distinct to early pregnancy. <i>Gene</i> , 2020, 743, 144614.	2.2	4
740	Multi-Class Breast Cancer Classification Using Ensemble of Pretrained models and Transfer Learning. <i>Current Medical Imaging</i> , 2022, 18, 409-416.	0.8	4
741	A New Efficient Architecture for Adaptive Bit-Rate Video Streaming. <i>Sustainability</i> , 2021, 13, 4541.	3.2	4
742	Scanning Probe Microscopy – Principle of Operation, Instrumentation, and Probes. , 2004, , 325-369.		4
743	Commercial Applications, Projections of Water Collection, and Design of Water Harvesting Towers. <i>Springer Series in Materials Science</i> , 2020, , 155-160.	0.6	4
744	Scale Effect in Mechanical Properties and Tribology. , 2010, , 1023-1054.		4
745	Characterization of Rose Petals and Fabrication and Characterization of Superhydrophobic Surfaces with High and Low Adhesion. <i>Biological and Medical Physics Series</i> , 2012, , 189-206.	0.4	4
746	Micromechanical Property Measurements of Glass and Glass-Ceramic Substrates for Magnetic Thin-Film Rigid Disks for Gigabit Recording. , 1996, , 3-16.		4
747	PCR-SSCP of Serum Lysozyme Gene (Exon-III) in Riverine Buffalo and Its Association with Lysozyme Activity and Somatic Cell Count. <i>Asian-Australasian Journal of Animal Sciences</i> , 2010, 23, 993-999.	2.4	4
748	Protocols, Solutions, and Testbeds for Cyber-Attack Prevention in Industrial SCADA Systems. <i>Studies in Big Data</i> , 2022, , 355-380.	1.1	4
749	Development of CdO-graphite-Ag coatings for gas bearings to 427 °C. <i>Wear</i> , 1982, 75, 333-356.	3.1	3
750	Microtribological Studies by Using Atomic Force and Friction Force Microscopy and its Applications. <i>Materials Research Society Symposia Proceedings</i> , 1994, 332, 93.	0.1	3
751	Wear studies of contact recording interface with a microfabricated head. <i>Journal of Applied Physics</i> , 1996, 79, 5791.	2.5	3
752	Origins of friction and wear of the thin metallic layer of metal evaporated magnetic tape. <i>Wear</i> , 1999, 224, 126-140.	3.1	3
753	Effect of Magnetic-Head Slot Orientation on Pole Tip Recession and Debris Generation in Linear Tape Drives. <i>Tribology Transactions</i> , 2001, 44, 263-269.	2.0	3
754	Effect of operating environment on head-tape interface in a linear tape drive. <i>Journal of Magnetism and Magnetic Materials</i> , 2003, 261, 277-294.	2.3	3
755	Self-Assembled Monolayers for Controlling Adhesion, Friction and Wear. , 2004, , 831-860.		3
756	Introduction to Nanotechnology. , 2007, , 1-12.		3

#	ARTICLE	IF	CITATIONS
757	Mechanical Properties of Nanostructures. , 2011, , 527-584.		3
758	Enzyme adsorption on polymer-based confined bioinspired biosensing surface. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2012, 30, .	2.1	3
759	Ab Initio DFT Simulations of Nanostructures. , 2012, , 11-17.		3
760	Device level studies of adaptive optics sliding components in microprojectors. Microsystem Technologies, 2012, 18, 137-148.	2.0	3
761	Single- and Two-Layer Coatings of Metal Blends onto Carbon Steel: Mechanical, Wear, and Friction Characterizations. Jom, 2014, 66, 37-45.	1.9	3
762	Differential response of immune-related genes to peptidoglycan and lipoteichoic acid challenge in vitro. Veterinary World, 2016, 9, 983-988.	1.7	3
763	Nanotribology and Nanomechanics of MEMS/NEMS and BioMEMS/BioNEMS Materials and Devices. , 2017, , 797-907.		3
764	MEMS/NEMS and BioMEMS/BioNEMS: Tribology, Mechanics, Materials and Devices. Springer Handbooks, 2017, , 1331-1416.	0.6	3
765	Skimmer Bird Beak (Rynchops) Surface for Fluid Drag Reduction in Turbulent Flow. Springer Series in Materials Science, 2018, , 563-576.	0.6	3
766	Characterization of Rose Petals and Fabrication and Characterization of Superhydrophobic Surfaces with High and Low Adhesion. Springer Series in Materials Science, 2018, , 259-287.	0.6	3
767	Fabrication of bioinspired, self-cleaning, anti-icing, superliquiphilic/phobic titanium using different pathways. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2019, 377, 20180273.	3.4	3
768	Securing Internet of Things: Attacks, Countermeasures and Open Challenges. Advances in Intelligent Systems and Computing, 2021, , 873-885.	0.6	3
769	Underwater estimation of audio signal prediction using fruit fly algorithm and hybrid wavelet neural network. Journal of Reliable Intelligent Environments, 2022, 8, 211-221.	5.2	3
770	Contact between Solid Surfaces. , 0, , 181-269.		3
771	Solid Surface Characterization. , 1996, , 63-156.		3
772	Micro/Nanotribology and Micro/Nanomechanics of Magnetic Storage Devices. , 2017, , 749-796.		3
773	Self-Assembled Monolayers (SAMs) for Controlling Adhesion, Friction, and Wear. , 2008, , 901-958.		3
774	Nanotribology, Nanomechanics and Materials Characterization. , 2008, , 311-416.		3

#	ARTICLE	IF	CITATIONS
775	Biological Molecules in Therapeutic Nanodevices. , 2010, , 453-484.		3
776	Introduction “ Measurement Techniques and Applications. , 2011, , 1-34.		3
777	Micro/Nanotribology Studies Using Scanning Probe Microscopy. Nanoscience and Technology, 2004, , 171-205.	1.5	3
778	Micro/Nanotribology and Micro/Nanomechanics of MEMS Devices. , 1998, , .		3
779	Characterization and Modeling of Surface Roughness and Contact Mechanics. , 1998, , .		3
780	Boundary Lubrication and Lubricants. , 0, , 655-688.		3
781	Tribology Magnetic Storage Systems. , 1993, , 325-374.		3
782	Structural and Compositional Characterization of RF Sputter-Deposited Ni-Cr + Cr ₂ O ₃ Films. Journal of Lubrication Technology, 1981, 103, 211-217.	0.1	2
783	Tribology and Mechanics of Magnetic Storage Devices. Journal of Electronic Packaging, Transactions of the ASME, 1990, 112, 278-278.	1.8	2
784	Macro- and Microtribology of Magnetic Storage Devices. Tribology Series, 2000, , 183-194.	0.1	2
785	Micro/nanoscale tribological and mechanical characterization for MEMS/NEMS. , 2004, , .		2
786	Micro-/nanoscale tribological and mechanical characterization for MEMS/NEMS. , 2004, , .		2
787	Comparative analysis and associated failure mechanisms of magnetic media in advanced linear tape drives. Microsystem Technologies, 2006, 12, 485-528.	2.0	2
788	Lotus Effect: Roughness-Induced Superhydrophobicity. Nanoscience and Technology, 2007, , 1-40.	1.5	2
789	Study of magnitude and component frequency variation of lateral tape motion across an unsupported tape region. Microsystem Technologies, 2008, 14, 427-438.	2.0	2
790	Structural, Nanomechanical, and Nanotribological Characterization of Human Hair Using Atomic Force Microscopy and Nanoindentation. , 2010, , 1055-1170.		2
791	AFM, Tapping Mode. , 2012, , 99-99.		2
792	Fabrication Techniques Used for Structures with Superhydrophobicity, Self-Cleaning, Low Adhesion/Low Drag with Antifouling Properties. Biological and Medical Physics Series, 2012, , 67-78.	0.4	2

#	ARTICLE	IF	CITATIONS
793	The surface microstructure of cusps and leaflets in rabbit and mouse heart valves. Beilstein Journal of Nanotechnology, 2014, 5, 622-629.	2.8	2
794	Nanomanipulation and Nanotribology of Nanoparticles and Nanotubes Using Atomic Force Microscopy. , 2014, , 299-315.		2
795	Roughness-Induced Superliquiphilic/phobic Surfaces: Lessons from Nature. Biological and Medical Physics Series, 2016, , 23-33.	0.4	2
796	Nanomechanical Properties of Nanostructures and Scale Effects. , 2017, , 253-299.		2
797	Insects Locomotion, Piercing, Sucking and Stinging Mechanisms. Springer Series in Materials Science, 2018, , 819-860.	0.6	2
798	Roughness-Induced Superliquiphilic/Phobic Surfaces: Wetting States and Lessons from Living Nature. Springer Series in Materials Science, 2018, , 39-49.	0.6	2
799	Modeling of Contact Angle for a Liquid in Contact with a Rough Surface for Various Wetting Regimes. Springer Series in Materials Science, 2018, , 51-80.	0.6	2
800	Plant Leaf Surfaces in Living Nature. Springer Series in Materials Science, 2018, , 81-107.	0.6	2
801	Shark Skin Surface for Fluid-Drag Reduction in Turbulent Flow. Springer Series in Materials Science, 2018, , 491-562.	0.6	2
802	Association and expression analysis of single nucleotide polymorphisms of CD14 gene with somatic cell score in crossbred cattle. Gene Reports, 2018, 12, 255-260.	0.8	2
803	Deep Learning Framework for Cybersecurity: Framework, Applications, and Future Research Trends. Advances in Intelligent Systems and Computing, 2021, , 837-847.	0.6	2
804	Micro/Nanotribology and Materials Characterization Studies Using Scanning Probe Microscopy. , 2005, , 315-387.		2
805	Micro/Nanotribology and Materials Characterization Studies Using Scanning Probe Microscopy. , 2004, , 497-541.		2
806	Mechanical Properties of Nanostructures. , 2004, , 763-787.		2
807	Nanotribology of Ultrathin and Hard Amorphous Carbon Films. , 2004, , 791-830.		2
808	Interface Temperature of Sliding Surfaces. , 1990, , 366-411.		2
809	Scale Effect in Mechanical Properties and Tribology. , 2007, , 1167-1198.		2
810	Self-Assembled Monolayers (SAMs) for Controlling Adhesion, Friction, and Wear. , 2007, , 1379-1416.		2

#	ARTICLE	IF	CITATIONS
811	Gecko Feet: Natural Attachment Systems for Smart Adhesion-Mechanism, Modeling, and Development of Bio-Inspired Materials. , 2008, , 1-61.		2
812	Scanning Probe Microscopy â€“ Principle of Operation, Instrumentation, and Probes. , 2008, , 37-110.		2
813	Micro/Nanotribology and Micro/Nanomechanics of Magnetic Storage Devices. , 2008, , 1137-1197.		2
814	Nanotribology, Nanomechanics, and Materials Characterization. , 2010, , 789-856.		2
815	Gecko Feet: Natural Hairy Attachment Systems for Smart Adhesion. , 2010, , 1553-1597.		2
816	Calibration of Normal and Lateral Forces in Cantilevers Used in Atomic Force Microscopy. , 2011, , 135-193.		2
817	Friction, Wear, Lubrication, and Materials Characterization Using Scanning Probe Microscopy. , 2001, , 13-39.		2
818	Macro- and Microtribology of Information Storage and Retrieval Devices. , 2001, , 851-868.		2
819	History of Tribology and Micro/Nanotribology. , 1997, , 1-16.		2
820	Tribology of Hard Disk Drives â€” Magnetic Data Storage Technology. , 2006, , 16-1-16-44.		2
821	Introductionâ€”Measurement Techniques and Applications. , 1998, , .		2
822	Differential cytokine response of Escherichia coli lipopolysaccharide stimulated peripheral blood mononuclear cells in crossbred cattle, Tharparkar cattle and Murrah buffalo - An in vitro study. Spanish Journal of Agricultural Research, 2019, 17, e0501.	0.6	2
823	Introduction to nature-inspired solutions for engineering. Molecular Systems Design and Engineering, 2021, 6, 984-985.	3.4	2
824	Characterization of BoLA class II <i>DQA</i> and <i>DQB</i> by PCR-RFLP, cloning, and sequencing reveals sequence diversity in crossbred cattle. Animal Biotechnology, 2023, 34, 955-965.	1.5	2
825	Molecular and phylogenetic analysis of MHC class I exons 7â€”8 in a variety of cattle and buffalo breeds. Animal Biotechnology, 2023, 34, 1655-1661.	1.5	2
826	Association Rule-Based Routing Protocol for Opportunistic Network. Lecture Notes in Networks and Systems, 2022, , 391-399.	0.7	2
827	Lymphocyte-Specific Protein-1 Suppresses Xenobiotic-Induced Constitutive Androstane Receptor and Subsequent Yes-Associated Proteinâ€”Activated Hepatocyte Proliferation. American Journal of Pathology, 2022, 192, 887-903.	3.8	2
828	Lubrication Mechanisms and Lubricants. , 1990, , 585-674.		1

#	ARTICLE	IF	CITATIONS
829	Physical and Chemical Properties of PET Substrate and Coated Magnetic Media. , 1992, , 85-163.		1
830	Pattern of Skin Diseases in the Leh-Ladakh Region of India. International Journal of Dermatology, 1994, 33, 674-675.	1.0	1
831	Micro/Nanotribology: State of the Art and Its Applications. , 1998, , 229-246.		1
832	Effect of magnetic tape thickness on friction and wear in a linear tape drive. Wear, 2003, 255, 1323-1333.	3.1	1
833	Durability studies of head-disk interface using padded and load/unload picosliders for magnetic rigid disk drives. Wear, 2003, 255, 1334-1343.	3.1	1
834	Micro-/nanoscale tribology and mechanics of MEMS/NEMS materials, lubricants and devices. , 2003, , .		1
835	Mechanical Properties of Nanostructures. , 2005, , 731-771.		1
836	Nanoscratch Studies of Uncoated and Coated Ceramic Matrix Composite Materials. Journal of the American Ceramic Society, 2006, 89, 2542-2546.	3.8	1
837	Measurement and mechanism of pole tip recession with advanced metal evaporated tape at low tension in a linear tape drive. Microsystem Technologies, 2006, 12, 193-203.	2.0	1
838	A videographic method of measuring lateral tape motion in a linear tape drive. Measurement Science and Technology, 2006, 17, 2683-2688.	2.6	1
839	New delay-integration method for resolving individual components of a pair of composite signals. Review of Scientific Instruments, 2007, 78, 085110.	1.3	1
840	Contact Analysis of a Nanocomposite Surface with Two Particle Size Distributions for Magnetic Particulate Tapes. Tribology Transactions, 2007, 50, 165-177.	2.0	1
841	Nanotribology of Ultrathin and Hard Amorphous Carbon Films. , 2007, , 1339-1378.		1
842	Nanomechanical Characterization Using Nanoindentation, Nanoscratch, and AFM. Biological and Medical Physics Series, 2010, , 57-89.	0.4	1
843	Mechanical Properties of Nanostructures. , 2010, , 1227-1265.		1
844	Scale Effect in Mechanical Properties and Tribology. , 2011, , 293-344.		1
845	AC Electroosmosis: Basics and Lab-on-a-Chip Applications. , 2012, , 25-30.		1
846	Robot-Based Automation on the Nanoscale. , 2012, , 2246-2264.		1

#	ARTICLE	IF	CITATIONS
847	Solid Surface Characterization. , 0, , 83-179.		1
848	Wear. , 2013, , 447-544.		1
849	Modeling of Contact Angle for a Liquid in Contact with a Rough Surface for Various Wetting Regimes. Biological and Medical Physics Series, 2016, , 35-62.	0.4	1
850	Nanofabrication Techniques Used for Lotus-Like Structures. Biological and Medical Physics Series, 2016, , 85-96.	0.4	1
851	Nanomechanical Characterization of Solid Surfaces and Thin Films. , 2017, , 177-251.		1
852	Biological Molecules in Therapeutic Nanodevices. Springer Handbooks, 2017, , 693-722.	0.6	1
853	Scanning Probe Microscopy " Principle of Operation, Instrumentation and Probes. Springer Handbooks, 2017, , 725-768.	0.6	1
854	Bioinspired Nanostructured Anti-Biofouling and Anti-inorganic Surfaces. Springer Handbooks, 2017, , 1307-1327.	0.6	1
855	Bio- and Inorganic Fouling. Springer Series in Materials Science, 2018, , 621-664.	0.6	1
856	Bioinspired Strategies for Water Collection and Water Purification. Springer Series in Materials Science, 2018, , 665-701.	0.6	1
857	Self-healing Materials and Defense Mechanisms. Springer Series in Materials Science, 2018, , 911-958.	0.6	1
858	Fabrication and Characterization of Mechanically Durable Superliquiphobic Surfaces. Springer Series in Materials Science, 2018, , 429-490.	0.6	1
859	Bioinspired materials and surfaces for green science and technology. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2019, 377, 20180336.	3.4	1
860	Molecular Characterization of Mx1 Gene in Native Indian Breeds of Chicken. Animal Biotechnology, 2019, 30, 113-117.	1.5	1
861	Bioinspired materials and surfaces for green science and technology (partÂ3). Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2020, 378, 20190439.	3.4	1
862	Nanotribology. , 0, , 689-788.		1
863	Scale Effect in Mechanical Properties and Tribology. , 2005, , 773-824.		1
864	Nanoscale Boundary Lubrication Studies. , 2004, , 861-882.		1

#	ARTICLE	IF	CITATIONS
865	Stress Analysis of Flexible Media. , 2000, , 360-418.		1
866	Measurement Techniques of Head and Medium Wear. , 1996, , 547-584.		1
867	Viscoelastic Properties of PET Substrate and Coated Magnetic Media. , 1992, , 164-294.		1
868	Long-Term Reliability of Flexible Disks. , 1992, , 438-451.		1
869	Bioinspired Water Desalination and Water Purification Approaches Using Membranes. Springer Series in Materials Science, 2020, , 161-174.	0.6	1
870	Bio- and Inorganic Fouling. Biological and Medical Physics Series, 2016, , 423-456.	0.4	1
871	Characterization of Rose Petals and Fabrication and Characterization of Superhydrophobic Surfaces with High and Low Adhesion. Biological and Medical Physics Series, 2016, , 213-241.	0.4	1
872	Calibration of Normal and Lateral Forces in Cantilevers Used in Atomic Force Microscopy. , 2017, , 95-134.		1
873	Applications of Scanning Probe Methods in Chemical Mechanical Planarization. , 2008, , 131-151.		1
874	Scale Effect in Mechanical Properties and Tribology. , 2008, , 791-840.		1
875	Structural, Nanomechanical, and Nanotribological Characterization of Human Hair Using Atomic Force Microscopy and Nanoindentation. , 2008, , 1325-1485.		1
876	Gecko Feet: Natural Attachment Systems for Smart Adhesionâ€”Mechanism, Modeling, and Development of Bio-Inspired Materials. , 2010, , 781-841.		1
877	Nanoscale Boundary Lubrication Studies. , 2010, , 1347-1396.		1
878	Self-Assembled Monolayers for Nanotribology and Surface Protection. , 2011, , 403-460.		1
879	Roughness-Induced Superomniphobic Surfaces: Lessons from Nature. Biological and Medical Physics Series, 2012, , 11-18.	0.4	1
880	Lotus Effect Surfaces in Nature. Biological and Medical Physics Series, 2012, , 49-65.	0.4	1
881	Self-Assembled Monolayers for Controlling Adhesion, Friction and Wear. , 2004, , 831-860.		1
882	The Anisotropic Friction Characteristics of Crystalline Materials: A Review. , 2001, , 279-297.		1

#	ARTICLE	IF	CITATIONS
883	Effect of Tape Burnishing and Drive Use on Head Wear in Rotary Tape Drives. , 1996, , 229-247.		1
884	Microscratching/ Microwear, Nanofabrication/ Nanomachining, and Nano/Picoindentation Using Atomic.... , 1998, , .		1
885	Micro/Nanotribology of MEMS/NEMS Materials and Devices. , 2004, , 983-1021.		1
886	Mechanical Properties of Nanostructures. , 2004, , 763-787.		1
887	Micro/Nanotribology and Materials Characterization Studies Using Scanning Probe Microscopy. , 2004, , 497-541.		1
888	Nanotribology of Ultrathin and Hard Amorphous Carbon Films. , 2011, , 347-402.		1
889	Green Tribology, its History, Challenges, and Perspectives. Green Energy and Technology, 2012, , 3-22.	0.6	1
890	Interface Temperature of Sliding Surfaces. , 0, , 403-445.		1
891	Fluid Film Lubrication. , 0, , 545-653.		1
892	Wear Mechanisms. , 1990, , 412-546.		1
893	Tribology of Magnetic Head-Medium Interface. , 1993, , 281-314.		1
894	Magnetic Tape Debris Generation with Sliding Against Al ₂ O ₃ -TiC and Ni-Zn Ferrite Heads. , 1998, , 93-102.		1
895	Nanoindentation. , 2016, , 2423-2444.		1
896	Lotus Effect. , 2016, , 1809-1819.		1
897	Rose Petal Effect. , 2016, , 3489-3497.		1
898	Rice Leaf and Butterfly Wing Effect. Biological and Medical Physics Series, 2016, , 383-422.	0.4	1
899	Nanomaterials for Electrical Energy Storage Devices. , 2016, , 2473-2485.		1
900	Nanoscale Boundary Lubrication Studies. , 2017, , 689-746.		1

#	ARTICLE	IF	CITATIONS
901	Nanotribology of Ultrathin and Hard Amorphous Carbon Films. , 2017, , 593-640.		1
902	Overview of Arid Desert Conditions, Water Sources, and Desert Plants and Animals. Springer Series in Materials Science, 2020, , 11-46.	0.6	1
903	Web Mining and Web Usage Mining for Various Human-Driven Applications. Advances in Web Technologies and Engineering Book Series, 2022, , 138-162.	0.4	1
904	On a semiempirical friction model for solid-lubricated rolling-sliding contact. Wear, 1982, 82, 387-390.	3.1	0
905	Instabilities in the Mechanical Stress in Deposited SiO ₂ Films Caused by Thermal Treatments. Materials Research Society Symposia Proceedings, 1990, 181, 463.	0.1	0
906	Closure to "Discussion of "Friction and Wear Properties of Chemomechanically Polished Diamond Films" (1994, ASME J. Tribol., 116, p. 453). Journal of Tribology, 1994, 116, 453-453.	1.9	0
907	Discussion: "Dependence of Nano-Friction and Nano-Wear on Loading Force for Sharp Diamond Tips Sliding on Si, Mn-Zn Ferrite, and Au" (Jiang, Zhaoguo, Lu, C.-J., Bogy, D. B., and Miyamoto, T., 1995, ASME J. Tribol.)	1.0	0
908	Discussion: "Simultaneous Measurement of Surface Topography and Friction Force by a Single-Head Lateral Force Microscope" (Lu, C.-J., Jiang, Zhaoguo, Bogy, D. B., and Miyamoto, T., 1995, ASME J. Tribol.)	1.0	0
909	Lubrication Mechanisms and Lubricants. , 1996, , 585-674.		0
910	Direct Ion Beam Deposition of Diamond-Like Films From RF Inductively Coupled (IC) Plasma Source: Mechanical, Electrical, and Optical Properties. Materials Research Society Symposia Proceedings, 1999, 593, 273.	0.1	0
911	Structural, Nanomechanical and Nanotribological Characterization of Human Hair Using Atomic Force Microscopy and Nanoindentation. , 2007, , 1223-1304.		0
912	Effects of varying operating tension and speed on lateral tape motion in MP and AME tapes using magnetic signal and optical probe methods. Journal of Magnetism and Magnetic Materials, 2007, 312, 480-492.	2.3	0
913	Nanotribology of Ultrathin and Hard Amorphous Carbon Films. , 2008, , 843-899.		0
914	Study of durability and lateral tape motion of magnetic tape data storage media under high-speed operating conditions using magnetic and edge probe methods. Microsystem Technologies, 2008, 14, 841-853.	2.0	0
915	Conditioner Thickness Distribution and Binding Interactions on Hair Surface. Biological and Medical Physics Series, 2010, , 137-151.	0.4	0
916	Reactive Empirical Bond-Order Potentials. , 2012, , 2210-2221.		0
917	Modeling of Contact Angle for a Liquid in Contact with a Rough Surface. Biological and Medical Physics Series, 2012, , 19-45.	0.4	0
918	Liposomes. , 2012, , 1218-1223.		0

#	ARTICLE	IF	CITATIONS
919	Nanomedicine. , 2012, , 1644-1644.		0
920	Nanostructures for Coloration (Organisms other than Animals). , 2012, , 1790-1803.		0
921	RF MEMS Switches. , 2012, , 2238-2238.		0
922	Laser Scanning Confocal Microscopy. , 2012, , 1192-1192.		0
923	Bioadhesives. , 2012, , 194-201.		0
924	Low-Pressure Chemical Vapor Deposition (LPCVD). , 2012, , 1233-1233.		0
925	Fabrication and Characterization of Micro-, Nano-, and Hierarchical Structured Surfaces. Biological and Medical Physics Series, 2012, , 79-175.	0.4	0
926	AFM. , 2012, , 83-83.		0
927	Bacterial Electrical Conduction. , 2012, , 173-173.		0
928	Rapid Electrokinetic Patterning. , 2012, , 2201-2210.		0
929	Nano-FET. , 2012, , 1543-1543.		0
930	Bioinspired superhydrophobic, self-cleaning and low drag surfaces. , 2013, , .		0
931	Material, Mechanical, and Tribological Characterization of Laser-Treated Surfaces. Journal of Thermal Spray Technology, 2014, 23, 1210-1224.	3.1	0
932	Preface. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2016, 374, 20160136.	3.4	0
933	Modeling, Fabrication, and Characterization of Superoleophobic/Philic Surfaces. Biological and Medical Physics Series, 2016, , 243-325.	0.4	0
934	Structural Coloration. Biological and Medical Physics Series, 2016, , 549-579.	0.4	0
935	Nanotribology, Nanomechanics and Materials Characterization Studies Using Scanning Probe Microscopy. , 2017, , 373-455.		0
936	Self-assembled Monolayers (SAMs) for Nanotribology and Surface Protection. , 2017, , 641-688.		0

#	ARTICLE	IF	CITATIONS
937	Nanotribology, Nanomechanics and Materials Characterization. Springer Handbooks, 2017, , 869-934.	0.6	0
938	Nanomechanical Properties of Nanostructures and Scale Effects. Springer Handbooks, 2017, , 1101-1137.	0.6	0
939	Nanotribology of Ultrathin and Hard Amorphous Carbon Films. Springer Handbooks, 2017, , 1141-1178.	0.6	0
940	Self-Assembled Monolayers for Nanotribology and Surface Protection. Springer Handbooks, 2017, , 1179-1214.	0.6	0
941	Nanoscale Boundary Lubrication Studies. Springer Handbooks, 2017, , 1215-1261.	0.6	0
942	Skin and Skin Cream. Biological and Medical Physics Series, 2017, , 11-24.	0.4	0
943	Nanotribological and Nanomechanical Characterization of Synthetic Skins With and Without Common Cream Treatment for Cosmetic Science. Biological and Medical Physics Series, 2017, , 111-120.	0.4	0
944	Gecko Adhesion. Springer Series in Materials Science, 2018, , 739-817.	0.6	0
945	Role of Liquid Repellency on Fluid Slip, Fluid Drag, and Formation of Nanobubbles. Springer Series in Materials Science, 2018, , 703-738.	0.6	0
946	Fabrication and Characterization of Mechanically Durable Superhydrophobic Surfaces. Springer Series in Materials Science, 2018, , 199-248.	0.6	0
947	Strategies for Superliquiphobic/Philic Surfaces. Springer Series in Materials Science, 2018, , 289-325.	0.6	0
948	Adaptable Fabrication Techniques for Mechanically Durable Superliquiphobic/philic Surfaces. Springer Series in Materials Science, 2018, , 327-427.	0.6	0
949	Structural Coloration. Springer Series in Materials Science, 2018, , 879-910.	0.6	0
950	Strategies for Micropatterned, Nanopatterned, and Hierarchically Structured Lotus-like Surfaces. Springer Series in Materials Science, 2018, , 121-197.	0.6	0
951	Fabrication and Characterization of Micropatterned Structures Inspired by <i>Salvinia molesta</i> . Springer Series in Materials Science, 2018, , 249-257.	0.6	0
952	Bioinspired materials and surfaces for green science and technology (partÂ2). Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2019, 377, 20190198.	3.4	0
953	Information and Data Security Model: Background, Risks, and Challenges. Lecture Notes in Networks and Systems, 2021, , 859-869.	0.7	0
954	Physical and Chemical Properties of PET Substrate and Coated Magnetic Media. , 2000, , 86-163.		0

#	ARTICLE	IF	CITATIONS
955	Long-Term Reliability of Magnetic Tapes. , 2000, , 419-504.		0
956	Viscoelastic Properties of PET Substrate and Coated Magnetic Media. , 2000, , 164-296.		0
957	Macro- and Microtribology of Magnetic Rigid Disk Drives. , 2001, , 487-495.		0
958	Scanning Probe Microscopy " Principle of Operation, Instrumentation, and Probe. , 2004, , 325-369.		0
959	Nanotribology of Ultrathin and Hard Amorphous Carbon Films. , 2004, , 791-830.		0
960	Nanoscale Boundary Lubrication Studies. , 2004, , 861-882.		0
961	Velocity Dependence of Nanoscale Friction, Adhesion and Wear. , 2007, , 1011-1050.		0
962	Nanoscale Boundary Lubrication Studies. , 2007, , 1417-1438.		0
963	Development of MOEMS Devices and Their Reliability Issues. Nanoscience and Technology, 2007, , 349-366.	1.5	0
964	Mechanical Properties of Nanostructures. , 2007, , 1305-1338.		0
965	Lotus Effect: Roughness-Induced Superhydrophobicity. , 2010, , 741-780.		0
966	Structural Characterization Using an AFM. Biological and Medical Physics Series, 2010, , 45-56.	0.4	0
967	Self-Assembled Monolayers for Nanotribology and Surface Protection. , 2010, , 1309-1346.		0
968	Multi-scale Tribological Characterization. Biological and Medical Physics Series, 2010, , 91-136.	0.4	0
969	Nanotribology of Ultrathin and Hard Amorphous Carbon Films. , 2010, , 1269-1308.		0
970	Capillary Adhesion and Nanoscale Properties of Water. Nanoscience and Technology, 2011, , 551-571.	1.5	0
971	Micro/Nanotribology and Micro/Nanomechanics of Magnetic Storage Devices. , 2011, , 771-831.		0
972	Nanoscale Boundary Lubrication Studies. , 2011, , 461-530.		0

#	ARTICLE	IF	CITATIONS
973	Gecko Adhesion. Biological and Medical Physics Series, 2012, , 269-337.	0.4	0
974	Fabrication and Characterization of Micropatterned Structures Inspired by <i>Salvinia molesta</i> . Biological and Medical Physics Series, 2012, , 179-186.	0.4	0
975	Green Tribology and Biomimetics. , 0, , 949-962.		0
976	Tribological Components and Applications. , 0, , 899-947.		0
977	Friction and Wear Screening Test Methods. , 0, , 789-803.		0
978	Bulk Materials, Coatings, and Surface Treatments for Tribology. , 0, , 805-897.		0
979	Techniques for Removing Surface Contaminants in Thin Film Deposition. , 1979, , 393-405.		0
980	Measurement Techniques of Head and Medium Wear. , 1990, , 547-584.		0
981	Analysis and Measurement of Hydrodynamic Air Films. , 1990, , 675-797.		0
982	Solid Surface Characterization. , 1990, , 63-156.		0
983	Long-Term Reliability of Magnetic Tapes. , 1992, , 353-437.		0
984	Part Three: Mechanics of Flexible Media Systems. , 1995, , 371-371.		0
985	Part One: Mechanics and Tribology of Magnetic Rigid Disk Drives. , 1995, , 1-3.		0
986	Part Two: Dynamics and Controls of Magnetic Rigid Disk Drives. , 1995, , 223-224.		0
987	Wear Mechanisms. , 1996, , 412-546.		0
988	Interface Temperature of Sliding Surfaces. , 1996, , 366-411.		0
989	Contact between Solid Surfaces. , 1996, , 157-230.		0
990	Analysis and Measurement of Hydrodynamic Air Films. , 1996, , 675-797.		0

#	ARTICLE	IF	CITATIONS
991	Dynamics and Controls for Data Storage Systems. , 1996, , 249-250.		0
992	Micromechanical Characterization of Component Materials. , 1996, , 1-1.		0
993	Mechanics and Tribology for Data Storage Systems. , 1996, , 17-18.		0
994	Boundary Lubrication Studies Using Atomic Force/Friction Force Microscopy. , 1998, , .		0
995	Nanomechanical Properties of Solid Surfaces and Thin Films. , 1998, , .		0
996	Self-Assembled Monolayers for Nanotribology. , 2016, , 3576-3587.		0
997	Biomimetics. , 2016, , 337-346.		0
998	Nanomechanical Properties of Nanostructures. , 2016, , 2498-2508.		0
999	Nanotribology. , 2016, , 2896-2906.		0
1000	Lotus Effect Surfaces in Nature. Biological and Medical Physics Series, 2016, , 63-84.	0.4	0
1001	Fabrication and Characterization of Micro-, Nano- and Hierarchically Structured Lotus-Like Surfaces. Biological and Medical Physics Series, 2016, , 97-203.	0.4	0
1002	Gecko Effect. , 2016, , 1319-1328.		0
1003	Green Tribology and Nanoscience. , 2016, , 1377-1380.		0
1004	Shark Skin Effect. , 2016, , 3639-3651.		0
1005	Bioadhesion. , 2016, , 220-228.		0
1006	Skin Vibrations Created During Touch. Biological and Medical Physics Series, 2017, , 123-136.	0.4	0
1007	Adhesion, Friction, and Wear of Rat Skin With and Without a Common Cream Treatment. Biological and Medical Physics Series, 2017, , 47-67.	0.4	0
1008	Friction, Wear, and Nanomechanical Properties of Virgin and Damaged Rat Skin and Pig Skin With and Without a Common Cream Treatment. Biological and Medical Physics Series, 2017, , 91-107.	0.4	0

#	ARTICLE	IF	CITATIONS
1009	Triboelectrification of Rat Skin With and Without a Common Cream Treatment. Biological and Medical Physics Series, 2017, , 77-87.	0.4	0
1010	Introductionâ€™ Measurement Techniques and Applications. , 2017, , 1-29.		0
1011	Scale Effect in Mechanical Properties and Tribology. , 2017, , 549-589.		0
1012	Hepatocyteâ€™specific YAP deletion suppresses hepatocyte proliferation and hepatomegaly induced by CAR agonist, TCPOBOP (1,4â€™bis [2â€™(3,5â€™Dichloropyridyloxy)] benzene), in mice. FASEB Journal, 2019, 33, 662.72.	0.5	0
1013	Bioinspired Triangular Patterns on Flat Surfaces for Water Harvesting. Springer Series in Materials Science, 2020, , 113-153.	0.6	0
1014	Introduction: Water Supply and Management. Springer Series in Materials Science, 2020, , 1-10.	0.6	0
1015	Selected Oil-Water Separation Techniquesâ€™Lessons from Living Nature. Springer Series in Materials Science, 2020, , 175-180.	0.6	0
1016	Bioinspired Flat and Conical Surfaces for Water Harvesting. Springer Series in Materials Science, 2020, , 63-112.	0.6	0
1017	High Sliding Velocity Nanotribological Investigations of Materials for Nanotechnology Applications. , 2008, , 283-310.		0
1018	Introduction â€™ Measurement Techniques and Applications. , 2008, , 1-34.		0
1019	Mechanical Properties of Nanostructures. , 2008, , 741-789.		0
1020	Nanoscale Boundary Lubrication Studies. , 2008, , 959-991.		0