## Yoshimi Suzukamo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1034949/publications.pdf

Version: 2024-02-01

65 papers

2,813 citations

201674 27 h-index 51 g-index

73 all docs

73 docs citations

73 times ranked 3546 citing authors

#	Article	IF	Citations
1	Development of a Japanese version of the Epworth Sleepiness Scale (JESS) based on Item Response Theory. Sleep Medicine, 2009, 10, 556-565.	1.6	256
2	Effects of music therapy on behavioral and psychological symptoms of dementia: A systematic review and meta-analysis. Ageing Research Reviews, 2013, 12, 628-641.	10.9	244
3	Validation testing of a three-component model of Short Form-36 scores. Journal of Clinical Epidemiology, 2011, 64, 301-308.	5.0	194
4	Psychometric properties of the 25-item National Eye Institute Visual Function Questionnaire (NEI) Tj ETQq0 0 0 0	rgBT /Over 2.4	-lock 10 Tf 50
5	Validation of the Japanese version of the Roland-Morris Disability Questionnaire. Journal of Orthopaedic Science, 2003, 8, 543-548.	1.1	117
6	Characteristics and clinical relevance of postgastrectomy syndrome assessment scale (PGSAS)-45: newly developed integrated questionnaires for assessment of living status and quality of life in postgastrectomy patients. Gastric Cancer, 2015, 18, 147-158.	5.3	113
7	Relation between sleep quality and quantity, quality of life, and risk of developing diabetes in healthy workers in Japan: the High-risk and Population Strategy for Occupational Health Promotion (HIPOP-OHP) Study. BMC Public Health, 2007, 7, 129.	2.9	112
8	Reliability and Validity of the Manual Function Test in Patients with Stroke. American Journal of Physical Medicine and Rehabilitation, 2009, 88, 247-255.	1.4	107
9	Linguistic Adaptation and Validation of the General Oral Health Assessment Index (GOHAI) in an Elderly Japanese Population. Journal of Public Health Dentistry, 2006, 66, 273-275.	1.2	103
10	Prevalence and Length of Recovery of Pusher Syndrome Based on Cerebral Hemispheric Lesion Side in Patients With Acute Stroke. Stroke, 2012, 43, 1654-1656.	2.0	83
11	Prospective Evaluation of Selection Criteria for Active Surveillance in Japanese Patients with Stage T1cN0M0 Prostate Cancer. Japanese Journal of Clinical Oncology, 2008, 38, 122-128.	1.3	82
12	Development of Japanese version of the UCLA Prostate Cancer Index: a pilot validation study. International Journal of Clinical Oncology, 2002, 7, 0306-0311.	2.2	73
13	Japanese version of the Dermatology Life Quality Index: validity and reliability in patients with acne. Health and Quality of Life Outcomes, 2006, 4, 46.	2.4	68
14	Care burden and depression in caregivers caring for patients with intractable neurological diseases at home in Japan. Journal of the Neurological Sciences, 2009, 276, 148-152.	0.6	63
15	Health Related Quality of Life in Japanese Men With Localized Prostate Cancer Treated With Current Multiple Modalities Assessed by a Newly Developed Japanese Version of the Expanded Prostate Cancer Index Composite. Journal of Urology, 2007, 177, 1856-1861.	0.4	53
16	Psychological adjustment has a greater effect on health-related quality of life than on severity of disease in Parkinson's disease. Movement Disorders, 2006, 21, 761-766.	3.9	52
17	Validation of the Burden Index of Caregivers (BIC), a multidimensional short care burden scale from Japan. Health and Quality of Life Outcomes, 2006, 4, 52.	2.4	50
18	The Manual Function Test: Norms for 20- to 90-Year-Olds and Effects of Age, Gender, and Hand Dominance on Dexterity. Tohoku Journal of Experimental Medicine, 2008, 214, 257-267.	1.2	50

#	Article	IF	Citations
19	Long-term quality of life of donors after living donor liver transplantation. Liver Transplantation, 2012, 18, 1343-1352.	2.4	45
20	Discrepancy Between Disability and the Severity of Low Back Pain: Demographic, Psychologic, and Employment-Related Factors. Spine, 2006, 31, 931-939.	2.0	39
21	Clinical Utility of Diffusion Tensor Imaging for Evaluating Patients with Diffuse Axonal Injury and Cognitive Disorders in the Chronic Stage. Journal of Neurotrauma, 2009, 26, 1879-1890.	3.4	38
22	A Crossâ€sectional Study of Alcohol Drinking and Healthâ€related Quality of Life among Male Workers in Japan. Journal of Occupational Health, 2005, 47, 496-503.	2.1	36
23	Factors affecting the quality of life of patients after gastrectomy as assessed using the newly developed PGSAS-45 scale: A nationwide multi-institutional study. World Journal of Gastroenterology, 2016, 22, 8978.	3.3	34
24	Verification of the psychometric properties of the Japanese version of the European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 15 palliative (EORTCQLQ-C15-PAL). Quality of Life Research, 2012, 21, 335-340.	3.1	32
25	Development of a Diabetes Diet-Related Quality-of-Life Scale. Diabetes Care, 2004, 27, 1271-1275.	8.6	30
26	Nightâ€time frequency, sleep disturbance and general healthâ€related quality of life: Is there a relation?. International Journal of Urology, 2009, 16, 96-100.	1.0	29
27	Healthâ€related quality of life among communityâ€dwelling patients with intractable neurological diseases and their caregivers in Japan. Psychiatry and Clinical Neurosciences, 2011, 65, 30-38.	1.8	28
28	Healthâ€related quality of life in Japanese men with localized prostate cancer: Assessment with the SFâ€8. International Journal of Urology, 2008, 15, 524-528.	1.0	26
29	Vagal Nerve Regulation Is Essential for the Increase in Gastric Motility in Response to Mild Exercise. Tohoku Journal of Experimental Medicine, 2010, 222, 155-163.	1.2	25
30	Analysis Linking UCLA PCI With Expanded Prostate Cancer Index Composite: An Evaluation of Health Related Quality of Life in Japanese Men With Localized Prostate Cancer. Journal of Urology, 2007, 178, 473-477.	0.4	24
31	Dialysis staff encouragement and fluid control adherence in patients on hemodialysis. Nephrology Nursing Journal, 2009, 36, 289-97.	0.2	23
32	Relationship of Health Status and Social Support to the Life Satisfaction of Older Adults Tohoku Journal of Experimental Medicine, 2002, 198, 141-149.	1.2	20
33	Higher Internality of Health Locus of Control Is Associated With the Use of Complementary and Alternative Medicine Providers Among Patients Seeking Care for Acute Low-back Pain. Clinical Journal of Pain, 2008, 24, 725-730.	1.9	20
34	Relationship between health-related quality of life and clustering of metabolic syndrome diagnostic components. Quality of Life Research, 2012, 21, 1165-1170.	3.1	20
35	Effect of coaching on psychological adjustment in patients with spinocerebellar degeneration: a pilot study. Clinical Rehabilitation, 2007, 21, 987-996.	2.2	19
36	Color of Intra-Ocular Lens and Cataract Type Are Prognostic Determinants of Health Indices After Visual and Photoreceptive Restoration by Surgery. Rejuvenation Research, 2015, 18, 145-152.	1.8	19

#	Article	IF	CITATIONS
37	Lifestyle and work predictors of fatigue in Japanese manufacturing workers. Occupational Medicine, 2007, 57, 262-269.	1.4	18
38	Development of a Japanese version of the Oral Impacts on Daily Performance (OIDP) scale: a pilot study. Journal of Oral Science, 2007, 49, 259-264.	1.7	18
39	Analysis of subjective evaluations of the functions of tele-coaching intervention in patients with spinocerebellar degeneration. NeuroRehabilitation, 2008, 23, 159-169.	1.3	18
40	One-Year Period Prevalence of Oral Aphthous Ulcers and Oral Health-Related Quality of Life in Patients with Behçet's Disease. Genetics Research International, 2014, 2014, 1-8.	2.0	18
41	Background factors influencing postgastrectomy syndromes after various types of gastrectomy. World Journal of Clinical Cases, 2018, 6, 1111-1120.	0.8	16
42	True or Apparent Leg Length Discrepancy. Journal of Geriatric Physical Therapy, 2013, 36, 169-174.	1.1	15
43	Leisure activity moderates the relationship between living alone and mental health among <scp>J</scp> apanese older adults. Geriatrics and Gerontology International, 2021, 21, 421-425.	1.5	15
44	Social support and substitute voice acquisition on psychological adjustment among patients after laryngectomy. European Archives of Oto-Rhino-Laryngology, 2017, 274, 1557-1565.	1.6	12
45	Differences between bothersome and non-bothersome night-time frequency. Neurourology and Urodynamics, 2007, 26, 1014-1019.	1.5	11
46	Menstrual Symptoms, Health-Related Quality of Life, and Work Productivity in Japanese Women with Dysmenorrhea Receiving Different Treatments: Prospective Observational Study. Advances in Therapy, 2022, 39, 2562-2577.	2.9	11
47	Patient-reported disability in the general Japanese population was associated with medical care visits for low back pain, regardless of pain intensity. Journal of Orthopaedic Science, 2015, 20, 742-749.	1.1	10
48	Validation of the Japanese version of the Quality of Life-Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA). Growth Hormone and IGF Research, 2006, 16, 340-347.	1.1	9
49	Relationship of type of work with health-related quality of life. Quality of Life Research, 2015, 24, 2927-2932.	3.1	9
50	The Effectiveness of Specific Exercise Approach or Modifiable Heel Lift in the Treatment of Functional Leg Length Discrepancy in Early Post-surgery Inpatients after Total Hip Arthroplasty: A Randomized Controlled Trial with a PROBE design. Physical Therapy Research, 2016, 19, 39-49.	0.9	9
51	Reliability and validity of revised and short form versions of diabetes diet-related quality of life scale. Diabetology International, 2017, 8, 181-192.	1.4	7
52	<p>Quality of Life in Japanese Patients with Dysmenorrhea Treated with Ethinylestradiol 20 νg/Drospirenone 3 mg in a Real-World Setting: An Observational Study</p> . International Journal of Women's Health, 2020, Volume 12, 327-338.	2.6	6
53	Analysis of subjective evaluations of the functions of tele-coaching intervention in patients with spinocerebellar degeneration. NeuroRehabilitation, 2008, 23, 159-69.	1.3	6
54	Association Between White Matter Hyperintensity and Lacunar Infarction on MRI and Subitem Scores of the Japanese Version of Mini-Mental State Examination for Testing Cognitive Decline: The Ohasama Study. Clinical and Experimental Hypertension, 2012, 34, 541-547.	1.3	5

#	Article	IF	CITATIONS
55	Preparing a version of the Nottingham Adjustment Scale (for psychological adjustment) tailored to osteoarthritis of the hip. Journal of Orthopaedic Science, $2006,11,359-364$ .	1.1	4
56	Effect of feedback in promoting adherence to an exercise programme: a randomized controlled trial. Journal of Evaluation in Clinical Practice, 2011, 17, 7-11.	1.8	4
57	Reliability, validity, and responsiveness of the Japanese version of the Neck Pain and Disability Scale. Journal of Orthopaedic Science, 2011, 16, 339-346.	1.1	4
58	Mo1767 Development and Validation of Pgsas-45, an Integrated Questionnaire to Assess Postgastrectomy Syndrome. Gastroenterology, 2013, 144, S-1111.	1.3	4
59	Interpersonal Psychosocial Factors Associated With Underreported Dietary Energy Intake in Hemodialysis Patients., 2013, 23, 37-44.		4
60	Applicability of a Modified the Nottingham Adjustment Scale-Japan to the Patients after Laryngectomy. Nihon Kango Kagakkai Shi = Journal of Japan Academy of Nursing Science, 2004, 24, 53-59.	0.1	4
61	Communication Training Improves Sense of Performance Expectancy of Public Health Nurses Engaged in Long-Term Elderly Prevention Care Program. ISRN Nursing, 2012, 2012, 1-8.	1.2	4
62	Impact of a communication skills training course for students of therapist training schools., 2013, 4, 47-54.		4
63	Title is missing!. Spine, 2003, 28, 1461-1466.	2.0	2
64	Clinical Utility of Diffusion Tensor Imaging and Fibre Tractography for Evaluating Diffuse Axonal Injury with Hemiparesis. Case Reports in Medicine, 2013, 2013, 1-5.	0.7	1
65	Two types of sensorimotor strategies for whole-body movement in individuals with stroke: a pilot study. Physiotherapy Theory and Practice, 2022, 38, 2580-2591.	1.3	1