
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1034949/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Two types of sensorimotor strategies for whole-body movement in individuals with stroke: a pilot study. Physiotherapy Theory and Practice, 2022, 38, 2580-2591.	1.3	1
2	Menstrual Symptoms, Health-Related Quality of Life, and Work Productivity in Japanese Women with Dysmenorrhea Receiving Different Treatments: Prospective Observational Study. Advances in Therapy, 2022, 39, 2562-2577.	2.9	11
3	Leisure activity moderates the relationship between living alone and mental health among <scp>J</scp> apanese older adults. Geriatrics and Gerontology International, 2021, 21, 421-425.	1.5	15
4	<p>Quality of Life in Japanese Patients with Dysmenorrhea Treated with Ethinylestradiol 20 μg/Drospirenone 3 mg in a Real-World Setting: An Observational Study</p> . International Journal of Women's Health, 2020, Volume 12, 327-338.	2.6	6
5	Background factors influencing postgastrectomy syndromes after various types of gastrectomy. World Journal of Clinical Cases, 2018, 6, 1111-1120.	0.8	16
6	Reliability and validity of revised and short form versions of diabetes diet-related quality of life scale. Diabetology International, 2017, 8, 181-192.	1.4	7
7	Social support and substitute voice acquisition on psychological adjustment among patients after laryngectomy. European Archives of Oto-Rhino-Laryngology, 2017, 274, 1557-1565.	1.6	12
8	The Effectiveness of Specific Exercise Approach or Modifiable Heel Lift in the Treatment of Functional Leg Length Discrepancy in Early Post-surgery Inpatients after Total Hip Arthroplasty: A Randomized Controlled Trial with a PROBE design. Physical Therapy Research, 2016, 19, 39-49.	0.9	9
9	Factors affecting the quality of life of patients after gastrectomy as assessed using the newly developed PGSAS-45 scale: A nationwide multi-institutional study. World Journal of Gastroenterology, 2016, 22, 8978.	3.3	34
10	Patient-reported disability in the general Japanese population was associated with medical care visits for low back pain, regardless of pain intensity. Journal of Orthopaedic Science, 2015, 20, 742-749.	1.1	10
11	Color of Intra-Ocular Lens and Cataract Type Are Prognostic Determinants of Health Indices After Visual and Photoreceptive Restoration by Surgery. Rejuvenation Research, 2015, 18, 145-152.	1.8	19
12	Relationship of type of work with health-related quality of life. Quality of Life Research, 2015, 24, 2927-2932.	3.1	9
13	Characteristics and clinical relevance of postgastrectomy syndrome assessment scale (PGSAS)-45: newly developed integrated questionnaires for assessment of living status and quality of life in postgastrectomy patients. Gastric Cancer, 2015, 18, 147-158.	5.3	113
14	One-Year Period Prevalence of Oral Aphthous Ulcers and Oral Health-Related Quality of Life in Patients with Behçet's Disease. Genetics Research International, 2014, 2014, 1-8.	2.0	18
15	Mo1767 Development and Validation of Pgsas-45, an Integrated Questionnaire to Assess Postgastrectomy Syndrome. Gastroenterology, 2013, 144, S-1111.	1.3	4
16	Interpersonal Psychosocial Factors Associated With Underreported Dietary Energy Intake in Hemodialysis Patients. , 2013, 23, 37-44.		4
17	Effects of music therapy on behavioral and psychological symptoms of dementia: A systematic review and meta-analysis. Ageing Research Reviews, 2013, 12, 628-641.	10.9	244
18	Clinical Utility of Diffusion Tensor Imaging and Fibre Tractography for Evaluating Diffuse Axonal Injury with Hemiparesis. Case Reports in Medicine, 2013, 2013, 1-5.	0.7	1

#	Article	IF	CITATIONS
19	True or Apparent Leg Length Discrepancy. Journal of Geriatric Physical Therapy, 2013, 36, 169-174.	1.1	15
20	Impact of a communication skills training course for students of therapist training schools. , 2013, 4, 47-54.		4
21	Association Between White Matter Hyperintensity and Lacunar Infarction on MRI and Subitem Scores of the Japanese Version of Mini-Mental State Examination for Testing Cognitive Decline: The Ohasama Study. Clinical and Experimental Hypertension, 2012, 34, 541-547.	1.3	5
22	Prevalence and Length of Recovery of Pusher Syndrome Based on Cerebral Hemispheric Lesion Side in Patients With Acute Stroke. Stroke, 2012, 43, 1654-1656.	2.0	83
23	Long-term quality of life of donors after living donor liver transplantation. Liver Transplantation, 2012, 18, 1343-1352.	2.4	45
24	Relationship between health-related quality of life and clustering of metabolic syndrome diagnostic components. Quality of Life Research, 2012, 21, 1165-1170.	3.1	20
25	Verification of the psychometric properties of the Japanese version of the European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 15 palliative (EORTCQLQ-C15-PAL). Quality of Life Research, 2012, 21, 335-340.	3.1	32
26	Communication Training Improves Sense of Performance Expectancy of Public Health Nurses Engaged in Long-Term Elderly Prevention Care Program. ISRN Nursing, 2012, 2012, 1-8.	1.2	4
27	Validation testing of a three-component model of Short Form-36 scores. Journal of Clinical Epidemiology, 2011, 64, 301-308.	5.0	194
28	Healthâ€related quality of life among communityâ€dwelling patients with intractable neurological diseases and their caregivers in Japan. Psychiatry and Clinical Neurosciences, 2011, 65, 30-38.	1.8	28
29	Effect of feedback in promoting adherence to an exercise programme: a randomized controlled trial. Journal of Evaluation in Clinical Practice, 2011, 17, 7-11.	1.8	4
30	Reliability, validity, and responsiveness of the Japanese version of the Neck Pain and Disability Scale. Journal of Orthopaedic Science, 2011, 16, 339-346.	1.1	4
31	Vagal Nerve Regulation Is Essential for the Increase in Gastric Motility in Response to Mild Exercise. Tohoku Journal of Experimental Medicine, 2010, 222, 155-163.	1.2	25
32	Clinical Utility of Diffusion Tensor Imaging for Evaluating Patients with Diffuse Axonal Injury and Cognitive Disorders in the Chronic Stage. Journal of Neurotrauma, 2009, 26, 1879-1890.	3.4	38
33	Nightâ€time frequency, sleep disturbance and general healthâ€related quality of life: Is there a relation?. International Journal of Urology, 2009, 16, 96-100.	1.0	29
34	Development of a Japanese version of the Epworth Sleepiness Scale (JESS) based on Item Response Theory. Sleep Medicine, 2009, 10, 556-565.	1.6	256
35	Care burden and depression in caregivers caring for patients with intractable neurological diseases at home in Japan. Journal of the Neurological Sciences, 2009, 276, 148-152.	0.6	63
36	Reliability and Validity of the Manual Function Test in Patients with Stroke. American Journal of Physical Medicine and Rehabilitation, 2009, 88, 247-255.	1.4	107

#	Article	IF	CITATIONS
37	Dialysis staff encouragement and fluid control adherence in patients on hemodialysis. Nephrology Nursing Journal, 2009, 36, 289-97.	0.2	23
38	Healthâ€related quality of life in Japanese men with localized prostate cancer: Assessment with the SFâ€8. International Journal of Urology, 2008, 15, 524-528.	1.0	26
39	Prospective Evaluation of Selection Criteria for Active Surveillance in Japanese Patients with Stage T1cN0M0 Prostate Cancer. Japanese Journal of Clinical Oncology, 2008, 38, 122-128.	1.3	82
40	The Manual Function Test: Norms for 20- to 90-Year-Olds and Effects of Age, Gender, and Hand Dominance on Dexterity. Tohoku Journal of Experimental Medicine, 2008, 214, 257-267.	1.2	50
41	Higher Internality of Health Locus of Control Is Associated With the Use of Complementary and Alternative Medicine Providers Among Patients Seeking Care for Acute Low-back Pain. Clinical Journal of Pain, 2008, 24, 725-730.	1.9	20
42	Analysis of subjective evaluations of the functions of tele-coaching intervention in patients with spinocerebellar degeneration. NeuroRehabilitation, 2008, 23, 159-169.	1.3	18
43	Analysis of subjective evaluations of the functions of tele-coaching intervention in patients with spinocerebellar degeneration. NeuroRehabilitation, 2008, 23, 159-69.	1.3	6
44	Lifestyle and work predictors of fatigue in Japanese manufacturing workers. Occupational Medicine, 2007, 57, 262-269.	1.4	18
45	Effect of coaching on psychological adjustment in patients with spinocerebellar degeneration: a pilot study. Clinical Rehabilitation, 2007, 21, 987-996.	2.2	19
46	Development of a Japanese version of the Oral Impacts on Daily Performance (OIDP) scale: a pilot study. Journal of Oral Science, 2007, 49, 259-264.	1.7	18
47	Health Related Quality of Life in Japanese Men With Localized Prostate Cancer Treated With Current Multiple Modalities Assessed by a Newly Developed Japanese Version of the Expanded Prostate Cancer Index Composite. Journal of Urology, 2007, 177, 1856-1861.	0.4	53
48	Analysis Linking UCLA PCI With Expanded Prostate Cancer Index Composite: An Evaluation of Health Related Quality of Life in Japanese Men With Localized Prostate Cancer. Journal of Urology, 2007, 178, 473-477.	0.4	24
49	Differences between bothersome and non-bothersome night-time frequency. Neurourology and Urodynamics, 2007, 26, 1014-1019.	1.5	11
50	Relation between sleep quality and quantity, quality of life, and risk of developing diabetes in healthy workers in Japan: the High-risk and Population Strategy for Occupational Health Promotion (HIPOP-OHP) Study. BMC Public Health, 2007, 7, 129.	2.9	112
51	Japanese version of the Dermatology Life Quality Index: validity and reliability in patients with acne. Health and Quality of Life Outcomes, 2006, 4, 46.	2.4	68
52	Validation of the Burden Index of Caregivers (BIC), a multidimensional short care burden scale from Japan. Health and Quality of Life Outcomes, 2006, 4, 52.	2.4	50
53	Validation of the Japanese version of the Quality of Life-Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA). Growth Hormone and IGF Research, 2006, 16, 340-347.	1.1	9
54	Discrepancy Between Disability and the Severity of Low Back Pain: Demographic, Psychologic, and Employment-Related Factors. Spine, 2006, 31, 931-939.	2.0	39

#	Article	IF	CITATIONS
55	Linguistic Adaptation and Validation of the General Oral Health Assessment Index (GOHAI) in an Elderly Japanese Population. Journal of Public Health Dentistry, 2006, 66, 273-275.	1.2	103
56	Preparing a version of the Nottingham Adjustment Scale (for psychological adjustment) tailored to osteoarthritis of the hip. Journal of Orthopaedic Science, 2006, 11, 359-364.	1.1	4
57	Psychological adjustment has a greater effect on health-related quality of life than on severity of disease in Parkinson's disease. Movement Disorders, 2006, 21, 761-766.	3.9	52
58	A Crossâ€sectional Study of Alcohol Drinking and Healthâ€related Quality of Life among Male Workers in Japan. Journal of Occupational Health, 2005, 47, 496-503.	2.1	36
59	Psychometric properties of the 25-item National Eye Institute Visual Function Questionnaire (NEI) Tj ETQq1 1 0.7	84314 rgE 2.4	3T /Overlock 163
60	Development of a Diabetes Diet-Related Quality-of-Life Scale. Diabetes Care, 2004, 27, 1271-1275.	8.6	30
61	Applicability of a Modified the Nottingham Adjustment Scale-Japan to the Patients after Laryngectomy. Nihon Kango Kagakkai Shi = Journal of Japan Academy of Nursing Science, 2004, 24, 53-59.	0.1	4
62	Validation of the Japanese version of the Roland-Morris Disability Questionnaire. Journal of Orthopaedic Science, 2003, 8, 543-548.	1.1	117
63	Title is missing!. Spine, 2003, 28, 1461-1466.	2.0	2
64	Relationship of Health Status and Social Support to the Life Satisfaction of Older Adults Tohoku Journal of Experimental Medicine, 2002, 198, 141-149.	1.2	20
65	Development of Japanese version of the UCLA Prostate Cancer Index: a pilot validation study. International Journal of Clinical Oncology, 2002, 7, 0306-0311.	2.2	73

5