
## Jaana Suvisaari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1037076/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The mutational constraint spectrum quantified from variation in 141,456 humans. Nature, 2020, 581, 434-443.	27.8	6,140
2	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. Nature Genetics, 2013, 45, 1150-1159.	21.4	1,395
3	Lifetime Prevalence of Psychotic and Bipolar I Disorders in a General Population. Archives of General Psychiatry, 2007, 64, 19.	12.3	1,112
4	The UK10K project identifies rare variants in health and disease. Nature, 2015, 526, 82-90.	27.8	1,014
5	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.	27.8	929
6	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. Nature Genetics, 2017, 49, 27-35.	21.4	838
7	Rare loss-of-function variants in SETD1A are associated with schizophrenia and developmental disorders. Nature Neuroscience, 2016, 19, 571-577.	14.8	388
8	The Impact of 29 Chronic Conditions on Health-related Quality of Life: A General Population Survey in Finland Using 15D and EQ-5D. Quality of Life Research, 2006, 15, 1403-1414.	3.1	339
9	Rare coding variants in ten genes confer substantial risk for schizophrenia. Nature, 2022, 604, 509-516.	27.8	326
10	DSM-IV mood-, anxiety- and alcohol use disorders and their comorbidity in the Finnish general population. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 1-10.	3.1	318
11	Impact of psychiatric disorders on health-related quality of life: general population survey. British Journal of Psychiatry, 2007, 190, 326-332.	2.8	304
12	A Genomewide Screen for Schizophrenia Genes in an Isolated Finnish Subpopulation, Suggesting Multiple Susceptibility Loci. American Journal of Human Genetics, 1999, 65, 1114-1124.	6.2	267
13	Analysis of microbiota in first episode psychosis identifies preliminary associations with symptom severity and treatment response. Schizophrenia Research, 2018, 192, 398-403.	2.0	252
14	The contribution of rare variants to risk of schizophrenia in individuals with and without intellectual disability. Nature Genetics, 2017, 49, 1167-1173.	21.4	200
15	Fertility of Patients With Schizophrenia, Their Siblings, and the General Population: A Cohort Study From 1950 to 1959 in Finland. American Journal of Psychiatry, 2003, 160, 460-463.	7.2	185
16	Deletion of TOP3Î <sup>2</sup> , a component of FMRP-containing mRNPs, contributes to neurodevelopmental disorders. Nature Neuroscience, 2013, 16, 1228-1237.	14.8	144
17	Genome-wide scan in a nationwide study sample of schizophrenia families in Finland reveals susceptibility loci on chromosomes 2q and 5q. Human Molecular Genetics, 2001, 10, 3037-3048.	2.9	142
18	Metabolome in schizophrenia and other psychotic disorders: a general population-based study. Genome Medicine, 2011, 3, 19.	8.2	131

Jaana Suvisaari

#	Article	IF	CITATIONS
19	Factors contributing to psychological distress in the working population, with a special reference to gender difference. BMC Public Health, 2021, 21, 611.	2.9	123
20	At-Risk Variant in TCF7L2 for Type II Diabetes Increases Risk of Schizophrenia. Biological Psychiatry, 2011, 70, 59-63.	1.3	114
21	Phospholipids and insulin resistance in psychosis: a lipidomics study of twin pairs discordant for schizophrenia. Genome Medicine, 2012, 4, 1.	8.2	106
22	Mortality among patients with schizophrenia and reduced psychiatric hospital care. Psychological Medicine, 2005, 35, 725-732.	4.5	95
23	Schizophrenia in the genetic isolate of Finland. , 1997, 74, 353-360.		93
24	Ultra-rare disruptive and damaging mutations influence educational attainment in the general population. Nature Neuroscience, 2016, 19, 1563-1565.	14.8	90
25	Association Between Genes of Disrupted in Schizophrenia 1 (DISC1) Interactors and Schizophrenia Supports the Role of the DISC1 Pathway in the Etiology of Major Mental Illnesses. Biological Psychiatry, 2009, 65, 1055-1062.	1.3	82
26	Alcohol-induced psychotic disorder and delirium in the general population. British Journal of Psychiatry, 2010, 197, 200-206.	2.8	78
27	The validity of schizophrenia diagnosis in the Finnish Hospital Discharge Register: Findings from a 10-year birth cohort sample. Nordic Journal of Psychiatry, 2008, 62, 198-203.	1.3	71
28	Prevalence and correlates of major depressive disorder and dysthymia in an eleven-year follow-up – Results from the Finnish Health 2011 Survey. Journal of Affective Disorders, 2015, 173, 73-80.	4.1	67
29	Lung function and respiratory diseases in people with psychosis: Population-based study. British Journal of Psychiatry, 2015, 207, 37-45.	2.8	67
30	The health-related quality-of-life impact of chronic conditions varied with age in general population. Journal of Clinical Epidemiology, 2007, 60, 1288.e1-1288.e11.	5.0	66
31	Alcohol consumption, abstaining, health utility, and quality of life – a general population survey in finland. Alcohol and Alcoholism, 2008, 43, 376-386.	1.6	66
32	Is It Possible to Predict the Future in First-Episode Psychosis?. Frontiers in Psychiatry, 2018, 9, 580.	2.6	66
33	Diabetes and Schizophrenia. Current Diabetes Reports, 2016, 16, 16.	4.2	63
34	Truncating mutations in RBM12 are associated with psychosis. Nature Genetics, 2017, 49, 1251-1254.	21.4	63
35	Type 2 diabetes among persons with schizophrenia and other psychotic disorders in a general population survey. European Archives of Psychiatry and Clinical Neuroscience, 2008, 258, 129-136.	3.2	59
36	Geographic variation and sociodemographic characteristics of psychotic disorders in Finland. Schizophrenia Research, 2008, 106, 337-347.	2.0	58

#	Article	IF	CITATIONS
37	Prevalence and diagnosis of schizophrenia based on register, case record and interview data in an isolated Finnish birth cohort born 1940–1969. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 808-816.	3.1	55
38	Inflammation Theories in Psychotic Disorders: A Critical Review. Infectious Disorders - Drug Targets, 2013, 13, 59-70.	0.8	54
39	Inflammation in psychotic disorders: A population-based study. Psychiatry Research, 2011, 189, 305-311.	3.3	53
40	Mortality in people with depressive, anxiety and alcohol use disorders in Finland. British Journal of Psychiatry, 2012, 200, 143-149.	2.8	53
41	Visual impairment in persons with psychotic disorder. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 902-908.	3.1	52
42	The relationship between psychotic-like symptoms and neurocognitive performance in a general adolescent psychiatric sample. Schizophrenia Research, 2010, 123, 77-85.	2.0	52
43	Mortality and Its Determinants in People With Psychotic Disorder. Psychosomatic Medicine, 2013, 75, 60-67.	2.0	51
44	Incidence and prevalence of mental disorders among immigrants and native Finns: a register-based study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1523-1540.	3.1	48
45	The ethnic gap in mental health: A population-based study of Russian, Somali and Kurdish origin migrants in Finland. Scandinavian Journal of Public Health, 2016, 44, 281-290.	2.3	45
46	General Health Questionnaire (GHQ-12), Beck Depression Inventory (BDI-6), and Mental Health Index (MHI-5): psychometric and predictive properties in a Finnish population-based sample. Psychiatry Research, 2020, 289, 112973.	3.3	45
47	Description of long-term polypharmacy among schizophrenia outpatients. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 631-638.	3.1	44
48	Toxoplasma gondii infection and common mental disorders in the Finnish general population. Journal of Affective Disorders, 2017, 223, 20-25.	4.1	44
49	Family structure and risk factors for schizophrenia: case-sibling study. BMC Psychiatry, 2004, 4, 41.	2.6	41
50	Incidence of Schizophrenia in a Nationwide Cohort of Patients With Type 1 Diabetes Mellitus. Archives of General Psychiatry, 2007, 64, 894.	12.3	41
51	Sex-specific transcriptional and proteomic signatures in schizophrenia. Nature Communications, 2019, 10, 3933.	12.8	41
52	Anti-neuronal anti-bodies in patients with early psychosis. Schizophrenia Research, 2018, 192, 404-407.	2.0	38
53	Impaired executive performance in healthy siblings of schizophrenia patients in a population-based study. Schizophrenia Research, 2007, 92, 142-150.	2.0	35
54	Altered Activation of Innate Immunity Associates with White Matter Volume and Diffusion in First-Episode Psychosis. PLoS ONE, 2015, 10, e0125112.	2.5	32

#	Article	IF	CITATIONS
55	The Association between Discrimination and Psychological and Social Well-being. Psychology and Developing Societies, 2015, 27, 270-292.	0.6	32
56	Contribution of rare and common variants to intellectual disability in a sub-isolate of Northern Finland. Nature Communications, 2019, 10, 410.	12.8	32
57	Cognitive functioning in severe psychiatric disorders: a general population study. European Archives of Psychiatry and Clinical Neuroscience, 2011, 261, 447-456.	3.2	31
58	Theory of mind in a first-episode psychosis population using the Hinting Task. Psychiatry Research, 2018, 263, 185-192.	3.3	31
59	Prognosis of depressive disorders in the general population– results from the longitudinal Finnish Health 2011 Study. Journal of Affective Disorders, 2016, 190, 687-696.	4.1	29
60	Association of cytomegalovirus and Epstein-Barr virus with cognitive functioning and risk of dementia in the general population: 11-year follow-up study. Brain, Behavior, and Immunity, 2018, 69, 480-485.	4.1	29
61	Mobility limitations in persons with psychotic disorder: findings from a population-based survey. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 325-332.	3.1	28
62	The Epidemiology and Descriptive and Predictive Validity of <i>DSM-IV</i> Delusional Disorder and Subtypes of Schizophrenia. Clinical Schizophrenia and Related Psychoses, 2009, 2, 289-297.	1.4	28
63	Aberrant Cortical Integration in First-Episode Psychosis During Natural Audiovisual Processing. Biological Psychiatry, 2018, 84, 655-664.	1.3	26
64	Early insulin resistance predicts weight gain and waist circumference increase in first-episode psychosis – A one year follow-up study. Schizophrenia Research, 2015, 169, 458-463.	2.0	25
65	The association between toxoplasma and the psychosis continuum in a general population setting. Schizophrenia Research, 2018, 193, 329-335.	2.0	24
66	Childhood adversities and clinical symptomatology in first-episode psychosis. Psychiatry Research, 2017, 258, 374-381.	3.3	24
67	The association between mental health symptoms and mobility limitation among Russian, Somali and Kurdish migrants: a population based study. BMC Public Health, 2015, 15, 275.	2.9	22
68	The prevalence of substance use among Russian, Somali and Kurdish migrants in Finland: a population-based study. BMC Public Health, 2018, 18, 651.	2.9	22
69	Immigrants' mental health service use compared to that of native Finns: a register study. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 487-496.	3.1	22
70	COVID-19 Pandemic and Helsinki University Hospital Personnel Psychological Well-Being: Six-Month Follow-Up Results. International Journal of Environmental Research and Public Health, 2021, 18, 2524.	2.6	22
71	Regional Differences in Five-Year Mortality After a First Episode of Schizophrenia in Finland. Psychiatric Services, 2010, 61, 272-279.	2.0	20
72	Immunomodulatory effects of antipsychotic treatment on gene expression in first-episode psychosis. Journal of Psychiatric Research, 2019, 109, 18-26.	3.1	20

#	Article	IF	CITATIONS
73	Comorbidity of substance misuse with anxiety-related and depressive disorders: a genetically informative population study of 3 million individuals in Sweden. Psychological Medicine, 2020, 50, 1706-1715.	4.5	20
74	Five-year follow-up study of disability pension rates in first-onset schizophrenia with special focus on regional differences and mortality. General Hospital Psychiatry, 2011, 33, 509-517.	2.4	19
75	An association between high birth weight and schizophrenia in a Finnish schizophrenia family study sample. Psychiatry Research, 2011, 190, 181-186.	3.3	18
76	Cognitive endophenotypes inform genome-wide expression profiling in schizophrenia Neuropsychology, 2016, 30, 40-52.	1.3	18
77	Outcome of depressive and anxiety disorders among young adults: Results from the Longitudinal Finnish Health 2011 Study. Nordic Journal of Psychiatry, 2018, 72, 205-213.	1.3	18
78	Obstetric and perinatal health outcomes related to schizophrenia: A national register-based follow-up study among Finnish women born between 1965 and 1980 and their offspring. European Psychiatry, 2018, 52, 68-75.	0.2	18
79	Trauma, Psychosocial Factors, and Help-Seeking in Three Immigrant Groups in Finland. Journal of Behavioral Health Services and Research, 2019, 46, 80-98.	1.4	17
80	Personnel Well-Being in the Helsinki University Hospital during the COVID-19 Pandemic—A Prospective Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 7905.	2.6	17
81	Coronary heart disease and cardiac conduction abnormalities in persons with psychotic disorders in a general population. Psychiatry Research, 2010, 175, 126-132.	3.3	16
82	Treatment received and treatment adequacy of depressive disorders among young adults in Finland. BMC Psychiatry, 2015, 15, 47.	2.6	16
83	Dyspepsia and constipation in patients with schizophrenia spectrum disorders. Nordic Journal of Psychiatry, 2017, 71, 48-54.	1.3	16
84	Mortality in people with psychotic disorders in Finland: A population-based 13-year follow-up study. Schizophrenia Research, 2018, 192, 113-118.	2.0	16
85	Association of exposure to Toxoplasma gondii, Epstein-Barr Virus, Herpes Simplex virus Type 1 and Cytomegalovirus with new-onset depressive and anxiety disorders: An 11-year follow-up study. Brain, Behavior, and Immunity, 2020, 87, 238-242.	4.1	16
86	Elevated serum chemokine CCL22 levels in first-episode psychosis: associations with symptoms, peripheral immune state and in vivo brain glial cell function. Translational Psychiatry, 2020, 10, 94.	4.8	16
87	Risk of schizophrenia and minority status: A comparison of the Swedish-speaking minority and the Finnish-speaking majority in Finland. Schizophrenia Research, 2014, 159, 303-308.	2.0	15
88	Low-grade inflammation in first-episode psychosis is determined by increased waist circumference. Psychiatry Research, 2018, 270, 547-553.	3.3	15
89	Prevalence of Schizophrenia in Idiopathic Normal Pressure Hydrocephalus. Neurosurgery, 2019, 84, 883-889.	1.1	15
90	Associations of Anhedonia and Cognition in Persons With Schizophrenia Spectrum Disorders, Their Siblings, and Controls. Journal of Nervous and Mental Disease, 2011, 199, 30-37.	1.0	14

#	Article	IF	CITATIONS
91	Platform for systems medicine research and diagnostic applications in psychotic disorders—The METSY project. European Psychiatry, 2018, 50, 40-46.	0.2	14
92	Schizophrenia and induced abortions: A national register-based follow-up study among Finnish women born between 1965–1980 with schizophrenia or schizoaffective disorder. Schizophrenia Research, 2018, 192, 142-147.	2.0	14
93	Molecular signaling pathways underlying schizophrenia. Schizophrenia Research, 2021, 232, 33-41.	2.0	14
94	Mortality and causes of death among the migrant population of Finland in 2011–13. European Journal of Public Health, 2016, 27, ckw196.	0.3	13
95	The <i>NDE1</i> genomic locus can affect treatment of psychiatric illness through gene expression changes related to microRNA-484. Open Biology, 2017, 7, 170153.	3.6	13
96	Schizophrenia and pregnancy: a national register-based follow-up study among Finnish women born between 1965 and 1980. Archives of Women's Mental Health, 2020, 23, 91-100.	2.6	13
97	Migrants Are Underrepresented in Mental Health and Rehabilitation Services—Survey and Register-Based Findings of Russian, Somali, and Kurdish Origin Adults in Finland. International Journal of Environmental Research and Public Health, 2020, 17, 6223.	2.6	13
98	Interaction between compound genetic risk for schizophrenia and high birth weight contributes to social anhedonia and schizophrenia in women. Psychiatry Research, 2018, 259, 148-153.	3.3	12
99	Maternal schizophrenia and out-of-home placements of offspring: A national follow-up study among Finnish women born 1965–1980 and their children. Psychiatry Research, 2019, 273, 9-14.	3.3	12
100	Contribution of astrocytes to familial risk and clinical manifestation of schizophrenia. Glia, 2022, 70, 650-660.	4.9	12
101	Predicting psychosis and psychiatric hospital care among adolescent psychiatric patients with the Prodromal Questionnaire. Schizophrenia Research, 2014, 158, 7-10.	2.0	11
102	Connectivity of the precuneus-posterior cingulate cortex with the anterior cingulate cortex-medial prefrontal cortex differs consistently between control subjects and first-episode psychosis patients during a movie stimulus. Schizophrenia Research, 2018, 199, 235-242.	2.0	11
103	The Prevalence of Potentially Traumatic Pre-Migration Experiences: A Population- Based Study of Russian, Somali and Kurdish Origin Migrants in Finland. Journal of Traumatic Stress Disorders & Treatment, 2017, 06, .	0.3	11
104	Substance use, affective symptoms, and suicidal ideation among Russian, Somali, and Kurdish migrants in Finland. Transcultural Psychiatry, 2020, , 136346152090602.	1.6	10
105	Exposure to common infections and risk of suicide and self-harm: a longitudinal general population study. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 829-839.	3.2	10
106	An interaction between NDE1 and high birth weight increases schizophrenia susceptibility. Psychiatry Research, 2015, 230, 194-199.	3.3	9
107	Treatment adequacy of anxiety disorders among young adults in Finland. BMC Psychiatry, 2016, 16, 63.	2.6	9
108	The effect of history of severe mental illness on mortality in colorectal cancer cases: a register-based cohort study. Acta Oncológica, 2018, 57, 759-764.	1.8	9

#	Article	IF	CITATIONS
109	Neurocognition and Social Cognition Predicting 1-Year Outcomes in First-Episode Psychosis. Frontiers in Psychiatry, 2020, 11, 603933.	2.6	9
110	Association Between Circulating Lipids and Future Weight Gain in Individuals With an At-Risk Mental State and in First-Episode Psychosis. Schizophrenia Bulletin, 2021, 47, 160-169.	4.3	9
111	Paternal occupational lead exposure and offspring risks for schizophrenia. Schizophrenia Research, 2016, 176, 560-565.	2.0	8
112	Variants in regulatory elements of PDE4D associate with major mental illness in the Finnish population. Molecular Psychiatry, 2021, 26, 816-824.	7.9	8
113	Hearing loss in persons with psychotic disorder—Findings from a population-based survey. Schizophrenia Research, 2014, 159, 309-311.	2.0	7
114	Health-related quality among life of employees with persistent nonspecific indoor-air-associated health complaints. Journal of Psychosomatic Research, 2019, 122, 112-120.	2.6	7
115	Cat ownership in childhood and development of schizophrenia. Schizophrenia Research, 2019, 206, 444-445.	2.0	7
116	Preâ€migration traumatic experiences, postâ€migration perceived discrimination and substance use among Russian and Kurdish migrants—a populationâ€based study. Addiction, 2020, 115, 1160-1171.	3.3	7
117	Association of Obsessive-Compulsive Disorder and Obsessive-Compulsive Symptoms With Substance Misuse in 2 Longitudinal Cohorts in Sweden. JAMA Network Open, 2022, 5, e2214779.	5.9	7
118	Sleep symptoms and long-term outcome in adolescents with major depressive disorder: a naturalistic follow-up study. European Child and Adolescent Psychiatry, 2020, 29, 595-603.	4.7	6
119	Association of selective serotonin reâ€uptake inhibitor (SSRI) treatment with acute substance misuse outcomes. Addiction, 2022, 117, 234-242.	3.3	6
120	Implementation of CYP2D6 copy-number imputation panel and frequency of key pharmacogenetic variants in Finnish individuals with a psychotic disorder. Pharmacogenomics Journal, 2022, 22, 166-172.	2.0	6
121	Changes in prevalence and correlates of alcohol-use disorders in Finland in an 11-year follow-up. Nordic Journal of Psychiatry, 2018, 72, 512-520.	1.3	5
122	Purchases of psychotropic drugs among the migrant population in Finland: a nationwide register-based cohort study. European Journal of Public Health, 2020, 30, 1152-1157.	0.3	5
123	Anxiety symptoms in firstâ€episode psychosis. Microbial Biotechnology, 2021, 15, 569-576.	1.7	5
124	Low-grade inflammation as a potential mediator between depressive symptoms and temporomandibular pain: an 11-year follow-up study on Finnish adults. Acta Odontologica Scandinavica, 2021, 79, 545-553.	1.6	5
125	Depression and anxiety disorders among immigrants living in Finland: Comorbidity and mental health service use. Journal of Affective Disorders, 2021, 287, 334-340.	4.1	5
126	Childhood adversities are associated with shorter leukocyte telomere length at adult age in a population-based study. Psychoneuroendocrinology, 2021, 130, 105276.	2.7	4

Jaana Suvisaari

#	Article	IF	CITATIONS
127	Antidepressant use among immigrants with depressive disorder living in Finland: A register-based study. Journal of Affective Disorders, 2022, 299, 528-535.	4.1	4
128	Functional network connectivity and topology during naturalistic stimulus is altered in first-episode psychosis. Schizophrenia Research, 2022, 241, 83-91.	2.0	4
129	Childhood adversities and cognitive deficits in first-episode psychosis. Schizophrenia Research, 2018, 197, 596-598.	2.0	3
130	Features of borderline personality disorder as a mediator of the relation between childhood traumatic experiences and psychosis-like experiences in patients with mood disorder. European Psychiatry, 2018, 49, 9-15.	0.2	3
131	Peripheral metabolic state and immune system in first-episode psychosis – A gene expression study with a prospective one-year follow-up. Journal of Psychiatric Research, 2021, 137, 383-392.	3.1	3
132	Reaction Time and Visual Memory in Connection with Alcohol Use in Schizophrenia and Schizoaffective Disorder. Brain Sciences, 2021, 11, 688.	2.3	3
133	Mental Imagery in Early Psychosis. Imagination, Cognition and Personality, 2022, 41, 299-322.	0.9	3
134	Studying the virome in psychiatric disease. Schizophrenia Research, 2021, 234, 78-86.	2.0	3
135	Differences in Unfavorable Lifestyle Changes during the COVID-19 Pandemic between People with and without Disabilities in Finland: Psychological Distress as a Mediator. International Journal of Environmental Research and Public Health, 2022, 19, 6971.	2.6	3
136	The association of psychological factors and healthcare use with the discrepancy between subjective and objective respiratory-health complaints in the general population. Psychological Medicine, 2019, 49, 121-131.	4.5	2
137	Longitudinal Associations of Childhood Internalizing Psychopathology With Substance Misuse: A Register-Based Twin and Sibling Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 593-603.	0.5	2
138	Delineating insight-processing-related functional activations in the precuneus in first-episode psychosis patients. Psychiatry Research - Neuroimaging, 2021, 317, 111347.	1.8	2
139	Early Onset of Schizophrenia. American Journal of Psychiatry, 2002, 159, 322-322.	7.2	2
140	Activation of the motivation-related ventral striatum during delusional experience. Translational Psychiatry, 2018, 8, 283.	4.8	2
141	Cognitive functioning and cannabis use in first-episode psychosis. Nordic Journal of Psychiatry, 2021, , 1-8.	1.3	2
142	Psychotic like experiences (PLE's) in middle-aged adults. Schizophrenia Research, 2015, 169, 313-317.	2.0	1
143	Continuity of antipsychotic medication use among migrant and Finnish-born populations with a psychotic disorder: a register-based study. Psychological Medicine, 2023, 53, 833-843.	4.5	1
144	Post-traumatic stress disorder among immigrants living in Finland: Comorbidity and mental health service use. Psychiatry Research, 2021, 300, 113940.	3.3	1

#	Article	IF	CITATIONS
145	Reaction Time and Visual Memory in Connection to Alcohol Use in Persons with Bipolar Disorder. Brain Sciences, 2021, 11, 1154.	2.3	1
146	Associations of psychotic-like or manic-like experiences with later psychiatric disorders: An 11-year follow-up study of middle-aged adults. Schizophrenia Research, 2018, 193, 465-467.	2.0	1
147	SNP Variants at 16p13.11 Clarify the Role of the NDE1/miR-484 Locus in Major Mental Illness in Finland. Schizophrenia Bulletin Open, 2020, 1, .	1.7	1
148	Dr. Haukka and Colleagues Reply. American Journal of Psychiatry, 2004, 161, 762-762.	7.2	0
149	DO SCHIZOPHRENIC OUT-PATIENTS RECEIVE APPROPRIATE SOMATIC CARE?. Schizophrenia Research, 2010, 117, 290.	2.0	0
150	Innate Immune Response and Psychotic Disorders. , 2016, , 165-190.		0
151	Serological evidence of infections does not predict subsequent late-onset psychosis in the general population. Schizophrenia Research, 2020, 218, 306-308.	2.0	0
152	Enteroviruses and schizophrenia. , 2005, , 31-36.		0
153	Discontinuation of Statin Treatment in Relation to Chronic Diseases and Laboratory Findings. Pharmacology & Pharmacy, 2013, 04, 318-324.	0.7	0
154	Reaction Time and Visual Memory in Connection to Hazardous Drinking Polygenic Scores in Schizophrenia, Schizoaffective Disorder and Bipolar Disorder. Brain Sciences, 2021, 11, 1422.	2.3	0
155	Life course associations between smoking and depressive symptoms. A 30-year Finnish follow-up study. Nordic Journal of Psychiatry, 2022, , 1-1.	1.3	0
156	Adverse childhood experiences and social and occupational functioning in first-episode psychosis — A one year follow - up. Psychiatry Research, 2022, 311, 114502.	3.3	0