

# Stefan Aœckert

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1038023/publications.pdf>

Version: 2024-02-01

131  
papers

3,746  
citations

147801

31  
h-index

149698

56  
g-index

139  
all docs

139  
docs citations

139  
times ranked

2127  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anatomy, Physiology, and Pathophysiology of Erectile Dysfunction. <i>Journal of Sexual Medicine</i> , 2010, 7, 445-475.	0.6	314
2	CHARACTERIZATION AND FUNCTIONAL RELEVANCE OF CYCLIC NUCLEOTIDE PHOSPHODIESTERASE ISOENZYMES OF THE HUMAN PROSTATE. <i>Journal of Urology</i> , 2001, 166, 2484-2490.	0.4	178
3	Effects of sildenafil on cAMP and cGMP levels in isolated human cavernous and cardiac tissue. <i>Urology</i> , 2000, 55, 146-150.	1.0	130
4	The Mechanism of Action of Phosphodiesterase Type 5 Inhibitors in the Treatment of Lower Urinary Tract Symptoms Related to Benign Prostatic Hyperplasia. <i>European Urology</i> , 2013, 63, 506-516.	1.9	128
5	Immunohistochemical Distribution of cAMP- and cGMP-Phosphodiesterase (PDE) Isoenzymes in the Human Prostate. <i>European Urology</i> , 2006, 49, 740-745.	1.9	116
6	Phosphodiesterase 1 inhibition in the treatment of lower urinary tract dysfunction: From bench to bedside. <i>World Journal of Urology</i> , 2001, 19, 344-350.	2.2	108
7	THE EFFECT OF THE SPECIFIC PHOSPHODIESTERASE (PDE) INHIBITORS ON HUMAN AND RABBIT CAVERNOUS TISSUE IN VITRO AND IN VIVO. <i>Journal of Urology</i> , 1998, 159, 1390-1393.	0.4	107
8	Update on Phosphodiesterase (PDE) Isoenzymes as Pharmacologic Targets in Urology: Present and Future. <i>European Urology</i> , 2006, 50, 1194-1207.	1.9	90
9	The nitric oxide pathway in the human prostate: clinical implications in men with lower urinary tract symptoms. <i>World Journal of Urology</i> , 2008, 26, 603-609.	2.2	87
10	Possible role of bradykinin and angiotensin II in the regulation of penile erection and detumescence. <i>Urology</i> , 2001, 57, 193-198.	1.0	85
11	Cyclic nucleotide phosphodiesterase (PDE) isoenzymes in the human detrusor smooth muscle. <i>Urological Research</i> , 1996, 24, 123-128.	1.5	81
12	EXPRESSION OF DIFFERENT PHOSPHODIESTERASE GENES IN HUMAN CAVERNOUS SMOOTH MUSCLE. <i>Journal of Urology</i> , 2001, 165, 280-283.	0.4	77
13	Cyclic nucleotide phosphodiesterase (PDE) isoenzymes in the human detrusor smooth muscle. <i>Urological Research</i> , 1996, 24, 129-134.	1.5	73
14	Effects of Phosphodiesterase Inhibitors on Tension Induced by Norepinephrine and Accumulation of Cyclic Nucleotides in Isolated Human Prostatic Tissue. <i>Urology</i> , 2008, 71, 526-530.	1.0	73
15	Phosphodiesterase isoenzymes as pharmacological targets in the treatment of male erectile dysfunction. <i>World Journal of Urology</i> , 2001, 19, 14-22.	2.2	72
16	Phosphodiesterases (PDEs) and PDE inhibitors for treatment of LUTS. <i>Neurourology and Urodynamics</i> , 2007, 26, 928-933.	1.5	71
17	In vitro effects of PDE5 inhibitors sildenafil, vardenafil and tadalafil on isolated human ureteral smooth muscle: a basic research approach. <i>Urological Research</i> , 2007, 35, 49-54.	1.5	61
18	Characterization and functional relevance of cyclic nucleotide phosphodiesterase isoenzymes of the human prostate. <i>Journal of Urology</i> , 2001, 166, 2484-90.	0.4	61

#	ARTICLE	IF	CITATIONS
19	Interactions between cGMP- and cAMP-pathways are involved in the regulation of penile smooth muscle tone. <i>World Journal of Urology</i> , 2004, 22, 261-266.	2.2	53
20	Phosphodiesterase (PDE) inhibitors in the treatment of lower urinary tract dysfunction. <i>British Journal of Clinical Pharmacology</i> , 2011, 72, 197-204.	2.4	52
21	Initial clinical experience with the selective phosphodiesterase-I isoenzyme inhibitor vincocetine in the treatment of urge incontinence and low compliance bladder. <i>World Journal of Urology</i> , 2000, 18, 439-443.	2.2	50
22	Development and validation of GCâ€MS methods for the comprehensive analysis of amino acids in plasma and urine and applications to the HELLP syndrome and pediatric kidney transplantation: evidence of altered methylation, transamidation, and arginase activity. <i>Amino Acids</i> , 2019, 51, 529-547.	2.7	44
23	In Vitro Effects of a Novel Class of Nitric Oxide (NO) Donating Compounds on Isolated Human Erectile Tissue. <i>European Urology</i> , 2002, 42, 523-528.	1.9	41
24	Relaxation of human ureteral smooth muscle in vitro by modulation of cyclic nucleotide-dependent pathways. <i>Urological Research</i> , 2000, 28, 110-115.	1.5	40
25	Effects of Phosphodiesterase Inhibitors on the Contractile Responses of Isolated Human Seminal Vesicle Tissue to Adrenergic Stimulation. <i>Journal of Sexual Medicine</i> , 2009, 6, 408-414.	0.6	39
26	Oxytocin plasma levels in the systemic and cavernous blood of healthy males during different penile conditions. <i>World Journal of Urology</i> , 2003, 20, 323-326.	2.2	37
27	In vitro functional responses of isolated human vaginal tissue to selective phosphodiesterase inhibitors. <i>World Journal of Urology</i> , 2005, 23, 398-404.	2.2	37
28	Phosphodiesterase inhibitors in female sexual dysfunction. <i>World Journal of Urology</i> , 2005, 23, 393-397.	2.2	37
29	Immunohistochemical Distribution of Cyclic GMP-Dependent Protein Kinase-1 in Human Prostate Tissue. <i>European Urology</i> , 2007, 52, 495-502.	1.9	37
30	A possible role for nitric oxide in the regulation of human ureteral smooth muscle tone in vitro. <i>Urological Research</i> , 1996, 24, 333-337.	1.5	35
31	Phosphodiesterase Isoenzymes in Human Ureteral Smooth Muscle: Identification, Characterization, and Functional Effects of Various Phosphodiesterase Inhibitors in vitro. <i>Urologia Internationalis</i> , 1995, 55, 183-189.	1.3	32
32	Expression of cAMP and cGMP-phosphodiesterase isoenzymes 3, 4, and 5 in the human clitoris: Immunohistochemical and molecular biology study. <i>Urology</i> , 2006, 67, 1111-1116.	1.0	32
33	Effects of various phosphodiesterase-inhibitors, forskolin, and sodium nitroprusside on porcine detrusor smooth muscle tonic responses to muscarinergic stimulation and cyclic nucleotide levels in vitro. , 1996, 15, 59-70.		31
34	Gene Expression of the Phosphodiesterases 3A and 5A in Human Corpus cavernosum Penis. <i>European Urology</i> , 2000, 38, 108-114.	1.9	31
35	Cavernous and systemic testosterone levels in different phases of human penile erection. <i>Urology</i> , 2000, 56, 125-129.	1.0	31
36	Effects of various nitric oxide donating agents on the contractility and cyclic nucleotide turnover of human seminal vesicles in vitro. <i>Urology</i> , 2002, 59, 958-962.	1.0	31

#	ARTICLE	IF	CITATIONS
37	Cyclic AMP-specific and cyclic GMP-specific phosphodiesterase isoenzymes in human cavernous arteriesâ€™ immunohistochemical distribution and functional significance. <i>World Journal of Urology</i> , 2005, 23, 405-410.	2.2	31
38	Cyclic adenosine monophosphate and cyclic guanosine monophosphate-phosphodiesterase isoenzymes in human vagina: Relation to nitric oxide synthase isoforms and vasoactive intestinal polypeptide-containing nerves. <i>Urology</i> , 2005, 65, 604-610.	1.0	31
39	Porcine detrusor cyclic nucleotide phosphodiesterase isoenzymes: Characterization and functional effects of various phosphodiesterase inhibitors in vitro. <i>Urology</i> , 1995, 45, 893-901.	1.0	29
40	POSSIBLE ROLE OF HUMAN GROWTH HORMONE IN PENILE ERECTION. <i>Journal of Urology</i> , 2000, 164, 2138-2142.	0.4	29
41	Cavernous and systemic plasma levels of norepinephrine and epinephrine during different penile conditions in healthy men and patients with erectile dysfunction. <i>Urology</i> , 2002, 59, 281-286.	1.0	29
42	Is there an inhibitory role of cortisol in the mechanism of male sexual arousal and penile erection?. <i>Urological Research</i> , 2003, 31, 402-406.	1.5	29
43	Expression of Guanylyl Cyclase B in the Human Corpus Cavernosum Penis and the Possible Involvement of its Ligand C-type Natriuretic Polypeptide in the Induction of Penile Erection. <i>Journal of Urology</i> , 2003, 169, 1918-1922.	0.4	29
44	Functional Responses of Isolated Human Seminal Vesicle Tissue to Selective Phosphodiesterase Inhibitors. <i>Urology</i> , 2007, 70, 185-189.	1.0	29
45	Serum levels of human growth hormone during different penile conditions in the cavernous and systemic blood of healthy men and patients with erectile dysfunction. <i>Urology</i> , 2002, 59, 609-614.	1.0	28
46	The role of phosphodiesterases in bladder pathophysiology. <i>Nature Reviews Urology</i> , 2013, 10, 414-424.	3.8	28
47	Expression of Messenger Ribonucleic Acid Encoding for Phosphodiesterase Isoenzymes in Human Female Genital Tissues. <i>Journal of Sexual Medicine</i> , 2007, 4, 1604-1609.	0.6	27
48	Possible role of bioactive peptides in the regulation of human detrusor smooth muscle â€™ functional effects in vitro and immunohistochemical presence. <i>World Journal of Urology</i> , 2002, 20, 244-249.	2.2	26
49	Melanocortin receptor agonists in the treatment of male and female sexual dysfunctions: results from basic research and clinical studies. <i>Expert Opinion on Investigational Drugs</i> , 2014, 23, 1477-1483.	4.1	26
50	Immunocytochemical distribution of nitric oxide synthase in the human corpus cavernosum: an electron microscopical study using the tyramide signal amplification technique. <i>Urological Research</i> , 2001, 29, 168-172.	1.5	25
51	Effects of Phosphodiesterase Inhibitors on Contraction Induced by Endothelin-1 of Isolated Human Prostatic Tissue. <i>Urology</i> , 2009, 73, 1397-1401.	1.0	25
52	S-Nitroso-N-acetyl-L-cysteine ethyl ester (SNACET) and N-acetyl-L-cysteine ethyl ester (NACET)â€™ Cysteine-based drug candidates with unique pharmacological profiles for oral use as NO, H2S and GSH suppliers and as antioxidants: Results and overview. <i>Journal of Pharmaceutical Analysis</i> , 2018, 8, 1-9.	5.3	24
53	PLASMA LEVELS OF CAVERNOUS AND SYSTEMIC NOREPINEPHRINE AND EPINEPHRINE IN MEN DURING DIFFERENT PHASES OF PENILE ERECTION. <i>Journal of Urology</i> , 2000, 164, 573-577.	0.4	23
54	Systemic and cavernous plasma levels of endothelin (1-21) during different penile conditions in healthy males and patients with erectile dysfunction. <i>World Journal of Urology</i> , 2001, 19, 267-271.	2.2	23

#	ARTICLE	IF	CITATIONS
55	Systemic and cavernous plasma levels of vasoactive intestinal polypeptide during sexual arousal in healthy males. <i>World Journal of Urology</i> , 2002, 20, 59-63.	2.2	23
56	Immunocytochemical distribution of nitric oxide synthase in the human seminal vesicle: a light and electron microscopical study. <i>Urological Research</i> , 2003, 31, 262-266.	1.5	23
57	In vitro functional responses of isolated normal human prostatic tissue to compounds interacting with the cyclic guanosine monophosphate pathway. <i>Urology</i> , 2006, 67, 1292-1297.	1.0	23
58	The future of the oral pharmacotherapy of male erectile dysfunction: things to come. <i>Expert Opinion on Emerging Drugs</i> , 2007, 12, 219-228.	2.4	23
59	Phosphodiesterase inhibitors in clinical urology. <i>Expert Review of Clinical Pharmacology</i> , 2013, 6, 323-332.	3.1	23
60	Results, meta-analysis and a first evaluation of UNOxR, the urinary nitrate-to-nitrite molar ratio, as a measure of nitrite reabsorption in experimental and clinical settings. <i>Amino Acids</i> , 2018, 50, 799-821.	2.7	23
61	Non-genomic effects of androgens on isolated human vascular and nonvascular penile erectile tissue. <i>BJU International</i> , 2008, 101, 71-75.	2.5	21
62	Cyclic Nucleotide Metabolism Including Nitric Oxide and Phosphodiesterase-Related Targets in the Lower Urinary Tract. <i>Handbook of Experimental Pharmacology</i> , 2011, , 527-542.	1.8	20
63	The effect of the specific phosphodiesterase (PDE) inhibitors on human and rabbit cavernous tissue in vitro and in vivo. <i>Journal of Urology</i> , 1998, 159, 1390-3.	0.4	19
64	Responses of Isolated Normal Human Detrusor Muscle to Various Spasmolytic Drugs Commonly Used in the Treatment of the Overactive Bladder. <i>Arzneimittelforschung</i> , 2000, 50, 456-460.	0.4	18
65	Is serotonin significant for the control of penile flaccidity and detumescence in the human male?. <i>Urological Research</i> , 2003, 31, 55-60.	1.5	16
66	Expression and Distribution of Cyclic GMP-Dependent Protein Kinase-1 Isoforms in Human Penile Erectile Tissue. <i>Journal of Sexual Medicine</i> , 2008, 5, 536-543.	0.6	16
67	Characterization of the Effects of Various Drugs Likely to Affect Smooth Muscle Tension on Isolated Human Seminal Vesicle Tissue. <i>Urology</i> , 2010, 75, 974-978.	1.0	16
68	Exposure of Human Seminal Vesicle Tissue to Phosphodiesterase (PDE) Inhibitors Antagonizes the Contraction Induced by Norepinephrine and Increases Production of Cyclic Nucleotides. <i>Urology</i> , 2010, 76, 1518.e1-1518.e6.	1.0	16
69	Emerging drugs to target lower urinary tract symptomatology (LUTS)/benign prostatic hyperplasia (BPH): focus on the prostate. <i>World Journal of Urology</i> , 2020, 38, 1423-1435.	2.2	15
70	Expression of cAMP-dependent Protein Kinase Isoforms in the Human Prostate: Functional Significance and Relation to PDE4. <i>Urology</i> , 2010, 76, 515.e8-515.e14.	1.0	14
71	ORIGINAL RESEARCH-BASIC SCIENCE: Immunohistochemical Description of Cyclic Nucleotide Phosphodiesterase (PDE) Isoenzymes in the Human Labia Minora. <i>Journal of Sexual Medicine</i> , 2007, 4, 602-608.	0.6	13
72	Potential Mechanism of Action of Human Growth Hormone on Isolated Human Penile Erectile Tissue. <i>Urology</i> , 2010, 75, 968-973.	1.0	13

#	ARTICLE	IF	CITATIONS
73	Systemic and cavernous plasma levels of endothelin 1 in healthy males during different functional conditions of the penis. <i>World Journal of Urology</i> , 2000, 18, 227-231.	2.2	11
74	The Use of Vasoactive Drugs in the Treatment of Male Erectile Dysfunction: Current Concepts. <i>Journal of Clinical Medicine</i> , 2020, 9, 2987.	2.4	11
75	Current and future trends in the oral pharmacotherapy of male erectile dysfunction. <i>Expert Opinion on Investigational Drugs</i> , 2003, 12, 1521-1533.	4.1	10
76	Potential future options in the pharmacotherapy of female sexual dysfunction. <i>World Journal of Urology</i> , 2006, 24, 630-638.	2.2	10
77	Treatment of Erectile Dysfunction and Lower Urinary Tract Symptoms by Phosphodiesterase Inhibitors. <i>Handbook of Experimental Pharmacology</i> , 2011, , 307-322.	1.8	10
78	Endogenous Vasoactive Peptides and the Human Vagina – A Molecular Biology and Functional Study. <i>Journal of Sexual Medicine</i> , 2011, 8, 35-43.	0.6	10
79	Expression and Distribution of Phosphodiesterase Isoenzymes in the Human Seminal Vesicles. <i>Journal of Sexual Medicine</i> , 2011, 8, 3058-3065.	0.6	10
80	Expression and distribution of the transient receptor potential cationic channel ankyrin 1 (TRPA1) in the human vagina. <i>International Journal of Impotence Research</i> , 2015, 27, 16-19.	1.8	10
81	Distribution and functional significance of phosphodiesterase isoenzymes in the human lower urinary tract. <i>World Journal of Urology</i> , 2005, 23, 368-373.	2.2	9
82	Evaluating the Role of the Serotonergic System in the Control of Human Seminal Vesicle Smooth Muscle – An in Vitro Approach. <i>Journal of Sexual Medicine</i> , 2009, 6, 2672-2679.	0.6	9
83	Effects of arginase inhibitors on the contractile and relaxant responses of isolated human penile erectile tissue. <i>World Journal of Urology</i> , 2009, 27, 805-810.	2.2	9
84	Rho Kinase (ROK) – Related Proteins in Human Cavernous Arteries: An Immunohistochemical and Functional Approach. <i>Journal of Sexual Medicine</i> , 2012, 9, 1337-1343.	0.6	9
85	Phosphodiesterase type 5 (PDE5) is co-localized with key proteins of the nitric oxide/cyclic GMP signaling in the human prostate. <i>World Journal of Urology</i> , 2013, 31, 609-614.	2.2	9
86	Sexualstörungen – Sexuelle Funktionsstörungen. , 2006, , 763-806.		9
87	Expression and distribution of key enzymes of the cyclic GMP signaling in the human clitoris: relation to phosphodiesterase type 5 (PDE5). <i>International Journal of Impotence Research</i> , 2011, 23, 206-212.	1.8	8
88	Plasma levels of cavernous and systemic norepinephrine and epinephrine in men during different phases of penile erection. <i>Journal of Urology</i> , 2000, 164, 573-7.	0.4	8
89	Immunohistochemical distribution of cyclic nucleotide phosphodiesterase (PDE) isoenzymes in the human vagina: A potential forensic value?. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2007, 14, 270-274.	1.0	7
90	Expression and Distribution of Phosphodiesterase Isoenzymes in the Human Male Urethra. <i>Urology</i> , 2015, 85, 964.e1-964.e6.	1.0	7

#	ARTICLE	IF	CITATIONS
91	Comparison of the effects of various spasmolytic drugs on isolated human and porcine detrusor smooth muscle. <i>Arzneimittelforschung</i> , 1998, 48, 836-9.	0.4	7
92	Growth hormone, somatomedins and men's health. <i>Aging Male</i> , 2002, 5, 258-262.	1.9	6
93	IS THERE A ROLE OF THE PHOSPHODIESTERASE TYPE 5 (PDE5) IN THE CONTROL OF HUMAN DETRUSOR SMOOTH MUSCLE? A FUNCTIONAL AND MOLECULAR BIOLOGY STUDY. <i>Journal of Urology</i> , 2009, 181, 152-152.	0.4	6
94	Is there a significance of histamine in the control of the human male sexual response?. <i>Andrologia</i> , 2012, 44, 538-542.	2.1	6
95	Pharmacologic Characterization of Human Male Urethral Smooth Muscle: An In Vitro Approach. <i>Urology</i> , 2013, 82, 1451.e13-1451.e19.	1.0	6
96	Phosphodiesterase isoenzymes in the human urethra: A molecular biology and functional study. <i>European Journal of Pharmacology</i> , 2014, 741, 330-335.	3.5	6
97	Expression and distribution of key proteins of the endocannabinoid system in the human seminal vesicles. <i>Andrologia</i> , 2018, 50, e12875.	2.1	6
98	Possible role of human growth hormone in penile erection. <i>Journal of Urology</i> , 2000, 164, 2138-42.	0.4	6
99	Systemic and cavernous plasma levels of vasopressin in healthy males during different functional conditions of the penis. <i>Urological Research</i> , 2003, 31, 66-69.	1.5	5
100	Expression and Distribution of Cyclic AMP- and Cyclic GMP-Binding Protein Kinases in the Human Vagina— An Immunohistochemical Study. <i>Journal of Sexual Medicine</i> , 2010, 7, 888-895.	0.6	5
101	Expression of Cyclic AMP-dependent Protein Kinase Isoforms in Human Cavernous Arteries: Functional Significance and Relation to Phosphodiesterase Type 4. <i>Journal of Sexual Medicine</i> , 2010, 7, 2104-2111.	0.6	5
102	Phosphodiesterase type 1, calcitonin gene-related peptide and vasoactive intestinal polypeptide are involved in the control of human vaginal arterial vessels. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 169, 283-286.	1.1	5
103	Expression and distribution of the transient receptor potential cationic channel A1 (TRPA1) in the human clitoris— comparison to male penile erectile tissue. <i>International Journal of Impotence Research</i> , 2017, 29, 179-183.	1.8	5
104	Strategies in the oral pharmacotherapy of male erectile dysfunction viewed from bench and bedside (Part I). <i>The Journal of Men's Health &amp; Gender: the Official Journal of the International Society for Men's Health &amp; Gender</i> , 2005, 2, 87-94.	0.2	4
105	Evaluating the Significance of Cyclic Adenosine Monophosphate-mediated Signaling in Human Prostate: A Functional and Biochemical Study. <i>Urology</i> , 2012, 80, 952.e9-952.e14.	1.0	4
106	Effects of Endopeptidase Inhibition on the Contraction—Relaxation Response of Isolated Human Vaginal Tissue. <i>Journal of Sexual Medicine</i> , 2013, 10, 951-959.	0.6	4
107	1072: Mechanisms of Action of Human Growth Hormone(GH) on Isolated Human Penile Erectile Tissue. <i>Journal of Urology</i> , 2005, 173, 291-291.	0.4	3
108	45 CONTRACTION-RELAXATION STUDIES ON ISOLATED HUMAN PROSTATE TISSUE: THE ROLE OF ENDOTHELIN 1, PHOSPHODIESTERASE INHIBITORS, AND CYCLIC NUCLEOTIDES. <i>European Urology Supplements</i> , 2007, 6, 34.	0.1	3

#	ARTICLE	IF	CITATIONS
109	Rho Kinase-related Proteins in Human Vaginal Arteries: An Immunohistochemical and Functional Study. <i>Journal of Sexual Medicine</i> , 2011, 8, 2739-2745.	0.6	3
110	Arginase enzymes in the human prostate: expression of arginase isoenzymes and effects of arginase inhibitors on isolated human prostate tissue. <i>BJU International</i> , 2012, 110, E1196-201.	2.5	3
111	THE EFFECT OF THE SPECIFIC PHOSPHODIESTERASE (PDE) INHIBITORS ON HUMAN AND RABBIT CAVERNOUS TISSUE IN VITRO AND IN VIVO. <i>Journal of Urology</i> , 1998, , 1390-1393.	0.4	3
112	Plasma levels of cyclic guanosine-3',5'-monophosphate in the cavernous and systemic blood of healthy males during different functional conditions of the penis. <i>Urological Research</i> , 2001, 29, 366-370.	1.5	2
113	Systemic and cavernous plasma levels of neuropeptide Y during sexual arousal in healthy males. <i>Andrologia</i> , 2012, 44, 307-311.	2.1	2
114	C-kit-positive multipolar cells in human penile erectile tissue: expression of connexin 43 and relation to trabecular smooth muscle cells. <i>Georgian Medical News</i> , 2010, , 13-9.	0.0	2
115	Strategies in the oral pharmacotherapy of male erectile dysfunction viewed from bench and bedside (Part II). <i>The Journal of Men's Health &amp; Gender: the Official Journal of the International Society for Men's Health &amp; Gender</i> , 2005, 2, 325-332.	0.2	1
116	EXPRESSION OF PHOSPHODIESTERASE (PDE) ISOENZYMES IN THE HUMAN SEMINAL VESICLE (SV) AND EFFECTS OF PDE INHIBITORS ON THE CONTRACTILE RESPONSES OF ISOLATED HUMAN SEMINAL VESICLE SMOOTH MUSCLE. <i>Journal of Urology</i> , 2008, 179, 235-235.	0.4	1
117	1405 EVALUATING THE SIGNIFICANCE OF THE CYCLIC AMP-MEDIATED SIGNALLING IN THE CONTROL OF SMOOTH MUSCLE OF THE HUMAN PROSTATE – A FUNCTIONAL AND BIOCHEMICAL STUDY. <i>Journal of Urology</i> , 2010, 183, .	0.4	1
118	Effects of endopeptidase inhibition on the relaxation response of isolated human penile erectile tissue to vasoactive peptides. <i>Andrologia</i> , 2016, 48, 1214-1219.	2.1	1
119	Endopeptidase inhibition attenuates the contraction induced by big endothelin-1 of isolated human penile erectile tissue. <i>Andrologia</i> , 2018, 50, e13008.	2.1	1
120	Is $\beta$ -endorphin significant in the control of the male sexual response?. <i>Andrologia</i> , 2018, 50, e13049.	2.1	1
121	Arginase enzymes in the human prostate: A molecular biological and immunohistochemical approach. <i>Andrologia</i> , 2019, 51, e13349.	2.1	1
122	Course of transforming growth factor $\beta$ 1 in the systemic and cavernous blood of healthy males through different penile conditions. <i>Andrologia</i> , 2019, 51, e13150.	2.1	1
123	Expression of Phosphodiesterase (PDE) Isoenzymes in the Human Male and Female Urethra. <i>Research and Reports in Urology</i> , 2021, Volume 13, 139-145.	1.0	1
124	Re-evaluation of the immunohistochemical distribution of isoforms of nitric oxide synthase in the human prostate: A light and electron microscopical study. <i>Andrologia</i> , 2021, 53, e14098.	2.1	1
125	FURTHER EVIDENCE FOR A FUNCTIONAL ROLE OF cAMP IN THE REGULATION OF HUMAN CAVERNOUS SMOOTH MUSCLE TONE IN VITRO. <i>Journal of Urology</i> , 1999, , 221.	0.4	1
126	Growth hormone, somatomedins and men's health. <i>Aging Male</i> , 2002, 5, 258-262.	1.9	1



#	ARTICLE	IF	CITATIONS
127	Cyclic Nucleotide Phosphodiesterase (PDE) Isoenzymes in the Human Detrusor Smooth Muscle: II. Effect of Various PDE Inhibitors on Smooth Muscle Tone and Cyclic Nucleotide Levels In Vitro. Journal of Urology, 1998, 159, 2263-2263.	0.4	0
128	Cyclic Nucleotide Phosphodiesterase (PDE) Isoenzymes in the Human Detrusor Smooth Muscle: I. Identification and Characterization. Journal of Urology, 1998, 159, 2262-2263.	0.4	0
129	The recent phosphodiesterase type 5 inhibitors. Human Andrology, 2012, 2, 57-64.	0.2	0
130	Protein kinase enzymes in the human vaginaâ€™relation to key mediators of the cyclic AMP and cyclic GMP pathways. International Journal of Impotence Research, 2017, 29, 127-131.	1.8	0
131	An advanced method for the immunohistochemical detection of nitric oxide synthase (NOS) in the female genital tract. Analytical Biochemistry, 2021, 631, 114264.	2.4	0