

Sung-In Jang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1038480/publications.pdf>

Version: 2024-02-01

139
papers

4,368
citations

471509

17
h-index

149698

56
g-index

149
all docs

149
docs citations

149
times ranked

3169
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between Stroke Quality Assessments and Mortality within 30 Days among Patients Who Underwent Hemorrhagic Stroke Surgeries in South Korea. <i>Cerebrovascular Diseases</i> , 2022, 51, 82-91.	1.7	0
2	Association of Mixed Use of Electronic and Conventional Cigarettes and Exposure to Secondhand Smoke With Prediabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e44-e56.	3.6	4
3	Association between occupational noise and vibration and anxiety in the South Korean working population: a cross-sectional study. <i>Journal of Occupational Medicine and Toxicology</i> , 2022, 17, 1.	2.2	10
4	Association between social phobia and the risk of arrhythmia using the Korean National Sample Cohort: a retrospective cohort study. <i>BMC Psychiatry</i> , 2022, 22, 39.	2.6	5
5	E-health literacy in older adults: an evolutionary concept analysis. <i>BMC Medical Informatics and Decision Making</i> , 2022, 22, 28.	3.0	32
6	Disparities in diabetes-related avoidable hospitalization among diabetes patients with disability using a nationwide cohort study. <i>Scientific Reports</i> , 2022, 12, 1794.	3.3	4
7	Association Between Sleep Quality and Anxiety in Korean Adolescents. <i>Journal of Preventive Medicine and Public Health</i> , 2022, 55, 173-181.	1.9	12
8	Association Between Graphic Health Warning Labels on Cigarette Packs and Smoking Cessation Attempts in Korean Adolescent Smokers: A Cross-Sectional Study. <i>Frontiers in Public Health</i> , 2022, 10, 789707.	2.7	4
9	Association between statin adherence and the risk of stroke among South Korean adults with hyperlipidemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 560-566.	2.6	3
10	Association between the Perceived Household Financial Decline Due to COVID-19 and Smartphone Dependency among Korean Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3303.	2.6	3
11	Association of Household Income Level with Vitamin and Mineral Intake. <i>Nutrients</i> , 2022, 14, 38.	4.1	2
12	Screening for Diabetes Complications during the COVID-19 Outbreak in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5436.	2.6	0
13	Risk of suicide death in psychiatric patients according to the level of continuity of care and area deprivation: A population-based nested case-control study. <i>Journal of Psychiatric Research</i> , 2022, 151, 279-285.	3.1	3
14	Association between sleep quality and depressive symptoms. <i>Journal of Affective Disorders</i> , 2022, 310, 258-265.	4.1	15
15	Risk of Anorectal Cancer Associated with Benign Anal Inflammatory Diseases: A Retrospective Matched Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7467.	2.6	2
16	Is Work Hour Mismatch Associated with Depression?. <i>Safety and Health at Work</i> , 2021, 12, 96-101.	0.6	6
17	Associations between substandard housing and depression: insights from the Korea welfare panel study. <i>BMC Psychiatry</i> , 2021, 21, 12.	2.6	9
18	Associations of Handgrip Strength and Handgrip Strength Asymmetry With Depression in the Elderly in Korea: A Cross-sectional Study. <i>Journal of Preventive Medicine and Public Health</i> , 2021, 54, 63-72.	1.9	13

#	ARTICLE	IF	CITATIONS
19	Development and Evolution of Hospital Medicine in Korea. <i>Journal of Hospital Medicine</i> , 2021, 16, 247-250.	1.4	9
20	Household income changes and suicidal ideation in South Korea: Findings from a longitudinal study. <i>Suicide and Life-Threatening Behavior</i> , 2021, 51, 795-806.	1.9	1
21	Association between Living with Patients with Dementia and Family Caregiversâ€™ Depressive Symptomsâ€”Living with Dementia Patients and Family Caregiversâ€™ Depressive Symptoms. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4372.	2.6	5
22	Association of Cigarette Type Initially Smoked With Suicidal Behaviors Among Adolescents in Korea From 2015 to 2018. <i>JAMA Network Open</i> , 2021, 4, e218803.	5.9	11
23	Investigation of the Association between Smoking Behavior and Metabolic Syndrome Using Lipid Accumulation Product Index among South Korean Adults. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4151.	2.6	6
24	Frailty transitions and cognitive function among South Korean older adults. <i>Scientific Reports</i> , 2021, 11, 10658.	3.3	16
25	Improved Inpatient Care through Greater Patientâ€”Doctor Contact under the Hospitalist Management Approach: A Real-Time Assessment. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5718.	2.6	5
26	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990â€”2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2021, 6, e482-e499.	10.0	38
27	Association Between the Use of Hypnotics and the Risk of Alzheimerâ€™s Disease. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1381-1389.	2.6	2
28	Association between successful aging transitions and depressive symptoms among older Korean adults: findings from the Korean longitudinal study of aging (2006â€”2018). <i>BMC Geriatrics</i> , 2021, 21, 352.	2.7	8
29	Association of Alcohol Drinking Patterns with Metabolic Syndrome and Its Components in Korean Adults: The Korea National Health and Nutrition Examination Survey 2016â€”2018. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6433.	2.6	5
30	Changes in child abuse experience associated to sleep quality: results of the Korean Children & Youth Panel Survey. <i>BMC Public Health</i> , 2021, 21, 1210.	2.9	6
31	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990â€”2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2021, 397, 2337-2360.	13.7	609
32	The effect of depression status change on daily cigarette smoking amount according to sex: an eleven-year follow up study of the Korea Welfare Panel Study. <i>BMC Public Health</i> , 2021, 21, 1304.	2.9	1
33	Comparison of Patient Satisfaction in Inpatient Care Provided by Hospitalists and Nonhospitalists in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8101.	2.6	6
34	Association between the severity of new-onset depression and unmet healthcare needs of South Korean adults. <i>PLoS ONE</i> , 2021, 16, e0256222.	2.5	3
35	Effects of material hardship on depression among adults in South Korea: insights from by the Korea Welfare Panel Study 2008â€”2017. <i>International Journal for Equity in Health</i> , 2021, 20, 202.	3.5	3
36	Synergistic associations of visual and self-reported hearing acuity with low handgrip strength in older adults: a population-based cross-sectional study. <i>BMC Geriatrics</i> , 2021, 21, 513.	2.7	8

#	ARTICLE	IF	CITATIONS
37	Association Between Cohabitation Status and Sleep Quality in Families of Persons With Dementia in Korea: A Cross-sectional Study. <i>Journal of Preventive Medicine and Public Health</i> , 2021, 54, 317-329.	1.9	3
38	Association between depression and risk of Parkinson's disease in South Korean adults. <i>Journal of Affective Disorders</i> , 2021, 292, 75-80.	4.1	16
39	Global, regional, and national burden of stroke and its risk factors, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology</i> , The, 2021, 20, 795-820.	10.2	2,308
40	Impact of changes in housing tenure and affordability status on depressive symptoms: Evidence from a longitudinal study. <i>Journal of Affective Disorders</i> , 2021, 295, 40-49.	4.1	2
41	The Impact of Transitions in Caregiving Status on Depressive Symptoms among Older Family Caregivers: Findings from the Korean Longitudinal Study of Aging. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 42.	2.6	2
42	Effects of spouse's employment status on depression. <i>Archives of Environmental and Occupational Health</i> , 2021, 76, 1-7.	1.4	0
43	Association between depression and the risk of Alzheimer's disease using the Korean National Health Insurance Service-Elderly Cohort. <i>Scientific Reports</i> , 2021, 11, 22591.	3.3	9
44	The effect of menopausal hormone therapy on gastrointestinal cancer risk and mortality in South Korea: a population-based cohort study. <i>BMC Gastroenterology</i> , 2021, 21, 440.	2.0	7
45	Association between change in handgrip strength and cognitive function in Korean adults: a longitudinal panel study. <i>BMC Geriatrics</i> , 2021, 21, 671.	2.7	11
46	Association between tinnitus and depressive symptoms in the South Korean population. <i>PLoS ONE</i> , 2021, 16, e0261257.	2.5	5
47	The effects of on-call work on mental health issues among wage workers in the Republic of Korea. <i>Psychology, Health and Medicine</i> , 2020, 25, 675-686.	2.4	5
48	Associations of electronic and conventional cigarette use with periodontal disease in South Korean adults. <i>Journal of Periodontology</i> , 2020, 91, 55-64.	3.4	43
49	Impact of Onset of Psychiatric Disorders and Psychiatric Treatment on Mortality Among Patients with Cancer. <i>Oncologist</i> , 2020, 25, e733-e742.	3.7	14
50	Dose-response relationship between gamma-glutamyltransferase and the risk of atherosclerotic cardiovascular diseases in Korean adults. <i>Atherosclerosis</i> , 2020, 292, 152-159.	0.8	10
51	Synergistic Effects and Sex Differences in Anthropometric Measures of Obesity and Elevated High-Sensitivity C-Reactive Protein Levels. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8279.	2.6	7
52	Hospitalizations and mortality among patients with fetal alcohol spectrum disorders: a prospective study. <i>Scientific Reports</i> , 2020, 10, 19512.	3.3	11
53	Association Between the Location of Secondhand Smoke Exposure and Depressive Symptoms among South Korean Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5116.	2.6	6
54	Statin adherence and risk of all-cause, cancer, and cardiovascular mortality among dyslipidemia patients: A time-dependent analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2207-2214.	2.6	13

#	ARTICLE	IF	CITATIONS
55	The effect of shifting medical coverage from National Health Insurance to Medical Aid type I and type II on health care utilization and out-of-pocket spending in South Korea. <i>BMC Health Services Research</i> , 2020, 20, 979.	2.2	17
56	Sex differences in type of exercise associated with depression in South Korean adults. <i>Scientific Reports</i> , 2020, 10, 18271.	3.3	12
57	Synergistic association of high-sensitivity C-reactive protein and body mass index with insulin resistance in non-diabetic adults. <i>Scientific Reports</i> , 2020, 10, 18417.	3.3	10
58	Association between change in lifestyle and cognitive functions among elderly Koreans: findings from the Korean longitudinal study of aging (2006–2016). <i>BMC Geriatrics</i> , 2020, 20, 317.	2.7	16
59	Association between sitting time and non-alcoholic fatty liver disease in South Korean population: a cross-sectional study. <i>Lipids in Health and Disease</i> , 2020, 19, 212.	3.0	14
60	The Financial Burden Associated with Medical Costs among Childhood Cancer Patients and Their Families Related to Their Socioeconomic Status: The Perspective of National Health Insurance Service. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6020.	2.6	8
61	Association between commensality with depression and suicidal ideation of Korean adults: the sixth and seventh Korean National Health and Nutrition Examination Survey, 2013, 2015, 2017. <i>Nutrition Journal</i> , 2020, 19, 131.	3.4	8
62	Chronic alcoholism and all-cause mortality among disabled individuals: Findings from the Korea National Health Insurance Service-National Sample Cohort. <i>Alcohol</i> , 2020, 89, 57-62.	1.7	2
63	Annual Disease Experience by Type and Correlations with Unmet Healthcare Needs among ROK Military Personnel. <i>Military Medicine</i> , 2020, 185, e944-e951.	0.8	0
64	Association between Frequency of Breakfast Consumption and Insulin Resistance Using Triglyceride-Glucose Index: A Cross-Sectional Study of the Korea National Health and Nutrition Examination Survey (2016–2018). <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3322.	2.6	14
65	Association between health behaviours and depression: findings from a national cross-sectional study in South Korea. <i>BMC Psychiatry</i> , 2020, 20, 238.	2.6	18
66	Association between social participation and mental health consultation in individuals with suicidal ideation: a cross-sectional study. <i>BMC Psychiatry</i> , 2020, 20, 305.	2.6	3
67	Suicidal ideation from parents to their children: An association between parent's suicidal ideation and their children's suicidal ideation in South Korea. <i>Comprehensive Psychiatry</i> , 2020, 101, 152181.	3.1	2
68	Association between Pulse Pressure and Onset of Dementia in an Elderly Korean Population: A Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1657.	2.6	8
69	Association between Blood Heavy Metal Levels and Predicted 10-Year Risk for A First Atherosclerosis Cardiovascular Disease in the General Korean Population. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2134.	2.6	15
70	The Association of Maternal Accompaniment at Family Dinners and Depressive Symptoms of Korean Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1743.	2.6	1
71	Cigarette type or smoking history: Which has a greater impact on the metabolic syndrome and its components?. <i>Scientific Reports</i> , 2020, 10, 10467.	3.3	22
72	The Association of Smoking Exposure at Home with Attempts to Quit Smoking and Cessation Success: A Survey of South Korean Adolescents Who Smoke. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4129.	2.6	3

#	ARTICLE	IF	CITATIONS
73	The Effect of Socioeconomic Status on All-Cause Maternal Mortality: A Nationwide Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4606.	2.6	13
74	Association of habitual alcohol use on risk-taking behaviors while using a car: The Korean National Health and Nutrition Examination Survey 2009–2013. <i>Accident Analysis and Prevention</i> , 2020, 144, 105651.	5.7	4
75	Association of exposure to secondhand smoke at home with early age at menarche in South Korea. <i>Public Health</i> , 2020, 185, 144-149.	2.9	9
76	The Association Between the Changes in General, Family, and Financial Aspects of Quality of Life and Their Effects on Cognitive Function in an Elderly Population: The Korean Longitudinal Study of Aging, 2008–2016. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1106.	2.6	5
77	Self-reported campus alcohol policy and college alcohol consumption: a multilevel analysis of 4592 Korean students from 82 colleges. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020, 15, 9.	2.2	4
78	Alcohol Consumption Frequency of Parents and Stress Status of Their Children: Korea National Health and Nutrition Examination Survey (2007–2016). <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 257.	2.6	2
79	Association between Occupational Noise and Vibration Exposure and Insomnia among Workers in Korea. <i>Life</i> , 2020, 10, 46.	2.4	17
80	Associations between Meal Companions and Obesity in South Korean Adults. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2697.	2.6	3
81	Do cost containment policies save money and influence physicians' prescribing behavior? Lessons from South Korea's drug policy for diabetes medication. <i>International Journal for Quality in Health Care</i> , 2019, 31, 96-102.	1.8	2
82	Depressive symptoms in individuals with family members requiring ADL assistance. <i>Environmental Health and Preventive Medicine</i> , 2019, 24, 49.	3.4	6
83	Gender Discrimination in the Workplace: Effects on Pregnancy Planning and Childbirth among South Korean Women. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2672.	2.6	18
84	Associations between lipid profiles of adolescents and their mothers based on a nationwide health and nutrition survey in South Korea. <i>BMJ Open</i> , 2019, 9, e024731.	1.9	2
85	Association of Bedtime with both Suicidal Ideation and Suicide Planning among Korean Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3817.	2.6	9
86	Effects of a mandatory DRG payment system in South Korea: Analysis of multi-year nationwide hospital claims data. <i>BMC Health Services Research</i> , 2019, 19, 776.	2.2	18
87	Association between depressive-symptom trajectories and cognitive function in the late middle-aged and older population: results of the Korean Longitudinal Study of Ageing. <i>Scientific Reports</i> , 2019, 9, 7807.	3.3	18
88	Alcohol Mixed with Energy Drinks (AmED) and Negative Alcohol-Related Consequences among South Korean College Students. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1127.	2.6	7
89	The association between intimate partner violence onset and gender-specific depression: A longitudinal study of a nationally representative sample. <i>Journal of Affective Disorders</i> , 2019, 250, 79-84.	4.1	6
90	The impact of smoking cessation attempts on stress levels. <i>BMC Public Health</i> , 2019, 19, 267.	2.9	15

#	ARTICLE	IF	CITATIONS
91	Sex Difference in the Association between High-sensitivity C-reactive Protein and Depression: The 2016 Korea National Health and Nutrition Examination Survey. <i>Scientific Reports</i> , 2019, 9, 1918.	3.3	23
92	Sex differences in the association between thyroid-stimulating hormone levels and depressive symptoms among the general population with normal free T4 levels. <i>Journal of Affective Disorders</i> , 2019, 249, 151-158.	4.1	17
93	Association between Use of Nutritional Labeling and the Metabolic Syndrome and Its Components. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4486.	2.6	2
94	Long working hours are associated with unmet dental needs in south Korean male adults who have experienced dental pain. <i>BMC Oral Health</i> , 2019, 19, 256.	2.3	7
95	Gender Differences With Regard to Perceived Job Insecurity and Insomnia in a Working Population. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, e474-e479.	1.7	3
96	Weight control success and depression by gender with respect to weight control behaviors. <i>Obesity Research and Clinical Practice</i> , 2019, 13, 168-175.	1.8	2
97	Association between family dinner and BMI in adults: data from the 2013 to 2015 Korean National Health and Nutrition Examination Survey. <i>Public Health Nutrition</i> , 2019, 22, 681-688.	2.2	5
98	Alcohol consumption frequency or alcohol intake per drinking session: Which has a larger impact on the metabolic syndrome and its components?. <i>Alcohol</i> , 2018, 71, 15-23.	1.7	21
99	Association between Smoking Behavior Patterns and Glycated Hemoglobin Levels in a General Population. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2260.	2.6	20
100	Association between eating behaviour and diet quality: eating alone vs. eating with others. <i>Nutrition Journal</i> , 2018, 17, 117.	3.4	46
101	Association between serum 25-hydroxyvitamin D levels and pulmonary function, among Korean adults, during 2010-2014, by sex, age, and body mass index. <i>Respiratory Medicine</i> , 2018, 140, 32-38.	2.9	3
102	Differences in Fracture Incidence According to Caregiver Type in Stroke Survivors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 2849-2856.	1.6	4
103	The Association between Social Contacts and Depressive Symptoms among Elderly Koreans. <i>Psychiatry Investigation</i> , 2018, 15, 861-868.	1.6	8
104	Association between Parents' Country of Birth and Adolescent Depressive Symptoms: the Early Stages of Multicultural Society. <i>Journal of Korean Medical Science</i> , 2018, 33, e116.	2.5	4
105	Family Members of Cancer Patients in Korea Are at an Increased Risk of Medically Diagnosed Depression. <i>Journal of Preventive Medicine and Public Health</i> , 2018, 51, 100-108.	1.9	11
106	Relationship between parents' occupational characteristics and untreated dental caries in offspring: A population-based study of data from the Korean National Health and Nutrition Examination Survey, 2008-2015. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 303-311.	3.4	4
107	How did market competition affect outpatient utilization under the diagnosis-related group-based payment system?. <i>International Journal for Quality in Health Care</i> , 2017, 29, 399-405.	1.8	2
108	Effect of adherence to antihypertensive medication on stroke incidence in patients with hypertension: a population-based retrospective cohort study. <i>BMJ Open</i> , 2017, 7, e014486.	1.9	41

#	ARTICLE	IF	CITATIONS
109	The effect of increasing the coinsurance rate on outpatient utilization of healthcare services in South Korea. <i>BMC Health Services Research</i> , 2017, 17, 152.	2.2	12
110	Effects of social integration on depressive symptoms in Korea: analysis from the Korean Longitudinal Study of Aging (2006-12). <i>Australian Health Review</i> , 2017, 41, 222.	1.1	3
111	Relationship between Mobile Phone Addiction and the Incidence of Poor and Short Sleep among Korean Adolescents: a Longitudinal Study of the Korean Children & Youth Panel Survey. <i>Journal of Korean Medical Science</i> , 2017, 32, 1166.	2.5	57
112	Beyond Volume. <i>Medicine (United States)</i> , 2016, 95, e3035.	1.0	1
113	Impact of health insurance status changes on healthcare utilisation patterns: a longitudinal cohort study in South Korea. <i>BMJ Open</i> , 2016, 6, e009538.	1.9	16
114	The effect of suicide attempts on suicide ideation by family members in fast developed country, Korea. <i>Comprehensive Psychiatry</i> , 2016, 66, 132-138.	3.1	3
115	Is a Price Increase Policy Enough for Adolescent Smokers?: Factors Affecting the Effectiveness of Increasing Cigarette Prices Among Korean Adolescent Smokers. <i>Nicotine and Tobacco Research</i> , 2016, 18, 2013-2019.	2.6	2
116	Length of stay and readmission in lumbar intervertebral disc disorder inpatients by hospital characteristics and volumes. <i>Health Policy</i> , 2016, 120, 1008-1016.	3.0	7
117	Effects of diagnosis-related group payment system on appendectomy outcomes. <i>Journal of Surgical Research</i> , 2016, 206, 347-354.	1.6	18
118	Impact of payment system change from per-case to per-diem on high severity patient's length of stay. <i>Medicine (United States)</i> , 2016, 95, e4839.	1.0	11
119	Depression in the Family of Patients With Dementia in Korea. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2016, 31, 481-491.	1.9	12
120	Readmission rates of South Korean psychiatric inpatients by inpatient volumes per psychiatrist. <i>BMC Psychiatry</i> , 2016, 16, 96.	2.6	10
121	The effect of competition on the relationship between the introduction of the DRG system and quality of care in Korea. <i>European Journal of Public Health</i> , 2016, 26, 42-47.	0.3	14
122	The Effect of Mandatory Diagnosis-Related Groups Payment System. <i>Health Policy and Management</i> , 2016, 26, 135-147.	0.3	5
123	Associations of volume and other hospital characteristics on mortality within 30 days of acute myocardial infarction in South Korea. <i>BMJ Open</i> , 2015, 5, e009186.	1.9	10
124	The temporal association of excessive health expenditure with suicidal ideation among primary income earners: a cross-sectional design using the Korean Welfare Panel Survey (KoWePS). <i>BMJ Open</i> , 2015, 5, e007421-e007421.	1.9	5
125	Effective strategy for improving health care outcomes: Multidisciplinary care in cerebral infarction patients. <i>Health Policy</i> , 2015, 119, 1039-1045.	3.0	9
126	Positive correlation between care given by specialists and registered nurses and improved outcomes for stroke patients. <i>Journal of the Neurological Sciences</i> , 2015, 353, 137-142.	0.6	17

#	ARTICLE	IF	CITATIONS
127	Association between all-cause mortality and insurance status transition among the elderly population in a rural area in Korea: Kangwha Cohort Study. <i>Health Policy</i> , 2015, 119, 680-687.	3.0	4
128	The outcomes of psychiatric inpatients by proportion of experienced psychiatrists and nurse staffing in hospital: New findings on improving the quality of mental health care in South Korea. <i>Psychiatry Research</i> , 2015, 229, 880-886.	3.3	14
129	Trends of US Hospitalist and Suggestions for Introduction of Korean Hospitalist. <i>Korean Journal of Medicine</i> , 2015, 89, 1.	0.3	13
130	Patterns of Alcohol Consumption and Suicidal Behavior: Findings From the Fourth and Fifth Korea National Health and Nutritional Examination Survey (2007-2011). <i>Journal of Preventive Medicine and Public Health</i> , 2015, 48, 142-150.	1.9	22
131	Sex Differences Associated With Hepatitis B Virus Surface Antigen Seropositivity Unawareness in Hepatitis B Virus Surface Antigen-positive Adults: 2007-2012 Korea National Health and Nutrition Examination Survey. <i>Journal of Preventive Medicine and Public Health</i> , 2015, 48, 74-83.	1.9	3
132	Setting a Health Policy Research Agenda for Controlling Cancer Burden in Korea. <i>Cancer Research and Treatment</i> , 2015, 47, 149-157.	3.0	4
133	Precarious employment and new-onset severe depressive symptoms: a population-based prospective study in South Korea. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 329-337.	3.4	62
134	Disease management index of potential years of life lost as a tool for setting priorities in national disease control using OECD health data. <i>Health Policy</i> , 2014, 115, 92-99.	3.0	24
135	Factors Affecting the Quality of Life of Korean Cancer Survivors Who Return to the Workplace. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 8783-8788.	1.2	14
136	Relationship Between Current Sleep Duration and Past Suicidal Ideation or Attempt Among Korean Adolescents. <i>Journal of Preventive Medicine and Public Health</i> , 2013, 46, 329-335.	1.9	20
137	Biochemically-verified Smoking Rate Trends and Factors Associated with Inaccurate Self-reporting of Smoking Habits in Korean Women. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 6807-6812.	1.2	45
138	A Single Measure of Cancer Burden in Korea from 1999 to 2010. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 5249-5255.	1.2	14
139	The diagnosis of healthcare policy problems in Korea. <i>Journal of the Korean Medical Association</i> , 2012, 55, 932.	0.3	20