
## Patrick Wen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10394858/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	CTNI-27. SINGLE AGENT ACTIVITY OF ONC201 IN NON-MIDLINE H3 K27M-MUTANT DIFFUSE GLIOMAS. Neuro-Oncology, 2021, 23, vi65-vi65.	1.2	0
2	Molecular targeted therapy of glioblastoma. Cancer Treatment Reviews, 2019, 80, 101896.	7.7	386
3	Clinical Importance of CDKN2A Loss and Monosomy 10 in Pilocytic Astrocytoma. Cureus, 2019, 11, e4726.	0.5	2
4	Phase I study of sorafenib and tipifarnib for recurrent glioblastoma: NABTC 05-02. Journal of Neuro-Oncology, 2018, 136, 79-86.	2.9	21
5	ACTR-30. PHASE 1B/2 STUDY TO ASSESS THE CLINICAL EFFECTS OF PAMIPARIB (BGB-290) IN COMBINATION WITH RADIATION THERAPY (RT) AND/OR TEMOZOLOMIDE (TMZ) IN PATIENTS WITH NEWLY DIAGNOSED OR RECURRENT/REFRACTORY GLIOBLASTOMA (GBM). Neuro-Oncology, 2018, 20, vi17-vi18.	1.2	6
6	INNV-13. ALLELE: A CONSORTIUM FOR PROSPECTIVE GENOMICS AND FUNCTIONAL DIAGNOSTICS TO GUIDE PATIENT CARE AND TRIAL ANALYSIS IN NEWLY-DIAGNOSED GLIOBLASTOMA. Neuro-Oncology, 2018, 20, vi140-vi141.	1.2	0
7	PATH-08. THE IVY GLIOBLASTOMA PATIENT ATLAS - A NOVEL CLINICAL AND RADIO-GENOMICS RESOURCE FOR EARLY PHASE CLINICAL TRIAL DESIGN AND INTERPRETATION. Neuro-Oncology, 2018, 20, vi159-vi159.	1.2	Ο
8	RBTT-03. A PHASE 1, MULTICENTER, RANDOMIZED, OPEN-LABEL, PERIOPERATIVE STUDY OF AG-120 (IVOSIDENIB) AND AG-881 IN PATIENTS WITH RECURRENT, NONENHANCING, IDH1-MUTANT, LOW-GRADE GLIOMA. Neuro-Oncology, 2018, 20, vi234-vi234.	1.2	4
9	PDTM-06. ALK AMPLIFICATION AND REARRANGEMENTS ARE RECURRENT TARGETABLE EVENTS IN GLIOBLASTOMA. Neuro-Oncology, 2018, 20, vi204-vi205.	1.2	3
10	ATIM-21. UPDATED RESULTS OF A PHASE I TRIAL OF ANTI-LAG-3 OR ANTI-CD137 ALONE AND IN COMBINATION WITH ANTI-PD-1 IN PATIENTS WITH RECURRENT GBM. Neuro-Oncology, 2018, 20, vi5-vi5.	1.2	0
11	ATIM-29. NRG BN002: SAFETY DATA FROM A PHASE I STUDY OF IPILIMUMAB (IPI), NIVOLUMAB (NIVO), AND THE COMBINATION FOR NEWLY DIAGNOSED GLIOBLASTOMA (GBM). Neuro-Oncology, 2018, 20, vi7-vi7.	1.2	0
12	ACTR-18. PHASE II TRIAL OF TEMOZOLOMIDE AND TRC 102, BASE EXCISION REPAIR INHIBITOR, IN BEVACIZUMAB NAÃVE GLIOBLASTOMA AT FIRST RECURRENCE. Neuro-Oncology, 2018, 20, vi15-vi15.	1.2	1
13	ACTR-31. PHASE 1 STUDY OF AG-881, AN INHIBITOR OF MUTANT IDH1 AND IDH2: RESULTS FROM THE RECURRENT/PROGRESSIVE GLIOMA POPULATION. Neuro-Oncology, 2018, 20, vi18-vi18.	1.2	12
14	RBTT-01. RANDOMIZED PHASE 2 OPEN LABEL STUDY OF NIVOLUMAB PLUS STANDARD DOSE BEVACIZUMAB VERSUS NIVOLUMAB PLUS LOW DOSE BEVACIZUMAB IN RECURRENT GLIOBLASTOMA. Neuro-Oncology, 2018, 20, vi234-vi234.	1.2	4
15	ACTR-17. EVOPHOSPHAMIDE (TH-302) FOR RECURRENT GBM FOLLOWING BEVACIZUMAB FAILURE, FINAL RESULTS OF A MULTICENTER PHASE II STUDY. Neuro-Oncology, 2018, 20, vi14-vi15.	1.2	1
16	ACTR-51. PHASE 2 STUDY TO EVALUATE THE SAFETY, PHARMACOKINETICS AND CLINICAL ACTIVITY OF PI3K/MTOR INHIBITOR GDC-0084 GIVEN TO GLIOBLASTOMA (GBM) PATIENTS WITH UNMETHYLATED O6-METHYLGUANINE-METHYLTRANSFERASE PROMOTER STATUS. Neuro-Oncology, 2018, 20, vi23-vi23.	1.2	0
17	ACTR-34. INTEGRATED CLINICAL EXPERIENCE WITH ONC201 IN PREVIOUSLY-TREATED H3 K27M-MUTANT GLIOMA PATIENTS. Neuro-Oncology, 2018, 20, vi19-vi19.	1.2	3
18	ACTR-15. SAFETY AND PRELIMINARY ACTIVITY OF PT2385, A FIRST-IN-CLASS HIF2-ALPHA INHIBITOR, PLANNED INTERIM ANALYSIS OF AN OPEN LABEL, SINGLE-ARM PHASE II STUDY IN PATIENTS WITH RECURRENT GLIOBLASTOMA. Neuro-Oncology, 2018, 20, vi14-vi14.	1.2	3

#	Article	IF	CITATIONS
19	ACTR-14. PHASE I STUDY OF AZD1775 WITH RADIATION THERAPY (RT) AND TEMOZOLOMIDE (TMZ) IN PATIENTS WITH NEWLY DIAGNOSED GLIOBLASTOMA (GBM) AND EVALUATION OF INTRATUMORAL DRUG DISTRIBUTION (IDD) IN PATIENTS WITH RECURRENT GBM. Neuro-Oncology, 2018, 20, vi13-vi14.		6
20	PATH-16. MOLECULAR PATHOLOGY AND CLINICAL CHARACTERISTICS OF MMR DEFICIENCY (MMRd) IN DIFFUSE GLIOMAS. Neuro-Oncology, 2018, 20, vi161-vi161.	1.2	0
21	ATIM-19. RESULTS OF THE GLOBE STUDY: A PHASE 3, RANDOMIZED, CONTROLLED, DOUBLE-ARM, OPEN-LABEL, MULTI-CENTER STUDY OF VB-111 COMBINED WITH BEVACIZUMAB VS. BEVACIZUMAB MONOTHERAPY IN PATIENTS WITH RECURRENT GLIOBLASTOMA. Neuro-Oncology, 2018, 20, vi4-vi5.	1.2	3
22	NIMG-68. MRI CHANGES IN NEWLY DIAGNOSED GLIOBLASTOMA PATIENTS TREATED AS PART OF A PHASE II TRIAL WITH BAVITUXIMAB, RADIATION, AND TEMOZOLOMIDE. Neuro-Oncology, 2018, 20, vi191-vi191.	1.2	0
23	RARE-24. OBJECTIVE RESPONSE AND CLINICAL BENEFIT IN RECURRENT EPENDYMOMA IN ADULTS: FINAL REPORT OF CERN 08-02: A PHASE II STUDY OF DOSE-DENSE TEMOZOLOMIDE AND LAPATINIB. Neuro-Oncology, 2018, 20, vi241-vi241.	1.2	2
24	NIMG-31. RESIDUAL ENHANCING TUMOR VOLUME IS AÂSTRONG PROGNOSTIC BIOMARKER FOR SURVIVAL IN BOTH NEWLY DIAGNOSED AND RECURRENT GBM REGARDLESS OF THERAPY: EVIDENCE FROM 1,535 PATIENTS IN SINGLE AND MULTICENTER TRIALS. Neuro-Oncology, 2016, 18, vi131-vi131.	1.2	0
25	A 3-dimensional DTI MRI-based model of GBM growth and response to radiation therapy. International Journal of Oncology, 2016, 49, 1081-1087.	3.3	12
26	PDCT-13. GUIDELINES FOR RESPONSE ASSESSMENT IN MEDULLOBLASTOMA AND OTHER LEPTOMENINGEAL SEEDING TUMORS: AÂREPORT FROM THE RESPONSE ASSESSMENT IN PEDIATRIC NEURO-ONCOLOGY (RAPNO) WORKING GROUP. Neuro-Oncology, 2016, 18, vi148-vi149.	1.2	0
27	Historical benchmarks for medical therapy trials in surgery- and radiation-refractory meningioma: a RANO review. Neuro-Oncology, 2014, 16, 829-840.	1.2	198
28	AT-36PANOBINOSTAT IN COMBINATION WITH BEVACIZUMAB FOR RECURRENT GLIOBLASTOMA AND ANAPLASTIC GLIOMA. Neuro-Oncology, 2014, 16, v16-v16.	1.2	0
29	The Identification of Hypercoagulable Markers in Patients with Malignant Gliomas and Venous Thromboembolism Blood, 2006, 108, 4097-4097.	1.4	1
30	Phase II study of CCI-779 in patients with recurrent glioblastoma multiforme. Investigational New Drugs, 2005, 23, 357-361.	2.6	402
31	Molecular Study of Malignant Gliomas Treated with Epidermal Growth Factor Receptor Inhibitors: Tissue Analysis from North American Brain Tumor Consortium Trials 01-03 and 00-01. Clinical Cancer Research, 2005, 11, 7841-7850.	7.0	238
32	Phase I Trial of Tipifarnib in Patients With Recurrent Malignant Glioma Taking Enzyme-Inducing Antiepileptic Drugs: A North American Brain Tumor Consortium Study. Journal of Clinical Oncology, 2005, 23, 6647-6656.	1.6	61
33	Phase I/pharmacokinetic study of CCI-779 in patients with recurrent malignant glioma on enzyme-inducing antiepileptic drugs. Investigational New Drugs, 2004, 22, 427-435.	2.6	84
34	Viral vector-mediated transduction of a modified platelet factor 4 cDNA inhibits angiogenesis and tumor growth. Nature Medicine, 1997, 3, 437-442.	30.7	195
35	Tumor-selective transgene expression in vivo mediated by an E2F-responsive adenoviral vector. Nature Medicine, 1997, 3, 1145-1149.	30.7	158
36	<i>In Vivo</i> Replication-Deficient Adenovirus Vector-Mediated Transduction of the Cytosine Deaminase Gene Sensitizes Glioma Cells to 5-Fluorocytosine. Human Gene Therapy, 1996, 7, 713-720.	2.7	77

#	Article	IF	CITATIONS
37	Use of the immunotoxin N901-blocked ricin in patients with small-cell lung cancer. International Journal of Cancer, 1994, 57, 57-59.	5.1	24