

R Todd Ogden

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10400102/publications.pdf>

Version: 2024-02-01

108
papers

5,104
citations

109321

35
h-index

102487

66
g-index

112
all docs

112
docs citations

112
times ranked

4547
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional additive models for optimizing individualized treatment rules. <i>Biometrics</i> , 2023, 79, 113-126.	1.4	2
2	Brain 5-HT1A Receptor PET Binding, Cortisol Responses to Stress, and the Familial Transmission of Suicidal Behavior. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 36-45.	2.1	7
3	Serotonin 1A Receptor Binding of [¹¹ C]CUMI-101 in Bipolar Depression Quantified using Positron Emission Tomography: Relationship to Psychopathology and Antidepressant Response. <i>International Journal of Neuropsychopharmacology</i> , 2022, , .	2.1	2
4	Source-to-Target Automatic Rotating Estimation (STARE) – A publicly available, blood-free quantification approach for PET tracers with irreversible kinetics: Theoretical framework and validation for [¹⁸ F]FDG. <i>NeuroImage</i> , 2022, 249, 118901.	4.2	3
5	Resting State MRI Amplitude of Low Frequency Fluctuations Associated With Suicidal Ideation in Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2022, 83, .	2.2	4
6	Simultaneous multifactor Bayesian analysis (SiMBA) of PET time activity curve data. <i>NeuroImage</i> , 2022, 256, 119195.	4.2	3
7	Serotonin transporter binding in major depressive disorder: impact of serotonin system anatomy. <i>Molecular Psychiatry</i> , 2022, 27, 3417-3424.	7.9	5
8	Multiple Domain and Multiple Kernel Outcome-Weighted Learning for Estimating Individualized Treatment Regimes. <i>Journal of Computational and Graphical Statistics</i> , 2022, 31, 1375-1383.	1.7	1
9	A constrained single-index regression for estimating interactions between a treatment and covariates. <i>Biometrics</i> , 2021, 77, 506-518.	1.4	4
10	Nondisplaceable Binding Is a Potential Confounding Factor in ¹¹ C-PBR28 Translocator Protein PET Studies. <i>Journal of Nuclear Medicine</i> , 2021, 62, 412-417.	5.0	10
11	Early stopping in clinical PET studies: How to reduce expense and exposure. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 2805-2819.	4.3	1
12	Mitochondria in epithelial ovarian carcinoma exhibit abnormal phenotypes and blunted associations with biobehavioral factors. <i>Scientific Reports</i> , 2021, 11, 11595.	3.3	13
13	Inference in functional mixed regression models with applications to Positron Emission Tomography imaging data. <i>Statistics in Medicine</i> , 2021, 40, 4640-4659.	1.6	0
14	Quantitative mapping of human hair greying and reversal in relation to life stress. <i>ELife</i> , 2021, 10, .	6.0	28
15	A single-index model with multiple-links. <i>Journal of Statistical Planning and Inference</i> , 2020, 205, 115-128.	0.6	5
16	Simultaneous confidence corridors for mean functions in functional data analysis of imaging data. <i>Biometrics</i> , 2020, 76, 427-437.	1.4	10
17	A Bayesian approach to joint modeling of matrix-valued imaging data and treatment outcome with applications to depression studies. <i>Biometrics</i> , 2020, 76, 87-97.	1.4	6
18	Optimising treatment decision rules through generated effect modifiers: a precision medicine tutorial. <i>BJPsych Open</i> , 2020, 6, e2.	0.7	8

#	ARTICLE	IF	CITATIONS
19	A sparse additive model for treatment effect-modifier selection. <i>Biostatistics</i> , 2020, , .	1.5	5
20	Smaller left hippocampal subfield CA1 volume is associated with reported childhood physical and/or sexual abuse in major depression: A pilot study. <i>Journal of Affective Disorders</i> , 2020, 272, 348-354.	4.1	13
21	Prediction of lithium treatment response in bipolar depression using 5-HTT and 5-HT1A PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2417-2428.	6.4	10
22	Nonlinear Mixed-Effects Models for PET Data. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 881-891.	4.2	12
23	Functional Data Analysis of Dynamic PET Data. <i>Journal of the American Statistical Association</i> , 2019, 114, 595-609.	3.1	5
24	Brain serotonin transporter binding, plasma arachidonic acid and depression severity: A positron emission tomography study of major depression. <i>Journal of Affective Disorders</i> , 2019, 257, 495-503.	4.1	22
25	Accuracy and reliability of [¹¹ C]PBR28 specific binding estimated without the use of a reference region. <i>NeuroImage</i> , 2019, 188, 102-110.	4.2	18
26	Cortisol Stress Response and in Vivo PET Imaging of Human Brain Serotonin 1A Receptor Binding. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 329-338.	2.1	19
27	Quantifying Brain [¹⁸ F]FDG Uptake Noninvasively by Combining Medical Health Records and Dynamic PET Imaging Data. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2019, 23, 2576-2582.	6.3	10
28	Gray matter volumetric study of major depression and suicidal behavior. <i>Psychiatry Research - Neuroimaging</i> , 2019, 283, 16-23.	1.8	23
29	Quantification of 5-HT _{1A} and 5-HT _{2A} receptor Binding in Depressed Suicide Attempters and Non-Attempters. <i>Archives of Suicide Research</i> , 2019, 23, 122-133.	2.3	11
30	Higher 5-HT _{1A} autoreceptor binding as an endophenotype for major depressive disorder identified in high risk offspring – A pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2018, 276, 15-23.	1.8	19
31	In vivo relationship between serotonin 1A receptor binding and gray matter volume in the healthy brain and in major depressive disorder. <i>Brain Structure and Function</i> , 2018, 223, 2609-2625.	2.3	14
32	Non-invasive estimation of [¹¹ C]PBR28 binding potential. <i>NeuroImage</i> , 2018, 169, 278-285.	4.2	23
33	Likelihood estimation of drug occupancy for brain PET studies. <i>NeuroImage</i> , 2018, 178, 255-265.	4.2	14
34	Kappa opioid receptor binding in major depression: A pilot study. <i>Synapse</i> , 2018, 72, e22042.	1.2	26
35	Pretreatment and early-treatment cortical thickness is associated with SSRI treatment response in major depressive disorder. <i>Neuropsychopharmacology</i> , 2018, 43, 2221-2230.	5.4	61
36	Statistical evaluation of test-retest studies in PET brain imaging. <i>EJNMMI Research</i> , 2018, 8, 13.	2.5	22

#	ARTICLE	IF	CITATIONS
37	Methods for Scalar-on-Function Regression. <i>International Statistical Review</i> , 2017, 85, 228-249.	1.9	102
38	Statistical analysis plan for stage 1 EMBARC (Establishing Moderators and Biosignatures of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T 6, 22-30.	1.1	22
39	Simultaneous confidence bands for functional regression models. <i>Journal of Statistical Planning and Inference</i> , 2017, 188, 67-81.	0.6	8
40	Utility of Molecular and Structural Brain Imaging to Predict Progression from Mild Cognitive Impairment to Dementia. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 939-947.	2.6	6
41	Estimation of the binding potential BPND without a reference region or blood samples for brain PET studies. <i>NeuroImage</i> , 2017, 146, 121-131.	4.2	10
42	In vivo variation in same-day estimates of metabotropic glutamate receptor subtype 5 binding using [¹¹ C]ABP688 and [¹⁸ F]FPEB. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 2716-2727.	4.3	49
43	Generated effect modifiers (GEM™s) in randomized clinical trials. <i>Biostatistics</i> , 2017, 18, 105-118.	1.5	13
44	Latent class modeling using matrix covariates with application to identifying early placebo responders based on EEG signals. <i>Annals of Applied Statistics</i> , 2017, 11, 1513-1536.	1.1	3
45	A hybrid deconvolution approach for estimation of in vivo non-displaceable binding for brain PET targets without a reference region. <i>PLoS ONE</i> , 2017, 12, e0176636.	2.5	5
46	Variable selection in function-on-scalar regression. <i>Stat</i> , 2016, 5, 88-101.	0.4	38
47	Flexible functional regression methods for estimating individualized treatment rules. <i>Stat</i> , 2016, 5, 185-199.	0.4	7
48	Establishing moderators and biosignatures of antidepressant response in clinical care (EMBARC): Rationale and design. <i>Journal of Psychiatric Research</i> , 2016, 78, 11-23.	3.1	216
49	Lack of association between the serotonin transporter and serotonin 1A receptor: an in vivo PET imaging study in healthy adults. <i>Psychiatry Research - Neuroimaging</i> , 2016, 255, 81-86.	1.8	8
50	Positron emission tomography quantification of serotonin transporter binding in medication-free bipolar disorder. <i>Synapse</i> , 2016, 70, 24-32.	1.2	15
51	Wavelet-based scalar-on-function finite mixture regression models. <i>Computational Statistics and Data Analysis</i> , 2016, 93, 86-96.	1.2	13
52	Wavelet-domain regression and predictive inference in psychiatric neuroimaging. <i>Annals of Applied Statistics</i> , 2015, 9, 1076-1101.	1.1	25
53	Toward Noninvasive Quantification of Brain Radioligand Binding by Combining Electronic Health Records and Dynamic PET Imaging Data. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015, 19, 1271-1282.	6.3	8
54	In vivo effects of ketamine on glutamate-glutamine and gamma-aminobutyric acid in obsessive-compulsive disorder: Proof of concept. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 141-147.	1.8	43

#	ARTICLE	IF	CITATIONS
55	Treatment Decisions Based on Scalar and Functional Baseline Covariates. <i>Biometrics</i> , 2015, 71, 884-894.	1.4	17
56	Estimation of in vivo nonspecific binding in positron emission tomography studies without requiring a reference region. <i>NeuroImage</i> , 2015, 108, 234-242.	4.2	19
57	Positron Emission Tomography Quantification of Serotonin ^{1A} Receptor Binding in Suicide Attempters With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2015, 72, 169.	11.0	98
58	Quantification of the Serotonin 1A Receptor Using PET: Identification of a Potential Biomarker of Major Depression in Males. <i>Neuropsychopharmacology</i> , 2015, 40, 1692-1699.	5.4	58
59	Model-Free Quantification of Dynamic PET Data Using Nonparametric Deconvolution. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 1368-1379.	4.3	7
60	Wavelet-Based Weighted LASSO and Screening Approaches in Functional Linear Regression. <i>Journal of Computational and Graphical Statistics</i> , 2015, 24, 655-675.	1.7	26
61	Noninvasive Blood-Free Full Quantification of Positron Emission Tomography Radioligand Binding. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 148-156.	4.3	11
62	Combining brain imaging data with electronic health records to non-invasively quantify [¹¹ C]DASB binding. , 2014, , .		2
63	A Paradoxical Result in Estimating Regression Coefficients. <i>American Statistician</i> , 2014, 68, 271-276.	1.6	13
64	Functional data classification: a wavelet approach. <i>Computational Statistics</i> , 2014, 29, 1497-1513.	1.5	20
65	Genetic variation in brain-derived neurotrophic factor val66met allele is associated with altered serotonin-1A receptor binding in human brain. <i>NeuroImage</i> , 2014, 94, 33-39.	4.2	10
66	Brain Serotonin 1A Receptor Binding as a Predictor of Treatment Outcome in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2013, 74, 760-767.	1.3	84
67	Antidepressant Treatment Reduces Serotonin-1A Autoreceptor Binding in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2013, 74, 26-31.	1.3	101
68	Positron Emission Tomography Quantification of Serotonin Transporter in Suicide Attempters with Major Depressive Disorder. <i>Biological Psychiatry</i> , 2013, 74, 287-295.	1.3	82
69	Reference Region Approaches in PET: a Comparative Study on Multiple Radioligands. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 888-897.	4.3	80
70	HIGHER IN VIVO SEROTONIN-1A BINDING IN POSTTRAUMATIC STRESS DISORDER: A PET STUDY WITH [¹¹ C]WAY-100635. <i>Depression and Anxiety</i> , 2013, 30, 197-206.	4.1	41
71	Higher pretreatment 5-HT ^{1A} receptor binding potential in bipolar disorder depression is associated with treatment remission: A naturalistic treatment pilot PET study. <i>Synapse</i> , 2013, 67, 773-778.	1.2	20
72	Wavelet-Based LASSO in Functional Linear Regression. <i>Journal of Computational and Graphical Statistics</i> , 2012, 21, 600-617.	1.7	71

#	ARTICLE	IF	CITATIONS
73	<i>In vivo</i> Serotonin-Sensitive Binding of [¹¹ C]CUMI-101: A Serotonin 1A Receptor Agonist Positron Emission Tomography Radiotracer. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 243-249.	4.3	47
74	Functional Generalized Linear Models with Images as Predictors. <i>Biometrics</i> , 2010, 66, 61-69.	1.4	95
75	Simultaneous Estimation of Input Functions: An Empirical Study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010, 30, 816-826.	4.3	50
76	Higher Serotonin 1A Binding in a Second Major Depression Cohort: Modeling and Reference Region Considerations. <i>Biological Psychiatry</i> , 2010, 68, 170-178.	1.3	148
77	A voxel-based clustering approach for the automatic selection of testing regions in the simultaneous estimation of input functions in PET. <i>NeuroImage</i> , 2010, 52, S176.	4.2	5
78	Empirical Bayesian estimation in graphical analysis: a voxel-based approach for the determination of the volume of distribution in PET studies. <i>Nuclear Medicine and Biology</i> , 2010, 37, 443-451.	0.6	14
79	A data adaptive approach to the robust fitting of PET data: Application to group and test-retest analysis. , 2009, , .		0
80	Reported childhood abuse is associated with low serotonin transporter binding in vivo in major depressive disorder. <i>Synapse</i> , 2009, 63, 565-573.	1.2	109
81	Robust fitting for neuroreceptor mapping. <i>Statistics in Medicine</i> , 2009, 28, 1004-1016.	1.6	2
82	Smoothing Parameter Selection for a Class of Semiparametric Linear Models. <i>Journal of the Royal Statistical Society Series B: Statistical Methodology</i> , 2009, 71, 505-523.	2.2	150
83	Positron Emission Tomography Quantification of Serotonin-1A Receptor Binding in Medication-Free Bipolar Depression. <i>Biological Psychiatry</i> , 2009, 66, 223-230.	1.3	113
84	Serotonin transporter binding as a possible predictor of one-year remission in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2008, 42, 1137-1144.	3.1	84
85	Modeling Considerations for ¹¹ C-CUMI-101, an Agonist Radiotracer for Imaging Serotonin 1A Receptor In Vivo with PET. <i>Journal of Nuclear Medicine</i> , 2008, 49, 587-596.	5.0	49
86	Optimal Metabolite Curve Fitting for Kinetic Modeling of ¹¹ C-WAY-100635. <i>Journal of Nuclear Medicine</i> , 2007, 48, 926-931.	5.0	27
87	Here's to Your Health. <i>Chance</i> , 2007, 20, 59-62.	0.2	3
88	Brain Serotonin Transporter Binding in Depressed Patients With Bipolar Disorder Using Positron Emission Tomography. <i>Archives of General Psychiatry</i> , 2007, 64, 201.	12.3	122
89	Functional Principal Component Regression and Functional Partial Least Squares. <i>Journal of the American Statistical Association</i> , 2007, 102, 984-996.	3.1	208
90	In vivo Quantification of Serotonin Transporters Using [¹¹ C]DASB and Positron Emission Tomography in Humans: Modeling Considerations. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 205-217.	4.3	125

#	ARTICLE	IF	CITATIONS
91	Altered Serotonin 1A Binding in Major Depression: A [carbonyl-C-11]WAY100635 Positron Emission Tomography Study. <i>Biological Psychiatry</i> , 2006, 59, 106-113.	1.3	324
92	Lower Serotonin Transporter Binding Potential in the Human Brain During Major Depressive Episodes. <i>American Journal of Psychiatry</i> , 2006, 163, 52-58.	7.2	292
93	Effect of a Triallelic Functional Polymorphism of the Serotonin-Transporter-Linked Promoter Region on Expression of Serotonin Transporter in the Human Brain. <i>American Journal of Psychiatry</i> , 2006, 163, 48-51.	7.2	250
94	Higher 5-HT1A Receptor Binding Potential During a Major Depressive Episode Predicts Poor Treatment Response: Preliminary Data from a Naturalistic Study. <i>Neuropsychopharmacology</i> , 2006, 31, 1745-1749.	5.4	203
95	Metabolite considerations in the in vivo quantification of serotonin transporters using 11C-DASB and PET in humans. <i>Journal of Nuclear Medicine</i> , 2006, 47, 1796-802.	5.0	30
96	Estimation in regression models with externally estimated parameters. <i>Biostatistics</i> , 2005, 7, 115-129.	1.5	56
97	Effects of tryptophan depletion on the binding of [11C]-DASB to the serotonin transporter in baboons: Response to acute serotonin deficiency. <i>Biological Psychiatry</i> , 2005, 57, 102-106.	1.3	44
98	Mixture modeling for PET neuroreceptor studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S636-S636.	4.3	0
99	Adding Drift to the Decomposition of Simple Isochronous Tapping: An Extension of the Wing-Kristofferson Model. <i>Journal of Experimental Psychology: Human Perception and Performance</i> , 2004, 30, 853-872.	0.9	42
100	Estimation of kinetic parameters in graphical analysis of PET imaging data. <i>Statistics in Medicine</i> , 2003, 22, 3557-3568.	1.6	82
101	Determination of Volume of Distribution using Likelihood Estimation in Graphical Analysis: Elimination of Estimation Bias. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 1471-1478.	4.3	40
102	Profiling Placebo Responders by Self-Consistent Partitioning of Functional Data. <i>Journal of the American Statistical Association</i> , 2003, 98, 850-858.	3.1	33
103	Effects of sex, age, and aggressive traits in man on brain serotonin 5-HT1A receptor binding potential measured by PET using [C-11]WAY-100635. <i>Brain Research</i> , 2002, 954, 173-182.	2.2	294
104	Variance Decomposition of Tempo Drift in Isochronous Rhythmic Tapping. <i>Annals of the New York Academy of Sciences</i> , 2001, 930, 405-408.	3.8	7
105	On detecting and modeling deterministic drift in long run sequences of tapping data. <i>Communications in Statistics - Theory and Methods</i> , 1999, 28, 977-987.	1.0	15
106	Statistical Tools on the World Wide Web. <i>American Statistician</i> , 1998, 52, 257-262.	1.6	9
107	Essential Wavelets for Statistical Applications and Data Analysis. , 1997, , .		229
108	On preconditioning the data for the wavelet transform when the sample size is not a power of two. <i>Communications in Statistics Part B: Simulation and Computation</i> , 1997, 26, 467-486.	1.2	9