Jun-Ichi Hanai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10404665/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	TGF-Î ² Signaling and the Epithelial-Mesenchymal Transition during Palatal Fusion. International Journal of Molecular Sciences, 2018, 19, 3638.	4.1	27
2	In vivo evidence for an interplay of FGF23/Klotho/PTH axis on the phosphate handling in renal proximal tubules. American Journal of Physiology - Renal Physiology, 2018, 315, F1261-F1270.	2.7	25
3	Low-Dose Farnesyltransferase Inhibitor Suppresses HIF-1α and Snail Expression in Triple-Negative Breast Cancer MDA-MB-231 Cells In Vitro. Journal of Cellular Physiology, 2017, 232, 192-201.	4.1	22
4	Discovery of furan carboxylate derivatives as novel inhibitors of ATP-citrate lyase via virtual high-throughput screening. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 929-935.	2.2	13
5	Parathyroid hormone controls paracellular Ca ²⁺ transport in the thick ascending limb by regulating the tight-junction protein Claudin14. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E3344-E3353.	7.1	55
6	Design and synthesis of emodin derivatives as novel inhibitors of ATP-citrate lyase. European Journal of Medicinal Chemistry, 2017, 126, 920-928.	5.5	60
7	Citrate Suppresses Tumor Growth in Multiple Models through Inhibition of Glycolysis, the Tricarboxylic Acid Cycle and the IGF-1R Pathway. Scientific Reports, 2017, 7, 4537.	3.3	94
8	InÂvivo evidence for a limited role of proximal tubular Klotho in renal phosphate handling. Kidney International, 2016, 90, 348-362.	5.2	61
9	A prospective epigenetic paradigm between cellular senescence and epithelial-mesenchymal transition in organismal development and aging. Translational Research, 2015, 165, 241-249.	5.0	13
10	Transgenic mice overexpressing glia maturation factor-β, an oxidative stress inducible gene, show premature aging due to Zmpste24 down-regulation. Aging, 2015, 7, 486-499.	3.1	7
11	Targeting Lactate Dehydrogenase-A Inhibits Tumorigenesis and Tumor Progression in Mouse Models of Lung Cancer and Impacts Tumor-Initiating Cells. Cell Metabolism, 2014, 19, 795-809.	16.2	411
12	Inhibition of lung cancer growth: ATP citrate lyase knockdown and statin treatment leads to dual blockade of mitogenâ€activated protein Kinase (MAPK) and Phosphatidylinositolâ€3â€kinase (PI3K)/AKT pathways. Journal of Cellular Physiology, 2012, 227, 1709-1720.	4.1	133
13	A Small-Molecule Screening Strategy To Identify Suppressors of Statin Myopathy. ACS Chemical Biology, 2011, 6, 900-904.	3.4	21
14	Embryonic Senescence and Laminopathies in a Progeroid Zebrafish Model. PLoS ONE, 2011, 6, e17688.	2.5	50
15	Statinâ€induced muscle damage and atroginâ€1 induction is the result of a geranylgeranylation defect. FASEB Journal, 2009, 23, 2844-2854.	0.5	115
16	Pin1 Down-regulates Transforming Growth Factor-β (TGF-β) Signaling by Inducing Degradation of Smad Proteins. Journal of Biological Chemistry, 2009, 284, 6109-6115.	3.4	93
17	The muscle-specific ubiquitin ligase atrogin-1/MAFbx mediates statin-induced muscle toxicity. Journal of Clinical Investigation, 2007, 117, 3940-51.	8.2	214
18	Soluble endoglin contributes to the pathogenesis of preeclampsia. Nature Medicine, 2006, 12, 642-649.	30.7	1,653

Jun-Ichi Hanai

#	Article	IF	CITATIONS
19	Nephrocan, a Novel Member of the Small Leucine-rich Repeat Protein Family, Is an Inhibitor of Transforming Growth Factor-β Signaling. Journal of Biological Chemistry, 2006, 281, 36044-36051.	3.4	26
20	A Critical Role for Calponin 2 in Vascular Development. Journal of Biological Chemistry, 2006, 281, 6664-6672.	3.4	55
21	A novel endothelial-specific heat shock protein HspA12B is required in both zebrafish development and endothelial functions in vitro. Journal of Cell Science, 2006, 119, 4117-4126.	2.0	62
22	Lipocalin 2 Antagonizes the Proangiogenic Action of Ras in Transformed Cells. Molecular Cancer Research, 2006, 4, 821-829.	3.4	29
23	Lipocalin 2 Diminishes Invasiveness and Metastasis of Ras-transformed Cells. Journal of Biological Chemistry, 2005, 280, 13641-13647.	3.4	107
24	Magic roundabout, a tumor endothelial marker: Expression and signaling. Biochemical and Biophysical Research Communications, 2005, 332, 533-541.	2.1	107
25	BMP-7 counteracts TGF-β1–induced epithelial-to-mesenchymal transition and reverses chronic renal injury. Nature Medicine, 2003, 9, 964-968.	30.7	1,260
26	Endostatin is a potential inhibitor of Wnt signaling. Journal of Cell Biology, 2002, 158, 529-539.	5.2	141
27	Endostatin Causes G1 Arrest of Endothelial Cells through Inhibition of Cyclin D1. Journal of Biological Chemistry, 2002, 277, 16464-16469.	3.4	197
28	Cellular Actions and Signaling by Endostatin. Critical Reviews in Eukaryotic Gene Expression, 2002, 12, 175-192.	0.9	16
29	Cell Surface Glypicans Are Low-Affinity Endostatin Receptors. Molecular Cell, 2001, 7, 811-822.	9.7	284
30	Schnurri interacts with Mad in a Dpp-dependent manner. Genes To Cells, 2000, 5, 359-369.	1.2	29
31	Interaction and Functional Cooperation of PEBP2/CBF with Smads. Journal of Biological Chemistry, 1999, 274, 31577-31582.	3.4	417
32	c-Ski Acts as a Transcriptional Co-repressor in Transforming Growth Factor-Î ² Signaling through Interaction with Smads. Journal of Biological Chemistry, 1999, 274, 35269-35277.	3.4	347
33	E1A Inhibits Transforming Growth Factor-β Signaling through Binding to Smad Proteins. Journal of Biological Chemistry, 1999, 274, 28716-28723.	3.4	98
34	Intracellular Signaling of the TGF-beta Superfamily by Smad Proteins. Annals of the New York Academy of Sciences, 1999, 886, 73-82.	3.8	43
35	Expression of transfected human Na+/H+ exchanger (NHE-1) in the basolateral membrane of opossum kidney cells. , 1999, 178, 44-50.		1
36	Role of p300, a transcriptional coactivator, in signalling of TGF-β. Genes To Cells, 1998, 3, 613-623.	1.2	142

3

37 Smad6 inhibits signalling by the TGF-Î ² superfamily. Nature, 1997, 389, 622-626. 27.8 977	#	Article	IF	CITATIONS
	37	Smad6 inhibits signalling by the TGF-β superfamily. Nature, 1997, 389, 622-626.	27.8	977

Na+/H+ exchanger (NHE) in the basolateral membrane is encoded by NHE-1 mRNA in LLC-PK1 clone 4 cells. , 1997, 171, 318-324.