

Peter G Clifton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10409704/publications.pdf>

Version: 2024-02-01

34
papers

1,826
citations

361413

20
h-index

395702

33
g-index

34
all docs

34
docs citations

34
times ranked

1628
citing authors

#	ARTICLE	IF	CITATIONS
1	Serotonin Reciprocally Regulates Melanocortin Neurons to Modulate Food Intake. <i>Neuron</i> , 2006, 51, 239-249.	8.1	345
2	Reduced satiating effect of d-fenfluramine in serotonin 5-HT _{2C} receptor mutant mice. <i>Psychopharmacology</i> , 1999, 143, 309-314.	3.1	269
3	Similarities in the action of Ro 60-0175, a 5-HT _{2C} receptor agonist, and d-fenfluramine on feeding patterns in the rat. <i>Psychopharmacology</i> , 2000, 152, 256-267.	3.1	133
4	Serotonin 2C receptor agonists and the behavioural satiety sequence in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 71, 691-700.	2.9	111
5	Little and often: Ingestive behavior patterns following hippocampal lesions in rats.. <i>Behavioral Neuroscience</i> , 1998, 112, 502-511.	1.2	90
6	The cannabinoid CB1 receptor antagonist SR141716A reduces appetitive and consummatory responses for food. <i>Psychopharmacology</i> , 2005, 179, 452-460.	3.1	77
7	The cannabinoid CB1 receptor inverse agonist, rimonabant, modifies body weight and adiponectin function in diet-induced obese rats as a consequence of reduced food intake. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 84, 353-359.	2.9	72
8	Effects of clozapine, olanzapine and haloperidol on the microstructure of ingestive behaviour in the rat. <i>Psychopharmacology</i> , 2003, 167, 115-122.	3.1	67
9	5-HT _{2C} receptor activation inhibits appetitive and consummatory components of feeding and increases brain c-fos immunoreactivity in mice. <i>European Journal of Neuroscience</i> , 2007, 25, 3115-3124.	2.6	66
10	5-HT _{1B} receptors modulate components of satiety in the rat: behavioural and pharmacological analyses of the selective serotonin 1B agonist CP-94,253. <i>Psychopharmacology</i> , 2002, 164, 49-60.	3.1	62
11	Hyperphagia and increased meal size are responsible for weight gain in rats treated sub-chronically with olanzapine. <i>Psychopharmacology</i> , 2009, 203, 693-702.	3.1	61
12	Meal patterns of free feeding rats treated with clozapine, olanzapine, or haloperidol. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 71, 147-154.	2.9	58
13	Reduced hypophagic effects of d-fenfluramine and the 5-HT _{2C} receptor agonist mCPP in 5-HT _{1B} receptor knockout mice. <i>Psychopharmacology</i> , 2004, 176, 39-49.	3.1	55
14	The rat's not for turning: Dissociating the psychological components of cognitive inflexibility. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 56, 1-14.	6.1	48
15	Partial reversal of fluoxetine anorexia by the 5-HT antagonist metergoline. <i>Psychopharmacology</i> , 1992, 107, 359-364.	3.1	40
16	5-HT _{1B} receptor knockout mice show a compensatory reduction in 5-HT _{2C} receptor function. <i>European Journal of Neuroscience</i> , 2003, 17, 185-190.	2.6	38
17	Tonic regulation of satiety by 5-HT _{1B} receptors in the mouse: converging evidence from behavioural and c-fos immunoreactivity studies?. <i>European Journal of Neuroscience</i> , 2004, 19, 3017-3025.	2.6	28
18	A comparison of the effects of the CB1 receptor antagonist SR141716A, pre-feeding and changed palatability on the microstructure of ingestive behaviour. <i>Psychopharmacology</i> , 2007, 193, 1-9.	3.1	28

#	ARTICLE	IF	CITATIONS
19	Serotonergic and histaminergic mechanisms involved in intralipid drinking?. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 76, 251-258.	2.9	23
20	The anorectic effect of the selective dopamine D1-receptor agonist A-77636 determined by meal pattern analysis in free-feeding rats. <i>European Journal of Pharmacology</i> , 2006, 532, 253-257.	3.5	21
21	Songs of American Redstarts <i><i>(Setophaga ruticilla)</i></i> : Sequencing Rules and their Relationships to Repertoire Size. <i>Ethology</i> , 1993, 93, 198-210.	1.1	21
22	Comparative effects of olanzapine and ziprasidone on hypophagia induced by enhanced histamine neurotransmission in the rat. <i>Behavioural Pharmacology</i> , 2008, 19, 121-128.	1.7	19
23	Effects of Atypical Antipsychotic Drugs on Intralipid Intake and Cocaine-Induced Hyperactivity in Rats. <i>Neuropsychopharmacology</i> , 2006, 31, 1938-1945.	5.4	15
24	Disturbance of meal patterning following nucleus accumbens lesions in the rat. <i>Brain Research</i> , 1994, 667, 123-128.	2.2	12
25	Dissociable Effects of 5-HT _{2C} Receptor Antagonism and Genetic Inactivation on Perseverance and Learned Non-Reward in an Egocentric Spatial Reversal Task. <i>PLoS ONE</i> , 2013, 8, e77762.	2.5	12
26	Free-feeding and free-drinking patterns of male rats following treatment with opiate kappa agonists. <i>Physiology and Behavior</i> , 1992, 52, 1179-1185.	2.1	11
27	Animal models to explore the effects of CNS drugs on food intake and energy expenditure. <i>Neuropharmacology</i> , 2012, 63, 124-131.	4.1	10
28	Effects of SCH39166 and domperidone on the meal patterning of male rats. <i>Pharmacology Biochemistry and Behavior</i> , 1995, 52, 265-270.	2.9	9
29	Neural circuits of eating behaviour: Opportunities for therapeutic development. <i>Journal of Psychopharmacology</i> , 2017, 31, 1388-1402.	4.0	9
30	Intra-Accumbens Baclofen, But Not Muscimol, Increases Second Order Instrumental Responding for Food Reward in Rats. <i>PLoS ONE</i> , 2012, 7, e40057.	2.5	5
31	Fluoxetine hypophagia. <i>Trends in Pharmacological Sciences</i> , 1997, 18, 191.	8.7	4
32	Role of the Serotonergic System in Appetite and Ingestion Control. <i>Handbook of Behavioral Neuroscience</i> , 2010, , 331-345.	0.7	4
33	Role of the serotonergic system in appetite and ingestion control. <i>Handbook of Behavioral Neuroscience</i> , 2020, , 469-487.	0.7	3
34	Multidisciplinary approaches to the study of eating disorders and obesity: Recent progress in research and development and future prospects. <i>Journal of Psychopharmacology</i> , 2017, 31, 1383-1387.	4.0	0