


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1041046/publications.pdf Version: 2024-02-01



70 7uu

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Electrical Machines and Drives for Electric, Hybrid, and Fuel Cell Vehicles. Proceedings of the IEEE, 2007, 95, 746-765. | 21.3 | 1,173 |
| 2 | Influence of design parameters on cogging torque in permanent magnet machines. IEEE Transactions on Energy Conversion, 2000, 15, 407-412. | 5.2 | 830 |
| 3 | Instantaneous magnetic field distribution in brushless permanent magnet DC motors. III. Effect of stator slotting. IEEE Transactions on Magnetics, 1993, 29, 143-151. | 2.1 | 584 |
| 4 | Instantaneous magnetic field distribution in brushless permanent magnet DC motors. I. Open-circuit field. IEEE Transactions on Magnetics, 1993, 29, 124-135. | 2.1 | 555 |
| 5 | Analysis of electromagnetic performance of flux-switching permanent-magnet Machines by nonlinear adaptive lumped parameter magnetic circuit model. IEEE Transactions on Magnetics, 2005, 41, 4277-4287. | 2.1 | 549 |
| 6 | Improved analytical model for predicting the magnetic field distribution in brushless permanent-magnet machines. IEEE Transactions on Magnetics, 2002, 38, 229-238. | 2.1 | 395 |
| 7 | Advanced Flux-Switching Permanent Magnet Brushless Machines. IEEE Transactions on Magnetics, 2010, 46, 1447-1453. | 2.1 | 368 |
| 8 | An Accurate Subdomain Model for Magnetic Field Computation in Slotted Surface-Mounted Permanent-Magnet Machines. IEEE Transactions on Magnetics, 2010, 46, 1100-1115. | 2.1 | 365 |
| 9 | Winding Configurations and Optimal Stator and Rotor Pole Combination of Flux-Switching PM Brushless AC Machines. IEEE Transactions on Energy Conversion, 2010, 25, 293-302. | 5.2 | 354 |
| 10 | Analysis and Optimization of Back EMF Waveform of a Flux-Switching Permanent Magnet Motor. IEEE Transactions on Energy Conversion, 2008, 23, 727-733. | 5.2 | 307 |
| 11 | Analytical Methods for Minimizing Cogging Torque in Permanent-Magnet Machines. IEEE Transactions on Magnetics, 2009, 45, 2023-2031. | 2.1 | 305 |
| 12 | Instantaneous magnetic field distribution in brushless permanent magnet DC motors. II. Armature-reaction field. IEEE Transactions on Magnetics, 1993, 29, 136-142. | 2.1 | 300 |
| 13 | Eddy-current loss in the rotor magnets of permanent-magnet brushless machines having a fractional number of slots per pole. IEEE Transactions on Magnetics, 2005, 41, 2462-2469. | 2.1 | 281 |
| 14 | Direct Active and Reactive Power Regulation of DFIG Using Sliding-Mode Control Approach. IEEE Transactions on Energy Conversion, 2010, 25, 1028-1039. | 5.2 | 256 |
| 15 | Direct Active and Reactive Power Regulation of Grid-Connected DC/AC Converters Using Sliding Mode Control Approach. IEEE Transactions on Power Electronics, 2011, 26, 210-222. | 7.9 | 255 |
| 16 | Improved analytical modelling of rotor eddy current loss in brushless machines equipped with surface-mounted permanent magnets. IET Electric Power Applications, 2004, 151, 641. | 1.4 | 229 |
| 17 | Direct Torque Control of Brushless DC Drives With Reduced Torque Ripple. IEEE Transactions on Industry Applications, 2005, 41, 599-608. | 4.9 | 227 |
| 18 | Online Multiparameter Estimation of Nonsalient-Pole PM Synchronous Machines With Temperature Variation Tracking. IEEE Transactions on Industrial Electronics, 2011, 58, 1776-1788. | 7.9 | 217 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Analysis of Air-Gap Field Modulation and Magnetic Gearing Effects in Switched Flux Permanent Magnet Machines. IEEE Transactions on Magnetics, 2015, 51, 1-12. | 2.1 | 214 |
| 20 | Improved Voltage-Vector Sequences on Dead-Beat Predictive Direct Power Control of Reversible Three-Phase Grid-Connected Voltage-Source Converters. IEEE Transactions on Power Electronics, 2013, 28, 254-267. | 7.9 | 213 |
| 21 | Comparison of PM Brushless Motors, Having Either All Teeth or Alternate Teeth Wound. IEEE Transactions on Energy Conversion, 2006, 21, 95-103. | 5.2 | 201 |
| 22 | Current Control for Dual Three-Phase Permanent Magnet Synchronous Motors Accounting for Current Unbalance and Harmonics. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2014, 2, 272-284. | 5.4 | 198 |
| 23 | Analytical prediction of the cogging torque in radial-field permanent magnet brushless motors. IEEE Transactions on Magnetics, 1992, 28, 1371-1374. | 2.1 | 186 |
| 24 | An Improved Subdomain Model for Predicting Magnetic Field of Surface-Mounted Permanent Magnet Machines Accounting for Tooth-Tips. IEEE Transactions on Magnetics, 2011, 47, 1693-1704. | 2.1 | 184 |
| 25 | Unbalanced Magnetic Forces in Permanent-Magnet Brushless Machines With Diametrically Asymmetric Phase Windings. IEEE Transactions on Industry Applications, 2007, 43, 1544-1553. | 4.9 | 182 |
| 26 | Reduction of Both Harmonic Current and Torque Ripple for Dual Three-Phase Permanent-Magnet Synchronous Machine Using Modified Switching-Table-Based Direct Torque Control. IEEE Transactions on Industrial Electronics, 2015, 62, 6671-6683. | 7.9 | 182 |
| 27 | Hybrid-Excited Flux-Switching Permanent-Magnet Machines With Iron Flux Bridges. IEEE Transactions on Magnetics, 2010, 46, 1726-1729. | 2.1 | 178 |
| 28 | Online Estimation of the Rotor Flux Linkage and Voltage-Source Inverter Nonlinearity in Permanent Magnet Synchronous Machine Drives. IEEE Transactions on Power Electronics, 2014, 29, 418-427. | 7.9 | 174 |
| 29 | Investigation of Effectiveness of Sensorless Operation in Carrier-Signal-Injection-Based Sensorless-Control Methods. IEEE Transactions on Industrial Electronics, 2011, 58, 3431-3439. | 7.9 | 172 |
| 30 | Instantaneous magnetic field distribution in permanent magnet brushless DC motors. IV. Magnetic field on load. IEEE Transactions on Magnetics, 1993, 29, 152-158. | 2.1 | 171 |
| 31 | Analysis of a Novel Multi-Tooth Flux-Switching PM Brushless AC Machine for High Torque Direct-Drive Applications. IEEE Transactions on Magnetics, 2008, 44, 4313-4316. | 2.1 | 169 |
| 32 | Multiphase Flux-Switching Permanent-Magnet Brushless Machine for Aerospace Application. IEEE Transactions on Industry Applications, 2009, 45, 1971-1981. | 4.9 | 168 |
| 33 | Commutation-Torque-Ripple Minimization in Direct-Torque-Controlled PM Brushless DC Drives. IEEE Transactions on Industry Applications, 2007, 43, 1012-1021. | 4.9 | 164 |
| 34 | Power Electronic Transformer-Based Railway Traction Systems: Challenges and Opportunities. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2017, 5, 1237-1253. | 5.4 | 164 |
| 35 | Average Torque Separation in Permanent Magnet Synchronous Machines Using Frozen Permeability. IEEE Transactions on Magnetics, 2013, 49, 1202-1210. | 2.1 | 163 |
| 36 | Analytical Magnetic Field Analysis of Halbach Magnetized Permanent-Magnet Machines. IEEE Transactions on Magnetics, 2004, 40, 1864-1872. | 2.1 | 162 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A Novel Hybrid-Excited Switched-Flux Brushless AC Machine for EV/HEV Applications. IEEE Transactions on Vehicular Technology, 2011, 60, 1365-1373. | 6.3 | 161 |
| 38 | Permanent-Magnet Brushless Machines With Unequal Tooth Widths and Similar Slot and Pole Numbers. IEEE Transactions on Industry Applications, 2005, 41, 584-590. | 4.9 | 156 |
| 39 | Minimization of Cogging Torque in Axial-Flux Permanent-Magnet Machines: Design Concepts. IEEE Transactions on Magnetics, 2007, 43, 3614-3622. | 2.1 | 156 |
| 40 | Analysis of Air-Gap Field Modulation and Magnetic Gearing Effect in Fractional-Slot Concentrated-Winding Permanent-Magnet Synchronous Machines. IEEE Transactions on Industrial Electronics, 2018, 65, 3688-3698. | 7.9 | 154 |
| 41 | Novel Sensorless Control Strategy With Injection of High-Frequency Pulsating Carrier Signal Into Stationary Reference Frame. IEEE Transactions on Industry Applications, 2014, 50, 2574-2583. | 4.9 | 152 |
| 42 | Influence of Electric Loading and Magnetic Saturation on Cogging Torque, Back-EMF and Torque Ripple of PM Machines. IEEE Transactions on Magnetics, 2012, 48, 2650-2658. | 2.1 | 151 |
| 43 | Parameter Estimation for Condition Monitoring of PMSM Stator Winding and Rotor Permanent Magnets. IEEE Transactions on Industrial Electronics, 2013, 60, 5902-5913. | 7.9 | 150 |
| 44 | Comparison of Two-Individual Current Control and Vector Space Decomposition Control for Dual Three-Phase PMSM. IEEE Transactions on Industry Applications, 2017, 53, 4483-4492. | 4.9 | 150 |
| 45 | A simple method for measuring cogging torque in permanent magnet machines. , 2009, , . | | 146 |
| 46 | Influence of Skew and Cross-Coupling on Flux-Weakening Performance of Permanent-Magnet Brushless AC Machines. IEEE Transactions on Magnetics, 2009, 45, 2110-2117. | 2.1 | 146 |
| 47 | Comparison of Analytical Models of Cogging Torque in Surface-Mounted PM Machines. IEEE Transactions on Industrial Electronics, 2012, 59, 2414-2425. | 7.9 | 142 |
| 48 | Acoustic noise radiated by PWM-controllel induction machine drives. IEEE Transactions on Industrial Electronics, 2000, 47, 880-889. | 7.9 | 140 |
| 49 | Comparison of All- and Alternate-Poles-Wound Flux-Switching PM Machines Having Different Stator and Rotor Pole Numbers. IEEE Transactions on Industry Applications, 2010, 46, 1406-1415. | 4.9 | 139 |
| 50 | Analytical Model for Predicting Maximum Reduction Levels of Vibration and Noise in Switched Reluctance Machine by Active Vibration Cancellation. IEEE Transactions on Energy Conversion, 2011, 26, 36-45. | 5.2 | 138 |
| 51 | Direct Torque Control of Permanent-Magnet Synchronous Machine Drives With a Simple Duty Ratio Regulator. IEEE Transactions on Industrial Electronics, 2014, 61, 5249-5258. | 7.9 | 138 |
| 52 | Electromagnetic Performance of Novel Variable Flux Reluctance Machines With DC-Field Coil in Stator. IEEE Transactions on Magnetics, 2013, 49, 3020-3028. | 2.1 | 135 |
| 53 | Improved Rotor-Position Estimation by Signal Injection in Brushless AC Motors, Accounting for Cross-Coupling Magnetic Saturation. IEEE Transactions on Industry Applications, 2009, 45, 1843-1850. | 4.9 | 131 |
| 54 | Influence of PWM on the Proximity Loss in Permanent-Magnet Brushless AC Machines. IEEE Transactions on Industry Applications, 2009, 45, 1359-1367. | 4.9 | 127 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Novel Partitioned Stator Switched Flux Permanent Magnet Machines. IEEE Transactions on Magnetics, 2015, 51, 1-14. | 2.1 | 125 |
| 56 | Synthesis of cogging-torque waveform from analysis of a single stator slot. IEEE Transactions on Industry Applications, 2006, 42, 650-657. | 4.9 | 124 |
| 57 | Influence of slot and pole number combination on radial force and vibration modes in fractional slot PM brushless machines having single- and double-layer windings. , 2009, , . | | 124 |
| 58 | A Novel Axial Field Flux-Switching Permanent Magnet Wind Power Generator. IEEE Transactions on Magnetics, 2011, 47, 4457-4460. | 2.1 | 124 |
| 59 | Analytical Modeling of Open-Circuit Air-Gap Field Distributions in Multisegment and Multilayer Interior Permanent-Magnet Machines. IEEE Transactions on Magnetics, 2009, 45, 3121-3130. | 2.1 | 123 |
| 60 | An improved method for predicting iron losses in brushless permanent magnet DC drives. IEEE Transactions on Magnetics, 1992, 28, 2997-2999. | 2.1 | 118 |
| 61 | Flux-Weakening Control of Nonsalient Pole PMSM Having Large Winding Inductance, Accounting for Resistive Voltage Drop and Inverter Nonlinearities. IEEE Transactions on Power Electronics, 2012, 27, 942-952. | 7.9 | 117 |
| 62 | Investigation of Torque Ripples in Permanent Magnet Synchronous Machines With Skewing. IEEE Transactions on Magnetics, 2013, 49, 1211-1220. | 2.1 | 117 |
| 63 | Stator/Rotor Pole Combinations and Winding Configurations of Variable Flux Reluctance Machines. IEEE Transactions on Industry Applications, 2014, 50, 3675-3684. | 4.9 | 117 |
| 64 | Analytical On-Load Subdomain Field Model of Permanent-Magnet Vernier Machines. IEEE Transactions on Industrial Electronics, 2016, 63, 4105-4117. | 7.9 | 115 |
| 65 | Reduction of Torque and Flux Ripples in Space Vector Modulation-Based Direct Torque Control of Asymmetric Permanent Magnet Synchronous Machine. IEEE Transactions on Power Electronics, 2017, 32, 2976-2986. | 7.9 | 115 |
| 66 | Electrical machine topologies and technologies for electric, hybrid, and fuel cell vehicles. , 2008, , . | | 114 |
| 67 | Influence of Slot Opening on Optimal Stator and Rotor Pole Combination and Electromagnetic Performance of Switched-Flux PM Brushless AC Machines. IEEE Transactions on Industry Applications, 2011, 47, 1681-1691. | 4.9 | 113 |
| 68 | Coordinated Direct Power Control of DFIG System Without Phase-Locked Loop Under Unbalanced Grid Voltage Conditions. IEEE Transactions on Power Electronics, 2016, 31, 2905-2918. | 7.9 | 110 |
| 69 | Switched flux permanent magnet machines — Innovation continues. , 2011, , . | | 109 |
| 70 | Sensorless Flux-Weakening Control of Permanent-Magnet Brushless Machines Using Third Harmonic Back EMF. IEEE Transactions on Industry Applications, 2004, 40, 1629-1636. | 4.9 | 107 |
| 71 | Vibration of PM Brushless Machines Having a Fractional Number of Slots Per Pole. IEEE Transactions on Magnetics, 2006, 42, 3395-3397. | 2.1 | 107 |
| 72 | Modular Three-Phase Permanent-Magnet Brushless Machines for In-Wheel Applications. IEEE Transactions on Vehicular Technology, 2008, 57, 2714-2720. | 6.3 | 107 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Stator and Rotor Pole Combinations for Multi-Tooth Flux-Switching Permanent-Magnet Brushless AC Machines. IEEE Transactions on Magnetics, 2008, 44, 4659-4667. | 2.1 | 107 |
| 74 | Torque Enhancement of Surface-Mounted Permanent Magnet Machine Using Third-Order Harmonic. IEEE Transactions on Magnetics, 2014, 50, 104-113. | 2.1 | 106 |
| 75 | Rotor resonances of high-speed permanent-magnet brushless machines. IEEE Transactions on Industry Applications, 2002, 38, 1542-1548. | 4.9 | 104 |
| 76 | Comparative Study of Novel Variable Flux Reluctance Machines With Doubly Fed Doubly Salient Machines. IEEE Transactions on Magnetics, 2013, 49, 3838-3841. | 2.1 | 104 |
| 77 | Alternate Poles Wound Flux-Switching Permanent-Magnet Brushless AC Machines. IEEE Transactions on Industry Applications, 2010, 46, 790-797. | 4.9 | 102 |
| 78 | Cogging Torque in Flux-Switching Permanent Magnet Machines. IEEE Transactions on Magnetics, 2009, 45, 4708-4711. | 2.1 | 101 |
| 79 | Modeling and Investigation of Thermal Characteristics of a Water-Cooled Permanent-Magnet Linear Motor. IEEE Transactions on Industry Applications, 2015, 51, 2086-2096. | 4.9 | 100 |
| 80 | Predictive current control with current-error correction for PM brushless AC drives. IEEE Transactions on Industry Applications, 2006, 42, 1071-1079. | 4.9 | 98 |
| 81 | Influence of Nonideal Voltage Measurement on Parameter Estimation in Permanent-Magnet Synchronous Machines. IEEE Transactions on Industrial Electronics, 2012, 59, 2438-2447. | 7.9 | 98 |
| 82 | Novel Consequent-Pole Hybrid Excited Machine with Separated Excitation Stator. IEEE Transactions on Industrial Electronics, 2016, , 1-1. | 7.9 | 97 |
| 83 | Novel Dual-Phase-Shift Control With Bidirectional Inner Phase Shifts for a Dual-Active-Bridge Converter Having Low Surge Current and Stable Power Control. IEEE Transactions on Power Electronics, 2017, 32, 4095-4106. | 7.9 | 97 |
| 84 | Reduction of cogging torque in interior-magnet brushless machines. IEEE Transactions on Magnetics, 2003, 39, 3238-3240. | 2.1 | 95 |
| 85 | Proximity Loss Study In High Speed Flux-Switching Permanent Magnet Machine. IEEE Transactions on Magnetics, 2009, 45, 4748-4751. | 2.1 | 95 |
| 86 | Comparison of flux-switching and doubly-salient permanent magnet brushless machines. , 2005, , . | | 94 |
| 87 | Three-Dimensional Lumped-Parameter Magnetic Circuit Analysis of Single-Phase Flux-Switching Permanent-Magnet Motor. IEEE Transactions on Industry Applications, 2008, 44, 1701-1710. | 4.9 | 93 |
| 88 | Analysis and Suppression of Zero Sequence Circulating Current in Open Winding PMSM Drives With Common DC Bus. IEEE Transactions on Industry Applications, 2017, 53, 3609-3620. | 4.9 | 93 |
| 89 | Influence of Additional Air Gaps Between Stator Segments on Cogging Torque of Permanent-Magnet Machines Having Modular Stators. IEEE Transactions on Magnetics, 2012, 48, 2049-2055. | 2.1 | 92 |
| 90 | Influence of Slot and Pole Number Combinations on Unbalanced Magnetic Force in PM Machines With Diametrically Asymmetric Windings. IEEE Transactions on Industry Applications, 2013, 49, 19-30. | 4.9 | 92 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | A Sliding-Mode Direct Power Control Strategy for DFIG Under Both Balanced and Unbalanced Grid Conditions Using Extended Active Power. IEEE Transactions on Power Electronics, 2018, 33, 1313-1322. | 7.9 | 90 |
| 92 | Identification of Flux Linkage Map of Permanent Magnet Synchronous Machines Under Uncertain Circuit Resistance and Inverter Nonlinearity. IEEE Transactions on Industrial Informatics, 2018, 14, 556-568. | 11.3 | 90 |
| 93 | Average Torque Improvement of Interior Permanent-Magnet Machine Using Third Harmonic in Rotor Shape. IEEE Transactions on Industrial Electronics, 2014, 61, 5047-5057. | 7.9 | 89 |
| 94 | Instantaneous Torque Estimation in Sensorless Direct-Torque-Controlled Brushless DC Motors. IEEE Transactions on Industry Applications, 2006, 42, 1275-1283. | 4.9 | 88 |
| 95 | Investigation on Switching Patterns of Direct Power Control Strategies for Grid-Connected DC–AC Converters Based on Power Variation Rates. IEEE Transactions on Power Electronics, 2011, 26, 3582-3598. | 7.9 | 88 |
| 96 | Analytical determination of optimal split ratio for permanent magnet brushless motors. IET Electric Power Applications, 2006, 153, 7. | 1.4 | 87 |
| 97 | Torque Improvement of Five-Phase Surface-Mounted Permanent Magnet Machine Using Third-Order Harmonic. IEEE Transactions on Energy Conversion, 2014, 29, 735-747. | 5.2 | 87 |
| 98 | Novel Square-Wave Signal Injection Method Using Zero-Sequence Voltage for Sensorless Control of PMSM Drives. IEEE Transactions on Industrial Electronics, 2016, 63, 7444-7454. | 7.9 | 87 |
| 99 | Winding Inductances of Fractional Slot Surface-Mounted Permanent Magnet Brushless Machines. , 2008, , . | | 85 |
| 100 | Comparison of Cogging Torque Reduction in Permanent Magnet Brushless Machines by Conventional and Herringbone Skewing Techniques. IEEE Transactions on Energy Conversion, 2013, 28, 664-674. | 5.2 | 85 |
| 101 | Partitioned Stator Flux Reversal Machine With Consequent-Pole PM Stator. IEEE Transactions on Energy Conversion, 2015, 30, 1472-1482. | 5.2 | 85 |
| 102 | Minimization of cogging force in a linear permanent magnet motor. IEEE Transactions on Magnetics, 1998, 34, 3544-3547. | 2.1 | 84 |
| 103 | Optimal Split Ratio in Fractional-Slot Interior Permanent-Magnet Machines With Non-Overlapping Windings. IEEE Transactions on Magnetics, 2010, 46, 1235-1242. | 2.1 | 84 |
| 104 | Hybrid-Excited Doubly Salient Synchronous Machine With Permanent Magnets Between Adjacent Salient Stator Poles. IEEE Transactions on Magnetics, 2015, 51, 1-9. | 2.1 | 84 |
| 105 | Online optimal flux-weakening control of permanent-magnet brushless AC drives. IEEE Transactions on Industry Applications, 2000, 36, 1661-1668. | 4.9 | 83 |
| 106 | Position-Offset-Based Parameter Estimation Using the Adaline NN for Condition Monitoring of Permanent-Magnet Synchronous Machines. IEEE Transactions on Industrial Electronics, 2015, 62, 2372-2383. | 7.9 | 82 |
| 107 | Low cost flux-switching brushless AC machines. , 2010, , . | | 80 |
| 108 | Quantitative comparison of electromagnetic performance of electrical machines for HEVs/EVs. CES Transactions on Electrical Machines and Systems, 2017, 1, 37-47. | 3.5 | 80 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Online Parameter Estimation for Permanent Magnet Synchronous Machines: An Overview. IEEE Access, 2021, 9, 59059-59084. | 4.2 | 80 |
| 110 | A Spoke-Type IPM Machine With Novel Alternate Airspace Barriers and Reduction of Unipolar Leakage Flux by Step-Staggered Rotor. IEEE Transactions on Industry Applications, 2016, 52, 4789-4797. | 4.9 | 79 |
| 111 | Analytical Model of Eddy Current Loss in Windings of Permanent-Magnet Machines Accounting for Load. IEEE Transactions on Magnetics, 2012, 48, 2138-2151. | 2.1 | 78 |
| 112 | An Analytical Model of Unbalanced Magnetic Force in Fractional-Slot Surface-Mounted Permanent Magnet Machines. IEEE Transactions on Magnetics, 2010, 46, 2686-2700. | 2.1 | 77 |
| 113 | Analytical Model for Predicting Magnet Loss of Surface-Mounted Permanent Magnet Machines Accounting for Slotting Effect and Load. IEEE Transactions on Magnetics, 2012, 48, 107-117. | 2.1 | 77 |
| 114 | Design and analysis of high-speed brushless permanent magnet motors. , 1997, , . | | 76 |
| 115 | Rotor Eddy Current Loss Calculation and Thermal Analysis of Permanent Magnet Motor and Generator. IEEE Transactions on Magnetics, 2011, 47, 4199-4202. | 2.1 | 76 |
| 116 | Improved Rotor Position Estimation Accuracy by Rotating Carrier Signal Injection Utilizing Zero-Sequence Carrier Voltage for Dual Three-Phase PMSM. IEEE Transactions on Industrial Electronics, 2017, 64, 4454-4462. | 7.9 | 76 |
| 117 | Permanent Magnet Remagnetizing Physics of a Variable Flux Memory Motor. IEEE Transactions on Magnetics, 2010, 46, 1679-1682. | 2.1 | 75 |
| 118 | Analytical prediction of electromagnetic performance of surface-mounted PM machines based on subdomain model accounting for tooth-tips. IET Electric Power Applications, 2011, 5, 597. | 1.8 | 75 |
| 119 | Improved speed estimation in sensorless PM brushless AC drives. IEEE Transactions on Industry Applications, 2002, 38, 1072-1080. | 4.9 | 73 |
| 120 | Improved Pulsating Signal Injection Using Zero-Sequence Carrier Voltage for Sensorless Control of Dual Three-Phase PMSM. IEEE Transactions on Energy Conversion, 2017, 32, 436-446. | 5.2 | 73 |
| 121 | Optimal Step-Skew Methods for Cogging Torque Reduction Accounting for Three-Dimensional Effect of Interior Permanent Magnet Machines. IEEE Transactions on Energy Conversion, 2017, 32, 222-232. | 5.2 | 73 |
| 122 | The influence of finite element discretisation on the prediction of cogging torque in permanent magnet excited motors. IEEE Transactions on Magnetics, 1992, 28, 1080-1083. | 2.1 | 72 |
| 123 | Comparison of flux switching and surface mounted permanent magnet generators for high-speed applications. IET Electrical Systems in Transportation, 2011, 1, 111. | 2.4 | 72 |
| 124 | Vibration behaviour of stators of switched reluctance motors. IET Electric Power Applications, 2001, 148, 257. | 1.4 | 71 |
| 125 | Influence of Flux Gaps on Electromagnetic Performance of Novel Modular PM Machines. IEEE Transactions on Energy Conversion, 2014, 29, 716-726. | 5.2 | 70 |
| 126 | Modified switchingâ€ŧable strategy for reduction of current harmonics in direct torque controlled dualâ€ŧhreeâ€phase permanent magnet synchronous machine drives. IET Electric Power Applications, 2015, 9, 10-19. | 1.8 | 70 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Torque Capability Enhancement of Dual Three-Phase PMSM Drive With Fifth and Seventh Current Harmonics Injection. IEEE Transactions on Industry Applications, 2017, 53, 4526-4535. | 4.9 | 70 |
| 128 | A Novel Variable Flux Memory Machine With Series Hybrid Magnets. IEEE Transactions on Industry Applications, 2017, 53, 4396-4405. | 4.9 | 70 |
| 129 | Current Harmonics Suppression Strategy for PMSM With Nonsinusoidal Back-EMF Based on Adaptive Linear Neuron Method. IEEE Transactions on Industrial Electronics, 2020, 67, 9164-9173. | 7.9 | 70 |
| 130 | Sensorless Operation Capability of Surface-Mounted Permanent-Magnet Machine Based on High-Frequency Signal Injection Methods. IEEE Transactions on Industry Applications, 2015, 51, 2161-2171. | 4.9 | 69 |
| 131 | Torque Improvement of Dual Three-Phase Permanent-Magnet Machine With Third-Harmonic Current Injection. IEEE Transactions on Industrial Electronics, 2015, 62, 6833-6844. | 7.9 | 69 |
| 132 | A Wound Field Switched Flux Machine With Field and Armature Windings Separately Wound in Double Stators. IEEE Transactions on Energy Conversion, 2015, 30, 772-783. | 5.2 | 69 |
| 133 | Compensation for Rotor Position Estimation Error due to Cross-Coupling Magnetic Saturation in Signal Injection Based Sensorless Control of PM Brushless AC Motors. , 2007, , . | | 68 |
| 134 | Improved Sensorless Control of Permanent-Magnet Synchronous Machine Based on Third-Harmonic Back EMF. IEEE Transactions on Industry Applications, 2014, 50, 1861-1870. | 4.9 | 68 |
| 135 | Torque Density and Magnet Usage Efficiency Enhancement of Sandwiched Switched Flux Permanent Magnet Machines Using V-Shaped Magnets. IEEE Transactions on Magnetics, 2013, 49, 3834-3837. | 2.1 | 67 |
| 136 | Electromagnetic Performance of Novel Synchronous Machines With Permanent Magnets in Stator Yoke. IEEE Transactions on Magnetics, 2014, 50, 1-9. | 2.1 | 67 |
| 137 | Influence of the Rotor Pole Number on Optimal Parameters in Flux-Switching PM Brushless AC Machines by the Lumped-Parameter Magnetic Circuit Model. IEEE Transactions on Industry Applications, 2010, 46, 1381-1388. | 4.9 | 66 |
| 138 | Analysis and Mitigation of Torsional Vibration of PM Brushless AC/DC Drives With Direct Torque Controller. IEEE Transactions on Industry Applications, 2012, 48, 1296-1306. | 4.9 | 66 |
| 139 | Determination of Maximum Electromagnetic Torque in PM Brushless Machines Having Two-Segment Halbach Array. IEEE Transactions on Industrial Electronics, 2014, 61, 718-729. | 7.9 | 65 |
| 140 | Investigation on Operational Envelops and Efficiency Maps of Electrically Excited Machines for Electrical Vehicle Applications. IEEE Transactions on Magnetics, 2015, 51, 1-10. | 2.1 | 65 |
| 141 | A Variable-Flux Hybrid-PM Switched-Flux Memory Machine for EV/HEV Applications. IEEE Transactions on Industry Applications, 2016, 52, 2203-2214. | 4.9 | 65 |
| 142 | Novel Partitioned Stator Hybrid Excited Switched Flux Machines. IEEE Transactions on Energy Conversion, 2017, 32, 495-504. | 5.2 | 65 |
| 143 | Starting Torque of Single-Phase Flux-Switching Permanent Magnet Motors. IEEE Transactions on Magnetics, 2006, 42, 3416-3418. | 2.1 | 64 |
| 144 | Comparison of Wound-Field Switched-Flux Machines. IEEE Transactions on Industry Applications, 2014, 50, 3314-3324. | 4.9 | 64 |

| # | Article | IF | CITATIONS |
|-----|--|--------------------|----------------------|
| 145 | Prediction of open-circuit airgap field distribution in brushless machines having an inset permanent magnet rotor topology. IEEE Transactions on Magnetics, 1994, 30, 98-107. | 2.1 | 63 |
| 146 | Calculation of d- and q-axis inductances of PM brushless ac machines accounting for skew. IEEE Transactions on Magnetics, 2005, 41, 3940-3942. | 2.1 | 63 |
| 147 | Design of Flux-Switching Permanent Magnet Machine Considering the Limitation of Inverter and Flux-Weakening Capability. Conference Record - IAS Annual Meeting (IEEE Industry Applications) Tj ETQq1 1 0.78 | 4 മി 4 rgB1 | ⊺/ G verlock∃ |
| 148 | Influence and Compensation of Inverter Voltage Drop in Direct Torque-Controlled Four-Switch Three-Phase PM Brushless AC Drives. IEEE Transactions on Power Electronics, 2011, 26, 2343-2357. | 7.9 | 63 |
| 149 | Influence of Pole and Slot Number Combinations on Cogging Torque in Permanent-Magnet Machines With Static and Rotating Eccentricities. IEEE Transactions on Industry Applications, 2014, 50, 3265-3277. | 4.9 | 63 |
| 150 | A Novel Hybrid-Magnetic-Circuit Variable Flux Memory Machine. IEEE Transactions on Industrial Electronics, 2020, 67, 5258-5268. | 7.9 | 63 |
| 151 | Comparison of Halbach magnetized brushless machines based on discrete magnet segments or a single ring magnet. IEEE Transactions on Magnetics, 2002, 38, 2997-2999. | 2.1 | 62 |
| 152 | Mechanical Parameter Estimation of Permanent-Magnet Synchronous Machines With Aiding From Estimation of Rotor PM Flux Linkage. IEEE Transactions on Industry Applications, 2015, 51, 3115-3125. | 4.9 | 62 |
| 153 | Novel Carrier Signal Injection Method Using Zero Sequence Voltage for Sensorless Control of PMSM Drives. IEEE Transactions on Industrial Electronics, 2015, , 1-1. | 7.9 | 61 |
| 154 | Analysis of Consequent-Pole Flux Reversal Permanent Magnet Machine With Biased Flux Modulation Theory. IEEE Transactions on Industrial Electronics, 2020, 67, 2107-2121. | 7.9 | 61 |
| 155 | Modeling of Cross-Coupling Magnetic Saturation in Signal-Injection-Based Sensorless Control of Permanent-Magnet Brushless AC Motors. IEEE Transactions on Magnetics, 2007, 43, 2552-2554. | 2.1 | 60 |
| 156 | Comparison of electromagnetic performance of brushless motors having magnets in stator and rotor. Journal of Applied Physics, 2008, 103, 07F124. | 2.5 | 60 |
| 157 | Review of variable-flux permanent magnet machines. , 2011, , . | | 60 |
| 158 | Robust Initial Rotor Position Estimation of Permanent-Magnet Brushless AC Machines With Carrier-Signal-Injection-Based Sensorless Control. IEEE Transactions on Industry Applications, 2013, 49, 2602-2609. | 4.9 | 60 |
| 159 | Hybrid excited permanent magnet machines for electric and hybrid electric vehicles. CES Transactions on Electrical Machines and Systems, 2019, 3, 233-247. | 3.5 | 60 |
| 160 | A Novel Method for Compensating Inverter Nonlinearity Effects in Carrier Signal Injection-Based Sensorless Control From Positive-Sequence Carrier Current Distortion. IEEE Transactions on Industry Applications, 2011, 47, 1283-1292. | 4.9 | 59 |
| 161 | Investigation of Forces in Linear Induction Motor Under Different Slip Frequency for Low-Speed Maglev Application. IEEE Transactions on Energy Conversion, 2013, 28, 145-153. | 5.2 | 59 |
| 162 | Simplified Analytical Optimization and Comparison of Torque Densities Between Electrically Excited and Permanent-Magnet Machines. IEEE Transactions on Industrial Electronics, 2014, 61, 5000-5011. | 7.9 | 59 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Synthesis of High Performance Fractional-Slot Permanent-Magnet Machines With Coil-Pitch of Two Slot-Pitches. IEEE Transactions on Energy Conversion, 2014, 29, 758-770. | 5.2 | 59 |
| 164 | Influence of design parameters on the starting torque of a single-phase PM brushless DC motor. IEEE Transactions on Magnetics, 2000, 36, 3533-3536. | 2.1 | 58 |
| 165 | Fuzzy Logic Speed Control of Permanent Magnet Synchronous Machine and Feedback Voltage Ripple Reduction in Flux-Weakening Operation Region. IEEE Transactions on Industry Applications, 2020, 56, 1505-1517. | 4.9 | 58 |
| 166 | Strand-level proximity losses in PM machines designed for high-speed operation. , 2008, , . | | 57 |
| 167 | A novel E-core flux-switching PM brushless AC machine. , 2010, , . | | 57 |
| 168 | Improved sliding mode model reference adaptive system speed observer for fuzzy control of directâ€drive permanent magnet synchronous generator wind power generation system. IET Renewable Power Generation, 2013, 7, 28-35. | 3.1 | 57 |
| 169 | Quantum Genetic Algorithm-Based Parameter Estimation of PMSM Under Variable Speed Control Accounting for System Identifiability and VSI Nonlinearity. IEEE Transactions on Industrial Electronics, 2015, 62, 2363-2371. | 7.9 | 57 |
| 170 | Position Offset-Based Parameter Estimation for Permanent Magnet Synchronous Machines Under Variable Speed Control. IEEE Transactions on Power Electronics, 2015, 30, 3438-3446. | 7.9 | 57 |
| 171 | Analysis of Torque Production in Variable Flux Reluctance Machines. IEEE Transactions on Energy Conversion, 2017, 32, 1297-1308. | 5.2 | 57 |
| 172 | Influence of Stator Asymmetry on Cogging Torque of Permanent Magnet Brushless Machines. IEEE Transactions on Magnetics, 2008, 44, 3851-3854. | 2.1 | 56 |
| 173 | Analysis of Windings in Variable Reluctance Resolver. IEEE Transactions on Magnetics, 2015, 51, 1-10. | 2.1 | 56 |
| 174 | Optimum Injected Harmonics Into Magnet Shape in Multiphase Surface-Mounted PM Machine for Maximum Output Torque. IEEE Transactions on Industrial Electronics, 2017, 64, 4434-4443. | 7.9 | 56 |
| 175 | PMSM Magnetization State Estimation Based on Stator-Reflected PM Resistance Using High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2015, 51, 3800-3810. | 4.9 | 55 |
| 176 | Optimal slot/pole and flux-barrier layer number combinations for synchronous reluctance machines. , 2013, , . | | 54 |
| 177 | Design Tradeoff Between Cogging Torque and Torque Ripple in Fractional Slot Surface-Mounted Permanent Magnet Machines. IEEE Transactions on Magnetics, 2015, 51, 1-4. | 2.1 | 53 |
| 178 | Independent Operation of DFIG-Based WECS Using Resonant Feedback Compensators Under Unbalanced Grid Voltage Conditions. IEEE Transactions on Power Electronics, 2015, 30, 3650-3661. | 7.9 | 53 |
| 179 | Novel Parallel Hybrid Excited Machines With Separate Stators. IEEE Transactions on Energy Conversion, 2016, 31, 1212-1220. | 5.2 | 53 |
| 180 | Carrier Signal Injection-Based Sensorless Control for Permanent-Magnet Synchronous Machine Drives Considering Machine Parameter Asymmetry. IEEE Transactions on Industrial Electronics, 2016, 63, 2813-2824. | 7.9 | 53 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Comparative Study on Variable Flux Memory Machines With Parallel or Series Hybrid Magnets. IEEE Transactions on Industry Applications, 2019, 55, 1408-1419. | 4.9 | 53 |
| 182 | A Novel Dual-Stator Hybrid Excited Synchronous Wind Generator. IEEE Transactions on Industry Applications, 2009, 45, 947-953. | 4.9 | 52 |
| 183 | Cogging Torque Optimization of Flux-Switching Transverse Flux Permanent Magnet Machine. IEEE Transactions on Magnetics, 2013, 49, 2169-2172. | 2.1 | 52 |
| 184 | Novel Doubly Salient Permanent Magnet Machines With Partitioned Stator and Iron Pieces Rotor. IEEE Transactions on Magnetics, 2015, 51, 1-12. | 2.1 | 52 |
| 185 | Fast Determination of Moment of Inertia of Permanent Magnet Synchronous Machine Drives for Design of Speed Loop Regulator. IEEE Transactions on Control Systems Technology, 2017, 25, 1816-1824. | 5.2 | 52 |
| 186 | Analytical Magnetic Field Analysis and Prediction of Cogging Force and Torque of a Linear and Rotary Permanent Magnet Actuator. IEEE Transactions on Magnetics, 2011, 47, 3004-3007. | 2.1 | 51 |
| 187 | Distortion of Back-EMF and Torque of PM Brushless Machines Due to Eccentricity. IEEE Transactions on Magnetics, 2013, 49, 4927-4936. | 2.1 | 51 |
| 188 | A Novel Partitioned Stator Flux Reversal Permanent Magnet Linear Machine. IEEE Transactions on Magnetics, 2016, 52, 1-6. | 2.1 | 51 |
| 189 | Influence of design parameters on output torque of flux-switching permanent magnet machines. , 2008, , . | | 50 |
| 190 | A Mechanical Flux Weakening Method for Switched Flux Permanent Magnet Machines. IEEE Transactions on Energy Conversion, 2015, 30, 806-815. | 5.2 | 50 |
| 191 | A Novel Zero-Sequence Model-Based Sensorless Method for Open-Winding PMSM With Common DC Bus. IEEE Transactions on Industrial Electronics, 2016, 63, 6777-6789. | 7.9 | 50 |
| 192 | Integrated Field and Armature Current Control for Dual Three-Phase Variable Flux Reluctance Machine Drives. IEEE Transactions on Energy Conversion, 2017, 32, 447-457. | 5.2 | 50 |
| 193 | Minimizing the Influence of Cogging Torque on Vibration of PM Brushless Machines by Direct Torque Control. IEEE Transactions on Magnetics, 2006, 42, 3512-3514. | 2.1 | 49 |
| 194 | Comparison of losses and efficiency in alternate flux-switching permanent magnet machines. , 2010, , . | | 49 |
| 195 | Analytical Modeling and Analysis of Open-Circuit Magnet Loss in Surface-Mounted Permanent-Magnet Machines. IEEE Transactions on Magnetics, 2012, 48, 1234-1247. | 2.1 | 49 |
| 196 | Iron loss in permanent-magnet brushless AC machines under maximum torque per ampere and flux weakening control. IEEE Transactions on Magnetics, 2002, 38, 3285-3287. | 2.1 | 48 |
| 197 | Evaluation of superposition technique for calculating cogging torque in permanent-magnet brushless machines. IEEE Transactions on Magnetics, 2006, 42, 1597-1603. | 2.1 | 48 |
| 198 | Analysis of Electromagnetic Performance of Halbach PM Brushless Machines Having Mixed Grade and Unequal Height of Magnets. IEEE Transactions on Magnetics, 2013, 49, 1461-1469. | 2.1 | 48 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Comparative Studies of Modular and Unequal Tooth PM Machines Either With or Without Tooth Tips. IEEE Transactions on Magnetics, 2014, 50, 1-10. | 2.1 | 48 |
| 200 | Analysis of Magnetic Gearing Effect in Partitioned Stator Switched Flux PM Machines. IEEE Transactions on Energy Conversion, 2016, 31, 1239-1249. | 5.2 | 48 |
| 201 | Contribution of Current Harmonics to Average Torque and Torque Ripple in Switched Reluctance Machines. IEEE Transactions on Magnetics, 2017, 53, 1-9. | 2.1 | 48 |
| 202 | Design and Analysis of Novel Asymmetric-Stator-Pole Flux Reversal PM Machine. IEEE Transactions on Industrial Electronics, 2020, 67, 101-114. | 7.9 | 48 |
| 203 | Analysis of cogging torque in brushless Machines having nonuniformly distributed stator slots and stepped rotor magnets. IEEE Transactions on Magnetics, 2005, 41, 3910-3912. | 2.1 | 47 |
| 204 | Eddy Current Loss in the Frame of a Flux-Switching Permanent Magnet Machine. IEEE Transactions on Magnetics, 2006, 42, 3413-3415. | 2.1 | 47 |
| 205 | A Novel Series Power Quality Controller With Reduced Passive Power Filter. IEEE Transactions on Industrial Electronics, 2017, 64, 773-784. | 7.9 | 47 |
| 206 | Overview of novel magnetically geared machines with partitioned stators. IET Electric Power Applications, 2018, 12, 595-604. | 1.8 | 47 |
| 207 | Investigation of Permanent Magnet Brushless Machines Having Unequal-Magnet Height Pole. IEEE Transactions on Magnetics, 2012, 48, 4815-4830. | 2.1 | 46 |
| 208 | General analytical model for calculating electromagnetic performance of permanent magnet brushless machines having segmented Halbach array. IET Electrical Systems in Transportation, 2013, 3, 57-66. | 2.4 | 46 |
| 209 | Influence of Stator and Rotor Pole Arcs on Electromagnetic Torque of Variable Flux Reluctance Machines. IEEE Transactions on Magnetics, 2014, 50, 1-4. | 2.1 | 46 |
| 210 | Performance Comparison of Doubly Salient Reluctance Machine Topologies Supplied by Sinewave Currents. IEEE Transactions on Industrial Electronics, 2016, 63, 4086-4096. | 7.9 | 46 |
| 211 | Estimation of Winding Resistance and PM Flux-Linkage in Brushless AC Machines by Reduced-Order Extended Kalman Filter. , 2007, , . | | 45 |
| 212 | Reduction of On-Load Torque Ripples in Permanent Magnet Synchronous Machines by Improved Skewing. IEEE Transactions on Magnetics, 2013, 49, 3822-3825. | 2.1 | 45 |
| 213 | On-Load Cogging Torque Calculation in Permanent Magnet Machines. IEEE Transactions on Magnetics, 2013, 49, 2982-2989. | 2.1 | 45 |
| 214 | A Novel Brushless AC Doubly Salient Stator Slot Permanent Magnet Machine. IEEE Transactions on Energy Conversion, 2016, 31, 283-292. | 5.2 | 45 |
| 215 | A High-Power Factor Vernier Machine With Coil Pitch of Two Slot Pitches. IEEE Transactions on Magnetics, 2018, 54, 1-5. | 2.1 | 45 |
| 216 | Recent Development of Halbach Permanent Magnet Machines and Applications. , 2007, , . | | 44 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Integrated Field and Armature Current Control Strategy for Variable Flux Reluctance Machine using Open Winding. IEEE Transactions on Industry Applications, 2015, , 1-1. | 4.9 | 43 |
| 218 | Comparative Study of Partitioned Stator Machines With Different PM Excitation Stators. IEEE Transactions on Industry Applications, 2016, 52, 199-208. | 4.9 | 43 |
| 219 | Direct Stator Current Vector Control Strategy of DFIG Without Phase-Locked Loop During Network Unbalance. IEEE Transactions on Power Electronics, 2017, 32, 284-297. | 7.9 | 43 |
| 220 | Analysis and Reduction of Unipolar Leakage Flux in Series Hybrid Permanent-Magnet Variable Flux Memory Machines. IEEE Transactions on Magnetics, 2017, 53, 1-4. | 2.1 | 43 |
| 221 | Open-circuit field distribution in a brushless motor with diametrically magnetised PM rotor, accounting for slotting and eddy current effects. IEEE Transactions on Magnetics, 1996, 32, 5070-5072. | 2.1 | 42 |
| 222 | Analytical Determination of Optimal Split Ratio of E-Core Permanent Magnet Linear Oscillating Actuators. IEEE Transactions on Industry Applications, 2011, 47, 25-33. | 4.9 | 42 |
| 223 | Comparison of Low-Cost Single-Phase Wound-Field Switched-Flux Machines. IEEE Transactions on Industry Applications, 2014, 50, 3335-3345. | 4.9 | 42 |
| 224 | Recent advances in variable flux memory machines for traction applications: A review. CES Transactions on Electrical Machines and Systems, 2018, 2, 34-50. | 3.5 | 42 |
| 225 | Flexible Compensation Strategy for Voltage Source Converter Under Unbalanced and Harmonic Condition Based on a Hybrid Virtual Impedance Method. IEEE Transactions on Power Electronics, 2018, 33, 7656-7673. | 7.9 | 42 |
| 226 | Improved Transient Simulation of Salient-Pole Synchronous Generators With Internal and Ground Faults in the Stator Winding. IEEE Transactions on Energy Conversion, 2005, 20, 128-134. | 5.2 | 41 |
| 227 | Effectiveness of Active Noise and Vibration Cancellation for Switched Reluctance Machines Operating Under Alternative Control Strategies. IEEE Transactions on Energy Conversion, 2005, 20, 792-801. | 5.2 | 41 |
| 228 | Influence of magnet shape on cogging torque and back-emf waveform in permanent magnet machines. , 2005, , . | | 41 |
| 229 | Efficiency Improvement of Switched Flux PM Memory Machine Over Interior PM Machine for EV/HEV Applications. IEEE Transactions on Magnetics, 2014, 50, 1-4. | 2.1 | 41 |
| 230 | A Novel Flux-Switching Permanent Magnet Machine With Overlapping Windings. IEEE Transactions on Energy Conversion, 2017, 32, 172-183. | 5.2 | 41 |
| 231 | Design and Analysis of a Five-Phase SPM Machine Considering Third Harmonic Current Injection. IEEE Transactions on Energy Conversion, 2018, 33, 1108-1117. | 5.2 | 41 |
| 232 | Evaluation of Iron Loss Models in Electrical Machines. IEEE Transactions on Industry Applications, 2019, 55, 1461-1472. | 4.9 | 41 |
| 233 | Multi-Phase Flux-Switching Permanent Magnet Brushless Machine for Aerospace Application. , 2008, , . | | 40 |
| 234 | Modeling and Analysis of a Tubular Oscillating Permanent-Magnet Actuator. IEEE Transactions on Industry Applications, 2009, 45, 1961-1970. | 4.9 | 40 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Analytical Modeling of Surface-Mounted PM Machines Accounting for Magnet Shaping and Varied Magnet Property Distribution. IEEE Transactions on Magnetics, 2014, 50, 1-11. | 2.1 | 40 |
| 236 | Flux adjustable permanent magnet machines: A technology status review. Chinese Journal of Electrical Engineering, 2016, 2, 14-30. | 3.4 | 40 |
| 237 | Torque Improvement in Five-Phase Unequal Tooth SPM Machine by Injecting Third Harmonic Current. IEEE Transactions on Vehicular Technology, 2018, 67, 206-215. | 6.3 | 40 |
| 238 | Thrust Ripple Analysis on Toroidal-Winding Linear Permanent Magnet Vernier Machine. IEEE Transactions on Industrial Electronics, 2018, 65, 9853-9862. | 7.9 | 40 |
| 239 | Comparative study of flux-switching and interior permanent magnet machines. , 2007, , . | | 40 |
| 240 | Investigation of Torque–Speed Characteristics and Cogging Torque of Fractional-Slot IPM Brushless AC Machines Having Alternate Slot Openings. IEEE Transactions on Industry Applications, 2012, 48, 903-912. | 4.9 | 39 |
| 241 | Electromagnetic Performance of an 18-Slot/10-Pole Fractional-Slot Surface-Mounted Permanent-Magnet Machine. IEEE Transactions on Industry Applications, 2014, 50, 3685-3696. | 4.9 | 39 |
| 242 | Comparative Analysis of End Effect in Partitioned Stator Flux Reversal Machines Having Surface-Mounted and Consequent Pole Permanent Magnets. IEEE Transactions on Magnetics, 2016, 52, 1-4. | 2.1 | 39 |
| 243 | Nonparametric Sensorless Drive Method for Open-Winding PMSM Based on Zero-Sequence Back EMF With Circulating Current Suppression. IEEE Transactions on Power Electronics, 2017, 32, 3808-3817. | 7.9 | 39 |
| 244 | Permanent Magnet Demagnetization Physics of a Variable Flux Memory Motor. IEEE Transactions on Magnetics, 2009, 45, 4736-4739. | 2.1 | 38 |
| 245 | Design Tradeoffs Between Stator Core Loss and Torque Ripple in IPM Machines. IEEE Transactions on Industry Applications, 2010, 46, 187-195. | 4.9 | 38 |
| 246 | Performance comparison between unipolar and bipolar excitations in switched reluctance machine with sinusoidal and rectangular waveforms. , 2011, , . | | 38 |
| 247 | Analysis of electromagnetic torque in sinusoidal excited switched reluctance machines having DC bias in excitation. , 2012, , . | | 38 |
| 248 | Vibration and noise in novel variable flux reluctance machine with DC-field coil in stator. , 2012, , . | | 38 |
| 249 | Cogging Torque Mitigation of Modular Permanent Magnet Machines. IEEE Transactions on Magnetics, 2016, 52, 1-10. | 2.1 | 38 |
| 250 | A New Iron Loss Model for Temperature Dependencies of Hysteresis and Eddy Current Losses in Electrical Machines. IEEE Transactions on Magnetics, 2018, 54, 1-10. | 2.1 | 38 |
| 251 | A Hybrid Field Model for Open-Circuit Field Prediction in Surface-Mounted PM Machines Considering Saturation. IEEE Transactions on Magnetics, 2018, 54, 1-12. | 2.1 | 38 |
| 252 | Performance of halbach magnetized brushless ac motors. IEEE Transactions on Magnetics, 2003, 39, 2992-2994. | 2.1 | 37 |

Zq Zнu

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Static Characteristics Analysis and Experimental Study of a Novel Axial Field Flux-Switching Permanent Magnet Generator. IEEE Transactions on Magnetics, 2012, 48, 4212-4215. | 2.1 | 37 |
| 254 | Cross Coupling Effect in Hybrid Magnet Memory Motor. , 2014, , . | | 37 |
| 255 | Simplified Analytical Model and Investigation of Open-Circuit AC Winding Loss of Permanent-Magnet Machines. IEEE Transactions on Industrial Electronics, 2014, 61, 4990-4999. | 7.9 | 37 |
| 256 | Design Synthesis of Switched Flux Hybrid-Permanent Magnet Memory Machines. IEEE Transactions on Energy Conversion, 2017, 32, 65-79. | 5.2 | 37 |
| 257 | Reduction of Open-Circuit DC-Winding-Induced Voltage in Wound Field Switched Flux Machines by Skewing. IEEE Transactions on Industrial Electronics, 2019, 66, 1715-1726. | 7.9 | 37 |
| 258 | Influence of design parameters on magnetic gear's torque capability. , 2011, , . | | 36 |
| 259 | Analysis of Rotor Core Eddy-Current Losses in Interior Permanent Magnet Synchronous Machines. , 2008, , . | | 35 |
| 260 | Analytical prediction of rotor eddy current loss in brushless machines equipped with surface-mounted permanent magnets. I. Magnetostatic field model. , 0, , . | | 34 |
| 261 | Overview of recent advances in innovative electrical machines — With particular reference to magnetically geared switched flux machines. , 2014, , . | | 34 |
| 262 | Novel Stator Electrically Field Excited Synchronous Machines Without Rare-Earth Magnet. IEEE Transactions on Magnetics, 2015, 51, 1-9. | 2.1 | 34 |
| 263 | Novel Electrical Machines Having Separate PM Excitation Stator. IEEE Transactions on Magnetics, 2015, 51, 1-9. | 2.1 | 34 |
| 264 | Investigation of Nonoverlapping Stator Wound-Field Synchronous Machines. IEEE Transactions on Energy Conversion, 2015, 30, 1420-1427. | 5.2 | 34 |
| 265 | Comparative Study of Air-Gap Field Modulation in Flux Reversal and Vernier Permanent Magnet Machines. IEEE Transactions on Magnetics, 2018, 54, 1-6. | 2.1 | 34 |
| 266 | Calculation of cogging force in a novel slotted linear tubular brushless permanent magnet motor. IEEE Transactions on Magnetics, 1997, 33, 4098-4100. | 2.1 | 33 |
| 267 | Powder alignment system for anisotropic bonded NdFeB Halbach cylinders. IEEE Transactions on Magnetics, 2000, 36, 3349-3352. | 2.1 | 33 |
| 268 | A Novel Integrated Power Quality Controller for Microgrid. IEEE Transactions on Industrial Electronics, 2015, 62, 2848-2858. | 7.9 | 33 |
| 269 | Hybrid-Excited Switched-Flux Hybrid Magnet Memory Machines. IEEE Transactions on Magnetics, 2016, 52, 1-15. | 2.1 | 33 |
| 270 | Comparative Study of Hybrid PM Memory Machines Having Single- and Dual-Stator Configurations. IEEE Transactions on Industrial Electronics, 2018, 65, 9168-9178. | 7.9 | 33 |

Zq Zнu

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Optimal split ratio for high-speed permanent magnet brushless DC motors. , 0, , . | | 32 |
| 272 | Comparison of Performance of Brushless DC Drives under Direct Torque Control and PWM Current Control. , 2005, , . | | 32 |
| 273 | Direct torque control of permanent magnet brushless AC drive with singleâ€phase openâ€circuit fault accounting for influence of inverter voltage drop. IET Electric Power Applications, 2013, 7, 369-380. | 1.8 | 31 |
| 274 | Iron loss calculation considering temperature influence in nonâ€oriented steel laminations. IET Science, Measurement and Technology, 2016, 10, 846-854. | 1.6 | 31 |
| 275 | Superposition Method for Cogging Torque Prediction in Permanent Magnet Machines With Rotor Eccentricity. IEEE Transactions on Magnetics, 2016, 52, 1-10. | 2.1 | 31 |
| 276 | Iron Loss Model for Electrical Machine Fed by Low Switching Frequency Inverter. IEEE Transactions on Magnetics, 2017, 53, 1-4. | 2.1 | 31 |
| 277 | Initial Rotor Position Estimation Using Zero-Sequence Carrier Voltage for Permanent-Magnet Synchronous Machines. IEEE Transactions on Industrial Electronics, 2017, 64, 149-158. | 7.9 | 31 |
| 278 | Voltage Imbalance Compensation for Doubly Fed Induction Generator Using Direct Resonant Feedback Regulator. IEEE Transactions on Energy Conversion, 2016, 31, 614-626. | 5.2 | 30 |
| 279 | Unbalanced magnetic force prediction in permanent magnet machines with rotor eccentricity by improved superposition method. IET Electric Power Applications, 2017, 11, 1095-1104. | 1.8 | 30 |
| 280 | Iron Loss Model Under DC Bias Flux Density Considering Temperature Influence. IEEE Transactions on Magnetics, 2017, 53, 1-4. | 2.1 | 30 |
| 281 | Design criteria for brushless dc motors for high-speed sensorless operation. International Journal of Applied Electromagnetics and Mechanics, 2002, 15, 79-87. | 0.6 | 29 |
| 282 | Comparison of two novel MRAS based strategies for identifying parameters in permanent magnet synchronous motors. International Journal of Automation and Computing, 2010, 7, 516-524. | 4.5 | 29 |
| 283 | Relationship Between Homopolar Inductor Machine and Wound-Field Synchronous Machine. IEEE Transactions on Industrial Electronics, 2020, 67, 919-930. | 7.9 | 29 |
| 284 | A Novel Fractional Slot Non-Overlapping Winding Hybrid Excited Machine With Consequent-Pole PM Rotor. IEEE Transactions on Energy Conversion, 2020, 35, 1628-1637. | 5.2 | 29 |
| 285 | Winding inductances of fractional slot surfaceâ€mounted permanent magnet brushless machines. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2009, 28, 1590-1606. | 0.9 | 28 |
| 286 | Analytical modeling and investigation of transient response of PM machines with 3-phase short-circuit fault. , 2011, , . | | 28 |
| 287 | Electrical machines and powerâ€electronic systems for highâ€power wind energy generation applications. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2012, 32, 34-71. | 0.9 | 28 |
| 288 | Novel Hybrid-Excited Switched-Flux Machine Having Separate Field Winding Stator. IEEE Transactions on Magnetics, 2016, 52, 1-4. | 2.1 | 28 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Influence of Rotor-Pole Number on Electromagnetic Performance in 12-Phase Redundant Switched Flux Permanent Magnet Machines for Wind Power Generation. IEEE Transactions on Industry Applications, 2017, 53, 3305-3316. | 4.9 | 28 |
| 290 | Analysis and Suppression of Induced Voltage Pulsation in DC Winding of Five-Phase Wound-Field Switched Flux Machines. IEEE Transactions on Energy Conversion, 2019, 34, 1890-1905. | 5.2 | 28 |
| 291 | Comparison of radial vibration forces in 10-pole/12-slot fractional slot surface-mounted and interior PM brushless AC machines. , 2010, , . | | 27 |
| 292 | Individual and global optimization of switched flux permanent magnet motors. , 2011, , . | | 27 |
| 293 | Flux-Weakening Control Performance of Partitioned Stator-Switched Flux PM Machines. IEEE Transactions on Industry Applications, 2016, 52, 2350-2359. | 4.9 | 27 |
| 294 | Partitioned Stator Machines With NdFeB and Ferrite Magnets. IEEE Transactions on Industry Applications, 2017, 53, 1870-1882. | 4.9 | 27 |
| 295 | On-Load Field Prediction of Surface-Mounted PM Machines Considering Nonlinearity Based on Hybrid Field Model. IEEE Transactions on Magnetics, 2019, 55, 1-11. | 2.1 | 27 |
| 296 | Comparative Studies of Torque Performance Improvement for Different Doubly Salient Synchronous Reluctance Machines by Current Harmonic Injection. IEEE Transactions on Energy Conversion, 2019, 34, 1094-1104. | 5.2 | 27 |
| 297 | Influence of rotor pole number on electromagnetic performance of novel variable flux reluctance machine with DC-field coil in stator. , 2012, , . | | 26 |
| 298 | Novel Modular-Rotor Switched-Flux Permanent Magnet Machines. IEEE Transactions on Industry Applications, 2012, 48, 2249-2258. | 4.9 | 26 |
| 299 | Improved Rotor Position Estimation in Sensorless-Controlled Permanent-Magnet Synchronous Machines Having Asymmetric-EMF With Harmonic Compensation. IEEE Transactions on Industrial Electronics, 2015, 62, 6131-6139. | 7.9 | 26 |
| 300 | Control strategy for hybridâ€excited switchedâ€flux permanent magnet machines. IET Electric Power Applications, 2015, 9, 612-619. | 1.8 | 26 |
| 301 | Novel High-Performance Switched Flux Hybrid Magnet Memory Machines With Reduced Rare-Earth Magnets. IEEE Transactions on Industry Applications, 2016, 52, 3901-3915. | 4.9 | 26 |
| 302 | Permanent-Magnet Magnetization State Estimation Using High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2016, 52, 2930-2940. | 4.9 | 26 |
| 303 | Flexible PCC Voltage Unbalance Compensation Strategy for Autonomous Operation of Parallel DFIGs. IEEE Transactions on Industry Applications, 2017, 53, 4807-4820. | 4.9 | 26 |
| 304 | Cascaded Direct Torque Control of Unbalanced PMSM With Low Torque and Flux Ripples. IEEE Transactions on Power Electronics, 2018, 33, 1740-1749. | 7.9 | 26 |
| 305 | Influence of Gear Ratio on the Performance of Fractional Slot Concentrated Winding Permanent Magnet Machines. IEEE Transactions on Industrial Electronics, 2019, 66, 7593-7602. | 7.9 | 26 |
| 306 | Analysis and Reduction of On-Load DC Winding Induced Voltage in Wound Field Switched Flux Machines. IEEE Transactions on Industrial Electronics, 2020, 67, 2655-2666. | 7.9 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Comparative Analysis of Flux Reversal Permanent Magnet Machines With Toroidal and Concentrated Windings. IEEE Transactions on Industrial Electronics, 2020, 67, 5278-5290. | 7.9 | 26 |
| 308 | Slotless brushless permanent magnet machines: influence of design parameters. IEEE Transactions on Energy Conversion, 1999, 14, 686-691. | 5.2 | 25 |
| 309 | Analysis and Optimization of Back-EMF Waveform of a Novel Flux-Switching Permanent Magnet Motor. , 2007, , . | | 25 |
| 310 | Fault-Tolerant Flux-Switching Permanent Magnet Brushless AC Machines. , 2008, , . | | 25 |
| 311 | Magnetic field analysis of a novel flux switching transverse flux permanent magnet wind generator with 3-D FEM. , 2009, , . | | 25 |
| 312 | Investigation of PWMs on vibration and noise in SRM with sinusoidal bipolar excitation. , 2012, , . | | 25 |
| 313 | Design of synchronous reluctance and permanent magnet synchronous reluctance machines for electric vehicle application. , 2014, , . | | 25 |
| 314 | Comparative study of novel biased flux permanent magnet machine with doubly salient permanent magnet machine. , 2014, , . | | 25 |
| 315 | Analysis of Eccentricity in Permanent-Magnet Tubular Machines. IEEE Transactions on Industrial Electronics, 2014, 61, 2208-2216. | 7.9 | 25 |
| 316 | Investigation of Saliency in a Switched-Flux Permanent-Magnet Machine Using High-Frequency Signal Injection. IEEE Transactions on Industrial Electronics, 2014, 61, 5094-5104. | 7.9 | 25 |
| 317 | Analytical Modeling of Modular and Unequal Tooth Width Surface-Mounted Permanent Magnet Machines. IEEE Transactions on Magnetics, 2015, 51, 1-9. | 2.1 | 25 |
| 318 | Analytical Synthesis of Air-Gap Field Distribution in Permanent Magnet Machines With Rotor Eccentricity by Superposition Method. IEEE Transactions on Magnetics, 2015, 51, 1-4. | 2.1 | 25 |
| 319 | Comparative Study of Torque Production in Conventional and Mutually Coupled SRMs Using Frozen Permeability. IEEE Transactions on Magnetics, 2016, 52, 1-9. | 2.1 | 25 |
| 320 | Modularity techniques in high performance permanent magnet machines and applications. CES Transactions on Electrical Machines and Systems, 2018, 2, 93-103. | 3.5 | 25 |
| 321 | Improved Direct Torque Control Method for Dual-Three-Phase Permanent-Magnet Synchronous Machines With Back EMF Harmonics. IEEE Transactions on Industrial Electronics, 2021, 68, 9319-9333. | 7.9 | 25 |
| 322 | Suppression of Major Current Harmonics for Dual Three-Phase PMSMs by Virtual Multi Three-Phase Systems. IEEE Transactions on Industrial Electronics, 2022, 69, 5478-5490. | 7.9 | 25 |
| 323 | Novel Magnetic-Field-Shifting Techniques in Asymmetric Rotor Pole Interior PM Machines With Enhanced Torque Density. IEEE Transactions on Magnetics, 2022, 58, 1-10. | 2.1 | 25 |
| 324 | Permanent Magnet Machines for High-Speed Applications. World Electric Vehicle Journal, 2022, 13, 18. | 3.0 | 25 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Comparison of analytical models for predicting cogging torque in surface-mounted PM machines. , 2010, , . | | 24 |
| 326 | Flux-Regulatable Characteristics Analysis of a Novel Switched-Flux Surface-Mounted PM Memory Machine. IEEE Transactions on Magnetics, 2014, 50, 1-4. | 2.1 | 24 |
| 327 | Performance investigation of hybrid excited switched flux permanent magnet machines using frozen permeability method. IET Electric Power Applications, 2015, 9, 586-594. | 1.8 | 24 |
| 328 | Direct power control of doubly fed induction generator without phaseâ€locked loop in synchronous reference frame during frequency variations. IET Renewable Power Generation, 2015, 9, 576-586. | 3.1 | 24 |
| 329 | Improved Sensorless Control of Switched-Flux Permanent-Magnet Synchronous Machines Based on Different Winding Configurations. IEEE Transactions on Industrial Electronics, 2016, 63, 123-132. | 7.9 | 24 |
| 330 | Design guidelines for fractional slot multiâ€phase modular permanent magnet machines. IET Electric Power Applications, 2017, 11, 1023-1031. | 1.8 | 24 |
| 331 | Combined Multiphysics Model of Switched Flux PM Machines Under Fault Operations. IEEE Transactions on Industrial Electronics, 2019, 66, 6737-6745. | 7.9 | 24 |
| 332 | Influence of Adjacent Teeth Magnet Polarities on the Performance of Flux Reversal Permanent Magnet Machine. IEEE Transactions on Industry Applications, 2019, 55, 354-365. | 4.9 | 24 |
| 333 | Electromagnetic Performance Comparison Between 12-Phase Switched Flux and Surface-Mounted PM Machines for Direct-Drive Wind Power Generation. IEEE Transactions on Industry Applications, 2020, 56, 1408-1422. | 4.9 | 24 |
| 334 | Investigation of DC Winding Induced Voltage in Hybrid-Excited Switched-Flux Permanent Magnet Machine. IEEE Transactions on Industry Applications, 2020, 56, 3594-3603. | 4.9 | 24 |
| 335 | A Commutation Error Compensation Strategy for High-Speed Brushless DC Drive Based on Adaline Filter. IEEE Transactions on Industrial Electronics, 2021, 68, 3728-3738. | 7.9 | 24 |
| 336 | A Hybrid Lumped-Parameter and Two-Dimensional Analytical Thermal Model for Electrical Machines. IEEE Transactions on Industry Applications, 2021, 57, 246-258. | 4.9 | 24 |
| 337 | Rotor Stress Analysis of High-Speed Permanent Magnet Machines With Segmented Magnets Retained by Carbon-Fibre Sleeve. IEEE Transactions on Energy Conversion, 2021, 36, 971-983. | 5.2 | 24 |
| 338 | A Novel Spoke-Type Asymmetric Rotor Interior Permanent Magnet Machine. IEEE Transactions on Industry Applications, 2021, 57, 4840-4851. | 4.9 | 24 |
| 339 | A Novel Asymmetric Interior Permanent Magnet Machine for Electric Vehicles. IEEE Transactions on Energy Conversion, 2021, 36, 2404-2415. | 5.2 | 24 |
| 340 | Advances in Dual-Three-Phase Permanent Magnet Synchronous Machines and Control Techniques. Energies, 2021, 14, 7508. | 3.1 | 24 |
| 341 | Dc-link capacitance requirement and noise and vibration reduction in 6/4 switched reluctance machine with sinusoidal bipolar excitation. , 2011, , . | | 23 |
| 342 | On-Load Voltage Distortion in Fractional-Slot Interior Permanent Magnet Machines. IEEE Transactions on Magnetics, 2015, 51, 1-9. | 2.1 | 23 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Demagnetization Withstand Capability Enhancement of Surface Mounted PM Machines Using Stator Modularity. IEEE Transactions on Industry Applications, 2018, 54, 1302-1311. | 4.9 | 23 |
| 344 | Analysis of Novel Consequent Pole Flux Reversal Permanent Magnet Machines. IEEE Transactions on Industry Applications, 2021, 57, 382-396. | 4.9 | 23 |
| 345 | Virtual Third Harmonic Back EMF-Based Sensorless Drive for High-Speed BLDC Motors Considering Machine Parameter Asymmetries. IEEE Transactions on Industry Applications, 2021, 57, 306-315. | 4.9 | 23 |
| 346 | Investigation of Hybrid-Magnet-Circuit Variable Flux Memory Machines With Different Hybrid Magnet Configurations. IEEE Transactions on Industry Applications, 2021, 57, 340-351. | 4.9 | 23 |
| 347 | Winding inductances of brushless machines with surface-mounted magnets. , 0, , . | | 22 |
| 348 | Eddy current loss in a moving-coil tubular permanent magnet motor. IEEE Transactions on Magnetics, 1999, 35, 3601-3603. | 2.1 | 22 |
| 349 | Analytical prediction of rotor eddy current loss in brushless machines equipped with surface-mounted permanent magnets. II. Accounting for eddy current reaction field. , 0, , . | | 22 |
| 350 | Analytical optimisation of external rotor permanent magnet machines. IET Electrical Systems in Transportation, 2013, 3, 41-49. | 2.4 | 22 |
| 351 | Excitation Winding Short-Circuits in Hybrid Excitation Permanent Magnet Motor. IEEE Transactions on Energy Conversion, 2014, 29, 567-575. | 5.2 | 22 |
| 352 | Comparison of Partitioned Stator Switched Flux Permanent Magnet Machines Having Single- or Double-Layer Windings. IEEE Transactions on Magnetics, 2016, 52, 1-10. | 2.1 | 22 |
| 353 | Comparative Study of Novel Tubular Partitioned Stator Permanent Magnet Machines. IEEE Transactions on Magnetics, 2016, 52, 1-7. | 2.1 | 22 |
| 354 | Comparative Study of Fault-Tolerant Switched-Flux Permanent-Magnet Machines. IEEE Transactions on Industrial Electronics, 2017, 64, 1939-1948. | 7.9 | 22 |
| 355 | Mitigation of Unbalanced Magnetic Force in a PM Machine With Asymmetric Winding by Inserting Auxiliary Slots. IEEE Transactions on Industry Applications, 2018, 54, 4133-4146. | 4.9 | 22 |
| 356 | Influence of Stator Topologies on Average Torque and Torque Ripple of Fractional-Slot SPM Machines With Fully Closed Slots. IEEE Transactions on Industry Applications, 2018, 54, 2151-2164. | 4.9 | 22 |
| 357 | Analysis of Flux-Reversal Permanent-Magnet Machines With Different Consequent-Pole PM Topologies. IEEE Transactions on Magnetics, 2018, 54, 1-5. | 2.1 | 22 |
| 358 | Recent developments and comparative study of magnetically geared machines. CES Transactions on Electrical Machines and Systems, 2018, 2, 13-22. | 3.5 | 22 |
| 359 | Optimal Number of Flux Modulation Pole in Vernier Permanent Magnet Synchronous Machines. IEEE Transactions on Industry Applications, 2019, 55, 5747-5757. | 4.9 | 22 |
| 360 | A Review on Transverse Flux Permanent Magnet Machines for Wind Power Applications. IEEE Access, 2020, 8, 216543-216565. | 4.2 | 22 |

| # | Article | lF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Influence of Machine Topology and Cross-Coupling Magnetic Saturation on Rotor Position Estimation Accuracy in Extended Back-EMF Based Sensorless PM Brushless AC Drives. Conference Record - IAS Annual Meeting (IEEE Industry Applications Society), 2007, , . | 0.0 | 21 |
| 362 | Comparative Study of Novel Variable-Flux Memory Machines Having Stator Permanent Magnet Topologies. IEEE Transactions on Magnetics, 2015, 51, 1-4. | 2.1 | 21 |
| 363 | Uncontrolled Generator Fault Protection of Novel Hybrid-Excited Doubly Salient Synchronous Machines With Field Excitation Current Control. IEEE Transactions on Industry Applications, 2019, 55, 3598-3606. | 4.9 | 21 |
| 364 | System-Level Investigation of Multi-MW Direct-Drive Wind Power PM Vernier Generators. IEEE Access, 2020, 8, 191433-191446. | 4.2 | 21 |
| 365 | Switching-Table-Based Direct Torque Control of Dual Three-Phase PMSMs With Closed-Loop Current Harmonics Compensation. IEEE Transactions on Power Electronics, 2021, 36, 10645-10659. | 7.9 | 21 |
| 366 | Permanent Magnet Vernier Machines for Direct-Drive Offshore Wind Power: Benefits and Challenges. IEEE Access, 2022, 10, 20652-20668. | 4.2 | 21 |
| 367 | Influence of inaccuracies in machine parameters on field-weakening performance of PM brushless AC drives. , 0, , . | | 20 |
| 368 | Direct torque control of brushless DC drives with reduced torque ripple. , 0, , . | | 20 |
| 369 | Flux-Weakening Characteristics of Trapezoidal Back-EMF Machines in Brushless DC and AC Modes. , 2006, , . | | 20 |
| 370 | Flux-switching PM Brushless Machines with Alternative Stator and Rotor Pole Combinations. Journal of Asian Electric Vehicles, 2008, 6, 1103-1110. | 0.4 | 20 |
| 371 | Direct torque control of three-phase PM brushless AC motor with one phase open-circuit fault. , 2009, , . | | 20 |
| 372 | Evaluation of efficiency optimized variable flux reluctance machine for EVs/HEVs by comparing with interior PM machine. , 2014, , . | | 20 |
| 373 | Comparative study of the electromagnetic performance of switched flux permanent magnet machines. IET Electric Power Applications, 2015, 9, 297-306. | 1.8 | 20 |
| 374 | On-Load Voltage Distortion in Fractional Slot Surface-Mounted Permanent Magnet Machines Considering Local Magnetic Saturation. IEEE Transactions on Magnetics, 2015, 51, 1-10. | 2.1 | 20 |
| 375 | Hybrid-Excited Stator Slot Permanent Magnet Machines—Influence of Stator and Rotor Pole Combinations. IEEE Transactions on Magnetics, 2016, 52, 1-10. | 2.1 | 20 |
| 376 | Investigation on synchronous reluctance machines with different rotor topologies and winding configurations. IET Electric Power Applications, 2018, 12, 45-53. | 1.8 | 20 |
| 377 | Analysis and Suppression of Rotor Eccentricity Effects on Fundamental Model Based Sensorless Control of Permanent Magnet Synchronous Machine. IEEE Transactions on Industry Applications, 2020, 56, 4896-4905. | 4.9 | 20 |
| 378 | Principle Investigation and Performance Comparison of Consequent-Pole Switched Flux PM Machines. IEEE Transactions on Transportation Electrification, 2021, 7, 766-778. | 7.8 | 20 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Improved Rotor Position Estimation in Extended Back-EMF Based Sensorless PM Brushless AC Drives with Magnetic Saliency. , 2007, , . | | 19 |
| 380 | Optimal torque matching of a magnetic gear within a permanent magnet machine. , 2011, , . | | 19 |
| 381 | A Dual-Consequent-Pole Vernier Memory Machine. Energies, 2016, 9, 134. | 3.1 | 19 |
| 382 | Torque Improvement of Dual Three-Phase Permanent Magnet Machine Using Zero Sequence Components. IEEE Transactions on Magnetics, 2017, 53, 1-4. | 2.1 | 19 |
| 383 | Overview of Hybrid Excited Machines for Electric Vehicles. , 2019, , . | | 19 |
| 384 | A Comparative Study on Nine- and Twelve-Phase Flux-Switching Permanent-Magnet Wind Power Generators. IEEE Transactions on Industry Applications, 2019, 55, 3607-3616. | 4.9 | 19 |
| 385 | Investigation of Torque Production and Torque Ripple Reduction for Six-Stator/Seven-Rotor-Pole Variable Flux Reluctance Machines. IEEE Transactions on Industry Applications, 2019, 55, 2510-2518. | 4.9 | 19 |
| 386 | Analysis of Spoke Array Permanent Magnet Flux Reversal Machines. IEEE Transactions on Energy Conversion, 2020, 35, 1688-1696. | 5.2 | 19 |
| 387 | Analysis and reduction of magnet Eddy current loss in flux-switching permanent magnet machines. , 2008, , . | | 18 |
| 388 | Mechanically adjusted variable-flux concept for switched-flux permanent-magnet machines. , 2011, , . | | 18 |
| 389 | Improved torque regulator to reduce steadyâ€state error of torque response for direct torque control of permanent magnet synchronous machine drives. IET Electric Power Applications, 2014, 8, 108-116. | 1.8 | 18 |
| 390 | Novel reluctance axis shifted machines with hybrid rotors. , 2017, , . | | 18 |
| 391 | Optimal Number of Magnet Pieces of Flux Reversal Permanent Magnet Machines. IEEE Transactions on Energy Conversion, 2019, 34, 889-898. | 5.2 | 18 |
| 392 | Improved Duty-Ratio-Based Direct Torque Control for Dual Three-Phase Permanent Magnet Synchronous Machine Drives. IEEE Transactions on Industry Applications, 2019, 55, 5843-5853. | 4.9 | 18 |
| 393 | A Novel Modular Stator Hybrid-Excited Doubly Salient Synchronous Machine With Stator Slot Permanent Magnets. IEEE Transactions on Magnetics, 2019, 55, 1-9. | 2.1 | 18 |
| 394 | Stepwise Magnetization Control Strategy for DC-Magnetized Memory Machine. IEEE Transactions on Industrial Electronics, 2019, 66, 4273-4285. | 7.9 | 18 |
| 395 | Six-Phase Pole-Changing Winding Induction Machines With Improved Performance. IEEE Transactions on Energy Conversion, 2021, 36, 534-546. | 5.2 | 18 |
| 396 | Investigation of Novel Fractional Slot Nonoverlapping Winding Hybrid Excited Machines With Different Rotor Topologies. IEEE Transactions on Industry Applications, 2021, 57, 468-480. | 4.9 | 18 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | Estimation of 3-D Magnet Temperature Distribution Based on Lumped-Parameter and Analytical Hybrid Thermal Model for SPMSM. IEEE Transactions on Energy Conversion, 2022, 37, 515-525. | 5.2 | 18 |
| 398 | Investigation of Unbalanced Magnetic Force in Fractional-Slot Permanent Magnet Machines Having an Odd Number of Stator Slots. IEEE Transactions on Energy Conversion, 2020, 35, 1954-1963. | 5.2 | 18 |
| 399 | Analysis of anisotropic bonded NdFeB Halbach cylinders accounting for partial powder alignment. IEEE Transactions on Magnetics, 2000, 36, 3575-3577. | 2.1 | 17 |
| 400 | Comparison of alternate analytical models for predicting cogging torque in surface-mounted permanent magnet machines. , 2008, , . | | 17 |
| 401 | Influence of slot opening on optimal stator and rotor pole combination and electromagnetic performance of flux-switching PM brushless AC machines. , 2010, , . | | 17 |
| 402 | Optimization of linear flux switching permanent magnet motor. , 2010, , . | | 17 |
| 403 | Analytical Modeling of Claw-Pole Stator SPM Brushless Machine Having SMC Stator Core. IEEE Transactions on Magnetics, 2013, 49, 3830-3833. | 2.1 | 17 |
| 404 | Comparison between induction machine and interior permanent magnet machine for electric vehicle application. , 2014, , . | | 17 |
| 405 | Performance Analysis of Synchronous Reluctance Machines Having Nonoverlapping Concentrated Winding and Sinusoidal Bipolar With DC Bias Excitation. IEEE Transactions on Industry Applications, 2014, 50, 3346-3356. | 4.9 | 17 |
| 406 | Analysis of Novel Multi-Tooth Variable Flux Reluctance Machines With Different Stator and Rotor Pole Combinations. IEEE Transactions on Magnetics, 2015, 51, 1-11. | 2.1 | 17 |
| 407 | Electromagnetic Performance of Nonoverlapping Stator Wound Field Synchronous Machine With Salient Pole Rotor. IEEE Transactions on Magnetics, 2015, 51, 1-4. | 2.1 | 17 |
| 408 | Influence of magnetic saturation on rotor bar current waveform and performance in induction machines. , 2016, , . | | 17 |
| 409 | Carrier signal injectionâ€based sensorless control for permanent magnet synchronous machine drives with tolerance of signal processing delays. IET Electric Power Applications, 2017, 11, 1140-1149. | 1.8 | 17 |
| 410 | Influence of rotor slot number on rotor bar current waveform and performance in induction machines. , 2017, , . | | 17 |
| 411 | Comparative study of variable flux memory machines with parallel and series hybrid magnets. , 2017, , . | | 17 |
| 412 | Novel Modular Switched Reluctance Machines for Performance Improvement. IEEE Transactions on Energy Conversion, 2018, 33, 1255-1265. | 5.2 | 17 |
| 413 | Synthesis of Hybrid Magnet Memory Machines Having Separate Stators for Traction Applications. IEEE Transactions on Vehicular Technology, 2018, 67, 183-195. | 6.3 | 17 |
| 414 | Influence of DC Winding Configuration on Its Induced Voltage in Wound Field Machines. IEEE Transactions on Energy Conversion, 2018, 33, 1825-1836. | 5.2 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 415 | A Novel Parallel Hybrid Excited Machine With Enhanced Flux Regulation Capability. IEEE Transactions on Energy Conversion, 2019, 34, 1938-1949. | 5.2 | 17 |
| 416 | Scaling Effect on Electromagnetic Performance of Surface-Mounted Permanent-Magnet Vernier Machine. IEEE Transactions on Magnetics, 2020, 56, 1-15. | 2.1 | 17 |
| 417 | A Simple Sensorless Position Error Correction Method for Dual Three-Phase Permanent Magnet Synchronous Machines. IEEE Transactions on Energy Conversion, 2021, 36, 895-906. | 5.2 | 17 |
| 418 | Effect of Pole Shaping on Torque Characteristics of Consequent Pole PM Machines. IEEE Transactions on Industry Applications, 2022, 58, 3511-3521. | 4.9 | 17 |
| 419 | Unbalanced magnetic forces in permanent magnet brushless machines with diametrically asymmetric phase windings. , 0, , . | | 16 |
| 420 | Comparison of all and alternate poles wound flux-switching PM machines having different stator and rotor pole numbers. , 2009, , . | | 16 |
| 421 | Analysis of rotor eddy current loss in fractional slot permanent magnet machine with solid rotor back-iron. , 2010, , . | | 16 |
| 422 | Comparison of electrically excited and interior permanent magnet machines for hybrid electric vehicle application. , 2014, , . | | 16 |
| 423 | Electromagnetic Performance of Stator Slot Permanent Magnet Machines With/Without Stator Tooth-Tips and Having Single/Double Layer Windings. IEEE Transactions on Magnetics, 2016, 52, 1-10. | 2.1 | 16 |
| 424 | Influence of stator slot and pole number combination on rotor bar current waveform and performance of induction machines. , 2017, , . | | 16 |
| 425 | Comparison of Electromagnetic Performance of 10-MW Superconducting Generators With Different Topologies for Offshore Direct-Drive Wind Turbines. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-11. | 1.7 | 16 |
| 426 | Electromagnetic performance comparison of 18-slot/26-pole and 18-slot/10-pole fractional slot permanent magnet surface-mounted machines. , 2017, , . | | 16 |
| 427 | Analysis of parasitic effects in carrier signal injection methods for sensorless control of PM synchronous machines. IET Electric Power Applications, 2018, 12, 203-212. | 1.8 | 16 |
| 428 | Novel Dual-Stator Machines With Biased Permanent Magnet Excitation. IEEE Transactions on Energy Conversion, 2018, 33, 2070-2080. | 5.2 | 16 |
| 429 | A Novel Hybrid-Pole Interior PM Machine with Magnet-Axis-Shifting Effect. , 2019, , . | | 16 |
| 430 | Novel Modular Fractional Slot Permanent Magnet Machines With Redundant Teeth. IEEE Transactions on Magnetics, 2019, 55, 1-10. | 2.1 | 16 |
| 431 | Optimal split ratio in small high speed PM machines considering both stator and rotor loss limitations. CES Transactions on Electrical Machines and Systems, 2019, 3, 3-11. | 3.5 | 16 |
| 432 | Performance comparison between consequentâ€pole and inset modular permanent magnet machines. Journal of Engineering, 2019, 2019, 3951-3955. | 1.1 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Torque Density Enhancement of 6/4 Variable Flux Reluctance Machine With Second-Harmonic Current Injection. IEEE Transactions on Energy Conversion, 2019, 34, 1135-1145. | 5.2 | 16 |
| 434 | Theoretical Harmonic Spectra of PWM Waveforms Including DC Bus Voltage Ripple—Application to a Low-Capacitance Modular Multilevel Converter. IEEE Transactions on Power Electronics, 2020, 35, 9291-9305. | 7.9 | 16 |
| 435 | Adaptive Voltage Feedback Controllers on Nonsalient Permanent Magnet Synchronous Machine. IEEE Transactions on Industry Applications, 2020, 56, 1529-1542. | 4.9 | 16 |
| 436 | Performance Investigation of Consequent-Pole PM Machines With E-core and C-core Modular Stators. IEEE Transactions on Energy Conversion, 2021, 36, 1169-1179. | 5.2 | 16 |
| 437 | Modeling of end-effect in flux-switching permanent magnet machines. , 2007, , . | | 16 |
| 438 | Torque-Speed Characteristics of Interior-Magnet Machines in Brushless AC and DC Modes, with Particular Reference to Their Flux-Weakening Performance. , 2006, , . | | 15 |
| 439 | Influence of end-effect and cross-coupling on torque-speed characteristics of switched flux permanent magnet machines. , 2011, , . | | 15 |
| 440 | Carrier Signal Injection-Based Sensorless Control of Permanent Magnet Synchronous Machines Without the Need of Magnetic Polarity Identification. IEEE Transactions on Industry Applications, 2016, 52, 3916-3926. | 4.9 | 15 |
| 441 | Investigation on Phase Shift Between Multiple Multiphase Windings in Flux-Switching Permanent Magnet Machines. IEEE Transactions on Industry Applications, 2017, 53, 1958-1970. | 4.9 | 15 |
| 442 | Split ratio optimisation of highâ€speed permanent magnet brushless machines considering mechanical constraints. IET Electric Power Applications, 2019, 13, 81-90. | 1.8 | 15 |
| 443 | Adaptive Threshold Correction Strategy for Sensorless High-Speed Brushless DC Drives Considering Zero-Crossing-Point Deviation. IEEE Transactions on Industrial Electronics, 2020, 67, 5246-5257. | 7.9 | 15 |
| 444 | Novel Current Profile of Switched Reluctance Machines for Torque Density Enhancement in Low-Speed Applications. IEEE Transactions on Industrial Electronics, 2020, 67, 9623-9634. | 7.9 | 15 |
| 445 | Influence of Rotor Eccentricity On Electromagnetic Performance of 2-pole/3-slot PM Motors. IEEE Transactions on Energy Conversion, 2022, 37, 696-706. | 5.2 | 15 |
| 446 | Improved Cross-coupling Effect Compensation Method for Sensorless Control of IPMSM With High Frequency Voltage Injection. IEEE Transactions on Energy Conversion, 2022, 37, 347-358. | 5.2 | 15 |
| 447 | Improved Low-Order Thermal Model for Critical Temperature Estimation of PMSM. IEEE Transactions on Energy Conversion, 2022, 37, 413-423. | 5.2 | 15 |
| 448 | Sensorless flux-weakening control of permanent magnet brushless machines using third-harmonic back-EMF. , 0, , . | | 14 |
| 449 | A New Simplex Wave Winding Permanent-Magnet Brushless DC Machine. IEEE Transactions on Magnetics, 2011, 47, 252-259. | 2.1 | 14 |
| 450 | Performance analysis of switched-flux machines with hybrid NdFeB and ferrite magnets. , 2014, , . | | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Influence of machine design parameters on fluxâ€weakening performance of induction machine for electrical vehicle application. IET Electrical Systems in Transportation, 2015, 5, 43-52. | 2.4 | 14 |
| 452 | Reduction of On-Load Terminal Voltage Distortion in Fractional Slot Interior Permanent Magnet Machines. IEEE Transactions on Energy Conversion, 2016, 31, 1161-1169. | 5.2 | 14 |
| 453 | A Novel Variable Reactor and Its Application to Shunt Power Quality Controller. IEEE Transactions on Power Electronics, 2016, 31, 4148-4158. | 7.9 | 14 |
| 454 | Comparison of Flux-Weakening Control Strategies of Novel Hybrid-Excited Doubly Salient Synchronous Machines. IEEE Transactions on Industry Applications, 2019, 55, 3589-3597. | 4.9 | 14 |
| 455 | A Novel Variable Flux Dual-Layer Hybrid Magnet Memory Machine with Bypass Airspace Barriers. , 2019, , \cdot | | 14 |
| 456 | Comparative Study of Modular Dual 3-Phase Permanent Magnet Machines With Overlapping/Non-overlapping Windings. IEEE Transactions on Industry Applications, 2019, 55, 3566-3576. | 4.9 | 14 |
| 457 | Magnet Eddy Current Loss Reduction in Permanent Magnet Machines. IEEE Transactions on Industry Applications, 2019, 55, 1309-1320. | 4.9 | 14 |
| 458 | Safety Operation Area of Zero-Crossing Detection-Based Sensorless High-Speed BLDC Motor Drives. IEEE Transactions on Industry Applications, 2020, 56, 6456-6466. | 4.9 | 14 |
| 459 | Comparative Study of Series and Parallel Hybrid Excited Machines. IEEE Transactions on Energy Conversion, 2020, 35, 1705-1714. | 5.2 | 14 |
| 460 | A Novel Sensorless Initial Position Estimation and Startup Method. IEEE Transactions on Industrial Electronics, 2021, 68, 2964-2975. | 7.9 | 14 |
| 461 | Multiple Synchronous Reference Frame Current Harmonic Regulation of Dual Three Phase PMSM With Enhanced Dynamic Performance and System Stability. IEEE Transactions on Industrial Electronics, 2022, 69, 8825-8838. | 7.9 | 14 |
| 462 | A Novel Asymmetric Interior Permanent Magnet Synchronous Machine. IEEE Transactions on Industry Applications, 2022, 58, 3370-3382. | 4.9 | 14 |
| 463 | Modular 3-Phase Permanent Magnet Brushless Machines for In-Wheel Applications. , 2006, , . | | 13 |
| 464 | Influence of rotor pole number on optimal parameters in flux-switching PM brushless AC machines by lumped parameter magnetic circuit model. , 2009, , . | | 13 |
| 465 | Analytical cogging torque prediction for surface-mounted PM machines accounting for different slot sizes and uneven positions. , 2011, , . | | 13 |
| 466 | Analytical modeling of eddy current loss in retaining sleeve of surface-mounted PM machines accounting for influence of slot opening. , 2012, , . | | 13 |
| 467 | Comparison of electromagnetic performance of switched flux permanent magnet machines with mechanical flux adjusters. IET Electrical Systems in Transportation, 2015, 5, 175-184. | 2.4 | 13 |
| 468 | Investigation of irreversible demagnetisation in switched flux permanent magnet machines under short ircuit conditions. IET Electric Power Applications, 2017, 11, 595-602. | 1.8 | 13 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 469 | Cogging Torque and Unbalanced Magnetic Force Prediction in PM Machines With Axial-Varying Eccentricity by Superposition Method. IEEE Transactions on Magnetics, 2017, 53, 1-4. | 2.1 | 13 |
| 470 | Rotor Shaping Method for Torque Ripple Mitigation in Variable Flux Reluctance Machines. IEEE Transactions on Energy Conversion, 2018, 33, 1579-1589. | 5.2 | 13 |
| 471 | A Novel Axial Flux Magnetically Geared Machine for Power Split Application. IEEE Transactions on Industry Applications, 2018, 54, 5954-5966. | 4.9 | 13 |
| 472 | Analysis of Stator/Rotor Pole Combinations in Variable Flux Reluctance Machines Using Magnetic Gearing Effect. IEEE Transactions on Industry Applications, 2019, 55, 1495-1504. | 4.9 | 13 |
| 473 | Analysis of Split-Tooth Stator Slot PM Machine. IEEE Transactions on Industrial Electronics, 2021, 68, 10580-10591. | 7.9 | 13 |
| 474 | Study on noise and disturbance issues of generalized predictive speed control for permanent magnet synchronous machines. IET Electric Power Applications, 2021, 15, 63-78. | 1.8 | 13 |
| 475 | Analytical Prediction of Dynamic Performance Characteristics of Brushless DC Drives. Electric Power Components and Systems, 1992, 20, 661-678. | 0.1 | 12 |
| 476 | Simple and accurate analytical estimation of slotting effect on magnet loss in fractional-slot surface-mounted PM machines. , 2012, , . | | 12 |
| 477 | Analytical investigation of open-circuit eddy current loss in windings of PM machines. , 2012, , . | | 12 |
| 478 | Comparison of flux weakening capability in alternative switched flux permanent magnet machines by mechanical adjusters. , 2012, , . | | 12 |
| 479 | Comparison of low-cost single-phase wound-field switched-flux machines. , 2013, , . | | 12 |
| 480 | Novel switched-flux hybrid permanent magnet memory machines for EV/HEV applications. , 2014, , . | | 12 |
| 481 | Thermal modelling of switched flux permanent magnet machines. , 2014, , . | | 12 |
| 482 | Comparative study of novel synchronous machines having permanent magnets in stator poles. , 2014, , . | | 12 |
| 483 | A novel variable flux memory machine with series hybrid magnets. , 2016, , . | | 12 |
| 484 | Investigation of non-sinusoidal rotor bar current phenomenon in induction machines — Influence of slip and electric loading. , 2016, , . | | 12 |
| 485 | A Novel Dual-Layer PM Variable Flux Hybrid Memory Machine. , 2018, , . | | 12 |
| 486 | Comparative Study of Partitioned Stator Memory Machines With Series and Parallel Hybrid PM Configurations. IEEE Transactions on Magnetics, 2019, 55, 1-8. | 2.1 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 487 | Permanent magnet brushless machines with unequal tooth widths and similar slot and pole numbers. , 0, , . | | 11 |
| 488 | Indirect and Direct Force Control of a Two-Phase Tubular Permanent Magnet Machine. IEEE Transactions on Power Electronics, 2007, 22, 654-662. | 7.9 | 11 |
| 489 | Improved rotating carrier signal injection method for sensorless control of PM brushless AC motors, accounting for cross-saturation effect. , 2011, , . | | 11 |
| 490 | Investigation of electromagnetic performance of salient-pole synchronous reluctance machines having different concentrated winding connections. , 2013, , . | | 11 |
| 491 | Influence of pole and slot number combinations on cogging torque in permanent magnet machines with static and rotating eccentricities. , 2013, , . | | 11 |
| 492 | Parameter estimation of PMSM for aiding PI regulator design of field oriented control. , 2014, , . | | 11 |
| 493 | Comparison of carrier signal injection methods for sensorless control of PMSM drives. , 2015, , . | | 11 |
| 494 | Rotor position estimation for dual-three-phase permanent magnet synchronous machine based on third harmonic back-EMF. , 2015, , . | | 11 |
| 495 | Influence of Pole Number and Stator Outer Diameter on Volume, Weight, and Cost of Superconducting Generators With Iron-Cored Rotor Topology for Wind Turbines. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-9. | 1.7 | 11 |
| 496 | Influence of PM- and Armature Winding-Stator Positions on Electromagnetic Performance of Novel Partitioned Stator Permanent Magnet Machines. IEEE Transactions on Magnetics, 2017, 53, 1-12. | 2.1 | 11 |
| 497 | Comparison of End Effect in Series and Parallel Hybrid Permanent-Magnet Variable-Flux Memory Machines. IEEE Transactions on Industry Applications, 2019, 55, 2529-2537. | 4.9 | 11 |
| 498 | 48 V Starter-Generator Induction Machine With Pole-Changing Windings. IEEE Transactions on Industry Applications, 2020, 56, 6324-6337. | 4.9 | 11 |
| 499 | Influence of Stator Slot and Rotor Pole Number Combination on Field Winding Induced Voltage Ripple in Hybrid Excitation Switched Flux Machine. IEEE Transactions on Energy Conversion, 2021, 36, 1245-1261. | 5.2 | 11 |
| 500 | A Novel Asymmetric-Magnetic-Pole Interior PM Machine With Magnet-Axis-Shifting Effect. IEEE Transactions on Industry Applications, 2021, 57, 5927-5938. | 4.9 | 11 |
| 501 | Modelling and vector control of dual threeâ€phase PMSM with oneâ€phase open. IET Electric Power Applications, 2021, 15, 847-860. | 1.8 | 11 |
| 502 | Compensation of Selective Current Harmonics for Switching-Table-Based Direct Torque Control of Dual Three-Phase PMSM Drives. IEEE Transactions on Industry Applications, 2021, 57, 2505-2515. | 4.9 | 11 |
| 503 | A Generalized Decomposition Model of Dual Three-Phase Permanent Magnet Synchronous Machines Considering Asymmetric Impedances and Compensation Capability. IEEE Transactions on Industry Applications, 2021, 57, 3763-3775. | 4.9 | 11 |
| 504 | Modulation Restraint Analysis of Space Vector PWM for Dual Three-Phase Machines Under Vector Space Decomposition. IEEE Transactions on Power Electronics, 2021, 36, 14491-14507. | 7.9 | 11 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 505 | Comparative Study of 6-Slot/2-Pole High-Speed Permanent Magnet Motors With Different Winding Configurations. IEEE Transactions on Industry Applications, 2021, 57, 5864-5875. | 4.9 | 11 |
| 506 | Influence of Slot Number on Electromagnetic Performance of 2-pole High-Speed Permanent Magnet Motors With Toroidal Windings. IEEE Transactions on Industry Applications, 2021, 57, 6023-6033. | 4.9 | 11 |
| 507 | A Novel Delta-Type Hybrid-Magnetic-Circuit Variable Flux Memory Machine for Electrified Vehicle Applications. IEEE Transactions on Transportation Electrification, 2022, 8, 3512-3523. | 7.8 | 11 |
| 508 | Design considerations for permanent magnet polarised electromagnetically actuated brakes. IEEE Transactions on Magnetics, 1995, 31, 3743-3745. | 2.1 | 10 |
| 509 | Influence of design parameters on cogging torque in permanent magnet machines. , 0, , . | | 10 |
| 510 | EKF-based Hybrid Controller for Permanent Magnet Brushless Motors Combining Hall Sensors and a Flux-Observer-based Sensorless Technique. , 2005, , . | | 10 |
| 511 | Synthesis of cogging torque waveform from analysis of a single stator slot. , 2005, , . | | 10 |
| 512 | Practical Issues in Sensorless Control of PM Brushless Machines Using Third-Harmonic Back-EMF. , 2006, , . | | 10 |
| 513 | Rotor Eddy Current Loss in Single-Phase Permanent Magnet Brushless DC Motor. Conference Record - IAS Annual Meeting (IEEE Industry Applications Society), 2007, , . | 0.0 | 10 |
| 514 | Influence of PWM on the Proximity Loss in Permanent Magnet Brushless AC Machines. , 2008, , . | | 10 |
| 515 | A Novel Torsional Excitation Scheme for Determining Mechanical Transfer Function and Natural Frequencies of Circumferential Vibration in PM Brushless Machine Drives. IEEE Transactions on Magnetics, 2011, 47, 4195-4198. | 2.1 | 10 |
| 516 | Design and experimental verification of an 18-slot/10-pole fractional-slot surface-mounted permanent-magnet machine. , 2013, , . | | 10 |
| 517 | A new sensorless control strategy by high-frequency pulsating signal injection into stationary reference frame. , 2013, , . | | 10 |
| 518 | Calculation of torque-speed characteristic of induction machine for electrical vehicle application using analytical method. , 2014, , . | | 10 |
| 519 | Novel Flux-Regulatable Dual-Magnet Vernier Memory Machines for Electric Vehicle Propulsion. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-5. | 1.7 | 10 |
| 520 | Mechanical parameter estimation of permanent magnet synchronous machines with aiding from estimation of rotor PM flux linkage. , 2014, , . | | 10 |
| 521 | Influence of on-load voltage distortion on torque-speed characteristic of interior permanent magnet machines. , 2015, , . | | 10 |
| 522 | Comparative Study of Vernier and Interior PM Machines for Automotive Application. , 2016, , . | | 10 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 523 | Experimental validation of an enhanced permeance network model for embedded magnet synchronous machines. Electric Power Systems Research, 2016, 140, 836-845. | 3.6 | 10 |
| 524 | An Improved Method of DC Bus Voltage Pulsation Suppression for Asymmetric Wind Power PMSG Systems With a Compensation Unit in Parallel. IEEE Transactions on Energy Conversion, 2017, 32, 1231-1239. | 5.2 | 10 |
| 525 | Improved position offset based parameter determination of permanent magnet synchronous machines under different load conditions. IET Electric Power Applications, 2017, 11, 603-612. | 1.8 | 10 |
| 526 | Influence of magnet arrangement on performance of flux reversal permanent magnet machine. , 2017, , | | 10 |
| 527 | Magnetic gearing effect in vernier permanent magnet synchronous machines. , 2017, , . | | 10 |
| 528 | Influence of PM Coating on PM Magnetization State Estimation Methods Based on Magnetoresistive Effect. IEEE Transactions on Industry Applications, 2018, 54, 2141-2150. | 4.9 | 10 |
| 529 | Influence of Magnetic Saturation and Rotor Eccentricity on Back EMF of Novel Hybrid-Excited Stator Slot Opening Permanent Magnet Machine. IEEE Transactions on Magnetics, 2018, 54, 1-5. | 2.1 | 10 |
| 530 | Investigation of Optimal Split Ratio for High-Speed Permanent-Magnet Brushless Machines. IEEE Transactions on Magnetics, 2018, 54, 1-5. | 2.1 | 10 |
| 531 | Comparison of optimal slot/pole number combinations in fractional slot permanent magnet synchronous machines having similar slot and pole numbers. Journal of Engineering, 2019, 2019, 4585-4589. | 1.1 | 10 |
| 532 | Comparative Analysis of Variable Flux Reluctance Machines With Double- and Single-Layer Concentrated Armature Windings. IEEE Transactions on Industry Applications, 2019, 55, 1505-1515. | 4.9 | 10 |
| 533 | Spectral Analysis and Sideband Harmonic Cancellation of Six-Step Operation With Low Carrier–Fundamental Frequency Ratio for High-Speed Brushless DC Drives. IEEE Transactions on Industrial Electronics, 2021, 68, 7778-7792. | 7.9 | 10 |
| 534 | PWM Switching Delay Correction Method for High-Speed Brushless DC Drives. IEEE Access, 2021, 9, 81717-81727. | 4.2 | 10 |
| 535 | Investigation of Novel Doubly Salient Hybrid Excited Machine With Non-Overlapped Field Winding. IEEE Transactions on Energy Conversion, 2021, 36, 2261-2275. | 5.2 | 10 |
| 536 | A Novel Asymmetric Rotor Interior Permanent Magnet Machine With Hybrid-Layer Permanent Magnets. IEEE Transactions on Industry Applications, 2021, 57, 5993-6006. | 4.9 | 10 |
| 537 | A Novel Spoke-type Asymmetric Rotor Interior PM Machine. , 2020, , . | | 10 |
| 538 | Analytical prediction of stator flux density waveforms and iron losses in brushless DC machines, accounting for load condition. , 0, , . | | 9 |
| 539 | High torque density permanent magnet brushless machines with similar slot and pole numbers. Journal of Magnetism and Magnetic Materials, 2004, 272-276, E1767-E1769. | 2.3 | 9 |
| 540 | Investigation of Magnetic Drag Torque in Permanent Magnet Brushless Motors. IEEE Transactions on Magnetics, 2007, 43, 2507-2509. | 2.1 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 541 | Thermal analysis and comparison of permanent magnet motor and generator. , 2011, , . | | 9 |
| 542 | Improved sensorless operation of permanent magnet brushless AC motors based on online optimal efficiency control. , 2011, , . | | 9 |
| 543 | Comparison of alternate mechanically adjusted variable flux switched flux permanent magnet machines. , 2012, , . | | 9 |
| 544 | Comparison of low-cost wound-field switched-flux machines. , 2013, , . | | 9 |
| 545 | A new control strategy for hybrid-excited switched-flux permanent magnet machines without the requirement of machine parameters. , 2014, , . | | 9 |
| 546 | Analytical determination of 3rd order harmonic current into five phase PM machine for maximum torque. , 2015, , . | | 9 |
| 547 | A Winding-Switching Concept for Flux Weakening in Consequent Magnet Pole Switched Flux Memory Machine. IEEE Transactions on Magnetics, 2015, 51, 1-4. | 2.1 | 9 |
| 548 | Determination of Electrical Parameters of PMSM Drive System at Standstill. , 2016, , . | | 9 |
| 549 | Influence of Conduction Angles on Single-Layer Switched Reluctance Machines. IEEE Transactions on Magnetics, 2016, 52, 1-11. | 2.1 | 9 |
| 550 | Comparative study of synchronous machines having permanent magnets in stator. Electric Power Systems Research, 2016, 133, 304-312. | 3.6 | 9 |
| 551 | Analysis of On-Load Magnetization Characteristics in a Novel Partitioned Stator Hybrid Magnet Memory Machine. IEEE Transactions on Magnetics, 2017, 53, 1-4. | 2.1 | 9 |
| 552 | A variable-mode stator consequent pole memory machine. AIP Advances, 2018, 8, 056612. | 1.3 | 9 |
| 553 | Influences of PM Number and Shape of Spoke Array PM Flux Reversal Machines. IEEE Transactions on Energy Conversion, 2021, 36, 1131-1142. | 5.2 | 9 |
| 554 | Generic Slot and Pole Number Combinations for Novel Modular Permanent Magnet Dual 3-Phase Machines With Redundant Teeth. IEEE Transactions on Energy Conversion, 2020, 35, 1676-1687. | 5.2 | 9 |
| 555 | Reduction of Open-Circuit DC Winding Induced Voltage and Torque Pulsation in the Wound Field Switched Flux Machine by Stator Axial Pairing of Tooth Tips. IEEE Transactions on Industry Applications, 2022, 58, 1976-1990. | 4.9 | 9 |
| 556 | Comparison of Different Winding Configurations for Dual Three-Phase Interior PM Machines in Electric Vehicles. World Electric Vehicle Journal, 2022, 13, 51. | 3.0 | 9 |
| 557 | A Novel Space Vector PWM Technique With Duty Cycle Optimization Through Zero Vectors for Dual Three-Phase PMSM. IEEE Transactions on Energy Conversion, 2022, 37, 2271-2284. | 5.2 | 9 |
| | | | |

558 Design Tradeoffs between Stator Core Loss and Torque Ripple in IPM Machines. , 2008, , .

8

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 559 | Comparison of analytical models for predicting electromagnetic performance in surface-mounted permanent magnet machines. , 2010, , . | | 8 |
| 560 | Comparison between induction machine and interior permanent magnet machine for electric vehicle application. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2016, 35, 572-585. | 0.9 | 8 |
| 561 | Analytical sub-domain model for predicting open-circuit field of permanent magnet vernier machine accounting for tooth tips. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2016, 35, 624-640. | 0.9 | 8 |
| 562 | Performance Improvement of Partitioned Stator Switched Flux Memory Machines With Triple-Magnet Configuration. IEEE Transactions on Magnetics, 2016, 52, 1-4. | 2.1 | 8 |
| 563 | Rotor position estimation for single- and dual-three-phase permanent magnet synchronous machines based on third harmonic back-EMF under imbalanced situation. Chinese Journal of Electrical Engineering, 2017, 3, 63-72. | 3.4 | 8 |
| 564 | Comparative study of double-sided toroidal-winding linear PM vernier machines with different secondary configurations. , 2017, , . | | 8 |
| 565 | Influence of Rotor Skew on Rotor Bar Current Waveform and Performance in Induction Machines. , 2018, , . | | 8 |
| 566 | Investigation on Contribution of Inductance Harmonics to Torque Production in Multiphase Doubly Salient Synchronous Reluctance Machines. IEEE Transactions on Magnetics, 2019, 55, 1-10. | 2.1 | 8 |
| 567 | Influence of Stator and Rotor Pole Number Combinations on the Electromagnetic Performance of Stator Slot-Opening PM Hybrid-Excited Machine. IEEE Transactions on Magnetics, 2019, 55, 1-10. | 2.1 | 8 |
| 568 | Influence of Critical Parameters in Lumped-Parameter Thermal Models for Electrical Machines. , 2019, , | | 8 |
| 569 | Generalized Predictive dc-Link Voltage Control for Grid-Connected Converter. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 1489-1506. | 5.4 | 8 |
| 570 | Reduction of On-Load DC Winding-Induced Voltage in Partitioned Stator Wound Field Switched Flux Machines by Dual Three-Phase Armature Winding. IEEE Transactions on Industrial Electronics, 2022, 69, 5409-5420. | 7.9 | 8 |
| 571 | Influence of Stator Gap on Electromagnetic Performance of 6-Slot/2-Pole Modular High Speed Permanent Magnet Motor With Toroidal Windings. IEEE Access, 2021, 9, 94470-94494. | 4.2 | 8 |
| 572 | A Novel Method for Estimating the High Frequency Incremental DQ-Axis and Cross-Coupling Inductances in Interior Permanent Magnet Synchronous Machines. IEEE Transactions on Industry Applications, 2021, 57, 4913-4923. | 4.9 | 8 |
| 573 | Investigation of scaling effect on power factor of permanent magnet Vernier machines for wind power application. IET Electric Power Applications, 2020, 14, 2136-2145. | 1.8 | 8 |
| 574 | A Novel V-shape Interior Permanent Magnet Synchronous Machine with Asymmetric Spoke-type Flux Barrier. , 2020, , . | | 8 |
| 575 | High Frequency Signal Injection Sensorless Control of Finite-Control-Set Model Predictive Control With Deadbeat Solution. IEEE Transactions on Industry Applications, 2022, 58, 3685-3695. | 4.9 | 8 |
| 576 | Suppression of Torque Ripple for Consequent Pole PM Machine by Asymmetric Pole Shaping Method. IEEE Transactions on Industry Applications, 2022, 58, 3545-3557. | 4.9 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 577 | EFFECT OF ROTOR ECCENTRICITY AND MAGNETIC CIRCUIT SATURATION ON ACOUSTIC NOISE AND VIBRATION OF SINGLE-PHASE INDUCTION MOTORS. Electric Power Components and Systems, 1997, 25, 443-457. | 0.1 | 7 |
| 578 | Modeling and Analysis of a Tubular Oscillating Permanent Magnet Actuator. , 2008, , . | | 7 |
| 579 | Optimal split ratio in fractional-slot interior permanent magnet machines with non-overlapping windings. , 2009, , . | | 7 |
| 580 | Torque speed characteristics of switched flux permanent magnet machines. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2011, 31, 22-39. | 0.9 | 7 |
| 581 | Speed Range Extension for Simplex Wave Winding Permanent-Magnet Brushless DC Machine. IEEE Transactions on Magnetics, 2013, 49, 890-897. | 2.1 | 7 |
| 582 | Improved permeance network model for embedded magnet synchronous machines. , 2014, , . | | 7 |
| 583 | Analysis of carrier signal injection based sensorless control of PMSM drives under limited inverter switching frequency condition. , 2014, , . | | 7 |
| 584 | Rotor position error compensation based on third harmonic back-EMF in flux observer sensorless control. , 2014, , . | | 7 |
| 585 | A novel partitioned stator flux reversal permanent magnet linear machine. , 2015, , . | | 7 |
| 586 | Compensation of unbalanced impedance of asymmetric wind power PMSC compensated by external circuits in series. CES Transactions on Electrical Machines and Systems, 2017, 1, 180-188. | 3.5 | 7 |
| 587 | Comparative study of magnetic gearing effect in integral slot, fractional slot winding and vernier PM machines. , 2017, , . | | 7 |
| 588 | Analysis of stator/rotor pole combinations in variable flux reluctance machines using magnetic gearing effect. , 2017, , . | | 7 |
| 589 | A novel flux-reversal hybrid magnet memory machine. , 2017, , . | | 7 |
| 590 | Adaptive Voltage Feedback Controllers on the Non-Salient Permanent Magnet Synchronous Machine. , 2018, , . | | 7 |
| 591 | Thermal-Loss Coupling Analysis of an Electrical Machine Using the Improved Temperature-Dependent Iron Loss Model. IEEE Transactions on Magnetics, 2018, 54, 1-5. | 2.1 | 7 |
| 592 | A Novel Dual-Sided PM Variable Flux Memory Machine. IEEE Transactions on Magnetics, 2018, 54, 1-5. | 2.1 | 7 |
| 593 | Investigation of stator slot/rotor pole combination of flux reversal permanent magnet machine with consequentâ€pole PM structure. Journal of Engineering, 2019, 2019, 4267-4272. | 1.1 | 7 |
| 594 | Influence of Design Parameters on On-Load Demagnetization Characteristics of Switched Flux Hybrid Magnet Memory Machine. IEEE Transactions on Magnetics, 2019, 55, 1-5. | 2.1 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|--------------------|--------------|
| 595 | Coordinated Elimination Strategy of Low Order Output Current Distortion for LC-Filtered DFIG System Based on Hybrid Virtual Impedance Method. IEEE Transactions on Power Electronics, 2019, 34, 7502-7520. | 7.9 | 7 |
| 596 | Research on a hybrid excitation PM synchronous generator with stator third harmonic winding excitation. IET Electric Power Applications, 2020, 14, 418-425. | 1.8 | 7 |
| 597 | Analytical Modelling and Optimization of Output Voltage Harmonic Spectra of Full-Bridge Modular Multilevel Converters in Boost Mode. IEEE Transactions on Power Electronics, 2022, 37, 3403-3420. | 7.9 | 7 |
| 598 | A Rotor Initial Position Estimation Method for Surface-Mounted Permanent Magnet Synchronous Machine. IEEE Transactions on Energy Conversion, 2021, 36, 2012-2024. | 5.2 | 7 |
| 599 | Analysis of coil pitch in induction machines for electric vehicle applications. IET Electric Power Applications, 2020, 14, 2525-2536. | 1.8 | 7 |
| 600 | Comparison of Torque-speed Characteristics of Interior-magnet Machines in Brushless AC and DC Modes for EV/HEV Applications. Journal of Asian Electric Vehicles, 2006, 4, 843-850. | 0.4 | 7 |
| 601 | Direct torque control of PM brushless AC motors having non-sinusoidal back-emf waveforms. , 2006, , | | 7 |
| 602 | Electromagnetic Performance Analysis of 6-Slot/2-Pole High-Speed Permanent Magnet Motors With Coil-pitch of Two Slot-pitches. IEEE Transactions on Energy Conversion, 2022, 37, 1335-1345. | 5.2 | 7 |
| 603 | Improved Sensorless Control Method and Asymmetric Phase Resistances Determination for Permanent Magnet Synchronous Machines. IEEE Transactions on Industry Applications, 2022, 58, 3624-3636. | 4.9 | 7 |
| 604 | Effect of End-Winding on Electromagnetic Performance of Fractional Slot and Vernier PM Machines With Different Slot/Pole Number Combinations and Winding Configurations. IEEE Access, 2022, 10, 49934-49955. | 4.2 | 7 |
| 605 | On-line optimal field-weakening control of permanent magnet brushless AC drives. , 0, , . | | 6 |
| 606 | Improved Rotor Position Estimation by Signal Injection in Brushless AC Motors, Accounting for Cross-Coupling Magnetic Saturation. Conference Record - IAS Annual Meeting (IEEE Industry) Tj ETQq0 0 0 rgBT | /O øeø lock | 10cTf 50 297 |
| 607 | A novel hybrid excited flux-switching brushless AC Machines for EV/HEV applications. , 2010, , . | | 6 |
| 608 | Multi-parameter estimation of non-salient pole permanent magnet synchronous machines by using evolutionary algorithms. , 2010, , . | | 6 |
| 609 | Analytical determination of optimal split ratio for overlapping and non-overlapping winding external rotor PM brushless machines. , 2011, , . | | 6 |
| 610 | Control of stator torsional vibration in PM brushless AC drives due to non-sinusoidal back-EMF and cogging torque by improved direct torque control. , 2011, , . | | 6 |
| 611 | Comparative study of electromagnetic performance of switched reluctance machines under different excitation techniques. , 2013, , . | | 6 |
| 612 | Reduction of Unbalanced Magnetic Force in 2-pole 3-slot Permanent Magnet Machine. , 2014, , . | | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 613 | PMSM magnetization state estimation based on stator-reflected PM resistance using high frequency signal injection. , 2014, , . | | 6 |
| 614 | Iron Loss Calculation in Permanent Magnet Machines Under Unconventional Operations. IEEE Transactions on Magnetics, 2014, 50, 1-4. | 2.1 | 6 |
| 615 | Influence of manufacturing tolerances on cogging torque in interior permanent magnet machines with eccentric and sinusoidal rotor contours. , 2016, , . | | 6 |
| 616 | Torque capability enhancement of dual three-phase PMSM drive with fifth and seventh current harmonics injection. , 2016, , . | | 6 |
| 617 | Comparison of two-individual current control and vector space decomposition control for dual three-phase PMSM. , 2016, , . | | 6 |
| 618 | Flux-Concentrated External-Rotor Switched Flux Memory Machines for Direct-Drive Applications. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-6. | 1.7 | 6 |
| 619 | A novel axial flux magnetically geared machine for power split application. , 2017, , . | | 6 |
| 620 | Effect of magnet thickness on electromagnetic performance of high speed permanent magnet machines. , 2017, , . | | 6 |
| 621 | Evaluation of iron loss models in electrical machines. , 2017, , . | | 6 |
| 622 | Magnet eddy current loss reduction in a 3-slot 2-pole permanent magnet machine. , 2017, , . | | 6 |
| 623 | Using inverter-based renewable generators to improve the grid power quality—A review. Chinese Journal of Electrical Engineering, 2018, 4, 16-25. | 3.4 | 6 |
| 624 | Quantitative Analysis of Contribution of Air-Gap Field Harmonics to Torque Production in Three-Phase 12-Slot/8-Pole Doubly Salient Synchronous Reluctance Machines. IEEE Transactions on Magnetics, 2018, 54, 1-11. | 2.1 | 6 |
| 625 | 48V Starter-Generator Induction Machine with Pole Changing Windings. , 2019, , . | | 6 |
| 626 | Two-Level Surrogate-Assisted Transient Parameters Design Optimization of a Wound-Field Synchronous Machine. IEEE Transactions on Energy Conversion, 2022, 37, 737-747. | 5.2 | 6 |
| 627 | Stator Optimization of Wind Power Generators With High-Temperature Superconducting Armature Windings and Permanent Magnet Rotor. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-10. | 1.7 | 6 |
| 628 | Suppression of Torque Ripple for Consequent Pole PM Machine by Asymmetric Pole Shaping Method. , 2021, , . | | 6 |
| 629 | Voltage Pulsation Induced in DC Field Winding of Different Hybrid Excitation Switched Flux Machines. IEEE Transactions on Industry Applications, 2021, 57, 4815-4830. | 4.9 | 6 |
| 630 | Enhancement of Disturbance Rejection Capability in Dual Three-Phase PMSM System by Using Virtual Impedance. IEEE Transactions on Industry Applications, 2021, 57, 4901-4912. | 4.9 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 631 | Design and Analysis of Advanced Nonoverlapping Winding Induction Machines for EV/HEV Applications. Energies, 2021, 14, 6849. | 3.1 | 6 |
| 632 | A Novel Asymmetric Interior Permanent Magnet Synchronous Machine. , 2020, , . | | 6 |
| 633 | A Novel Asymmetric Rotor Interior PM Machine with Hybrid-layer PMs. , 2020, , . | | 6 |
| 634 | A Novel Rotor Initial Position Detection Method Utilizing DC-Link Voltage Sensor. IEEE Transactions on Industry Applications, 2020, 56, 6486-6495. | 4.9 | 6 |
| 635 | Comparative study of alternative fuzzy logic control strategies of permanent magnet brushless AC drive. , 0, , . | | 5 |
| 636 | Reduction of cogging torque in interior-magnet brushless machines. , 0, , . | | 5 |
| 637 | Commutation Torque Ripple Minimization in Direct Torque Controlled PM Brushless DC Drives. Conference Record - IAS Annual Meeting (IEEE Industry Applications Society), 2006, , . | 0.0 | 5 |
| 638 | A high torque density permanent magnet motor for oil pumping unit. Journal of Applied Physics, 2008, 103, 07F108. | 2.5 | 5 |
| 639 | Optimization of multi-tooth flux-switching PM brushless ac machines. , 2008, , . | | 5 |
| 640 | Sliding mode current control of grid-connected voltage source converter. , 2010, , . | | 5 |
| 641 | Analysis and mitigation of torsional vibration of PM brushless DC drives with direct torque controller. , 2011, , . | | 5 |
| 642 | Improved sensorless control of permanent magnet synchronous machine based on third-harmonic back-EMF. , 2013, , . | | 5 |
| 643 | Electromagnetic performance of interior permanent magnet machines with eccentricity. , 2013, , . | | 5 |
| 644 | Unbalanced magnetic force in permanent magnet machines having asymmetric windings and static/ rotating eccentricities. , 2013, , . | | 5 |
| 645 | Comparison of torque densities in alternate wound-field switched flux machines. , 2014, , . | | 5 |
| 646 | Analysis and suppression of zero sequence circulating current in open winding PMSM drives with common DC bus. , 2016, , . | | 5 |
| 647 | Comparative Study of High Performance Double-Stator Switched Flux Permanent Magnet Machines. , 2016, , . | | 5 |
| 648 | Influence of local magnetic saturation on iron losses in interior permanent magnet machines. , 2016, , | | 5 |

.

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 649 | Electromagnetic performance of switched flux PM machines with two separate stators. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2016, 35, 376-395. | 0.9 | 5 |
| 650 | Influence of back-EMF and current harmonics on sensorless control performance of single and dual three-phase permanent magnet synchronous machines. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2016, 35, 744-763. | 0.9 | 5 |
| 651 | Influence of gear ratio on electromagnetic performance and geometries of vernier permanent magnet synchronous machines. , 2017, , . | | 5 |
| 652 | Novel Dual-Stator Switched-Flux Memory Machines With Hybrid Magnets. IEEE Transactions on Industry Applications, 2018, 54, 2129-2140. | 4.9 | 5 |
| 653 | Hybrid Excited Stator Slot PM Machines with Overlapping Windings. , 2018, , . | | 5 |
| 654 | Fast design method of variable flux reluctance machines. CES Transactions on Electrical Machines and Systems, 2018, 2, 152-159. | 3.5 | 5 |
| 655 | Comparative Studies of Fractional/Integer-Slot Consequent Pole Permanent Magnet Machines. , 2019, , . | | 5 |
| 656 | Utilisation of grainâ€oriented electrical steel in permanent magnet fractionalâ€slot modular machines. Journal of Engineering, 2019, 2019, 3682-3686. | 1.1 | 5 |
| 657 | Stator/Rotor Pole Combinations of Variable Flux Reluctance Machines with 2nd Harmonic Current Injection Method. , 2019, , . | | 5 |
| 658 | Influence of Demagnetization on Selecting the Optimum Slot/Pole Number Combination for 3MW Surface Mounted Permanent Magnet Vernier Machine. , 2019, , . | | 5 |
| 659 | Analysis of Novel Consequent Pole Flux Reversal Permanent Magnet Machine. , 2019, , . | | 5 |
| 660 | Study of Operation Principle of a Novel Brushless Self-Excited Air-Core Compensated Pulsed Alternator. IEEE Transactions on Plasma Science, 2019, 47, 2362-2368. | 1.3 | 5 |
| 661 | Influence of Coil Location and Current Angle in Permanent Magnet Wind Power Generators With High-Temperature Superconducting Armature Windings. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-10. | 1.7 | 5 |
| 662 | Novel Dual-PM Spoke-Type Flux-Reversal Machines. , 2021, , . | | 5 |
| 663 | Flux-weakening Characteristics of Non-sinusoidal Back-EMF PM Machines in Brushless DC and AC Modes. Journal of Asian Electric Vehicles, 2006, 4, 919-925. | 0.4 | 5 |
| 664 | Low Switching Frequency SPWM Strategies for Open-Winding Machine With Low Current Harmonics. IEEE Transactions on Industry Applications, 2022, 58, 2042-2054. | 4.9 | 5 |
| 665 | Investigation of Asymmetric Consequent-Pole Hybrid Excited Flux Reversal Machines. IEEE Transactions on Industry Applications, 2022, 58, 3434-3446. | 4.9 | 5 |
| 666 | Instantaneous torque estimation in sensorless direct torque controlled brushless DC motors. , 0, , . | | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 667 | Analytical optimization and comparison of torque densities between permanent magnet and electrically excited machines. , 2012, , . | | 4 |
| 668 | Sensorless control based on third harmonic back-EMF and PLL for permanent magnet synchronous machine. , 2013, , . | | 4 |
| 669 | Space-vector PWM based direct torque control of PM brushless machine drives having non-ideal characteristics. , 2013, , . | | 4 |
| 670 | Analytical modeling of multi-segment and multilayer interior permanent magnet machines. , 2014, , . | | 4 |
| 671 | A linear switched-flux PM machine with 9/10 primary/secondary pole number. , 2014, , . | | 4 |
| 672 | Comparison of variable flux reluctance, switched flux and fractional slot PM12-stator slots machines having 10- and 14-rotor poles. , 2014, , . | | 4 |
| 673 | On-load voltage distortion compensation method using disturbance observer for SPM machines with closed slot. Chinese Journal of Electrical Engineering, 2015, 1, 58-69. | 3.4 | 4 |
| 674 | Comparison of partitioned stator machines with different PM excitation stator topologies. , 2015, , . | | 4 |
| 675 | Comparative study of short-pitched and fully-pitched SRMs supplied by sine wave currents. , 2015, , . | | 4 |
| 676 | Comparative study of alternative modular switched flux permanent magnet machines. , 2015, , . | | 4 |
| 677 | High-performance partitioned-stator switched flux memory machines with hybrid magnets on external stator for traction applications. , 2016, , . | | 4 |
| 678 | Sensitivity of manufacturing tolerances on cogging torque in interior permanent magnet machines with different slot/pole number. , 2016, , . | | 4 |
| 679 | Comparative study of biased flux permanent magnet machines with doubly salient permanent magnet machines considering with influence of flux focusing. Electric Power Systems Research, 2016, 141, 281-289. | 3.6 | 4 |
| 680 | A novel stator-consequent-pole memory machine. , 2016, , . | | 4 |
| 681 | Optimal design of a novel axial flux magnetically geared PM machine. , 2017, , . | | 4 |
| 682 | Comparative study of doubly salient machines with/without stator slot permanent magnets. , 2017, , . | | 4 |
| 683 | Comparative study of two permanent magnet linear machines. , 2017, , . | | 4 |
| 684 | Comparison of end effect in series and parallel hybrid permanent magnet variable flux memory | | 4 |

machines., 2017,,.

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 685 | Influence of slot/pole combination and magnet thickness on unbalanced magnetic force in PM machines with different rotor eccentricities and magnetizations. , 2017, , . | | 4 |
| 686 | Difference in unbalanced magnetic force of fractional-slot PM machines between interna and external rotor topologies. CES Transactions on Electrical Machines and Systems, 2017, 1, 154-163. | 3.5 | 4 |
| 687 | Uncontrolled Generator Fault Protection of Novel Hybrid-excited Permanent Magnet Machines Utilizing Field Excitation Current Control. , 2018, , . | | 4 |
| 688 | A Comparative Study on Nine- and Twelve-Phase Flux-Switching Permanent-Magnet Wind Generators. , 2018, , . | | 4 |
| 689 | Novel partitioned stator hybrid excited machines with magnets on slot openings. Journal of Engineering, 2019, 2019, 3568-3572. | 1.1 | 4 |
| 690 | Design and Simulation of a Brushless Self-Excited Air-Core Compensated Pulsed Alternator. IEEE Transactions on Plasma Science, 2019, 47, 2979-2986. | 1.3 | 4 |
| 691 | Simple Mechanical Rotor Position Estimation Method Based on Rotor Eccentricity. , 2019, , . | | 4 |
| 692 | An Advanced Harmonic Compensation Strategy for Dual Three-Phase Permanent Magnet Synchronous Machines Considering Different Angle Displacements. , 2019, , . | | 4 |
| 693 | Combined Lumped-Parameter and Simplified 2-D Analytical Thermal Model of Totally Enclosed Water Cooled PM Machine. , 2019, , . | | 4 |
| 694 | Impact of Current Harmonic Injection on Performance of Multi-Phase Synchronous Reluctance Machines. IEEE Transactions on Energy Conversion, 2021, 36, 1649-1659. | 5.2 | 4 |
| 695 | Comparative Study of Electromagnetic Performance of Stator Slot PM Machines. IEEE Access, 2021, 9, 41876-41890. | 4.2 | 4 |
| 696 | Effect of Airgap Length on Electromagnetic Performance of Permanent Magnet Vernier Machines With Different Power Ratings. IEEE Transactions on Industry Applications, 2022, 58, 1920-1930. | 4.9 | 4 |
| 697 | Influence of Slot Number on Electromagnetic Performance of 2-pole High-Speed Permanent Magnet Motors with Toroidal Windings. , 2020, , . | | 4 |
| 698 | Enhancement of Disturbance Rejection Capability in Dual Three Phase PMSM System by Using Virtual Impedance. , 2020, , . | | 4 |
| 699 | Improved Sensorless Control Method for Permanent Magnet Synchronous Machines Considering Resistance Asymmetry and Temperature Variation. , 2020, , . | | 4 |
| 700 | Investigation of Asymmetric Consequent-Pole Hybrid Excited Flux Reversal Machines. , 2020, , . | | 4 |
| 701 | Optimization and Improvement of Advanced Nonoverlapping Induction Machines for EVs/HEVs. IEEE Access, 2022, 10, 13329-13353. | 4.2 | 4 |
| 702 | Investigation of Stator/Rotor Pole Number Combinations and PM Numbers in Consequent-Pole Hybrid Excited Flux Reversal Machine. IEEE Transactions on Energy Conversion, 2022, , 1-1. | 5.2 | 4 |

Zq Zни

3

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 703 | Estimation of Two- and Three-dimensional Spatial Magnet Temperature Distributions for Interior PMSMs Based on Hybrid Analytical and Lumped-parameter Thermal Model. IEEE Transactions on Energy Conversion, 2022, , 1-1. | 5.2 | 4 |
| 704 | Simplified 3-D Hybrid Analytical Modelling of Magnet Temperature Distribution for Surface-mounted PMSM With Segmented Magnets. IEEE Transactions on Industry Applications, 2022, 58, 4474-4487. | 4.9 | 4 |
| 705 | A Commutation Optimization Strategy for High-Speed Brushless DC Drives With Voltage Source Inverter. IEEE Transactions on Industry Applications, 2022, 58, 4722-4732. | 4.9 | 4 |
| 706 | Influence of motor topologies and design parameters on the starting torque of a single-phase PM brushless DC motor. , 0, , . | | 3 |
| 707 | Influence of the fan cowl on the acoustic noise radiated from PWM controlled induction machines. , 0, , . | | 3 |
| 708 | Comparison of Halbach magnetized brushless motors equipped with air-cored and iron-cored rotors. Journal of Applied Physics, 2003, 93, 8692-8694. | 2.5 | 3 |
| 709 | Simplified EKF based sensorless direct torque control of permanent magnet brushless AC drives. International Journal of Automation and Computing, 2004, 1, 35-41. | 4.5 | 3 |
| 710 | Application of full-order and simplified EKFs to sensorless PM brushless AC machines. International Journal of Automation and Computing, 2005, 2, 179-186. | 4.5 | 3 |
| 711 | Predictive current control with current error correction for PM brushless AC drives. , 2005, , . | | 3 |
| 712 | Analysis and modeling of open-circuit airgap field distributions in multi-segment and multilayer interior permanent magnet machines. , 2008, , . | | 3 |
| 713 | Modeling and simulation of parameter identification for PMSM based on EKF. , 2010, , . | | 3 |
| 714 | Influence of alternate slot openings on torque-speed characteristics and cogging torque of fractional slot IPM brushless AC machines. , 2011, , . | | 3 |
| 715 | Novel switched flux machine with radial and circumferential permanent magnets. , 2014, , . | | 3 |
| 716 | Performance comparison of partitioned stator machines with NdFeB and ferrite magnets. , 2015, , . | | 3 |
| 717 | Permanent magnet magnetization state estimation using high frequency signal injection. , 2015, , . | | 3 |
| 718 | Torque Improvement Utilizing Third Harmonic Current in Five-Phase PM Machines with Unequal Tooth. , 2016, , . | | 3 |
| 719 | Design and Investigation of Flux Weakening Capability in Variable Flux Reluctance Machine. , 2016, , . | | 3 |
| | | | |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 721 | On-Load Performance in IPM Machines Having Different Slot/Pole Number Combinations Considering Local Magnetic Saturation. , 2016, , . | | 3 |
| 722 | Comparative study of current control methods of asymmetric PM synchronous machine. , 2016, , . | | 3 |
| 723 | Influence of PM coating on PM magnetization state estimation methods based on magnetoresistive effect. , 2016, , . | | 3 |
| 724 | Effectiveness of Terminal Voltage Distortion Minimization Methods in Fractional Slot Surface-Mounted Permanent Magnet Machines Considering Local Magnetic Saturation. IEEE Transactions on Energy Conversion, 2016, 31, 1090-1099. | 5.2 | 3 |
| 725 | Influence of end-effect on torque-speed characteristics of various switched flux permanent magnet machine topologies. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2016, 35, 525-539. | 0.9 | 3 |
| 726 | Experimental investigation of a partitioned stator flux reversal permanent magnet linear machine. , 2017, , . | | 3 |
| 727 | Design considerations for highâ€power converters interfacing 10 MW superconducting wind power generators. IET Power Electronics, 2017, 10, 1461-1467. | 2.1 | 3 |
| 728 | Electromagnetic Performance Comparison between 12- Phase Switched Flux and Surface-Mounted PM Machines for Direct-Drive Wind Power Generation. , 2018, , . | | 3 |
| 729 | Optimal Flux Modulation Pole Number in Vernier Permanent Magnet Synchronous Machines. , 2018, , . | | 3 |
| 730 | Investigation of Integer/Fractional Slot Consequent Pole PM Machines with Different Rotor Structures. , 2019, , . | | 3 |
| 731 | Safety Operation Area of Zero-Crossing Detection based Sensorless High Speed BLDC Motor Drives. , 2019, , . | | 3 |
| 732 | Influence of stator and rotor geometric parameters on rotor bar current waveform and performance of IMs. Journal of Engineering, 2019, 2019, 3649-3654. | 1.1 | 3 |
| 733 | Virtual Third Harmonic Back-EMF Based Sensorless Drive for High Speed BLDC Motors Considering Machine Parameter Asymmetries. , 2019, , . | | 3 |
| 734 | On-load demagnetization effect of high-coercive-force PMs in switched flux hybrid magnet memory machine. AIP Advances, 2019, 9, . | 1.3 | 3 |
| 735 | Analysis of Dual 3-Phase Fractional-Slot Concentrated Winding PM Synchronous Machines with Different Angle Displacements. , 2019, , . | | 3 |
| 736 | Analysis of Flux Regulation Principle in a Novel Hybrid-Magnet-Circuit Variable Flux Memory Machine. , 2019, , . | | 3 |
| 737 | Effect of Airgap Length on Electromagnetic Performance of Surface Mounted Permanent Magnet Vemier Machine. , 2020, , . | | 3 |
| 738 | Analytical Modelling of Dynamic Performance with Harmonic Current Injection for Doubly Salient SynRMs. IEEE Transactions on Industry Applications, 2020, , 1-1. | 4.9 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 739 | Investigation of Torque Characteristics of Switched Flux Hybrid Magnet Memory Machine by a Coupled Solution. IEEE Transactions on Magnetics, 2020, 56, 1-5. | 2.1 | 3 |
| 740 | Two-Phase DC-Biased Vernier Reluctance Machines. IEEE Transactions on Magnetics, 2021, 57, 1-5. | 2.1 | 3 |
| 741 | Novel Single-Phase Short-Stroke Tubular Permanent Magnet Oscillating Machines with Partitioned Stator. Energies, 2021, 14, 1863. | 3.1 | 3 |
| 742 | A Position Error Correction Method for Sensorless Control of Dual Three-Phase Permanent Magnet Synchronous Machines. , 2021, , . | | 3 |
| 743 | Effect of Pole Shaping on Torque Characteristics of Consequent Pole PM Machines. , 2021, , . | | 3 |
| 744 | Analysis of DC-Biased Vernier Reluctance Machines Having Distributed Windings. IEEE Transactions on Magnetics, 2021, 57, 1-5. | 2.1 | 3 |
| 745 | Influence of rotor iron bridge position on DC-winding-induced voltage in wound field switched flux machine having partitioned stators. Chinese Journal of Electrical Engineering, 2021, 7, 20-28. | 3.4 | 3 |
| 746 | Enhancement of torque density in wound field switched flux machines with partitioned stators using assisted ferrites. Chinese Journal of Electrical Engineering, 2021, 7, 42-51. | 3.4 | 3 |
| 747 | An Online Position Error Correction Method for Sensorless Control of Permanent Magnet Synchronous Machine With Parameter Mismatch. IEEE Access, 2021, 9, 135708-135722. | 4.2 | 3 |
| 748 | Hybrid virtual impedanceâ€based control strategy for DFIG in hybrid wind farm to disperse negative sequence current during network unbalance. IET Renewable Power Generation, 2020, 14, 2268-2277. | 3.1 | 3 |
| 749 | Influence of Rotor Pole Number on Electromagnetic Performance of Double-Stator Switched Flux PM Machines. , 2016, , . | | 3 |
| 750 | Investigation of a hybrid excited doubly salient machine with permanent magnets located on stator slot openings. IET Electric Power Applications, 2020, 14, 1541-1549. | 1.8 | 3 |
| 751 | Reduction of Open-Circuit DC Winding Induced Voltage and Torque Pulsation in the Wound Field Switched Flux Machine by Stator Axial Pairing of Tooth-Tips. , 2020, , . | | 3 |
| 752 | Influence of Armature Reaction on Magnetic-Field-Shifting Effect in Asymmetric Interior Permanent Magnet Machines. IEEE Transactions on Energy Conversion, 2022, 37, 1475-1488. | 5.2 | 3 |
| 753 | Voltage Pulsation Induced in DC Field Winding of Different Hybrid Excitation Switched Flux Machines. , 2020, , . | | 3 |
| 754 | Inverter Nonlinearity Compensation for Open-Winding Machine With Dual Switching Modes. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 6180-6191. | 5.4 | 3 |
| 755 | Flux-Adjustable Permanent Magnet Machines in Traction Applications. World Electric Vehicle Journal, 2022, 13, 60. | 3.0 | 3 |
| 756 | A Position Error Correction Method for Sensorless Control of Dual Three-Phase Permanent Magnet Synchronous Machines. IEEE Transactions on Industry Applications, 2022, 58, 3589-3601. | 4.9 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 757 | AN improved method for predicting iron losses in brushless permanent magnet DC drives. , 0, , . | | 2 |
| 758 | CURVATURE EFFECTS IN RADIAL-FIELD PERMANENT MAGNET MACHINES. Electric Power Components and Systems, 1994, 22, 511-520. | 0.1 | 2 |
| 759 | Design of powder alignment system for anisotropic bonded NdFeB halbach cylinders. , 0, , . | | 2 |
| 760 | Improved speed estimation in sensorless PM brushless AC drives. , 0, , . | | 2 |
| 761 | Rotor resonances of high-speed permanent magnet brushless machines. , 0, , . | | 2 |
| 762 | Comparison of Halbach magnetised brushless machines having discrete magnet segments or single ring magnet. , 0, , . | | 2 |
| 763 | Comparison of rotor eddy current losses in permanent magnet motor and generator. , 2011, , . | | 2 |
| 764 | Investigation of rotor eddy current losses in fractional slot PM machines with solid rotor back-iron. , 2011, , . | | 2 |
| 765 | Losses and efficiency in alternate switchedâ€flux permanent magnet machines. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2011, 31, 54-70. | 0.9 | 2 |
| 766 | Robust initial rotor position estimation of permanent magnet brushless AC machines with carrier signal injection-based sensorless control. , 2012, , . | | 2 |
| 767 | Analysis of claw-pole rotor brushless machine with DC excitation by lumped-parameter magnetic circuit model. , 2012, , . | | 2 |
| 768 | Electromagnetic performance analysis of synchronous reluctance machines having non-overlapping concentrated winding and AC sinusoidal bipolar with DC bias excitation. , 2013, , . | | 2 |
| 769 | Carrier signal injection based sensorless control of permanent magnet synchronous machines without the need of magnetic polarity identification. , 2015, , . | | 2 |
| 770 | Operating-envelop-expandable control strategy for switched flux hybrid magnet memory machine. , 2016, , . | | 2 |
| 771 | Nonintrusive online rotor permanent magnet temperature tracking for permanent magnet synchronous machine based on third harmonic voltage. , 2016, , . | | 2 |
| 772 | Influence of stator configuration on high frequency signal injection based permanent magnet temperature estimation methods in PMSMs. , 2016, , . | | 2 |
| 773 | Influence of Magnet Height on Unbalanced Magnetic Force of Surface-Mounted Permanent Magnet Machines. , 2016, , . | | 2 |
| 774 | Influence of slot opening and flux gaps on the voltage distortion in SPM machines. , 2016, , . | | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 775 | Torque investigation of fractional-slot permanent magnet machines with different winding topology and stator structures. , 2016, , . | | 2 |
| 776 | Comparative study of voltage distortion in fractional-slot PM machines having different winding and stator configurations. , 2016, , . | | 2 |
| 777 | Iron loss model under DC dias flux density considering temperature influence. , 2017, , . | | 2 |
| 778 | Novel variable reluctance hybrid magnet memory machines. , 2017, , . | | 2 |
| 779 | Investigation of torque production and torque ripple reduction method for 6-stator/7-rotor-pole variable flux reluctance machines. , 2017, , . | | 2 |
| 780 | Flexible unbalance compensation strategy for doubly fed induction generator based on a novel indirect virtual impedance method. IET Renewable Power Generation, 2018, 12, 28-36. | 3.1 | 2 |
| 781 | Influence of magnet eddy current on magnetization characteristics of variable flux memory machine. AIP Advances, 2018, 8, 056602. | 1.3 | 2 |
| 782 | Duty-Ratio-Based Direct Torque Control for Dual Three-Phase Permanent Magnet Synchronous Machine Drives. , 2018, , . | | 2 |
| 783 | Fuzzy Logic Speed Controller with Adaptive Voltage Feedback Controller of Permanent Magnet Synchronous Machine. , 2018, , . | | 2 |
| 784 | Comparative analysis of variable flux reluctance machines with double- and single-layer concentrated armature windings. , 2018, , . | | 2 |
| 785 | A Novel Rotor Initial Position Detection Method Utilizing DC-link Voltage Sensor. , 2019, , . | | 2 |
| 786 | Study of Manufacturing Tolerance of Modular Permanent Magnet Machines: Segment Radial Displacement. , 2019, , . | | 2 |
| 787 | Reduction of Open-Circuit DC Winding Induced Voltage in Hybrid-Excited Switched -Flux Permanent Magnet Machine. , 2019, , . | | 2 |
| 788 | Analysis of power factor in variable flux reluctance machines with MMFâ€permeance model. IET Electric Power Applications, 2019, 13, 614-624. | 1.8 | 2 |
| 789 | Compensation of Current Harmonics for Switching-Table-Based Direct Torque Control of Dual Three-Phase PMSM Drive. , 2019, , . | | 2 |
| 790 | Comparative Analysis of Novel Fractional Slot Non-overlapping Winding Hybrid Excited Machines Having Different Consequent Pole Rotor Topologies. , 2019, , . | | 2 |
| 791 | Comparison of 6-slot/2-pole High-Speed Permanent Magnet Motors with Different Winding Configurations. , 2020, , . | | 2 |
| 792 | Feasible Stator/Rotor Pole Combinations of Variable Flux Reluctance Machines With Second Harmonic Current Injection Method. IEEE Transactions on Industry Applications, 2020, 56, 4785-4795. | 4.9 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 793 | Recent Developments of High Speed Electrical Machine Drive Systems. , 2021, , . | | 2 |
| 794 | A Low Switching Frequency SPWM Strategy for Open-winding Machine with Low Current Harmonics. , 2021, , . | | 2 |
| 795 | Modeling and Optimization of Low-Capacitance Half-Bridge Modular Multilevel Converters Operated With Average Submodule Capacitor Voltage Control. IEEE Transactions on Industry Applications, 2021, 57, 6131-6144. | 4.9 | 2 |
| 796 | Comparative Study of Dual PM Vernier Machines. World Electric Vehicle Journal, 2021, 12, 12. | 3.0 | 2 |
| 797 | Comparative study of dual 3â€phase permanent magnet machines with coil span of two slotâ€pitches. IET Electric Power Applications, 2022, 16, 1426-1438. | 1.8 | 2 |
| 798 | Investigation on Symmetrical Characteristics of Consequent-Pole Flux Reversal Permanent Magnet Machines with Concentrated Windings. IEEE Transactions on Energy Conversion, 2022, , 1-1. | 5.2 | 2 |
| 799 | Vibrations and Acoustic Noise Analyses of Modular SPM Machines. , 2020, , . | | 2 |
| 800 | Tracking of Winding and Magnet Hotspots in SPMSMs Based on Synergized Lumped-parameter and Sub-domain Thermal Models. IEEE Transactions on Energy Conversion, 2022, , 1-1. | 5.2 | 2 |
| 801 | Calculation Of Cogging Force In A Novel Slotted Linear Tubular Brushless Permanent Magnet Motor. , 1997, , . | | 1 |
| 802 | Eddy current loss in a moving-coil linear tubular permatant magnet brushless motor. , 1999, , . | | 1 |
| 803 | Analysis of anisotropic bonded ndfeb halbach cylinders accounting for partial powder alignment. , 0, , \cdot | | 1 |
| 804 | Investigation of acoustic noise radiated from direct torque controlled induction machines. , 0, , . | | 1 |
| 805 | Calculation of DQ-axis inductances of PM brushless ac machines accounting for skew. , 2005, , . | | 1 |
| 806 | Improved sensorless operation of interior PM BLAC motor drives with reduced-order EKF. International Journal of Automation and Computing, 2006, 3, 99-106. | 4.5 | 1 |
| 807 | Influence of Machine Topology and Cross-Coupling Magnetic Saturation on Rotor Position Estimation Accuracy in Extended Back-EMF Based Sensorless PM Brushless AC Drives. Conference Record - IAS Annual Meeting (IEEE Industry Applications Society), 2007, , . | 0.0 | 1 |
| 808 | Comparison of drive performance of PM synchronous machine fed by inverters with different PWM strategies in constant torque and constant power regions. , 2011, , . | | 1 |
| 809 | Saliency investigation of switched-flux PM brushless AC machine for saliency-tracking-based sensorless control. , 2012, , . | | 1 |
| 810 | Torque ripple and magnetic forces on teeth in IPM machines. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2014, 33, 1487-1501. | 0.9 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 811 | Flux-weakening control performance of partitioned stator switched flux PM machines. , 2015, , . | | 1 |
| 812 | A partitioned stator permanent magnet machine for HEV/EV applications. , 2015, , . | | 1 |
| 813 | Comparative analysis of parasitic losses in partitioned stator switched flux PM machines with double- and single-layer windings. , 2015, , . | | 1 |
| 814 | On-load performance of fractional slot SPM machines considering tooth-tip local magnetic saturation. , 2016, , . | | 1 |
| 815 | Influence of rotor-pole number on electromagnetic performance in twelve-phase redundant SFPM machines for wind power generation. , 2016, , . | | 1 |
| 816 | Novel switched flux machine with radial and circumferential permanent magnets. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2016, 35, 473-492. | 0.9 | 1 |
| 817 | Design of external rotor switched flux memory machine with hybrid magnets. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2016, 35, 507-524. | 0.9 | 1 |
| 818 | Unbalanced magnetic force mitigation in 3-slot/2-pole permanent magnet machine by inserting auxiliary slots. , 2017, , . | | 1 |
| 819 | Modified PWM-Based Deadbeat Direct Torque Control for Dual Three-Phase Permanent Magnet Synchronous Machine Drive. , 2017, , . | | 1 |
| 820 | Influence of stator/rotorâ€pole combination on electromagnetic performance in all/alternate poles wound partitioned stator doubly salient permanent magnet machines. Journal of Engineering, 2017, 2017, 237-245. | 1.1 | 1 |
| 821 | Comparison of Frequency and Time Domain Based Current Profiling Techniques for Acoustic Noise Reduction in Switched Reluctance Machine. , 2018, , . | | 1 |
| 822 | Comparison of Torque Production and Design of Switched Reluctance and Variable Flux Reluctance Machines. , 2018, , . | | 1 |
| 823 | Influence of Rotor Slot Number on Flux Weakening Characteristics of Induction Machines. , 2018, , . | | 1 |
| 824 | Comparison of Modular Dual 3-phase PM Machines with Overlapping/Non-overlapping Windings. , 2018, , . | | 1 |
| 825 | A Simple PWM-based Direct Torque Control for Dual Three-phase Permanent Magnet Synchronous Machine Drives. , 2018, , . | | 1 |
| 826 | Torque Performance Improvement of Doubly Salient Synchronous Reluctance Machines by Current Harmonic Injection. , 2019, , . | | 1 |
| 827 | Influence of static and dynamic rotor/stator misalignments in axial flux magnetically geared machines. Journal of Engineering, 2019, 2019, 3991-3996. | 1.1 | 1 |
| 828 | A Novel Stator Spoke-Type Hybrid Magnet Memory Machine. , 2019, , . | | 1 |

47

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 829 | A Vector Selection Based Common Mode Voltage Reduction Strategy for Dual Three Phase Permanent Magnet Synchronous Wind Power Generators Considering Harmonic Suppression. , 2019, , . | | 1 |
| 830 | Losses in Different Doubly Salient Synchronous Reluctance Machines with Current Harmonic Injection. , 2019, , . | | 1 |
| 831 | Analysis of Novel Hybrid-Magnet-Circuit Variable Flux Memory Machines with Different Magnet Arrangements. , 2019, , . | | 1 |
| 832 | Interactions of Capacitor Voltage Ripple with the Closed Loop Controllers in Low-Capacitance Modular Multilevel Converters. , 2019, , . | | 1 |
| 833 | Analysis of Excitation Winding Induced EMF in Non-Overlapped Stator Wound Field Synchronous Machines. IEEE Transactions on Energy Conversion, 2022, 37, 685-695. | 5.2 | 1 |
| 834 | Analysis of Novel Dual-PM Vernier Machines. , 2021, , . | | 1 |
| 835 | Six-phase Pole Changing Winding Induction Machine with 3rd Harmonic Injection. , 2021, , . | | 1 |
| 836 | Simultaneous Sensorless Rotor Position and Torque Estimation for IPMSM at Standstill and Low Speed Based on High-Frequency Square Wave Voltage Injection. IEEE Transactions on Industrial Electronics, 2022, 69, 8791-8802. | 7.9 | 1 |
| 837 | Simplified 3-D Hybrid Analytical Modelling of Magnet Temperature Distribution for Surfacemounted PMSM with Segmented Magnets. , 2021, , . | | 1 |
| 838 | Performance and operability of an electrically driven propulsor. International Journal of Engine Research, 0, , 146808742110663. | 2.3 | 1 |
| 839 | AC Losses in Form-Wound Coils of Surface Mounted Permanent Magnet Vernier Machines. IEEE Transactions on Magnetics, 2022, 58, 1-15. | 2.1 | 1 |
| 840 | Vibrational Torques in Single-Phase Induction Motors and Their Relation to Vibration and Noise. Electric Power Components and Systems, 1992, 20, 483-492. | 0.1 | 0 |
| 841 | Electromagnetic Modelling O F A Rolling Rotor Actuator. , 1993, , . | | 0 |
| 842 | Optimal Dimensioning Of A High-Speed Brushless Motor With Diametrically Magnetised Rotor. , 0, , . | | 0 |
| 843 | Optimisation of slotless brushless permanent magnet machines. , 0, , . | | 0 |
| 844 | Iron loss in PM brushless AC machines under maximum torque per ampere and flux weakening control. , 0, , . | | 0 |
| 845 | Performance of Halbach magnetised brushless ac motor. , 0, , . | | 0 |
| 846 | Analysis of cogging torque in brushless machines having non-uniformly distributed stator slots and stepped rotor magnets. , 2005, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----------|--------------|
| 847 | Improved Signal Injection Based Sensorless Technique for PM Brushless AC Drives. , 2007, , . | | Ο |
| 848 | Improved Rotor Position Estimation by Signal Injection in Brushless AC Motors, Accounting for Cross-Coupling Magnetic Saturation. Conference Record - IAS Annual Meeting (IEEE Industry) Tj ETQq0 0 0 rgBT | /Oøeolock | 10oTf 50 697 |
| 849 | Sensorless vector control of non-salient BLAC machines based on a modified rotor flux-linkage observer. , 2009, , . | | 0 |
| 850 | Development of a Segmented Linear Variable Flux Reluctance Motor with DC-Field Coil. Applied Mechanics and Materials, 0, 416-417, 203-208. | 0.2 | 0 |
| 851 | Comparison of Linear Switched Flux Permanent Magnet Machines. Applied Mechanics and Materials, 0, 416-417, 121-126. | 0.2 | 0 |
| 852 | Comparison of fast permanent magnet flux estimation methods for railway traction application PMSMs. , 2013, , . | | 0 |
| 853 | Influence of stator and rotor pole number combinations and winding configurations on flux-weakening performance of switched-flux PM machines. , 2013, , . | | 0 |
| 854 | Novel external rotor switched flux memory motor with hybrid magnets. , 2014, , . | | 0 |
| 855 | Difference in maximum torque-speed characteristics of induction machine between motor and generator operation modes for electric vehicle application. , 2014, , . | | 0 |
| 856 | Parametric design optimization of axial field partitioned stator switched flux PM machine. , 2015, , . | | 0 |
| 857 | On-load magnetization characteristic analysis of a novel partitioned stator hybrid magnet memory machine. , 2016, , . | | 0 |
| 858 | Novel Partitioned Stator Hybrid Magnet Memory Machines for EV/HEV Applications. , 2016, , . | | 0 |
| 859 | Active voltage regulation of partitioned stator switched flux permanent magnet generator supplying isolated passive load. , 2016, , . | | 0 |
| 860 | Novel design of a variable reluctance permanent magnet machine with bipolar coil flux-linkage. , 2016, , . | | 0 |
| 861 | Sixth-Harmonic Back-EMF Based Sensorless Control for Switched-Flux Permanent Magnet Machines. , 2016, , . | | 0 |
| 862 | Torque improvement of five-phase surface-mounted permanent magnet machine using third-order harmonic. , 2016, , . | | 0 |
| 863 | Sub-domain analytical model for armature reaction field of permanent magnet vernier machine. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2016, 35, 821-831. | 0.9 | 0 |
| 864 | Iron loss model for electrical machines fed by low switching frequency PWM. , 2017, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 865 | Analysis of unipolar leakage flux in series-hybrid permanent magnet machines. , 2017, , . | | 0 |
| 866 | Fast optimal design method of variable flux reluctance machines for maximizing the average torque. , 2017, , . | | 0 |
| 867 | A Partitioned Stator Variable Flux Reluctance Machine. , 2018, , . | | 0 |
| 868 | Effect of tooth tips on the electromagnetic performance of PM fractionalâ€slot modular machines using grainâ€oriented electrical steel. Journal of Engineering, 2019, 2019, 4386-4390. | 1.1 | 0 |
| 869 | Analysis of Open-Circuit DC Winding Induced Voltage in Partitioned-Stator Hybrid-Excited Switched-Flux Machine. , 2019, , . | | 0 |
| 870 | Dynamic Performance Investigation of Doubly Salient Synchronous Reluctance Machines with Current Harmonic Injection. , 2019, , . | | 0 |
| 871 | Comparison of Magnetically Geared and Surface-mounted PM machines - Influence of Machine Size and Current Density. , 2019, , . | | 0 |
| 872 | A new simplified fundamental modelâ€based sensorless control method for surfaceâ€mounted permanent magnet synchronous machines. IET Electric Power Applications, 2021, 15, 159-170. | 1.8 | 0 |
| 873 | Analysis of Stator-Slot Circumferentially Magnetized PM Machines with Full-Pitched Windings. World Electric Vehicle Journal, 2021, 12, 33. | 3.0 | 0 |
| 874 | Comparative Study of Transverse Flux Permanent Magnet Machines for Wind Power Applications. , 2021, , . | | 0 |
| 875 | Analysis of Rotor Eccentricity Effects on Saliency Tracking Based Sensorless Control of Permanent Magnet Synchronous Machine. , 2021, , . | | 0 |
| 876 | Arbitrary Current Harmonic Decomposition and Regulation for Permanent Magnet Synchronous Machines. IEEE Transactions on Industrial Electronics, 2023, 70, 4392-4404. | 7.9 | 0 |
| 877 | Investigation of Variable Field Harmonic Principle in Hybrid-Excited Switched-Flux Machine. , 2022, , . | | 0 |