

Laurie J Vitt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10411662/publications.pdf>

Version: 2024-02-01

151
papers

9,254
citations

36303

51
h-index

49909

87
g-index

153
all docs

153
docs citations

153
times ranked

4566
citing authors

#	ARTICLE	IF	CITATIONS
1	Why tropical forest lizards are vulnerable to climate warming. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 1939-1948.	2.6	700
2	Body Shape, Reproductive Effort, and Relative Clutch Mass in Lizards: Resolution of a Paradox. <i>American Naturalist</i> , 1978, 112, 595-608.	2.1	417
3	The phylogeny of advanced snakes (Colubroidea), with discovery of a new subfamily and comparison of support methods for likelihood trees. <i>Molecular Phylogenetics and Evolution</i> , 2011, 58, 329-342.	2.7	265
4	History and the Global Ecology of Squamate Reptiles. <i>American Naturalist</i> , 2003, 162, 44-60.	2.1	249
5	Sexual selection versus alternative causes of sexual dimorphism in teiid lizards. <i>Oecologia</i> , 1990, 84, 145-157.	2.0	242
6	The evolution of sexual dimorphism in the skink <i>Eumeces laticeps</i> : an example of sexual selection. <i>Canadian Journal of Zoology</i> , 1985, 63, 995-1002.	1.0	230
7	Distribution, extent, and evolution of plant consumption by lizards. <i>Journal of Zoology</i> , 2002, 257, 487-517.	1.7	207
8	A COMPARISON OF EVOLUTIONARY RADIATIONS IN MAINLAND AND CARIBBEAN ANOLIS LIZARDS. <i>Ecology</i> , 1997, 78, 2191-2203.	3.2	165
9	Locomotor impairment and defense in gravid lizards (<i>Eumeces laticeps</i>): behavioral shift in activity may offset costs of reproduction in an active forager. <i>Behavioral Ecology and Sociobiology</i> , 1990, 27, 153-157.	1.4	164
10	Deep history impacts present-day ecology and biodiversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 7877-7881.	7.1	160
11	Adaptive Strategies and Energetics of Tail Autonomy in Lizards. <i>Ecology</i> , 1977, 58, 326-337.	3.2	156
12	Female mate choice of large male broad-headed skinks. <i>Animal Behaviour</i> , 1993, 45, 683-693.	1.9	148
13	Ecology of a Snake Community in Northeastern Brazil. <i>Amphibia - Reptilia</i> , 1983, 4, 273-296.	0.5	139
14	An Introduction to the Ecology of Cerrado Lizards. <i>Journal of Herpetology</i> , 1991, 25, 79.	0.5	136
15	Tail loss, tail color, and predator escape in <i>Eumeces</i> (Lacertilia: Scincidae): age-specific differences in costs and benefits. <i>Canadian Journal of Zoology</i> , 1986, 64, 583-592.	1.0	129
16	Geographical ecology of a Neotropical lizard: <i>Ameiva ameiva</i> (Teiidae) in Brazil. <i>Canadian Journal of Zoology</i> , 1994, 72, 1986-2008.	1.0	122
17	Niche Partitioning in a Tropical Wet Season: Lizards in the Lavrado Area of Northern Brazil. <i>Copeia</i> , 1995, 1995, 305.	1.3	119
18	Lizard Reproduction: Habitat Specificity and Constraints on Relative Clutch Mass. <i>American Naturalist</i> , 1981, 117, 506-514.	2.1	118

#	ARTICLE	IF	CITATIONS
19	Lizard Ecology. , 1994, , .		117
20	Reproductive Tactics of Sympatric Gekkonid Lizards with a Comment on the Evolutionary and Ecological Consequences of Invariant Clutch Size. Copeia, 1986, 1986, 773.	1.3	108
21	Sexual Dimorphism of Head and Body Size in an Iguanid Lizard: Paradoxical Results. American Naturalist, 1989, 133, 729-735.	2.1	105
22	Blue Tails and Autotomy: Enhancement of Predation Avoidance in Juvenile Skinks. Zeitschrift für Tierpsychologie, 1985, 70, 265-276.	0.2	98
23	The Impact of Individual Tree Harvesting on Thermal Environments of Lizards in Amazonian Rain Forest. Conservation Biology, 1998, 12, 654-664.	4.7	97
24	Ecology and Life History of the Viviparous Lizard <i>Mabuya bistriata</i> (Scincidae) in the Brazilian Amazon. Copeia, 1991, 1991, 916.	1.3	90
25	Organization of a taxonomically diverse lizard assemblage in Amazonian Ecuador. Canadian Journal of Zoology, 1996, 74, 1313-1335.	1.0	87
26	Conspecific odor detection by the male broad-headed skink, <i>Eumeces laticeps</i> : Effects of sex and site of odor source and of male reproductive condition. The Journal of Experimental Zoology, 1984, 230, 199-209.	1.4	86
27	Ease and effectiveness of costly autotomy vary with predation intensity among lizard populations. Journal of Zoology, 2004, 262, 243-255.	1.7	80
28	Behavioural ecology of <i>Tropidurus hispidus</i> on isolated rock outcrops in Amazonia. Journal of Tropical Ecology, 1996, 12, 81-101.	1.1	77
29	Use of naturally and anthropogenically disturbed habitats in Amazonian rainforest by the teiid lizard <i>Ameiva ameiva</i> . Biological Conservation, 1999, 90, 91-101.	4.1	77
30	Ecology and life history of the scansorial arboreal lizard <i>Plica plica</i> (Iguanidae) in Amazonian Brazil. Canadian Journal of Zoology, 1991, 69, 504-511.	1.0	76
31	Toward a Periodic Table of Niches, or Exploring the Lizard Niche Hypervolume. American Naturalist, 2017, 190, 601-616.	2.1	76
32	Niche Expansion and the Niche Variation Hypothesis: Does the Degree of Individual Variation Increase in Depauperate Assemblages?. American Naturalist, 2008, 172, 868-877.	2.1	75
33	Historical Ecology of Amazonian Lizards: Implications for Community Ecology. Oikos, 1999, 87, 286.	2.7	73
34	Heliotherms in tropical rain forest: the ecology of <i>Kentropyx calcarata</i> (Teiidae) and <i>Mabuya nigropunctata</i> (Scincidae) in the Curu-Una of Brazil. Journal of Tropical Ecology, 1997, 13, 199-220.	1.1	70
35	Reproduction in the lizard <i>Mabuya heathi</i> (Scincidae): a commentary on viviparity in new world <i>Mabuya</i> . Canadian Journal of Zoology, 1983, 61, 2798-2806.	1.0	67
36	Ecology of isolated open-formation <i>Tropidurus</i> (Reptilia: Tropiduridae) in Amazonian lowland rain forest. Canadian Journal of Zoology, 1993, 71, 2370-2390.	1.0	67

#	ARTICLE	IF	CITATIONS
37	Optimal foraging constrains macroecological patterns: body size and dietary niche breadth in lizards. <i>Global Ecology and Biogeography</i> , 2008, 17, 670-677.	5.8	67
38	Foraging and Diet of a Diurnal Predator (<i>Eumeces laticeps</i>) Feeding on Hidden Prey. <i>Journal of Herpetology</i> , 1986, 20, 408.	0.5	66
39	Reproductive Ecology of Two Tropical Iguanid Lizards: <i>Tropidurus torquatus</i> and <i>Platynotus semitaeniatus</i> . <i>Copeia</i> , 1983, 1983, 131.	1.3	64
40	Ecology of the whiptail lizard <i>Cnemidophorus deppii</i> on a tropical beach. <i>Canadian Journal of Zoology</i> , 1993, 71, 2391-2400.	1.0	64
41	Detecting the influence of climatic variables on species distributions: a test using GIS niche-based models along a steep longitudinal environmental gradient. <i>Journal of Biogeography</i> , 2008, 35, 637-646.	3.0	63
42	Influence of detectability and ability to escape on natural selection of conspicuous autotomous defenses. <i>Canadian Journal of Zoology</i> , 1991, 69, 757-764.	1.0	61
43	Ecology of a Cerrado Lizard Assemblage in the Jalapão Region of Brazil. <i>Copeia</i> , 2006, 2006, 460-471.	1.3	61
44	Tertiary climate change and the diversification of the Amazonian gecko genus <i>Gonatodes</i> (Sphaerodactylidae, Squamata). <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 269-277.	2.7	60
45	Ecological Observations on Cerrado Lizards in Rondonia, Brazil. <i>Journal of Herpetology</i> , 1993, 27, 46.	0.5	59
46	Resource utilization and guild structure of small vertebrates in the Amazon forest leaf litter. <i>Journal of Zoology</i> , 1994, 234, 463-476.	1.7	59
47	How Often Do Lizards "Run on Empty"? <i>Ecology</i> , 2001, 82, 1.	3.2	59
48	Specializations of the chorioallantoic placenta in the Brazilian scincid lizard, <i>Mabuya heathi</i> : A new placental morphotype for reptiles. <i>Journal of Morphology</i> , 2002, 254, 121-131.	1.2	59
49	Ecological relationships among sympatric lizards in a transitional forest in the northern Amazon of Brazil. <i>Journal of Tropical Ecology</i> , 1998, 14, 63-86.	1.1	58
50	Life-History Patterns of Lizards of the World. <i>American Naturalist</i> , 2016, 187, 689-705.	2.1	58
51	Dietary Asymmetry in Leaf Litter Frogs and Lizards in a Transitional Northern Amazonian Rain Forest. <i>Oikos</i> , 1999, 84, 383.	2.7	57
52	Parental Investment: Comparative Reproductive Energetics in Bisexual and Unisexual Lizards, Genus <i>Cnemidophorus</i> . <i>American Naturalist</i> , 1978, 112, 509-521.	2.1	57
53	Reproduction and Sexual Dimorphism in the Tropical Teiid Lizard <i>Cnemidophorus ocellifer</i> . <i>Copeia</i> , 1983, 1983, 359.	1.3	56
54	Life on the edge: the ecology and life history of the tropidurine iguanid lizard <i>Uranoscodon superciliosum</i> . <i>Canadian Journal of Zoology</i> , 1990, 68, 1366-1373.	1.0	52

#	ARTICLE	IF	CITATIONS
55	Induction of Orange Head Coloration and Activation of Courtship and Aggression by Testosterone in the Male Broad-Headed Skink (<i>Eumeces laticeps</i>). <i>Journal of Herpetology</i> , 1987, 21, 96.	0.5	51
56	Gastrointestinal Helminths from Six Species of Frogs and Three Species of Lizards, Sympatric in Pará State, Brazil. <i>Comparative Parasitology</i> , 2007, 74, 327-342.	0.4	51
57	Ecological Relationships Among Arboreal Desert Lizards. <i>Ecology</i> , 1981, 62, 398-410.	3.2	50
58	Reproductive tactics of <i>Ameiva ameiva</i> (Lacertilia: Teiidae) in a seasonally fluctuating tropical habitat. <i>Canadian Journal of Zoology</i> , 1982, 60, 3113-3120.	1.0	50
59	Prey odor discrimination by the broad-headed skink (<i>Eumeces laticeps</i>). <i>The Journal of Experimental Zoology</i> , 1989, 249, 11-16.	1.4	50
60	Ecology of Whiptail Lizards (<i>Cnemidophorus</i>) in the Amazon Region of Brazil. <i>Copeia</i> , 1997, 1997, 745.	1.3	47
61	Ecological Variation among Populations of the Gekkonid Lizard <i>Gonatodes humeralis</i> in the Amazon Basin. <i>Copeia</i> , 1997, 1997, 32.	1.3	47
62	Orange Head Coloration of the Male Broad-Headed Skink (<i>Eumeces laticeps</i>), a Sexually Selected Social Cue. <i>Copeia</i> , 1988, 1988, 1.	1.3	46
63	Effective Crypsis and Its Maintenance by Immobility in Craugastor Frogs. <i>Copeia</i> , 2008, 2008, 527-532.	1.3	46
64	Ecology and life history of the wide-foraging lizard <i>Kentropyx calcarata</i> (Teiidae) in Amazonian Brazil. <i>Canadian Journal of Zoology</i> , 1991, 69, 2791-2799.	1.0	45
65	Ecological Consequences of Body Size in Neonatal and Small-Bodied Lizards in the Neotropics. <i>Herpetological Monographs</i> , 2000, 14, 388.	0.8	44
66	Tracking of Female Conspecific Odor Trails by Male Broad-headed Skinks (<i>Eumeces laticeps</i>). <i>Ethology</i> , 1986, 71, 242-248.	1.1	44
67	Life in the trees: the ecology and life history of <i>Kentropyx striatus</i> (Teiidae) in the lavrado area of Roraima, Brazil, with comments on the life histories of tropical teiid lizards. <i>Canadian Journal of Zoology</i> , 1992, 70, 1995-2006.	1.0	43
68	Life above ground: ecology of <i>Anolis fuscoauratus</i> in the Amazon rain forest, and comparisons with its nearest relatives. <i>Canadian Journal of Zoology</i> , 2003, 81, 142-156.	1.0	43
69	Interspecific odour discrimination by a lizard (<i>Eumeces laticeps</i>). <i>Animal Behaviour</i> , 1986, 34, 367-376.	1.9	42
70	Interspecific Odour Discriminations Among Syntopic Congeners in Scincid Lizards (Genus <i>Eumeces</i>). <i>Behaviour</i> , 1986, 97, 1-9.	0.8	42
71	Reproductive Cycle and Brood Size of <i>Eumeces lynxe</i> from Pinal de Amoles, Queretero, Mexico. <i>Journal of Herpetology</i> , 1998, 32, 18.	0.5	42
72	Reproduction in Viviparous South American Lizards of the Genus <i>Mabuya</i> . , 1992, , 150-164.		42

#	ARTICLE	IF	CITATIONS
73	Comparative Ecology of Sympatric Gonatodes (Squamata: Gekkonidae) in the Western Amazon of Brazil. <i>Copeia</i> , 2000, 2000, 83-95.	1.3	41
74	Ecology of the lizard <i>Kentropyx pelviceps</i> (Sauria: Teiidae) in lowland rain forest of Ecuador. <i>Canadian Journal of Zoology</i> , 1995, 73, 691-703.	1.0	40
75	Ecology of the arboreal tropidurid lizard <i>Tropidurus (=Plica) umbra</i> in the Amazon region. <i>Canadian Journal of Zoology</i> , 1997, 75, 1876-1882.	1.0	40
76	Prey use among sympatric lizard species in lowland rain forest of Nicaragua. <i>Journal of Tropical Ecology</i> , 1998, 14, 537-559.	1.1	40
77	Snake diets and the deep history hypothesis. <i>Biological Journal of the Linnean Society</i> , 0, 101, 476-486.	1.6	40
78	Detection of conspecific odors by the female broad-headed skink, <i>Eumeces laticeps</i> . <i>The Journal of Experimental Zoology</i> , 1984, 229, 49-54.	1.4	39
79	A new genus of miniaturized and pug-nosed gecko from South America (Sphaerodactylidae: Gekkota). <i>Zoological Journal of the Linnean Society</i> , 2011, 163, 1244-1266.	2.3	38
80	Ecology of the South American Lizard <i>Norops chrysolepis</i> (Polychrotidae). <i>Copeia</i> , 1996, 1996, 56.	1.3	37
81	SMALL IN A BIG WORLD: ECOLOGY OF LEAF-LITTER GECKOS IN NEW WORLD TROPICAL FORESTS. <i>Herpetological Monographs</i> , 2005, 19, 137.	0.8	36
82	Detecting Variation in Microhabitat Use in Low-Diversity Lizard Assemblages across Small-Scale Habitat Gradients. <i>Journal of Herpetology</i> , 2007, 41, 654-663.	0.5	36
83	Molecular systematics and historical biogeography of tree boas (<i>Corallus</i> spp.). <i>Molecular Phylogenetics and Evolution</i> , 2013, 66, 953-959.	2.7	36
84	The Impact of Individual Tree Harvesting on Thermal Environments of Lizards in Amazonian Rain Forest. <i>Conservation Biology</i> , 1998, 12, 654-664.	4.7	35
85	Reproductive Ecology of the Whiptail Lizard <i>Cnemidophorus lineatissimus</i> (Squamata: Teiidae) in a Tropical Dry Forest. <i>Copeia</i> , 2000, 2000, 712-722.	1.3	34
86	Life on the Leaf Litter: The Ecology of <i>Anolis nitens tandai</i> in the Brazilian Amazon. <i>Copeia</i> , 2001, 2001, 401-412.	1.3	34
87	Skink Reproduction and Sexual Dimorphism: <i>Eumeces fasciatus</i> in the Southeastern United States, with Notes on <i>Eumeces inexpectatus</i> . <i>Journal of Herpetology</i> , 1986, 20, 65.	0.5	33
88	Maximizing male reproductive success in the broad-headed skink (<i>Eumeces laticeps</i>): preliminary evidence for mate guarding, size-assortative pairing, and opportunistic extra-pair mating. <i>Amphibia - Reptilia</i> , 1997, 18, 59-73.	0.5	33
89	HOW OFTEN DO LIZARDS "RUN ON EMPTY"? <i>Ecology</i> , 2001, 82, 1-7.	3.2	33
90	Life in Shade: The Ecology of <i>Anolis trachyderma</i> (Squamata: Polychrotidae) in Amazonian Ecuador and Brazil, with Comparisons to Ecologically Similar Anoles. <i>Copeia</i> , 2002, 2002, 275-286.	1.3	33

#	ARTICLE	IF	CITATIONS
91	Ecology of the lizard <i>Norops oxylophus</i> (Polychrotidae) in lowland forest of southeastern Nicaragua. <i>Canadian Journal of Zoology</i> , 1995, 73, 1918-1927.	1.0	32
92	Understanding the formation of ancient intertropical disjunct distributions using Asian and Neotropical hinged-teeth snakes (<i>Sibynophis</i> and <i>Scaphiodontophis</i> : Serpentes: Colubridae). <i>Molecular Phylogenetics and Evolution</i> , 2013, 66, 254-261.	2.7	31
93	Thermal physiology of Amazonian lizards (Reptilia: Squamata). <i>PLoS ONE</i> , 2018, 13, e0192834.	2.5	31
94	Ecology of Two Sympatric Species of <i>Neusticurus</i> (Sauria: Gymnophthalmidae) in the Western Amazon of Brazil. <i>Copeia</i> , 1998, 1998, 570.	1.3	30
95	Thermal Dependence of Tongue-flicking and Comments on Use of Tongue-flicking as an Index of Squamate Behavior. <i>Ethology</i> , 1986, 71, 177-186.	1.1	30
96	Shifting paradigms: Herbivory and body size in lizards. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 16713-16714.	7.1	29
97	Ecological release in lizard assemblages of neotropical savannas. <i>Oecologia</i> , 2007, 153, 185-195.	2.0	29
98	Ethological Isolation, Sexual Behavior and Pheromones in the <i>Fasciatus</i> Species Group of the Lizard Genus <i>Eumeces</i> . <i>Ethology</i> , 1987, 75, 328-336.	1.1	29
99	Population genetic structure and species delimitation of a widespread, Neotropical dwarf gecko. <i>Molecular Phylogenetics and Evolution</i> , 2019, 133, 54-66.	2.7	29
100	Metazoan Endoparasites of 13 Species of Central American Anoles (Sauria: Polychrotidae: Anolis) with a Review of the Helminth Communities of Caribbean, Mexican, North American, and South American Anoles. <i>Comparative Parasitology</i> , 2012, 79, 75-132.	0.4	28
101	Geographical ecology of the gymnophthalmid lizard <i>Neusticurus ecleopus</i> in the Amazon rain forest. <i>Canadian Journal of Zoology</i> , 1998, 76, 1671-1680.	1.0	27
102	Reproduction, Body Size, and Diet of <i>Polychrus acutirostris</i> (Squamata: Polychrotidae) in Two Contrasting Environments in Brazil. <i>Journal of Herpetology</i> , 2012, 46, 2-8.	0.5	27
103	Diversity of Reproductive Strategies Among Brazilian Lizards and Snakes: The Significance of Lineage and Adaptation. , 1992, , 135-149.		26
104	Sharing Amazonian Rain-Forest Trees: Ecology of <i>Anolis punctatus</i> and <i>Anolis transversalis</i> (Squamata: Polychrotidae). <i>Journal of Herpetology</i> , 2003, 37, 276-285.	0.5	26
105	Feeding ecology in the natural world. , 2007, , 141-172.		26
106	Sexual Dimorphism and Reproduction in the Microteiid Lizard, <i>Gymnophthalmus multiscutatus</i> . <i>Journal of Herpetology</i> , 1982, 16, 325.	0.5	25
107	Desert lizard reproduction: seasonal and annual variation in <i>Urosaurus ornatus</i> (Iguanidae). <i>Canadian Journal of Zoology</i> , 1984, 62, 1779-1787.	1.0	25
108	Prey odor discrimination by ingestively naive coachwhip snakes (<i>Masticophis flagellum</i>). <i>Chemoecology</i> , 1990, 1, 86-91.	1.1	25

#	ARTICLE	IF	CITATIONS
109	Increased predation risk while mate guarding as a cost of reproduction for male broad-headed skinks (<i>Eumeces laticeps</i>). <i>Journal of Herpetology</i> , 2002, 36, 237-241.	0.9	25
110	Maternal Care in Skinks (<i>Eumeces</i>). <i>Journal of Herpetology</i> , 1989, 23, 29.	0.5	23
111	Movement and Substrate Tongue Flicks in Phrynosomatid Lizards. <i>Copeia</i> , 1994, 1994, 234.	1.3	23
112	Lingual and biting responses to selected lipids by the lizard <i>Podarcis lilfordi</i> . <i>Physiology and Behavior</i> , 2002, 75, 237-241.	2.1	23
113	Responses to chemical cues from animal and plant foods by actively foraging insectivorous and omnivorous scincine lizards. <i>The Journal of Experimental Zoology</i> , 2000, 287, 327-339.	1.4	22
114	Responses to major categories of food chemicals by the lizard <i>Podarcis lilfordi</i> . <i>Journal of Chemical Ecology</i> , 2002, 28, 709-720.	1.8	21
115	Risk Assessment and Withdrawal Behavior by Two Species of Aposematic Poison Frogs, <i>Dendrobates auratus</i> and <i>Oophaga pumilio</i> , on Forest Trails. <i>Ethology</i> , 2009, 115, 311-320.	1.1	20
116	Feeding Responses of Skinks (<i>Eumeces laticeps</i>) to Velvet Ants (<i>Dasymutilla occidentalis</i>). <i>Journal of Herpetology</i> , 1988, 22, 485.	0.5	19
117	A Comparison of Evolutionary Radiations in Mainland and Caribbean Anolis Lizards. <i>Ecology</i> , 1997, 78, 2191.	3.2	19
118	Use of time, space, and food by the gymnophthalmid lizard <i>Prionodactylus eigenmanni</i> from the western Amazon of Brazil. <i>Canadian Journal of Zoology</i> , 1998, 76, 1681-1688.	1.0	19
119	Ecology and Reproduction of <i>Anolis capito</i> in Rain Forest of Southeastern Nicaragua. <i>Journal of Herpetology</i> , 2005, 39, 36-42.	0.5	19
120	RELATIONSHIPS AMONG FORAGING VARIABLES, PHYLOGENY, AND FORAGING MODES, WITH NEW DATA FOR NINE NORTH AMERICAN LIZARD SPECIES. <i>Herpetologica</i> , 2005, 61, 250-259.	0.4	19
121	Helminths of the Brown-eared anole, <i>Norops fuscoauratus</i> (Squamata, Polychrotidae), from Brazil and Ecuador, South America. <i>Phyllomedusa</i> , 2006, 5, 83.	0.2	19
122	<i>Anolis chrysolepis</i> Duméril and Bibron, 1837 (Squamata: Iguanidae), Revisited: Molecular Phylogeny and Taxonomy of the <i>Anolis chrysolepis</i> Species Group. <i>Bulletin of the Museum of Comparative Zoology</i> , 2011, 160, 35-63.	1.7	19
123	Walking the Natural-History Trail. <i>Herpetologica</i> , 2013, 69, 105-117.	0.4	19
124	Cologne as a pungency control in tests of chemical discrimination: effects of concentration, brand, and simultaneous and sequential presentation. <i>Journal of Ethology</i> , 2003, 21, 101-106.	0.8	18
125	Social behavior and sexual dimorphism in the Bonaire whiptail, <i>Cnemidophorus murinus</i> (Squamata: Tj ETQq1 1 0.784314 rgBT /Over	1.0	18
126	NEW SPECIES OF RHABDIAS (NEMATODA: RHABDIASIDAE) AND OTHER HELMINTHS FROM <i>NOROPS CAPITO</i> (SAURIA: POLYCHROTIDAE) FROM NICARAGUA. <i>Journal of Parasitology</i> , 2007, 93, 129-131.	0.7	18

#	ARTICLE	IF	CITATIONS
127	Ecology of the Lizard <i>Ameiva festiva</i> (Teiidae) in Southeastern Nicaragua. <i>Journal of Herpetology</i> , 1996, 30, 110.	0.5	17
128	Food-chemical discrimination and correlated evolution between plant diet and plant-chemical discrimination in lacertiform lizards. <i>Canadian Journal of Zoology</i> , 2002, 80, 655-663.	1.0	17
129	Life at the interface: ecology of <i>Prionodactylus oshaughnessyi</i> in the western Amazon and comparisons with <i>P. argulus</i> and <i>P. eigenmanni</i> . <i>Canadian Journal of Zoology</i> , 2003, 81, 302-312.	1.0	17
130	Lizard life history strategies. <i>Austral Ecology</i> , 2016, 41, 1-5.	1.5	17
131	Ecology of <i>Anolis Nitens Brasiliensis</i> in Cerrado Woodlands of Cantão. <i>Copeia</i> , 2008, 2008, 144-153.	1.3	16
132	Geographical ecology of the gymnophthalmid lizard <i>Neusticurus ecleopus</i> in the Amazon rain forest. <i>Canadian Journal of Zoology</i> , 1998, 76, 1671-1680.	1.0	15
133	Life at the river's edge: ecology of <i>Kentropyx altamazonica</i> in Brazilian Amazonia. <i>Canadian Journal of Zoology</i> , 2001, 79, 1855-1865.	1.0	14
134	Parasites of two lizard species, <i>Anolis punctatus</i> and <i>Anolis transversalis</i> (Squamata: Polychrotidae) from Brazil and Ecuador. <i>Amphibia - Reptilia</i> , 2006, 27, 575-579.	0.5	14
135	Reproductive Effort and Energy Comparisons of Adults, Eggs, and Neonates of <i>Gerrhonotus coeruleus principis</i> . <i>Journal of Herpetology</i> , 1974, 8, 165.	0.5	13
136	NEW SPECIES OF OSWALDOCRUZIA (NEMATODA: MOLINEIDAE) IN AMEIVA FESTIVA (SQUAMATA: TEIIDAE) FROM NICARAGUA. <i>Journal of Parasitology</i> , 2006, 92, 350-352.	0.7	13
137	Escaping predators on vertical surfaces: <i>Lacerta perspicillata</i> in limestone quarries of Lithaca. <i>Canadian Journal of Zoology</i> , 2002, 80, 1803-1809.	1.0	12
138	Ecology of <i>Alopoglossus angulatus</i> and <i>A. atriventris</i> (Squamata, Gymnophthalmidae) in western Amazonia. <i>Phyllomedusa</i> , 2007, 6, 11.	0.2	12
139	Finding arboreal snakes in an evolutionary tree: phylogenetic placement and systematic revision of the Neotropical birdsnakes. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2014, 52, 257-264.	1.4	12
140	NEW SPECIES OF ALLOPHARYNX (DIGENEA: PLAGIORCHIIDAE) AND OTHER HELMINTHS IN URANOSCODON SUPERCILIOSUS (SQUAMATA: TROPIDURIDAE) FROM AMAZONIAN BRAZIL. <i>Journal of Parasitology</i> , 2005, 91, 1395-1398.	0.7	10
141	Life at the river's edge: ecology of <i>Kentropyx altamazonica</i> in Brazilian Amazonia. <i>Canadian Journal of Zoology</i> , 2001, 79, 1855-1865.	1.0	9
142	Juxtaposition and Disturbance: Disentangling the Determinants of Lizard Community Structure. <i>Biotropica</i> , 2015, 47, 595-605.	1.6	9
143	Not withering on the evolutionary vine: systematic revision of the Brown Vine Snake (Reptilia: Tj ETQq1 1 0.784314 rgBT /Overlock 10 723-746.	1.6	9
144	Life history data of lizards of the world. <i>Ecology</i> , 2015, 96, 594-594.	3.2	8

#	ARTICLE	IF	CITATIONS
145	Induction of sexual receptivity in the female broad-headed skink, <i>Eumeces laticeps</i> , by estradiol-17 β . <i>Hormones and Behavior</i> , 1986, 20, 235-242.	2.1	7
146	Use of time, space, and food by the gymnophthalmid lizard <i>Prionodactylus eigenmanni</i> from the western Amazon of Brazil. <i>Canadian Journal of Zoology</i> , 1998, 76, 1681-1688.	1.0	7
147	How do lizard niches conserve, diverge or converge? Further exploration of saurian evolutionary ecology. <i>Bmc Ecology and Evolution</i> , 2021, 21, 149.	1.6	5
148	Autecology of <i>Kentropyx calcarata</i> (Squamata: Teiidae) in a Remnant of Atlantic Forest in Eastern South America. <i>Journal of Herpetology</i> , 2019, 53, 209.	0.5	5
149	Responses of the Skinks, <i>Eumeces fasciatus</i> and <i>E. laticeps</i> , to Airborne Conspecific Odors: Further Appraisal. <i>Journal of Herpetology</i> , 1985, 19, 481.	0.5	4
150	Helminths from Three Species of Anoles: The Humble Anole, <i>Anolis humilis</i> ; the Border Anole, <i>Anolis limifrons</i> ; and the Lion Anole, <i>Anolis lionotus</i> (Squamata: Polychrotidae), from Nicaragua. <i>Comparative Parasitology</i> , 2010, 77, 242-246.	0.4	3
151	Intestinal Helminths of the Wandering Grass Lizard, <i>Cnemidophorus gramivagus</i> (Squamata: Teiidae), from Brazil. <i>Comparative Parasitology</i> , 2013, 80, 301-303.	0.4	3