

Elio Cenci

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10422819/publications.pdf>

Version: 2024-02-01

20
papers

2,093
citations

471509
17
h-index

752698
20
g-index

20
all docs

20
docs citations

20
times ranked

1689
citing authors

#	ARTICLE	IF	CITATIONS
1	Interleukin-4 and interleukin-10 inhibit nitric oxide-dependent macrophage killing of <i>Candida albicans</i> . European Journal of Immunology, 1993, 23, 1034-1038.	2.9	268
2	Cytokine- and T Helper-Dependent Lung Mucosal Immunity in Mice with Invasive Pulmonary Aspergillosis. Journal of Infectious Diseases, 1998, 178, 1750-1760.	4.0	205
3	T Cell Vaccination in Mice with Invasive Pulmonary Aspergillosis. Journal of Immunology, 2000, 165, 381-388.	0.8	198
4	Interleukin-4 Causes Susceptibility to Invasive Pulmonary Aspergillosis through Suppression of Protective Type I Responses. Journal of Infectious Diseases, 1999, 180, 1957-1968.	4.0	185
5	Iron Overload Alters Innate and T Helper Cell Responses to <i>Candida albicans</i> in Mice. Journal of Infectious Diseases, 1997, 175, 1467-1476.	4.0	162
6	Endogenous Interleukin 4 Is Required for Development of Protective CD4+ T Helper Type 1 Cell Responses to <i>Candida albicans</i> . Journal of Experimental Medicine, 1998, 187, 307-317.	8.5	153
7	CD80+Gr-1+ Myeloid Cells Inhibit Development of Antifungal Th1 Immunity in Mice with Candidiasis. Journal of Immunology, 2002, 169, 3180-3190.	0.8	126
8	Interleukin-4 and -10 exacerbate candidiasis in mice. European Journal of Immunology, 1995, 25, 1559-1565.	2.9	124
9	Interleukin-12 but not interferon- β production correlates with induction of T helper type-1 phenotype in murine candidiasis. European Journal of Immunology, 1994, 24, 909-915.	2.9	98
10	Antifungal type 1 responses are upregulated in IL-10-deficient mice. Microbes and Infection, 1999, 1, 1169-1180.	1.9	98
11	Impaired Antifungal Effector Activity but Not Inflammatory Cell Recruitment in Interleukin-6-Deficient Mice with Invasive Pulmonary Aspergillosis. Journal of Infectious Diseases, 2001, 184, 610-617.	4.0	98
12	Interleukin 18 Restores Defective Th1 Immunity to <i>Candida albicans</i> in Caspase 1-Deficient Mice. Infection and Immunity, 2000, 68, 5126-5131.	2.2	79
13	Defective antifungal T-helper 1 (TH1) immunity in a murine model of allogeneic T-cell-depleted bone marrow transplantation and its restoration by treatment with TH2 cytokine antagonists. Blood, 2001, 97, 1483-1490.	1.4	70
14	Induction of Protective Th1 Responses to <i>Candida albicans</i> by Antifungal Therapy Alone or in Combination with an Interleukin-4 Antagonist. Journal of Infectious Diseases, 1997, 176, 217-226.	4.0	68
15	Course of Primary Candidiasis in T Cell-Depleted Mice Infected with Attenuated Variant Cells. Journal of Infectious Diseases, 1992, 166, 1384-1392.	4.0	54
16	Host Immune Reactivity Determines the Efficacy of Combination Immunotherapy and Antifungal Chemotherapy in Candidiasis. Journal of Infectious Diseases, 2000, 181, 686-694.	4.0	42
17	T helper cell dichotomy to <i>Candida albicans</i> : Implications for pathology, therapy, and vaccine design. Immunologic Research, 1995, 14, 148-162.	2.9	29
18	<i>Candida albicans</i> -specific Ly-2+ lymphocytes with cytolytic activity. European Journal of Immunology, 1991, 21, 1567-1570.	2.9	22

#	ARTICLE	IF	CITATIONS
19	Immune response to <i>Candida albicans</i> is preserved despite defect in O-mannosylation of secretory proteins. Medical Mycology, 2007, 45, 709-719.	0.7	10
20	A multidrug-resistant <i>Pseudomonas aeruginosa</i> isolate from a lethal case of sepsis induces necrosis of human neutrophils. Journal of Infection, 2006, 53, e259-e264.	3.3	4