William P Ball

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/104293/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Long-term sorption of halogenated organic chemicals by aquifer material. 2. Intraparticle diffusion. Environmental Science & Technology, 1991, 25, 1237-1249.	10.0	497
2	Comparison of quantification methods to measure fireâ€derived (black/elemental) carbon in soils and sediments using reference materials from soil, water, sediment and the atmosphere. Global Biogeochemical Cycles, 2007, 21, .	4.9	483
3	New modeling paradigms for the sorption of hydrophobic organic chemicals to heterogeneous carbonaceous matter in soils, sediments, and rocks. Advances in Water Resources, 2002, 25, 985-1016.	3.8	332
4	Long-term sorption of halogenated organic chemicals by aquifer material. 1. Equilibrium. Environmental Science & Technology, 1991, 25, 1223-1237.	10.0	296
5	Production and characterization of synthetic wood chars for use as surrogates for natural sorbents. Organic Geochemistry, 2006, 37, 321-333.	1.8	285
6	Influence of Surface Oxides on the Adsorption of Naphthalene onto Multiwalled Carbon Nanotubes. Environmental Science & Technology, 2008, 42, 2899-2905.	10.0	277
7	Adsorption-Partitioning Uptake of Nine Low-Polarity Organic Chemicals on a Natural Sorbent. Environmental Science & Technology, 1999, 33, 262-269.	10.0	272
8	Polyparameter Linear Free Energy Relationships for Estimating the Equilibrium Partition of Organic Compounds between Water and the Natural Organic Matter in Soils and Sediments. Environmental Science & Technology, 2005, 39, 913-924.	10.0	260
9	Long-Term Trends in Chesapeake Bay Seasonal Hypoxia, Stratification, and Nutrient Loading. Estuaries and Coasts, 2011, 34, 1293-1309.	2.2	227
10	Sorption of Aqueous Zn[II] and Cd[II] by Multiwall Carbon Nanotubes: The Relative Roles of Oxygen-Containing Functional Groups and Graphenic Carbon. Langmuir, 2010, 26, 967-981.	3.5	215
11	Nanofiltration of Natural Organic Matter: pH and Ionic Strength Effects. Journal of Environmental Engineering, ASCE, 1997, 123, 628-641.	1.4	213
12	Evidence for a Pore-Filling Mechanism in the Adsorption of Aromatic Hydrocarbons to a Natural Wood Char. Environmental Science & Technology, 2007, 41, 1212-1217.	10.0	208
13	Longevity of Granular Iron in Groundwater Treatment Processes:Â Solution Composition Effects on Reduction of Organohalides and Nitroaromatic Compounds. Environmental Science & Technology, 2003, 37, 1208-1218.	10.0	196
14	Colloidal Properties of Aqueous Suspensions of Acid-Treated, Multi-Walled Carbon Nanotubes. Environmental Science & Technology, 2009, 43, 819-825.	10.0	196
15	Influence of Surface Oxides on the Colloidal Stability of Multi-Walled Carbon Nanotubes: A Structureâ~'Property Relationship. Langmuir, 2009, 25, 9767-9776.	3.5	190
16	An evaluation of thermal resistance as a measure of black carbon content in diesel soot, wood char, and sediment. Organic Geochemistry, 2004, 35, 217-234.	1.8	157
17	Characterization of a sandy aquifer material at the grain scale. Journal of Contaminant Hydrology, 1990, 5, 253-295.	3.3	139
18	Influence of Calcite and Dissolved Calcium on Uranium(VI) Sorption to a Hanford Subsurface Sediment. Environmental Science & Technology, 2005, 39, 7949-7955.	10.0	137

#	Article	IF	CITATIONS
19	Assessing the colloidal properties of engineered nanoparticles in water: case studies from fullerene C60 nanoparticles and carbon nanotubes. Environmental Chemistry, 2010, 7, 10.	1.5	134
20	Back Diffusion of Chlorinated Solvent Contaminants from a Natural Aquitard to a Remediated Aquifer Under Well-Controlled Field Conditions: Predictions and Measurements. Ground Water, 2002, 40, 175-184.	1.3	126
21	Polanyi-Based Models for the Competitive Sorption of Low-Polarity Organic Contaminants on a Natural Sorbent. Environmental Science & Technology, 2000, 34, 1246-1253.	10.0	99
22	Application of inverse methods to contaminant source identification from aquitard diffusion profiles at Dover AFB, Delaware. Water Resources Research, 1999, 35, 1975-1985.	4.2	98
23	Polychlorinated ethane reaction with zero-valent zinc: pathways and rate control. Journal of Contaminant Hydrology, 1999, 40, 183-200.	3.3	94
24	Comparison of Spatial Interpolation Methods for Water Quality Evaluation in the Chesapeake Bay. Journal of Environmental Engineering, ASCE, 2010, 136, 160-171.	1.4	94
25	A diffusion-based interpretation of tetrachloroethene and trichloroethene concentration profiles in a groundwater aquitard. Water Resources Research, 1997, 33, 2741-2757.	4.2	83
26	NOM Accumulation at NF Membrane Surface: Impact of Chemistry and Shear. Journal of Environmental Engineering, ASCE, 1998, 124, 1087-1098.	1.4	78
27	Variability of aquifer sorption properties in a field experiment on groundwater transport of organic solutes: Methods and preliminary results. Journal of Contaminant Hydrology, 1986, 1, 119-132.	3.3	74
28	Longevity of granular iron in groundwater treatment processes: changes in solute transport properties over time. Journal of Contaminant Hydrology, 2003, 64, 3-33.	3.3	74
29	An Affordable Open-Source Turbidimeter. Sensors, 2014, 14, 7142-7155.	3.8	74
30	Bioavailability of Hydrophobic Organic Contaminants: Effects and Implications of Sorption-Related Mass Transfer on Bioremediation. Ground Water Monitoring and Remediation, 1998, 18, 126-138.	0.8	69
31	Absorption and Adsorption of Hydrophobic Organic Contaminants to Diesel and Hexane Soot. Environmental Science & Technology, 2006, 40, 2958-2964.	10.0	69
32	Longâ€Term Trends of Nutrients and Sediment from the Nontidal Chesapeake Watershed: An Assessment of Progress by River and Season. Journal of the American Water Resources Association, 2015, 51, 1534-1555.	2.4	69
33	Analytical modeling of diffusion-limited contamination and decontamination in a two-layer porous medium. Advances in Water Resources, 1998, 21, 297-313.	3.8	65
34	Use of the generalized integral transform method for solving equations of solute transport in porous media. Advances in Water Resources, 2000, 23, 483-492.	3.8	60
35	Modeling and interpreting bioavailability of organic contaminant mixtures in subsurface environments. Journal of Contaminant Hydrology, 2006, 82, 255-292.	3.3	59
36	Sensitivity of Catchment Transit Times to Rainfall Variability Under Present and Future Climates. Water Resources Research, 2017, 53, 10231-10256.	4.2	59

#	Article	IF	CITATIONS
37	Sorption Nonlinearity for Organic Contaminants with Diesel Soot:Â Method Development and Isotherm Interpretation. Environmental Science & Technology, 2004, 38, 3595-3603.	10.0	58
38	Effects of Column Conditions on the First-Order Rate Modeling of Nonequilibrium Solute Breakthrough. Water Resources Research, 1995, 31, 2181-2192.	4.2	57
39	Influence of Surface Oxygen on the Interactions of Carbon Nanotubes with Natural Organic Matter. Environmental Science & Technology, 2012, 46, 12839-12847.	10.0	55
40	Title is missing!. Transport in Porous Media, 1998, 30, 25-43.	2.6	54
41	Long-Term Changes in Sediment and Nutrient Delivery from Conowingo Dam to Chesapeake Bay: Effects of Reservoir Sedimentation. Environmental Science & Technology, 2016, 50, 1877-1886.	10.0	51
42	A controlled field evaluation of continuous vs. pulsed pump-and-treat remediation of a VOC-contaminated aquifer: site characterization, experimental setup, and overview of results. Journal of Contaminant Hydrology, 2000, 41, 81-131.	3.3	49
43	An improved method for interpretation of riverine concentrationâ€discharge relationships indicates longâ€ŧerm shifts in reservoir sediment trapping. Geophysical Research Letters, 2016, 43, 10,215.	4.0	48
44	Column experimental design requirements for estimating model parameters from temporal moments under nonequilibrium conditions. Advances in Water Resources, 2000, 23, 449-460.	3.8	43
45	A priori simulation of tetrachloroethene transport through aquifer material using an intraparticle diffusion model. Environmental Progress, 1994, 13, 9-20.	0.7	39
46	Decadal-scale export of nitrogen, phosphorus, and sediment from the Susquehanna River basin, USA: Analysis and synthesis of temporal and spatial patterns. Science of the Total Environment, 2016, 563-564, 1016-1029.	8.0	38
47	Sorption and bioreduction of hexavalent uranium at a military facility by the Chesapeake Bay. Environmental Pollution, 2006, 142, 132-142.	7.5	36
48	Transport of Oxidized Multi-Walled Carbon Nanotubes through Silica Based Porous Media: Influences of Aquatic Chemistry, Surface Chemistry, and Natural Organic Matter. Environmental Science & Technology, 2013, 47, 14034-14043.	10.0	33
49	Estimating Diffusion Coefficients in Low-Permeability Porous Media Using a Macropore Column. Environmental Science & Technology, 1998, 32, 2578-2584.	10.0	26
50	Improving riverine constituent concentration and flux estimation by accounting for antecedent discharge conditions. Journal of Hydrology, 2017, 547, 387-402.	5.4	25
51	Twoâ€region linear/nonlinear sorption modeling: Batch and column experiments. Environmental Toxicology and Chemistry, 1999, 18, 1686-1693.	4.3	24
52	Misinterpretations in the Modeling of Contaminant Desorption from Environmental Solids When Equilibrium Conditions Are Not Fully Understood. Environmental Engineering Science, 2005, 22, 350-366.	1.6	24
53	Study of Sorption-Retarded U(VI) Diffusion in Hanford Silt/Clay Material. Environmental Science & Technology, 2009, 43, 7706-7711.	10.0	23
54	Sorption of 1,2,4-trichlorobenzene and tetrachloroethene within an authigenic soil profile: Changes in Koc with soil depth. Journal of Contaminant Hydrology, 1998, 29, 347-377.	3.3	17

#	Article	IF	CITATIONS
55	Supporting cost-effective watershed management strategies for Chesapeake Bay using a modeling and optimization framework. Environmental Modelling and Software, 2021, 144, 105141.	4.5	17
56	Comment on "Modeling the transport of solutes influenced by multiprocess nonequilibrium―by M. L. Brusseau, R. E. Jessup, and P. S. C. Rao. Water Resources Research, 1991, 27, 653-656.	4.2	14
57	Effects of column conditions on the first-order rate modeling of nonequilibrium solute breakthrough: Cylindrical macropores versus spherical media. Water Resources Research, 1997, 33, 1149-1156.	4.2	14
58	Comment on "Long-term sorption of halogenated organic chemicals by aquifer material. 1. Equilibrium". [Erratum to document cited in CA115(4):35278s]. Environmental Science & Technology, 1992, 26, 2301-2302.	10.0	12
59	Prototype System for Multidisciplinary Shared Cyberinfrastructure: Chesapeake Bay Environmental Observatory. Journal of Hydrologic Engineering - ASCE, 2008, 13, 960-970.	1.9	12
60	Comparing RBF with Benchâ€6cale Conventional Treatment for precursor reduction. Journal - American Water Works Association, 2003, 95, 67-80.	0.3	11
61	Water-Distance-Based Kriging in Chesapeake Bay. Journal of Hydrologic Engineering - ASCE, 2015, 20, 05014034.	1.9	11
62	The influence of biogeochemical conditions and level of model complexity when simulating cometabolic biodegradation in sorbent-water systems. Advances in Water Resources, 2006, 29, 571-589.	3.8	10
63	Riverbank filtration: Effect of ground passage on NOM character. Journal of Water Supply: Research and Technology - AQUA, 2004, 53, 61-83.	1.4	9
64	Effect of fluid velocity on modelâ€estimated rates of radial solute diffusion in a cylindrical macropore column. Water Resources Research, 2007, 43, .	4.2	9
65	Injection Mode Effects on Tracer Experiments in Columns. Journal of Hydrologic Engineering - ASCE, 1997, 2, 113-119.	1.9	7
66	Immobilization of Soot Particles in a Silica Matrix:Â A Sorbent-Carrier System for Studying Organic Chemical Sorptionâ€. Environmental Science & Technology, 2005, 39, 6527-6534.	10.0	7
67	Effect of Strain-Specific Biofilm Properties on the Retention of Colloids in Saturated Porous Media under Conditions of Stormwater Biofiltration. Environmental Science & Technology, 2021, 55, 2585-2596.	10.0	7
68	Probabilistic Evaluation of Packedâ€Tower Aeration Designs for VOC Removal. Journal - American Water Works Association, 1993, 85, 73-86.	0.3	5
69	TWO-REGION LINEAR/NONLINEAR SORPTION MODELING: BATCH AND COLUMN EXPERIMENTS. Environmental Toxicology and Chemistry, 1999, 18, 1686.	4.3	4
70	Effects of Initial Solute Distribution on Contaminant Availability, Desorption Modeling, and Subsurface Remediation. Journal of Environmental Quality, 2007, 36, 1392-1402.	2.0	3
71	Engineering Academic Programs for Hydrophilanthropy: Commonalities and Challenges. Journal of Contemporary Water Research and Education, 2010, 145, 5-29.	0.7	3
72	Comment on "Field-Scale Transport of Nonpolar Organic Solutes in 3-D Heterogeneous Aquifers― Environmental Science & Technology, 1998, 32, 2654-2655.	10.0	2

#	Article	IF	CITATIONS
73	Response to Comment on "Sorption Nonlinearity for Organic Contaminants with Diesel Soot: Method Development and Isotherm Interpretationâ€: Environmental Science & Technology, 2004, 38, 5486-5487.	10.0	2
74	Comment on "Sorption Kinetics of Organic Contaminants by Sandy Aquifer and Its Kerogen Isolate― Environmental Science & Technology, 2006, 40, 2489-2490.	10.0	1
75	Surface Oxides on Carbon Nanotubes (CNTs): Effects on CNT Stability and Sorption Properties in Aquatic Environments. , 0, , 133-158.		1
76	In honor of Charles R. O'Melia: Researcher, scholar, engineer, and educator Guest Editors for the Charles R. O'Melia tribute issue. Environmental Science & Technology, 2005, 39, 352A-353A.	10.0	0
77	Coal Tar Contamination: Bioremediation and Bioavailability. The IMA Volumes in Mathematics and Its Applications, 2002, , 217-229.	0.5	0
78	Diffusion-Limited Contamination and Decontamination in a Layered Aquitard: Forensic and Predictive Analysis of Field Data. The IMA Volumes in Mathematics and Its Applications, 2002, , 179-194.	0.5	0
79	Organization of Data in Non-convex Spatial Domains. Lecture Notes in Computer Science, 2010, , 342-359.	1.3	Ο