Mohammad H Forouzanfar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10429668/publications.pdf

Version: 2024-02-01

62 papers 99,084 citations

56 h-index 62 g-index

62 all docs

62 docs citations

times ranked

62

136403 citing authors

#	Article	IF	CITATIONS
1	Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2095-2128.	6.3	11,038
2	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 766-781.	6.3	9,122
3	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	6.3	7,061
4	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.	6.3	6,376
5	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	6.3	5,298
6	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. New England Journal of Medicine, 2017, 377, 13-27.	13.9	5,014
7	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	6.3	4,934
8	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015. JAMA Oncology, 2017, 3, 524.	3.4	4,254
9	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	6.3	4,203
10	Estimates and 25-year trends of the global burden of disease attributable to ambient air pollution: an analysis of data from the Global Burden of Diseases Study 2015. Lancet, The, 2017, 389, 1907-1918.	6.3	4,187
11	Worldwide Epidemiology of Atrial Fibrillation. Circulation, 2014, 129, 837-847.	1.6	3,553
12	Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2019, 393, 1958-1972.	6.3	3,062
13	Global and regional burden of stroke during 1990–2010: findings from the Global Burden of Disease Study 2010. Lancet, The, 2014, 383, 245-255.	6.3	3,007
14	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
15	The State of US Health, 1990-2010. JAMA - Journal of the American Medical Association, 2013, 310, 591.	3.8	2,070
16	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	6.3	2,005
17	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	6.3	1,612
18	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	6.3	1,544

#	Article	IF	CITATIONS
19	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 389, 1885-1906.	6.3	1,281
20	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	6.3	1,230
21	Global burden of stroke and risk factors in 188 countries, during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet Neurology, The, 2016, 15, 913-924.	4.9	1,107
22	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory infections in 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Infectious Diseases, The, 2018, 18, 1191-1210.	4.6	1,084
23	Global and regional burden of first-ever ischaemic and haemorrhagic stroke during 1990–2010: findings from the Global Burden of Disease Study 2010. The Lancet Global Health, 2013, 1, e259-e281.	2.9	1,051
24	Update on the Global Burden of Ischemic and Hemorrhagic Stroke in 1990-2013: The GBD 2013 Study. Neuroepidemiology, 2015, 45, 161-176.	1.1	1,002
25	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437.	13.9	959
26	Ambient Air Pollution Exposure Estimation for the Global Burden of Disease 2013. Environmental Science & Environmental Science	4.6	886
27	Demographic and Epidemiologic Drivers of Global Cardiovascular Mortality. New England Journal of Medicine, 2015, 372, 1333-1341.	13.9	881
28	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Infectious Diseases, The, 2018, 18, 1211-1228.	4.6	862
29	Breast and cervical cancer in 187 countries between 1980 and 2010: a systematic analysis. Lancet, The, 2011, 378, 1461-1484.	6.3	815
30	Physical activity and risk of breast cancer, colon cancer, diabetes, ischemic heart disease, and ischemic stroke events: systematic review and dose-response meta-analysis for the Global Burden of Disease Study 2013. BMJ, The, 2016, 354, i3857.	3.0	809
31	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	6.3	786
32	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 957-979.	6.3	609
33	The Global Burden of Ischemic Heart Disease in 1990 and 2010. Circulation, 2014, 129, 1493-1501.	1.6	520
34	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	6.3	480
35	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	3.3	479
36	Temporal Trends in Ischemic Heart Disease Mortality in 21 World Regions, 1980 to 2010. Circulation, 2014, 129, 1483-1492.	1.6	454

#	Article	IF	CITATIONS
37	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	6.3	413
38	Changes in health in England, with analysis by English regions and areas of deprivation, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2257-2274.	6.3	279
39	Global Burden of Urologic Cancers, 1990–2013. European Urology, 2017, 71, 437-446.	0.9	248
40	Global and Regional Burden of Death and Disability From Peripheral Artery Disease: 21 World Regions, 1990 to 2010. Global Heart, 2014, 9, 145.	0.9	204
41	Global and Regional Burden of Aortic Dissection and Aneurysms: Mortality Trends in 21 World Regions, 1990 to 2010. Global Heart, 2014, 9, 171.	0.9	196
42	Global Cardiovascular and Renal Outcomes of Reduced GFR. Journal of the American Society of Nephrology: JASN, 2017, 28, 2167-2179.	3.0	194
43	The Global Burden of Hemorrhagic Stroke: A Summary of Findings From the GBD 2010 Study. Global Heart, 2014, 9, 101.	0.9	163
44	Estimation of Global and Regional Incidence and Prevalence of Abdominal Aortic Aneurysms 1990 to 2010. Global Heart, 2014, 9, 159.	0.9	159
45	Estimates of Global and Regional Premature Cardiovascular Mortality in 2025. Circulation, 2015, 132, 1270-1282.	1.6	143
46	Dissonant health transition in the states of Mexico, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2016, 388, 2386-2402.	6.3	130
47	The Global Burden of Ischemic Stroke: Findings of the GBD 2010 Study. Global Heart, 2014, 9, 107.	0.9	129
48	Impacts of coal burning on ambient PM _{2.5} pollution in China. Atmospheric Chemistry and Physics, 2017, 17, 4477-4491.	1.9	124
49	Global disability-adjusted life-year estimates of long-term health burden and undernutrition attributable to diarrhoeal diseases in children younger than 5 years. The Lancet Global Health, 2018, 6, e255-e269.	2.9	122
50	A class of non-linear exposure-response models suitable for health impact assessment applicable to large cohort studies of ambient air pollution. Air Quality, Atmosphere and Health, 2016, 9, 961-972.	1.5	106
51	Assessing the Global Burden of Ischemic Heart Disease: Part 2: Analytic Methods and Estimates of the Global Epidemiology of Ischemic Heart Disease in 2010. Global Heart, 2012, 7, 331.	0.9	88
52	Impact of air pollution control policies on future PM2.5 concentrations and their source contributions in China. Journal of Environmental Management, 2018, 227, 124-133.	3.8	82
53	Burden of musculoskeletal disorders in the Eastern Mediterranean Region, 1990–2013: findings from the Global Burden of Disease Study 2013. Annals of the Rheumatic Diseases, 2017, 76, 1365-1373.	0.5	81
54	Variations in Ischemic Heart Disease Burden by Age, Country, and Income: The Global Burden of Diseases, Injuries, and Risk Factors 2010 Study. Global Heart, 2014, 9, 91.	0.9	71

#	Article	IF	CITATIONS
55	The Regional Impacts of Cooking and Heating Emissions on Ambient Air Quality and Disease Burden in China. Environmental Science & Echnology, 2016, 50, 9416-9423.	4.6	66
56	Assessing the Global Burden of Ischemic Heart Disease: Part 1: Methods for a Systematic Review of the Global Epidemiology of Ischemic Heart Disease in 1990 and 2010. Global Heart, 2012, 7, 315.	0.9	63
57	Estimating the Burden of Paratyphoid A in Asia and Africa. PLoS Neglected Tropical Diseases, 2014, 8, e2925.	1.3	58
58	Deconstructing the differences: a comparison of GBD 2010 and CHERG's approach to estimating the mortality burden of diarrhea, pneumonia, and their etiologies. BMC Infectious Diseases, 2015, 15, 16.	1.3	43
59	The impact of dietary risk factors on the burden of non-communicable diseases in Ethiopia: findings from the Global Burden of Disease study 2013. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 122.	2.0	34
60	Ischaemic heart disease in the former Soviet Union 1990–2015 according to the Global Burden of Disease 2015 Study. Heart, 2018, 104, 58-66.	1.2	26
61	Chronic Health Consequences of Acute Enteric Infections in the Developing World. American Journal of Gastroenterology Supplements (Print), 2016, 3, 4-11.	0.7	25
62	Global burden of stroke: an underestimate – Authors' reply. Lancet, The, 2014, 383, 1205-1206.	6.3	18