

# Kari Syrjänen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1043637/publications.pdf>

Version: 2024-02-01

458  
papers

13,197  
citations

22153

59  
h-index

56724

83  
g-index

461  
all docs

461  
docs citations

461  
times ranked

9941  
citing authors

#	ARTICLE	IF	CITATIONS
1	Morphological and immunohistochemical evidence suggesting human papillomavirus (HPV) involvement in oral squamous cell carcinogenesis. <i>International Journal of Oral Surgery</i> , 1983, 12, 418-424.	0.5	355
2	Comparison of cell proliferation and toxicity assays using two cationic liposomes. <i>Pharmaceutical Research</i> , 1994, 11, 1127-1131.	3.5	201
3	Human papillomavirus (HPV) infections and their associations with oral disease. <i>Journal of Oral Pathology and Medicine</i> , 1991, 20, 305-317.	2.7	161
4	Endometriosis-Associated Ovarian Carcinoma (EAOC): An Entity Distinct from Other Ovarian Carcinomas as Suggested by a Nested Case-Control Study. <i>Gynecologic Oncology</i> , 2001, 83, 100-108.	1.4	147
5	Vertical transmission of human papillomavirus from infected mothers to their newborn babies and persistence of the virus in childhood. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 174, 694-699.	1.3	142
6	Sensitivity of in situ hybridization techniques using biotin- and 35S-labeled human papillomavirus (HPV) DNA probes. <i>Journal of Virological Methods</i> , 1988, 19, 225-238.	2.1	127
7	Report on consensus conference on cervical cancer screening and management. , 2000, 86, 440-447.		126
8	Evaluation of visual inspection with acetic acid (VIA), Lugol's iodine (VILI), cervical cytology and HPV testing as cervical screening tools in Latin America: This report refers to partial results from the LAMS (Latin American Screening) study. <i>Journal of Medical Screening</i> , 2005, 12, 142-149.	2.3	126
9	High-Risk Types of Human Papillomavirus (HPV) DNA in Oral and Genital Mucosa of Infants during Their First 3 Years of Life: Experience from the Finnish HPV Family Study. <i>Clinical Infectious Diseases</i> , 2005, 41, 1728-1733.	5.8	124
10	Evaluation of oncogenic human papillomavirus RNA and DNA tests with liquid-based cytology in primary cervical cancer screening: The FASE study. <i>International Journal of Cancer</i> , 2011, 129, 691-701.	5.1	122
11	Detection of human papillomavirus (HPV) structural antigens and DNA types in inverted papillomas and squamous cell carcinomas of the nasal cavities and paranasal sinuses. <i>Acta Oto-Laryngologica</i> , 1987, 104, 334-341.	0.9	118
12	Macrophages, inflammation and risk of cervical intraepithelial neoplasia (CIN) progression – Clinicopathological correlation. <i>Gynecologic Oncology</i> , 2007, 105, 157-165.	1.4	117
13	Human papillomavirus (HPV) DNA in esophageal precancer lesions and squamous cell carcinomas from China. <i>International Journal of Cancer</i> , 1990, 45, 21-25.	5.1	115
14	Tumourigenesis associated with the p53 tumour suppressor gene. <i>British Journal of Cancer</i> , 1993, 68, 653-661.	6.4	112
15	Prevalence, Incidence, and Estimated Life-time Risk of Cervical Human Papillomavirus Infections in a Nonselected Finnish Female Population. <i>Sexually Transmitted Diseases</i> , 1990, 17, 15-19.	1.7	108
16	Detection of human papillomavirus in sinonasal papillomas: Systematic review and meta-analysis. <i>Laryngoscope</i> , 2013, 123, 181-192.	2.0	107
17	Factors predicting human papillomavirus clearance in cervical intraepithelial neoplasia lesions treated by conization. <i>Gynecologic Oncology</i> , 2003, 90, 358-365.	1.4	105
18	Human papillomavirus (HPV) DNA sequences in oral precancerous lesions and squamous cell carcinoma demonstrated by <i>in situ</i> hybridization. <i>Journal of Oral Pathology and Medicine</i> , 1988, 17, 273-278.	2.7	103

#	ARTICLE	IF	CITATIONS
19	Southern blot hybridization and PCR in detection of oral human papillomavirus (HPV) infections in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1992, 21, 459-464.	2.7	102
20	New Concepts on the Role of Human Papillomavirus in Cell Cycle Regulation. <i>Annals of Medicine</i> , 1999, 31, 175-187.	3.8	99
21	Exposure of an infant to cervical human papillomavirus infection of the mother is common. <i>American Journal of Obstetrics and Gynecology</i> , 1997, 176, 1039-1045.	1.3	98
22	Immunohistochemical demonstration of Human papilloma virus (HPV) antigens in oral squamous cell lesions. <i>British Journal of Oral &amp; Maxillofacial Surgery</i> , 1983, 21, 147-153.	0.3	97
23	Expression of carbonic anhydrase IX suggests poor outcome in rectal cancer. <i>British Journal of Cancer</i> , 2009, 100, 874-880.	6.4	97
24	Human papillomavirus in the placenta and umbilical cord blood. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1181-1188.	2.8	95
25	Current Concepts of Human Papillomavirus Infections in the Genital Tract and Their Relationship to Intraepithelial Neoplasia and Squamous Cell Carcinoma. <i>Obstetrical and Gynecological Survey</i> , 1984, 39, 252-265.	0.4	91
26	Detection of human papillomavirus DNA in oral mucosal lesions using in situ DNA-hybridization applied on paraffin sections. <i>Oral Surgery, Oral Medicine, and Oral Pathology</i> , 1986, 62, 660-667.	0.6	91
27	Prevalence and Risk Factors of Genital Human Papillomavirus (HPV) Infections in Healthy Males. <i>Sexually Transmitted Diseases</i> , 1993, 20, 321-328.	1.7	90
28	Natural history of cervical human papillomavirus (HPV) infections based on prospective follow-up. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1985, 92, 1086-1092.	2.3	87
29	p21/WAF1 expression as related to p53, cell proliferation and prognosis in epithelial ovarian cancer. <i>British Journal of Cancer</i> , 1999, 79, 1870-1878.	6.4	87
30	Human Papillomavirus Testing with the Hybrid Capture 2 Assay and PCR as Screening Tools. <i>Journal of Clinical Microbiology</i> , 2004, 42, 2470-2475.	3.9	86
31	p53 protein expression in breast cancer as related to histopathological characteristics and prognosis. <i>International Journal of Cancer</i> , 1993, 55, 51-56.	5.1	85
32	Risk Factors Associated with Cervical Human Papillomavirus Infections: A Case-Control Study. <i>American Journal of Epidemiology</i> , 1993, 138, 735-745.	3.4	84
33	Prognostic factors in gastric cancer: the value of vascular invasion, mitotic rate and lymphoplasmacytic infiltration. <i>British Journal of Cancer</i> , 1996, 74, 766-772.	6.4	83
34	p16INK4A Expression Is Related to Grade of CIN and High-risk Human Papillomavirus but Does not Predict Virus Clearance After Conization or Disease Outcome. <i>International Journal of Gynecological Pathology</i> , 2004, 23, 354-365.	1.4	83
35	Human Papillomavirus Type 11 DNA in Squamous Cell Carcinomas and Pre-existing Multiple Laryngeal Papillomas. <i>Acta Oto-Laryngologica</i> , 1989, 107, 141-149.	0.9	81
36	Infectious agents in the etiology of esophageal cancer. <i>Gastroenterology</i> , 1992, 103, 1336-1348.	1.3	80

#	ARTICLE	IF	CITATIONS
37	Intense cytoplasmic ezrin immunoreactivity predicts poor survival in colorectal cancer. <i>Human Pathology</i> , 2008, 39, 1737-1743.	2.0	80
38	Human Papillomavirus Genotypes Present in the Oral Mucosa of Newborns and their Concordance with Maternal Cervical Human Papillomavirus Genotypes. <i>Journal of Pediatrics</i> , 2012, 160, 837-843.	1.8	79
39	Detection of human papillomavirus in sinonasal carcinoma: systematic review and meta-analysis. <i>Human Pathology</i> , 2013, 44, 983-991.	2.0	79
40	Expression of cyclins A and D and p21(waf1/cip1) proteins in renal cell cancer and their relation to clinicopathological variables and patient survival. <i>British Journal of Cancer</i> , 1999, 80, 2001-2007.	6.4	77
41	MMP-9 (Gelatinase B) Expression is Associated With Disease-Free Survival and Disease-Specific Survival in Colorectal Cancer Patients. <i>Cancer Investigation</i> , 2010, 28, 38-43.	1.3	76
42	Detection of human papillomavirus (HPV) DNA in oral squamous cell carcinomas by in situ hybridization and polymerase chain reaction. <i>Archives of Dermatological Research</i> , 1990, 282, 493-497.	1.9	70
43	Performance of the Roche AMPLICOR® Human papillomavirus (HPV) test in prediction of cervical intraepithelial neoplasia (CIN) in women with abnormal PAP smear. <i>Gynecologic Oncology</i> , 2005, 99, 160-168.	1.4	70
44	VEGF-1 expression in colorectal cancer is associated with disease localization, stage, and long-term disease-specific survival. <i>Anticancer Research</i> , 2008, 28, 3865-70.	1.1	70
45	An improved in situ DNA hybridization protocol for detection of human papillomavirus (HPV) DNA sequences in paraffin-embedded biopsies. <i>Journal of Virological Methods</i> , 1986, 14, 293-304.	2.1	69
46	Failure to Demonstrate Human Papillomavirus DNA in Epithelial Ovarian Cancer by General Primer PCR. <i>Gynecologic Oncology</i> , 1999, 72, 337-341.	1.4	68
47	Detection of oncogenic viruses (SV40, BKV, JCV, HCMV, HPV) and p53 codon 72 polymorphism in lung carcinoma. <i>Lung Cancer</i> , 2007, 57, 273-281.	2.0	68
48	Prospective follow-up of cervical HPV infections: Life table analysis of histopathological, cytological and colposcopic data. <i>European Journal of Epidemiology</i> , 1989, 5, 1-7.	5.7	67
49	Low Concordance of Genital Human Papillomavirus (HPV) Lesions and Viral Types in HPV-Infected Women and Their Male Sexual Partners. <i>Sexually Transmitted Diseases</i> , 1994, 21, 76-82.	1.7	67
50	Smoking increases oral HPV persistence among men: 7-year follow-up study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 123-133.	2.9	67
51	Human Papillomavirus. <i>Acta Cytologica</i> , 1998, 42, 50-58.	1.3	66
52	Expression and mutations of p53 in salivary gland tumours. <i>Journal of Oral Pathology and Medicine</i> , 1997, 26, 217-223.	2.7	65
53	E-cadherin expression pattern in primary colorectal carcinomas and their metastases reflects disease outcome. <i>World Journal of Gastroenterology</i> , 2006, 12, 4304.	3.3	65
54	Detection of human papillomavirus in laryngeal squamous cell carcinoma: Systematic review and meta-analysis. <i>Laryngoscope</i> , 2016, 126, 885-893.	2.0	65

#	ARTICLE	IF	CITATIONS
55	Survivin as a Marker of Cervical Intraepithelial Neoplasia and High-Risk Human Papillomavirus and a Predictor of Virus Clearance and Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2005, 124, 113-121.	0.7	63
56	Clinical significance of alpha-catenin, collagen IV, and Ki-67 expression in epithelial ovarian cancer.. <i>Journal of Clinical Oncology</i> , 1998, 16, 2591-2600.	1.6	62
57	Oral Mucosa as a Reservoir of Human Papillomavirus: Point Prevalence, Genotype Distribution, and Incident Infections Among Males in a 7-year Prospective Study. <i>European Urology</i> , 2012, 62, 1063-1070.	1.9	62
58	Human Papilloma Virus (HPV) Antigens in Lesions of Laryngeal Squamous Cell Carcinomas. <i>Orl</i> , 1982, 44, 323-334.	1.1	60
59	CERVICAL PAPILOMAVIRUS INFECTION PROGRESSING TO INVASIVE CANCER IN LESS THAN THREE YEARS. <i>Lancet, The</i> , 1985, 325, 510-511.	13.7	60
60	Factors associated with progression of cervical human papillomavirus (HPV) infections into carcinoma in situ during a long-term prospective follow-up. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1988, 95, 1096-1102.	2.3	60
61	Human papillomavirus (HPV) test and PAP smear as predictors of outcome in conservatively treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007, 106, 170-176.	1.4	59
62	Dynamics of human papillomavirus serology in women followed up for 36 months after pregnancy. <i>Journal of General Virology</i> , 2009, 90, 1515-1526.	2.9	59
63	Dot blot hybridization in detection of human papillomavirus (HPV) infections in the oral cavity of women with genital HPV infections. <i>Oral Microbiology and Immunology</i> , 1992, 7, 19-23.	2.8	58
64	Prevalence, Genotype Distribution and Persistence of Human Papillomavirus in Oral Mucosa of Women: A Six-Year Follow-Up Study. <i>PLoS ONE</i> , 2012, 7, e42171.	2.5	58
65	Detection of Human Papillomavirus DNA in Cytologic Specimens Derived from Esophageal Precancer Lesions and Cancer. <i>Scandinavian Journal of Gastroenterology</i> , 1990, 25, 383-388.	1.5	57
66	Human papillomavirus DNA detection and histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in their Pap smears. <i>Gynecologic Oncology</i> , 2004, 95, 618-623.	1.4	57
67	HPV-associated lung cancers: an international pooled analysis. <i>Carcinogenesis</i> , 2014, 35, 1267-1275.	2.8	57
68	Human Papillomavirus DNA in Squamous Cell Carcinomas of the Larynx Demonstrated by in situ DNA Hybridization. <i>Orl</i> , 1987, 49, 175-186.	1.1	55
69	Smoking impairs human papillomavirus (HPV) type 16 and 18 capsids antibody response following natural HPV infection. <i>Scandinavian Journal of Infectious Diseases</i> , 2008, 40, 745-751.	1.5	55
70	In situ DNA hybridization analysis of human papillomavirus (HPV) sequences in benign oral mucosal lesions. <i>Archives of Dermatological Research</i> , 1987, 279, 543-549.	1.9	54
71	Oral mucosal changes in women with genital HPV infection. <i>Journal of Oral Pathology and Medicine</i> , 1990, 19, 142-148.	2.7	54
72	Human Papillomavirus Involvement in Esophageal Precancerous Lesions and Squamous Cell Carcinomas as Evidenced by Microscopy and Different DNA Techniques. <i>Scandinavian Journal of Gastroenterology</i> , 1992, 27, 553-563.	1.5	54

#	ARTICLE	IF	CITATIONS
73	Expression of tumour-suppressor gene Rb, apoptosis-suppressing protein Bcl-2 and c-Myc have no independent prognostic value in renal adenocarcinoma. <i>British Journal of Cancer</i> , 1995, 71, 863-867.	6.4	54
74	Factors predicting the persistence of genital human papillomavirus infections and PAP smear abnormality in HIV-positive and HIV-negative women during prospective follow-up. <i>International Journal of STD and AIDS</i> , 2003, 14, 417-425.	1.1	54
75	Co-Expression of HSV2 and &lt;i>Chlamydia trachomatis&lt;/i> in HPV-Positive Cervical Cancer and Cervical Intraepithelial Neoplasia Lesions Is Associated with Aberrations in Key Intracellular Pathways. <i>Intervirolgy</i> , 2008, 51, 230-234.	2.8	54
76	Geographic origin is a significant determinant of human papillomavirus prevalence in oesophageal squamous cell carcinoma: Systematic review and meta-analysis. <i>Scandinavian Journal of Infectious Diseases</i> , 2013, 45, 1-18.	1.5	54
77	A Panel of Serum Biomarkers (GastroPanel®) in Non-invasive Diagnosis of Atrophic Gastritis. Systematic Review and Meta-analysis. <i>Anticancer Research</i> , 2016, 36, 5133-5144.	1.1	54
78	Human papillomavirus (HPV) DNA sequences demonstrated by in situ DNA hybridization in serial paraffin-embedded cervical biopsies. <i>Archives of Gynecology</i> , 1986, 239, 39-48.	0.6	53
79	DNA flow cytometry, nuclear morphometry, mitotic indices and steroid receptors as independent prognostic factors in female breast cancer. <i>International Journal of Cancer</i> , 1992, 51, 555-561.	5.1	53
80	Screening for human papillomavirus infections in esophageal squamous cell carcinomas by in situ hybridization. <i>Cancer</i> , 1993, 72, 2525-2530.	4.1	53
81	Nuclear $\beta$ -catenin expression as a prognostic factor in advanced colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2008, 14, 3866.	3.3	53
82	Detection of human papillomavirus in lung cancer: systematic review and meta-analysis. <i>Anticancer Research</i> , 2012, 32, 3235-50.	1.1	53
83	Prospective follow-up of genital HPV infections: Survival analysis of the HPV typing data. <i>European Journal of Epidemiology</i> , 1990, 6, 9-14.	5.7	52
84	Activation of the ERK/MAP Kinase Pathway in Cervical Intraepithelial Neoplasia Is Related to Grade of the Lesion but Not to High-Risk Human Papillomavirus, Virus Clearance, or Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2004, 122, 902-911.	0.7	52
85	Smoking is an independent risk factor for oncogenic human papillomavirus (HPV) infections but not for high-grade CIN. <i>European Journal of Epidemiology</i> , 2007, 22, 723-735.	5.7	52
86	Mitotic indexes as prognostic predictors in female breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1992, 118, 75-81.	2.5	51
87	An interlaboratory study to determine the presence of human papillomavirus DNA in esophageal carcinoma from China. , 1999, 81, 225-228.		51
88	Amyloid $\beta$ -protein deposition in skin of patients with dementia. <i>Lancet, The</i> , 1992, 339, 245.	18.7	50
89	The important prognostic value of Ki-67 expression as determined by image analysis in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1996, 122, 687-692.	2.5	50
90	Immunocytochemical Expression of p16INK4A and Ki-67 in Cytologically Negative and Equivocal Pap Smears Positive for Oncogenic Human Papillomavirus. <i>International Journal of Gynecological Pathology</i> , 2005, 24, 118-124.	1.4	49

#	ARTICLE	IF	CITATIONS
91	Up-regulation of VEGF, c-fms and COX-2 expression correlates with severity of cervical cancer precursor (CIN) lesions and invasive disease. <i>Gynecologic Oncology</i> , 2008, 110, 445-451.	1.4	48
92	Prognostic Value of Ki-67 Expression in Renal Cell Carcinomas. <i>European Urology</i> , 1997, 31, 350-355.	1.9	47
93	HPV genotypes and their prognostic significance in head and neck squamous cell carcinomas. <i>Journal of Clinical Virology</i> , 2012, 53, 116-120.	3.1	47
94	Factors predicting the outcome of conservatively treated adenocarcinoma in situ of the uterine cervix: An analysis of 166 cases. <i>Gynecologic Oncology</i> , 2012, 124, 490-495.	1.4	47
95	Risk assessment and clinical impact of liquid-based cytology, oncogenic human papillomavirus (HPV) DNA and mRNA testing in primary cervical cancer screening (The FASE Study). <i>Gynecologic Oncology</i> , 2012, 125, 175-180.	1.4	47
96	Detection and expression of human papillomavirus oncogenes in non-small cell lung cancer. <i>Oncology Reports</i> , 2006, 16, 183-9.	2.6	47
97	Detection of oncogenic DNA viruses in colorectal cancer. <i>Anticancer Research</i> , 2008, 28, 1405-10.	1.1	47
98	Histological Evidence for the Presence of Condylomatous Epithelial Lesions in Association with Laryngeal Squamous Cell Carcinoma. <i>Orl</i> , 1981, 43, 181-194.	1.1	46
99	Prognostic scores combining clinical, histological and morphometric variables in assessment of the disease outcome in female breast cancer. <i>International Journal of Cancer</i> , 1991, 49, 886-892.	5.1	46
100	Morphologic survey of the condylomatous lesions in dysplastic and neoplastic epithelium of the uterine cervix. <i>Archives of Gynecology</i> , 1979, 227, 153-161.	0.6	45
101	Esophageal Squamous Cell Papillomas Failure to Detect Human Papillomavirus DNA by in Situ Hybridization and Polymerase Chain Reaction. <i>Scandinavian Journal of Gastroenterology</i> , 1991, 26, 535-543.	1.5	45
102	Human papillomavirus (HPV) type 6 and 16 DNA sequences in bronchial squamous cell carcinomas demonstrated by in situ DNA hybridization. <i>Lung</i> , 1989, 167, 33-42.	3.3	43
103	Performance characteristics of Pap test, VIA, VILI, HR-HPV testing, cervicography, and colposcopy in diagnosis of significant cervical pathology. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 460, 577-585.	2.8	43
104	Transitional Cell Carcinoma Of The Bladder: Failure To Demonstrate Human Papillomavirus Deoxyribonucleic Acid By In Situ Hybridization And Polymerase Chain Reaction. <i>Journal of Urology</i> , 1994, 152, 1429-1433.	0.4	41
105	HPV DNA test and Pap smear in detection of residual and recurrent disease following loop electrosurgical excision procedure of high-grade cervical intraepithelial neoplasia. <i>Gynecologic Oncology</i> , 2004, 94, 181-186.	1.4	41
106	PLA2 (group IIA phospholipase A2) as a prognostic determinant in stage II colorectal carcinoma. <i>Annals of Oncology</i> , 2009, 20, 1230-1235.	1.2	41
107	Genotype-Specific Incidence and Clearance of Human Papillomavirus in Oral Mucosa of Women: A Six-Year Follow-Up Study. <i>PLoS ONE</i> , 2013, 8, e53413.	2.5	41
108	Hormone Receptors as Prognostic Factors in Female: Breast Cancer. <i>Annals of Medicine</i> , 1991, 23, 643-648.	3.8	40

#	ARTICLE	IF	CITATIONS
109	Human Papillomavirus Testing and Conventional Pap Smear Cytology as Optional Screening Tools of Women at Different Risks for Cervical Cancer in the Countries of the Former Soviet Union. <i>Journal of Lower Genital Tract Disease</i> , 2002, 6, 97-110.	1.9	40
110	Expression of p53 protein has no independent prognostic value in breast cancer. <i>Journal of Pathology</i> , 1995, 177, 225-232.	4.5	39
111	CD44 Isoform 6 (CD44v6) Is a Prognostic Indicator of the Response to Neoadjuvant Chemotherapy in Cervical Carcinoma. <i>Gynecologic Oncology</i> , 2001, 80, 67-73.	1.4	39
112	Lack of CD44 variant 6 expression in rectal cancer invasive front associates with early recurrence. <i>World Journal of Gastroenterology</i> , 2012, 18, 4549.	3.3	39
113	High cyclooxygenase-2 expression is associated with advanced stages in colorectal cancer. <i>Anticancer Research</i> , 2013, 33, 3137-43.	1.1	39
114	Value of the International Federation for Cervical Pathology and Colposcopy (IFCPC) Terminology in Predicting Cervical Disease. <i>Journal of Lower Genital Tract Disease</i> , 2007, 11, 158-165.	1.9	38
115	Neoadjuvant Chemotherapy in Cervical Carcinoma. <i>American Journal of Clinical Pathology</i> , 2001, 116, 729-737.	0.7	37
116	Fecal Occult Blood Tests in Colorectal Cancer Screening: Systematic Review and Meta-analysis of Traditional and New-generation Fecal Immunochemical Tests. <i>Anticancer Research</i> , 2020, 40, 3591-3604.	1.1	37
117	Colposcopy, punch biopsy, in situ DNA hybridization, and the polymerase chain reaction in searching for genital human papillomavirus (HPV) infections in women with normal PAP smears. <i>Journal of Medical Virology</i> , 1990, 31, 259-266.	5.0	36
118	Age-specific incidence and clearance of high-risk human papillomavirus infections in women in the former Soviet Union. <i>International Journal of STD and AIDS</i> , 2005, 16, 217-223.	1.1	36
119	Prevalence of type-specific human papillomavirus infection among women in France: Implications for screening, vaccination, and a future generation of multivalent HPV vaccines. <i>Vaccine</i> , 2012, 30, 5215-5221.	3.8	36
120	HPV in Head and Neck Cancer—30 Years of History. <i>Recent Results in Cancer Research</i> , 2017, 206, 3-25.	1.8	36
121	Mitotic activity and prognosis in prostatic adenocarcinoma. <i>Prostate</i> , 1995, 26, 80-86.	2.3	35
122	Loss of E-cadherin expression predicts disease recurrence and shorter survival in colorectal carcinoma. <i>Apmis</i> , 2012, 120, 539-548.	2.0	35
123	Expression of proliferating cell nuclear antigen (PC10), p53 protein and c-erbB-2 in renal adenocarcinoma. <i>International Journal of Cancer</i> , 1994, 57, 275-280.	5.1	34
124	p53 and bcl-2 proteins as prognostic markers in human papillomavirus-associated cervical lesions. <i>Journal of Clinical Oncology</i> , 1996, 14, 2120-2130.	1.6	34
125	Activation of the ERK/MAP Kinase Pathway in Cervical Intraepithelial Neoplasia Is Related to Grade of the Lesion but not to High-Risk Human Papillomavirus, Virus Clearance, or Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2004, 122, 902-911.	0.7	34
126	The role of nucleolar organiser regions as prognostic factors in breast cancer. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1991, 27, 989-992.	0.7	33



#	ARTICLE	IF	CITATIONS
127	Polymerase Chain Reaction Amplification of Human Papillomavirus DNA from Archival, Papanicolaou-Stained Cervical Smears. <i>Acta Cytologica</i> , 1996, 40, 391-395.	1.3	33
128	MMP-1 (collagenase-1) expression in primary colorectal cancer and its metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 1473-1478.	1.5	33
129	Squamous cell carcinoma of the conjunctiva. <i>Acta Ophthalmologica</i> , 1992, 70, 248-254.	1.1	33
130	Lack of type-specific concordance between human papillomavirus (HPV) serology and HPV DNA detection in the uterine cervix and oral mucosa. <i>Journal of General Virology</i> , 2011, 92, 2034-2046.	2.9	33
131	Epstein-Barr virus (EBV)-encoded small RNAs (EBERs) associated with poor prognosis of head and neck carcinomas. <i>Oncotarget</i> , 2017, 8, 27328-27338.	1.8	33
132	Sexual behaviour of women with human papillomavirus (HPV) lesions of the uterine cervix.. <i>Sexually Transmitted Infections</i> , 1984, 60, 243-248.	1.9	32
133	Systemic $\pm$ -interferon (Wellferon) treatment of genital human papillomavirus (HPV) type 6, 11, 16, and 18 infections: Double-blind, placebo-controlled trial. <i>Gynecologic Oncology</i> , 1991, 43, 55-60.	1.4	32
134	Cigarette smoking and high-risk HPV DNA as predisposing factors for high-grade cervical intraepithelial neoplasia (CIN) in young Brazilian women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 678-682.	2.8	32
135	Prognostic Significance of Matrix Metalloproteinase-9 (MMP-9) in Stage II Colorectal Carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2009, 40, 91-7.	1.3	32
136	Cyclooxygenase-2 expression as a predictor of outcome in colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2012, 18, 1793.	3.3	32
137	Bronchial squamous cell carcinomas associated with epithelial changes identical to condylomatous lesions of the uterine cervix. <i>Lung</i> , 1980, 158, 131-142.	3.3	31
138	The value of histoquantitative measurements in prognostic assessment of renal adenocarcinoma. <i>International Journal of Cancer</i> , 1993, 55, 547-554.	5.1	31
139	Hybrid Capture II and Polymerase Chain Reaction for Identifying HPV Infections in Samples Collected in a New Collection Medium. <i>Acta Cytologica</i> , 2004, 48, 514-520.	1.3	31
140	Conventional Pap Smear and Liquid-Based Cytology as Screening Tools in Low-Resource Settings in Latin America. <i>Acta Cytologica</i> , 2005, 49, 500-506.	1.3	31
141	Upregulation of telomerase (hTERT) is related to the grade of cervical intraepithelial neoplasia, but is not an independent predictor of high-risk human papillomavirus, virus persistence, or disease outcome in cervical cancer. <i>Diagnostic Cytopathology</i> , 2006, 34, 739-748.	1.0	31
142	Serum VEGF-C is associated with metastatic site in patients with malignant melanoma. <i>Acta Oncologica</i> , 2007, 46, 678-684.	1.8	31
143	Prevalence of the most common high-risk HPV genotypes among women in three new independent states of the former Soviet Union. <i>Journal of Medical Virology</i> , 2007, 79, 771-781.	5.0	31
144	Human Papillomavirus Genotypes in Male Genitalia and Their Concordance among Pregnant Spouses Participating in the Finnish Family HPV Study. <i>Journal of Sexual Medicine</i> , 2011, 8, 2522-2531.	0.6	31

#	ARTICLE	IF	CITATIONS
145	The effect of vascular endothelial growth factor-1 expression on survival of advanced colorectal cancer patients. <i>Libyan Journal of Medicine</i> , 2017, 12, 1290741.	1.6	31
146	A simple method for isolation of DNA from formalin-fixed paraffin-embedded samples for PCR. <i>Journal of Virological Methods</i> , 1991, 35, 39-47.	2.1	30
147	Management of stage-I borderline ovarian tumors. <i>International Journal of Gynecology and Obstetrics</i> , 1996, 54, 37-44.	2.3	30
148	Acquisition of High-Risk Human Papillomavirus Infections and Pap Smear Abnormalities among Women in the New Independent States of the Former Soviet Union. <i>Journal of Clinical Microbiology</i> , 2004, 42, 505-511.	3.9	30
149	Serum antibody response to Human papillomavirus (HPV) infections detected by a novel ELISA technique based on denatured recombinant HPV16 L1, L2, E4, E6 and E7 proteins. <i>Infectious Agents and Cancer</i> , 2006, 1, 6.	2.6	30
150	Prevalence of <i>H. pylori</i> infection and atrophic gastritis among symptomatic and dyspeptic adults in Kazakhstan. A hospital-based screening study using a panel of serum biomarkers. <i>Anticancer Research</i> , 2013, 33, 4595-602.	1.1	30
151	Prevalence of Genital Human Papillomavirus Infections in a Mass-Screened Finnish Female Population Aged 20-65 Years. <i>International Journal of STD and AIDS</i> , 1990, 1, 410-415.	1.1	29
152	Proliferating-cell nuclear antigen (PC10) immunolabelling and other proliferation indices as prognostic factors in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1993, 119, 288-294.	2.5	29
153	Topical treatment with human leukocyte interferon of HPV 16 infections associated with cervical and vaginal intraepithelial neoplasias. <i>Gynecologic Oncology</i> , 1990, 36, 353-357.	1.4	28
154	p16 <sup>INK4a</sup> Immunocytochemistry in Liquid-Based Cytology Samples in Equivocal Pap Smears. <i>Acta Cytologica</i> , 2007, 51, 755-766.	1.3	28
155	Serum matrix metalloproteinase-8 is associated with ulceration and vascular invasion of malignant melanoma. <i>Melanoma Research</i> , 2008, 18, 268-273.	1.2	28
156	Outcome of Conservatively Treated Microinvasive Squamous Cell Carcinoma of the Uterine Cervix During a 10-Year Follow-up. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 33-38.	2.5	28
157	Genotype-Specific Clearance of Genital Human Papillomavirus (HPV) Infections among Mothers in the Finnish Family HPV Study. <i>Journal of Clinical Microbiology</i> , 2010, 48, 2665-2671.	3.9	28
158	Verrucous squamous cell carcinoma of the female genital tract. Report of three cases and survey of the literature. <i>International Journal of Gynecology and Obstetrics</i> , 1981, 19, 351-356.	2.3	27
159	Association of DNA Aneuploidy with Human Papillomavirus-Induced Malignant Transformation of Sinonasal Transitional Papillomas. <i>Otolaryngology - Head and Neck Surgery</i> , 1989, 100, 563-567.	1.9	27
160	Cationic liposomes mediated delivery of antisense oligonucleotides targeted to HPV 16 E7 mRNA in CaSki cells. <i>Antiviral Research</i> , 1994, 23, 119-130.	4.1	27
161	Progression and survival in prostatic adenocarcinoma: a comparison of clinical stage, Gleason grade, S-phase fraction and DNA ploidy. <i>British Journal of Cancer</i> , 1994, 70, 309-314.	6.4	27
162	Rapid and effective detection of mutations in the p53 gene using nonradioactive single-strand conformation polymorphism (SSCP) technique applied on PhastSystem <sup>®</sup> . <i>Journal of Virological Methods</i> , 1995, 51, 43-53.	2.1	27

#	ARTICLE	IF	CITATIONS
163	Detection and expression of human papillomavirus oncogenes in non-small cell lung cancer. <i>Oncology Reports</i> , 2006, 16, 183.	2.6	27
164	Needs of developing the skills of palliative care at the oncology ward. <i>Supportive Care in Cancer</i> , 2008, 16, 3-8.	2.2	27
165	Hormonal Contraceptives and the Length of Their Use Are Not Independent Risk Factors for High-Risk HPV Infections or High-Grade CIN. <i>Gynecologic and Obstetric Investigation</i> , 2011, 71, 93-103.	1.6	27
166	HPV-Associated Benign Squamous Cell Papillomas in the Upper Aero-Digestive Tract and Their Malignant Potential. <i>Viruses</i> , 2021, 13, 1624.	3.3	27
167	Detection of Human Papillomavirus DNA by the Nucleic Acid Sandwich Hybridization Method From Cervical Scraping. <i>Journal of Medical Virology</i> , 1986, 20, 279-288.	5.0	26
168	c-erbB-2 Oncogene Expression in Salivary Gland Tumours. <i>Orl</i> , 1994, 56, 206-212.	1.1	26
169	Phyllodes tumour: cytologic and histologic presentation of 22 cases, and immunohistochemical demonstration of p53. <i>Cytopathology</i> , 1997, 8, 177-187.	0.7	26
170	Immunosuppressive cytokine Interleukin-10 (IL-10) is up-regulated in high-grade CIN but not associated with high-risk human papillomavirus (HPV) at baseline, outcomes of HR-HPV infections or incident CIN in the LAMS cohort. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 455, 505-515.	2.8	26
171	Colorectal Cancer Screening With Traditional and New-generation Fecal Immunochemical Tests: A Critical Review of Fecal Occult Blood Tests. <i>Anticancer Research</i> , 2020, 40, 575-581.	1.1	26
172	RASSF1A methylation is predictive of poor prognosis in female breast cancer in a background of overall low methylation frequency. <i>Anticancer Research</i> , 2011, 31, 2975-81.	1.1	26
173	Concept of the Existence of Human Papillomavirus (HPV) DNA in Histologically Normal Squamous Epithelium of the Genital Tract Should be Re-evaluated. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1989, 68, 613-617.	2.8	25
174	Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 173, 1477-1482.	1.3	25
175	Estrogen response in buccal mucosa – a cytological and immunohistological assay. <i>Maturitas</i> , 1997, 27, 41-45.	2.4	25
176	Combined Pap Smear, Cervicography and HPV DNA Testing in the Detection of Cervical Intraepithelial Neoplasia and Cancer. <i>Acta Cytologica</i> , 2000, 44, 310-318.	1.3	25
177	Comparison of DNA sequencing and Roche Linear array in human papillomavirus (HPV) genotyping. <i>Anticancer Research</i> , 2006, 26, 3939-41.	1.1	25
178	Two different human papillomavirus (HPV) types associated with oral mucosal lesions in an HIV-seropositive man. <i>Journal of Oral Pathology and Medicine</i> , 1989, 18, 366-370.	2.7	24
179	Human papillomavirus infections in the respiratory tract. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 1992, 13, 210-225.	1.3	24
180	Clinical Course and Prognostic Factors of Human Papillomavirus Infections in Men. <i>Sexually Transmitted Diseases</i> , 1994, 21, 272-279.	1.7	24

#	ARTICLE	IF	CITATIONS
181	Failure to demonstrate human papillomavirus (HPV) involvement in Bowen's disease of the skin. Archives of Dermatological Research, 1996, 289, 40-45.	1.9	24
182	Transmission of Genital Human Papillomavirus Infections is Unlikely through the Floor and Seats of Humid Dwellings in Countries of High-Level Hygiene. Scandinavian Journal of Infectious Diseases, 1996, 28, 243-246.	1.5	24
183	Human papillomavirus viral load in predicting high-grade CIN in women with cervical smears showing only atypical squamous cells or low-grade squamous intraepithelial lesion. Sao Paulo Medical Journal, 2003, 121, 238-243.	0.9	24
184	Over-Expression of Topoisomerase II?? is Related to the Grade of Cervical Intraepithelial Neoplasia (CIN) and High-Risk Human Papillomavirus (HPV), but does not Predict Prognosis in Cervical Cancer or HPV Clearance after Cone Treatment. International Journal of Gynecological Pathology, 2006, 25, 383-392.	1.4	24
185	Tobacco smoking and chewing as risk factors for multiple human papillomavirus infections and cervical squamous intraepithelial lesions in two countries (Côte d'Ivoire and Finland) with different tobacco exposure. Cancer Causes and Control, 2009, 20, 163-170.	1.8	24
186	Increased Risk of Oncogenic Human Papillomavirus Infections and Incident High-Grade Cervical Intraepithelial Neoplasia Among Smokers. Sexually Transmitted Diseases, 2009, 36, 241-248.	1.7	24
187	Loss of MUC2 expression predicts disease recurrence and poor outcome in colorectal carcinoma. Tumor Biology, 2013, 34, 621-628.	1.8	24
188	HPV in Head and Neck Carcinomas: Different HPV Profiles in Oropharyngeal Carcinomas " Why?. Acta Cytologica, 2019, 63, 124-142.	1.3	24
189	GastroPanel® Biomarker Assay: The Most Comprehensive Test for <i>Helicobacter pylori</i> Infection and Its Clinical Sequelae. A Critical Review. Anticancer Research, 2019, 39, 1091-1104.	1.1	24
190	Oral contraceptives are not an independent risk factor for cervical intraepithelial neoplasia or high-risk human papillomavirus infections. Anticancer Research, 2006, 26, 4729-40.	1.1	24
191	Detection of human papillomavirus in esophageal papillomas: systematic review and meta-analysis. Apmis, 2013, 121, 363-374.	2.0	23
192	Digital photography in skin cancer screening by mobile units in remote areas of Brazil. BMC Dermatology, 2014, 14, 19.	2.1	23
193	Renal Adenomatosis. Scandinavian Journal of Urology and Nephrology, 1979, 13, 329-334.	1.4	22
194	Detection of human papillomavirus DNA in anogenital condylomata in men using in situ DNA hybridisation applied to paraffin sections.. Sexually Transmitted Infections, 1987, 63, 32-39.	1.9	22
195	Altered expression of filaggrin in human papillomavirus (HPV) lesions of the uterine cervix. Archives of Gynecology and Obstetrics, 1988, 241, 235-247.	1.7	22
196	Cryotherapy and Co <sub>2</sub> Laser Vaporization in the Treatment of Cervical and Vaginal Human Papillomavirus (HPV) Infections. Acta Obstetrica Et Gynecologica Scandinavica, 1989, 68, 619-625.	2.8	22
197	Tumour vascularity and basement membrane structure in breast cancer as related to tumour histology and prognosis. Journal of Cancer Research and Clinical Oncology, 1994, 120, 645-650.	2.5	22
198	Upregulation of nuclear factor- $\kappa$ B (NF- $\kappa$ B) is related to the grade of cervical intraepithelial neoplasia, but is not an independent predictor of high-risk human papillomavirus or disease outcome in cervical cancer. Diagnostic Cytopathology, 2006, 34, 555-563.	1.0	22

#	ARTICLE	IF	CITATIONS
199	Detection of Human Papillomavirus Genotypes Among High-Risk Women: A Comparison of Hybrid Capture and Linear Array Tests. <i>Sexually Transmitted Diseases</i> , 2008, 35, 521-527.	1.7	22
200	Expression of Cell Cycle Regulators P21 and P27 as Predictors of Disease Outcome in Colorectal Carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2012, 43, 279-287.	1.3	22
201	HLA-G and vertical mother-to-child transmission of human papillomavirus infection. <i>Human Immunology</i> , 2018, 79, 471-476.	2.4	22
202	Tumor-host relationships in colorectal carcinoma. <i>Diseases of the Colon and Rectum</i> , 1978, 21, 29-36.	1.3	21
203	Genital human papillomavirus lesions of the male sexual partners: the diagnostic accuracy of peniscopy.. <i>Sexually Transmitted Infections</i> , 1991, 67, 291-296.	1.9	21
204	Human papillomavirus in vulvar and vaginal carcinoma cell lines. <i>British Journal of Cancer</i> , 1995, 72, 134-139.	6.4	21
205	Collagen IV and Tenascin Immunoreactivity as Prognostic Determinant in Benign and Malignant Salivary Gland Tumours. <i>Acta Oto-Laryngologica</i> , 1995, 115, 569-575.	0.9	21
206	Performance of cytology and colposcopy in diagnosis of cervical intraepithelial neoplasia (CIN) in HIV-positive and HIV-negative women. <i>Cytopathology</i> , 2001, 12, 84-93.	0.7	21
207	Sexual Habits and Human Papillomavirus Infection Among Females in Three New Independent States of the Former Soviet Union. <i>Sexually Transmitted Diseases</i> , 2003, 30, 680-684.	1.7	21
208	Regulation of cell cycles is of key importance in human papillomavirus (HPV)-associated cervical carcinogenesis. <i>Sao Paulo Medical Journal</i> , 2003, 121, 128-132.	0.9	21
209	Prognostic value of P53 codon 72 polymorphism in invasive cervical cancer in Brazil. <i>Gynecologic Oncology</i> , 2004, 93, 374-380.	1.4	21
210	Predicting High-Risk Human Papillomavirus Infection, Progression of Cervical Intraepithelial Neoplasia, and Prognosis of Cervical Cancer With a Panel of 13 Biomarkers Tested in Multivariate Modeling. <i>International Journal of Gynecological Pathology</i> , 2008, PAP, 265-73.	1.4	21
211	Molecular Markers Implicating Early Malignant Events in Cervical Carcinogenesis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2003-2012.	2.5	21
212	Natural seroconversion to high-risk human papillomaviruses (hrHPVs) is not protective against related HPV genotypes. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 379-384.	1.5	21
213	Acetowhite staining and its significance in diagnosis of oral mucosal lesions in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1990, 19, 278-283.	2.7	20
214	Mismatch Repair Status Is a Predictive Factor of Tumour Response to 5-Fluorouracil and Irinotecan Chemotherapy in Patients with Advanced Colorectal Cancer. <i>Tumor Biology</i> , 2007, 28, 212-220.	1.8	20
215	Serum angiogenin levels predict treatment response in patients with stage IV melanoma. <i>Clinical and Experimental Metastasis</i> , 2007, 24, 567-574.	3.3	20
216	Persistent High-Risk Human Papillomavirus Infections and Other End-Point Markers of Progressive Cervical Disease Among Women Prospectively Followed up in the New Independent States of the Former Soviet Union and the Latin American Screening Study Cohorts. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 934-942.	2.5	20

#	ARTICLE	IF	CITATIONS
217	Inflammatory cells and their subsets in lesions of juvenile periodontitis: A family study. <i>Acta Odontologica Scandinavica</i> , 1984, 42, 285-292.	1.6	19
218	Epstein-Barr Virus Involvement in Salivary Gland Lesions Associated with Sjögren's Syndrome. <i>Orl</i> , 1990, 52, 254-259.	1.1	19
219	Nuclear morphometry is of independent prognostic value only in T1 prostatic adenocarcinomas. <i>Prostate</i> , 1995, 27, 110-117.	2.3	19
220	PRENATAL SCREENING FOR CONGENITAL NEPHROSIS IN EAST FINLAND: RESULTS AND IMPACT ON THE BIRTH PREVALENCE OF THE DISEASE. , 1996, 16, 207-213.		19
221	Cytoplasmic E-Cadherin Expression Is Associated With Higher Tumour Level of VEGFA, Lower Response Rate to Irinotecan-based Treatment and Poorer Prognosis in Patients With Metastatic Colorectal Cancer. <i>Anticancer Research</i> , 2019, 39, 1953-1957.	1.1	19
222	Paracortical Activity of the Regional Lymph Nodes as a Prognostic Determinant in Gastric Carcinoma. <i>Scandinavian Journal of Gastroenterology</i> , 1977, 12, 897-902.	1.5	18
223	Morphological and immunohistochemical evidence of human papilloma virus (HPV) involvement in the dysplastic lesions of the uterine cervix. <i>International Journal of Gynecology and Obstetrics</i> , 1983, 21, 261-269.	2.3	18
224	Immunocompetent Cells in Uterine Cervical Lesions of Human Papillomavirus Origin. <i>Gynecologic and Obstetric Investigation</i> , 1983, 16, 327-340.	1.6	18
225	The changing importance of prognostic factors in breast cancer during long-term follow-up. <i>International Journal of Cancer</i> , 1992, 51, 698-702.	5.1	18
226	Behavior of cervical intraepithelial neoplasia (CIN) associated with various human papillomavirus (HPV) types. <i>Archives of Gynecology and Obstetrics</i> , 1993, 252, 119-128.	1.7	18
227	The expression and distribution of group IIA phospholipase A2 in human colorectal tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 457, 659-667.	2.8	18
228	Angiogenesis in urinary bladder carcinoma as defined by microvessel density (MVD) after immunohistochemical staining for Factor VIII and CD31. <i>Libyan Journal of Medicine</i> , 2011, 6, 6016.	1.6	18
229	Opioids in pain management of mesothelioma and lung cancer patients. <i>Acta Oncologica</i> , 2013, 52, 30-37.	1.8	18
230	Prevalence of H. pylori Infection and Atrophic Gastritis in a Population-based Screening with Serum Biomarker Panel (GastroPanel®) in St. Petersburg. <i>Anticancer Research</i> , 2016, 36, 4129-38.	1.1	18
231	The relation between the type of immunoreactive cells found in human papillomavirus (HPV) lesions of the uterine cervix and the subsequent behaviour of these lesions. <i>Archives of Gynecology</i> , 1984, 234, 189-196.	0.6	17
232	DNA Ploidy, S Phase Fraction and G2 Fraction as Prognostic Determinants in Prostatic Adenocarcinoma. <i>European Urology</i> , 1991, 20, 62-66.	1.9	17
233	Demonstration of human papillomavirus (HPV) type 30 in esophageal squamous-cell carcinomas by in situ hybridization. <i>International Journal of Cancer</i> , 1993, 55, 171-173.	5.1	17
234	Î2-Amyloid Protein Immunoreactivity in Skin Is Not a Reliable Marker of Alzheimer's Disease. <i>Archives of Neurology</i> , 1994, 51, 799.	4.5	17

#	ARTICLE	IF	CITATIONS
235	Human papillomavirus 16-specific cell-mediated immunity in children born to mothers with incident cervical intraepithelial neoplasia (CIN) and to those constantly HPV negative. <i>Journal of Translational Medicine</i> , 2015, 13, 370.	4.4	17
236	Breast Milk Is a Potential Vehicle for Human Papillomavirus Transmission to Oral Mucosa of the Spouse. <i>Pediatric Infectious Disease Journal</i> , 2017, 36, 627-630.	2.0	17
237	Post-capillary venules of the lymphatic tissues in mice with special reference to the depletion of T-lymphocyte population. <i>Experimental and Molecular Pathology</i> , 1978, 29, 291-302.	2.1	16
238	Anal condylomas in men. 1. Histopathological and virological assessment.. <i>Sexually Transmitted Infections</i> , 1989, 65, 216-224.	1.9	16
239	Prognostic factors in axillary lymph node-negative (pN <sup>0</sup> ) breast carcinomas. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1991, 27, 1555-1559.	0.7	16
240	Expression of Transforming Growth Factor- $\beta$ 1 and - $\beta$ 2 in Human Papillomavirus (HPV)-Associated Lesions of the Uterine Cervix. <i>Gynecologic Oncology</i> , 1994, 54, 349-356.	1.4	16
241	High risk HPV and p53 protein expression in cervical intraepithelial neoplasia. <i>International Journal of Gynecology and Obstetrics</i> , 2000, 71, 45-48.	2.3	16
242	Associations of Body Mass Index and Physical Activity With Sexual Dysfunction in Breast Cancer Survivors. <i>Archives of Sexual Behavior</i> , 2016, 45, 2057-2068.	1.9	16
243	Physical state and copy numbers of HPV16 in oral asymptomatic infections that persisted or cleared during the 6-year follow-up. <i>Journal of General Virology</i> , 2017, 98, 681-689.	2.9	16
244	Carbonic anhydrase IX, hypoxia-inducible factor-1 $\alpha$ , ezrin and glucose transporter-1 as predictors of disease outcome in rectal cancer: multivariate Cox survival models following data reduction by principal component analysis of the clinicopathological predictors. <i>Anticancer Research</i> , 2011, 31, 4529-35.	1.1	16
245	Langerhans cells in human papillomavirus (HPV) lesions of the uterine cervix identified by the monoclonal antibody OKT-6. <i>International Journal of Gynecology and Obstetrics</i> , 1984, 22, 375-383.	2.3	15
246	Chlamydial Cervicitis in Women Followed-Up For Human Papillomavirus (HPV) Lesions of the Uterine Cervix. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1985, 64, 467-471.	2.8	15
247	JC virus infection and Alzheimer's disease: Reappraisal of an in situ hybridization approach. <i>Annals of Neurology</i> , 1992, 31, 439-441.	5.3	15
248	Prognostic Significance of TGF- $\beta$ Expression in Breast Cancer. <i>Acta Oncologica</i> , 1996, 35, 995-998.	1.8	15
249	Tissue localization of bovine dander allergen Bos d 2 $\alpha$ . <i>Journal of Allergy and Clinical Immunology</i> , 1998, 101, 349-353.	2.9	15
250	Prevalence of genital human papillomavirus infections established using different diagnostic techniques among males attending a urological clinic. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 138-143.	1.4	15
251	Linear array genotyping and hybrid capture II assay in detecting human papillomavirus genotypes in women referred for colposcopy due to abnormal Papanicolaou smear. <i>International Journal of STD and AIDS</i> , 2008, 19, 385-392.	1.1	15
252	Value of Conventional Pap Smear, Liquid-Based Cytology, Visual Inspection and Human Papillomavirus Testing as Optional Screening Tools Among Latin American Women < 35 and = 35 Years of Age. <i>Acta Cytologica</i> , 2008, 52, 641-653.	1.3	15

#	ARTICLE	IF	CITATIONS
253	Smoking worsens the prognosis of mild abnormalities in cervical cytology. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2009, 88, 514-520.	2.8	15
254	Protein phosphatase 2A (PP2A) inhibitor CIP2A indicates resistance to radiotherapy in rectal cancer. <i>Cancer Medicine</i> , 2018, 7, 698-706.	2.8	15
255	Stomach-specific Biomarkers (GastroPanel) Can Predict the Development of Gastric Cancer in a Caucasian Population: A Longitudinal Nested Case-Control Study in Siberia. <i>Anticancer Research</i> , 2016, 36, 247-53.	1.1	15
256	In situ hybridization analysis of HPV DNA in cervical precancer and cervical cancers from China. <i>Archives of Gynecology and Obstetrics</i> , 1990, 247, 21-29.	1.7	14
257	Detection of human papillomavirus type 11 DNA in a conjunctival squamous cell papilloma by in situ hybridization with biotinylated probes. <i>Acta Ophthalmologica</i> , 1989, 67, 425-429.	1.1	14
258	Cervical cancer screening in Mediterranean countries: implications for the future. <i>Cytopathology</i> , 2010, 21, 359-367.	0.7	14
259	Preoperative radiotherapy modulates ezrin expression and its value as a predictive marker in patients with rectal cancer. <i>Human Pathology</i> , 2011, 42, 384-392.	2.0	14
260	Protein phosphatase methylesterase-1 (PME-1) expression predicts a favorable clinical outcome in colorectal cancer. <i>Cancer Medicine</i> , 2015, 4, 1798-1808.	2.8	14
261	Comparison of a New-generation Fecal Immunochemical Test (FIT) With Guaiac Fecal Occult Blood Test (gFOBT) in Detecting Colorectal Neoplasia Among Colonoscopy-referral Patients. <i>Anticancer Research</i> , 2019, 39, 261-269.	1.1	14
262	Pediatric Acute Appendicitis Score in Children With Acute Abdominal Pain (AAP). <i>Anticancer Research</i> , 2021, 41, 297-306.	1.1	14
263	Demonstration of Human Papilloma Virus (HPV) Antigens in a Case of Urethral Condyloma. <i>Scandinavian Journal of Urology and Nephrology</i> , 1983, 17, 267-270.	1.4	13
264	Screening of premalignant cervical lesions for HPV 16 DNA by sandwich and in situ hybridization techniques. <i>Gynecologic Oncology</i> , 1988, 30, 251-264.	1.4	13
265	Cytokeratin pattern in normal and HPV infected oral mucosa in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1991, 20, 26-31.	2.7	13
266	Tumor Size, Nuclear Morphometry, Mitotic Indices as Prognostic Factors in Axillary-Lymph-Node-Positive Breast Cancer. <i>European Surgical Research</i> , 1992, 24, 160-168.	1.3	13
267	Clinical Course of Cervical Human Papillomavirus Lesions in Relation to Coexistent Cervical Infections. <i>Sexually Transmitted Diseases</i> , 1992, 19, 137-139.	1.7	13
268	DNA recovery from Hybrid Capture II samples stored in specimen transport medium with denaturing reagent, for the detection of human papillomavirus by PCR. <i>Journal of Virological Methods</i> , 2005, 126, 197-201.	2.1	13
269	Molecular markers: How to apply in practice. <i>Gynecologic Oncology</i> , 2006, 103, 18-20.	1.4	13
270	Cell Cycle Regulators p105, p107, Rb2/p130, E2F4, p21CIP1/WAF1, Cyclin A in Predicting Cervical Intraepithelial Neoplasia, High-Risk Human Papillomavirus Infections and Their Outcome in Women Screened in Three New Independent States of the Former Soviet Union. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1250-1256.	2.5	13



#	ARTICLE	IF	CITATIONS
271	Effect of Second Pregnancy on Maternal Carriage and Outcome of High-Risk Human Papillomavirus (HPV). <i>Gynecologic and Obstetric Investigation</i> , 2009, 67, 208-216.	1.6	13
272	Cell mediated immunity against HPV16 E2, E6 and E7 peptides in women with incident CIN and in constantly HPV-negative women followed-up for 10-years. <i>Journal of Translational Medicine</i> , 2015, 13, 163.	4.4	13
273	Polyomaviruses detectable in head and neck carcinomas. <i>Oncotarget</i> , 2018, 9, 22642-22652.	1.8	13
274	Leucocyte Count Does Not Improve the Diagnostic Performance of a Diagnostic Score (DS) in Distinguishing Acute Appendicitis (AA) from Nonspecific Abdominal Pain (NSAP). <i>In Vivo</i> , 2020, 34, 3327-3339.	1.3	13
275	Gender-specific Performance of a Diagnostic Score in Acute Appendicitis. <i>In Vivo</i> , 2020, 34, 3687-3703.	1.3	13
276	Morphology of the Regional Lymph Nodes of Gastric Carcinoma and Ulcer of the Stomach in Relation to Immunological Function. <i>Scandinavian Journal of Gastroenterology</i> , 1977, 12, 903-909.	1.5	12
277	Tumor Differentiation and Tumor-Host Interactions as Prognostic Determinants in Squamous Cell Carcinoma of the Lip. <i>Acta Oto-Laryngologica</i> , 1986, 101, 152-160.	0.9	12
278	Circulating immune complexes in sera from patients with Alzheimer's disease, multi-infarct dementia and Down's syndrome. <i>Neuroscience Letters</i> , 1993, 149, 67-70.	2.1	12
279	Diagnosis of genital human papillomavirus (HPV) lesions in the male: correlation of peniscopy, histology and in situ hybridisation.. <i>Sexually Transmitted Infections</i> , 1993, 69, 346-351.	1.9	12
280	Clinical relevance of p53 index and expression of proliferating cell nuclear antigen and Ki-67 in gastric cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1998, 124, 497-502.	2.5	12
281	Thymidylate synthase and microsatellite instability in colorectal cancer: Implications for disease free survival, treatment response and survival with metastases. <i>Acta Oncologica</i> , 2008, 47, 1046-1053.	1.8	12
282	Optional screening strategies for cervical cancer using standalone tests and their combinations among low- and medium-income populations in Latin America and Eastern Europe. <i>Journal of Medical Screening</i> , 2010, 17, 195-203.	2.3	12
283	Oral Human Papillomavirus Infection in Children during the First 6 Years of Life, Finland. <i>Emerging Infectious Diseases</i> , 2021, 27, 759-766.	4.3	12
284	Is Improved Detection of Adenocarcinoma in Situ by Screening a Key to Reducing the Incidence of Cervical Adenocarcinoma?. <i>Acta Cytologica</i> , 2004, 48, 591-594.	1.3	12
285	Performance of a Diagnostic Score in Confirming Acute Cholecystitis Among Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2020, 40, 6947-6956.	1.1	12
286	Condylomatous Epithelial Changes in the Uterine Cervix and Their Relationship to Cervical Carcinogenesis. <i>International Journal of Gynecology and Obstetrics</i> , 1980, 17, 415-420.	2.3	11
287	Condylomatous Lesions of the Uterine Cervix with Special Reference to Squamous Cell Carcinogenesis. <i>Gynecologic and Obstetric Investigation</i> , 1980, 11, 350-364.	1.6	11
288	Natural Killer (NK) Cells with HNK-1 Phenotype in the Cervical Biopsies of Women Followed-Up for Human Papillomavirus (HPV) Lesions. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1986, 65, 139-145.	2.8	11

#	ARTICLE	IF	CITATIONS
289	Quality Assurance/Control Issues. <i>Acta Cytologica</i> , 1998, 42, 133-140.	1.3	11
290	Molecular Strategies for Identifying Human Papillomavirus Infection in Routinely Processed Samples: Focus on Paraffin Sections. <i>Journal of Lower Genital Tract Disease</i> , 2005, 9, 219-224.	1.9	11
291	Performance of Pap smear and human papilloma virus testing in the follow-up of women with cervical intraepithelial neoplasia grade 1 managed conservatively. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 444-450.	2.8	11
292	Up-regulation of Lipocalin 2 Is Associated With High-Risk Human Papillomavirus and Grade of Cervical Lesion at Baseline but Does Not Predict Outcomes of Infections or Incident Cervical Intraepithelial Neoplasia. <i>American Journal of Clinical Pathology</i> , 2010, 134, 50-59.	0.7	11
293	Prophylactic HPV vaccines: the Finnish perspective. <i>Expert Review of Vaccines</i> , 2010, 9, 45-57.	4.4	11
294	Over-expression of HER-2 is associated with the stage in carcinomas of the urinary bladder. <i>Libyan Journal of Medicine</i> , 2012, 7, 14694.	1.6	11
295	Retrospective analysis of breast cancer prognosis among young and older women in a Brazilian cohort of 738 patients, 1985-2002. <i>Oncology Letters</i> , 2016, 12, 4911-4924.	1.8	11
296	<i>Helicobacter pylori</i> (Hp) IgG ELISA of the New-Generation GastroPanel <sup>®</sup> Is Highly Accurate in Diagnosis of Hp-Infection in Gastroscopy Referral Patients. <i>Anticancer Research</i> , 2020, 40, 6387-6398.	1.1	11
297	Serological Biomarker Panel in Diagnosis of Atrophic Gastritis and <i>Helicobacter pylori</i> Infection in Gastroscopy Referral Patients: Clinical Validation of the New-Generation GastroPanel <sup>®</sup> Test. <i>Anticancer Research</i> , 2021, 41, 5527-5537.	1.1	11
298	Discrepancies in expression and prognostic value of tumor markers in adenocarcinoma and squamous cell carcinoma in cervical cancer. <i>Anticancer Research</i> , 2009, 29, 2577-8.	1.1	11
299	ANGIOLEIOMYOMA OF THE LARYNX. REPORT OF A CASE AND REVIEW OF THE LITERATURE. <i>Laryngoscope</i> , 1983, 93, 941-943.	2.0	10
300	Peptide Hormone Immunoreactivity and Prognosis in Small-Cell Carcinoma of the Lung. <i>Respiration</i> , 1986, 49, 61-67.	2.6	10
301	Sandwich hybridization in solution: A rapid method to screen HPV 16 DNA in cervical scrapes. <i>Molecular and Cellular Probes</i> , 1989, 3, 1-11.	2.1	10
302	Squamous Cell Carcinoma of the Vulva with Cutaneous Metastases. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1989, 68, 271-273.	2.8	10
303	Expression of Cytokeratin No. 19 Polypeptide in Genital Papillomavirus Lesions. <i>Gynecologic and Obstetric Investigation</i> , 1990, 29, 59-66.	1.6	10
304	HLA types in women with cervical human papillomavirus (HPV) lesions prospectively followed up for 10 years. <i>Cytopathology</i> , 1996, 7, 99-107.	0.7	10
305	Vitamin E concentration in breast adipose tissue of breast cancer patients (Kuopio, Finland). <i>Cancer Causes and Control</i> , 1996, 7, 591-595.	1.8	10
306	Drug addiction is not an independent risk factor for oncogenic human papillomavirus infections or high-grade cervical intraepithelial neoplasia: case-control study nested within the Latin American Screening study cohort. <i>International Journal of STD and AIDS</i> , 2008, 19, 251-258.	1.1	10

#	ARTICLE	IF	CITATIONS
307	Preoperative radiotherapy downregulates the nuclear expression of hypoxia-inducible factor-1 $\alpha$ in rectal cancer. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 340-348.	1.5	10
308	Previous pregnancy is a favourable prognostic factor in women with localised cutaneous melanoma. <i>Acta Oncologica</i> , 2012, 51, 662-668.	1.8	10
309	The clearance of oral high-risk human papillomavirus infection is impaired by long-term persistence of cervical human papillomavirus infection. <i>Clinical Microbiology and Infection</i> , 2014, 20, 1167-1172.	6.0	10
310	Effect of confluence state and passaging on global cancer gene expression pattern in oral carcinoma cell lines. <i>Anticancer Research</i> , 2004, 24, 2627-31.	1.1	10
311	Nuclear size as prognostic determinant in stage II and stage III colorectal adenocarcinoma. <i>Anticancer Research</i> , 2006, 26, 455-62.	1.1	10
312	The influence of anti-theta-globulin treatment on the growth of mastocytoma in mice. <i>Experimentelle Pathologie</i> , 1977, 14, 208-214.	0.2	9
313	A new combination of drugs intended to be used as a preventive measure for the postextraction complications. <i>International Journal of Oral Surgery</i> , 1981, 10, 17-22.	0.5	9
314	Human papilloma virus (HPV) antigens and local immunologic reactivity in oral squamous cell tumors and hyperplasias. <i>European Journal of Oral Sciences</i> , 1984, 92, 358-370.	1.5	9
315	Local immunoreactivity and human papillomavirus (HPV) in oral precancer and cancer lesions. <i>European Journal of Oral Sciences</i> , 1986, 94, 419-426.	1.5	9
316	Detection of p53 protein and Ki-67 proliferation antigen in human papillomavirus (HPV)-positive and HPV-negative cervical lesions by immunohistochemical double-staining. <i>Cytopathology</i> , 1994, 5, 282-293.	0.7	9
317	No evidence of human papillomavirus DNA in actinic keratosis. <i>Archives of Dermatological Research</i> , 1995, 287, 649-651.	1.9	9
318	No Epstein Barr and Cytomegalovirus DNA Found in Salivary Gland Tumours. <i>Orl</i> , 1997, 59, 97-99.	1.1	9
319	Prognostic value of epidermal growth factor expression in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997, 123, 63-68.	2.5	9
320	Characterization of keratin and cell cycle protein expression in cell lines from squamous intraepithelial lesions progressing towards a malignant phenotype. <i>British Journal of Cancer</i> , 1998, 77, 766-775.	6.4	9
321	Anti-proliferative effect of retinoids and interferon- $\alpha$ -2a on vaginal cell lines derived from squamous intra-epithelial lesions. , 1998, 78, 338-345.		9
322	Co-factors of high-risk human papillomavirus infections display unique profiles in incident CIN1, CIN2 and CIN3. <i>International Journal of STD and AIDS</i> , 2011, 22, 263-272.	1.1	9
323	Benefit of adjuvant interferon alfa-2b (IFN- $\alpha$ ) therapy in melanoma patients with high serum MMP-8 levels. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 173-180.	4.2	9
324	Serological Biomarker Test (GastroPanel <sup>®</sup> ) in the Diagnosis of Functional Gastric Disorders, <i>Helicobacter pylori</i> and Atrophic Gastritis in Patients Examined for Dyspeptic Symptoms. <i>Anticancer Research</i> , 2021, 41, 811-819.	1.1	9

#	ARTICLE	IF	CITATIONS
325	A Diagnostic Score (DS) Is a Powerful Tool in Diagnosis of Acute Appendicitis in Elderly Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2021, 41, 1459-1469.	1.1	9
326	Methylation profile of colon cancer genes in colorectal precursor lesions and tumor tissue: perspectives for screening. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 920-928.	1.5	9
327	A New-Generation Fecal Immunochemical Test (FIT) Is Superior to Quaiac-based Test in Detecting Colorectal Neoplasia Among Colonoscopy Referral Patients. <i>Anticancer Research</i> , 2015, 35, 2873-80.	1.1	9
328	The effects of anti-theta-globulin treatment on the morphology of the mouse spleen. <i>Experimentelle Pathologie</i> , 1978, 15, 38-45.	0.2	8
329	Morphology of the Lymph Nodes Draining Renal Adenocarcinoma in Relation to Immunological Functions. <i>Scandinavian Journal of Urology and Nephrology</i> , 1979, 13, 177-183.	1.4	8
330	Radiological Interpretation of the Periapical Cysts and Granulomas. <i>Dentomaxillofacial Radiology</i> , 1982, 11, 89-92.	2.7	8
331	The use of polymerase chain reaction in generation of biotinylated human papillomavirus DNA probes for in situ hybridization. <i>Journal of Virological Methods</i> , 1991, 31, 147-159.	2.1	8
332	Investigation on the carcinogenic effects of coal tar pitch in rat respiratory tract by intratracheal instillations. <i>Carcinogenesis</i> , 1992, 13, 233-239.	2.8	8
333	Detection of Human Papillomavirus Infections in the Male Sexual Partners of Women Attending an STD Clinic in Bologna. <i>International Journal of STD and AIDS</i> , 1992, 3, 338-346.	1.1	8
334	Comparison of classic and quantitative prognostic factors in hormone receptor-positive and hormone receptor-negative female breast cancer. <i>American Journal of Surgery</i> , 1993, 165, 307-311.	1.8	8
335	Biochemical Parameters as Prognostic Factors in Prostatic Adenocarcinoma. <i>Acta Oncologica</i> , 1995, 34, 53-59.	1.8	8
336	Age at menarche is not an independent risk factor for high-risk human papillomavirus infections and cervical intraepithelial neoplasia. <i>International Journal of STD and AIDS</i> , 2008, 19, 16-25.	1.1	8
337	Human papillomavirus and predictors of cervical intraepithelial neoplasia among young mothers in a prospective follow-up study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 167-173.	2.8	8
338	High-risk human papillomavirus associated with incident cervical intraepithelial neoplasia developing in mothers in the Finnish Family HPV Study cohort. <i>Scandinavian Journal of Infectious Diseases</i> , 2012, 44, 115-125.	1.5	8
339	Oral human papillomavirus infection in men might contribute to HPV serology. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015, 34, 237-245.	2.9	8
340	Slow-release L-cysteine capsule prevents gastric mucosa exposure to carcinogenic acetaldehyde: results of a randomised single-blinded, cross-over study of <i>Helicobacter</i> -associated atrophic gastritis. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 230-237.	1.5	8
341	The impact of breast cancer screening among younger women in the Barretos Region, Brazil. <i>Anticancer Research</i> , 2013, 33, 2651-5.	1.1	8
342	Immunophenotypes of lymphocytes in prospectively followed up human papillomavirus lesions of the cervix.. <i>Sexually Transmitted Infections</i> , 1985, 61, 190-196.	1.9	7

#	ARTICLE	IF	CITATIONS
343	Long-term Consequences of Genital HPV Infections in Women. <i>Annals of Medicine</i> , 1992, 24, 233-235.	3.8	7
344	Human papillomavirus (HPV) typing as an adjunct to cervical cancer screening. <i>Cytopathology</i> , 1999, 10, 8-15.	0.7	7
345	New Statistical Software for Intralaboratory and Interlaboratory Quality Control in Clinical Cytology. <i>Acta Cytologica</i> , 2005, 49, 398-404.	1.3	7
346	Safety of screening with Human papillomavirus testing for cervical cancer at three-year intervals in a high-risk population: experience from the LAMS study. <i>Journal of Medical Screening</i> , 2008, 15, 97-104.	2.3	7
347	A Diagnostic Score for Acute Small Bowel Obstruction. <i>Anticancer Research</i> , 2021, 41, 1959-1970.	1.1	7
348	Maternal HPV-antibodies and seroconversion to HPV in children during the first 3 years of life. <i>Scientific Reports</i> , 2022, 12, 2227.	3.3	7
349	Estrogen receptor, progesterone receptor, and nuclear size features in female breast cancer in Libya: correlation with clinical features and survival. <i>Anticancer Research</i> , 2012, 32, 3485-93.	1.1	7
350	Non-invasive Screening of Autoimmune Atrophic Gastritis in Asymptomatic Subjects by Serological Biomarker Test (GastroPanel <sup>®</sup> ). <i>Anticancer Research</i> , 2022, 42, 1517-1526.	1.1	7
351	Post-capillary venules in the lymphatic tissues of mice bearing experimental neoplasia. <i>Experimentelle Pathologie</i> , 1978, 15, 348-354.	0.2	6
352	Fine needle aspiration cytology of the thyroid osteosarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 1980, 96, 319-323.	2.5	6
353	The effects on extraction wound healing of a new drug combination introduced for use in the prevention of post-extraction complications. A preliminary report. <i>British Journal of Oral &amp; Maxillofacial Surgery</i> , 1981, 19, 57-66.	0.3	6
354	A case of malignant myxoma (myxosarcoma) of the maxilla. <i>European Journal of Oral Sciences</i> , 1984, 92, 352-357.	1.5	6
355	Phenotypic transformation of primary mouse fibroblasts by BPV 1 DNA. <i>Archives of Virology</i> , 1988, 100, 17-25.	2.1	6
356	Colposcopic analysis of genital human papillomavirus infections during an 8-year prospective follow-up. <i>International Journal of Gynecology and Obstetrics</i> , 1991, 36, 291-300.	2.3	6
357	Conization for CIN associated with human papillomavirus infection. <i>Archives of Gynecology and Obstetrics</i> , 1991, 249, 59-65.	1.7	6
358	Expression of PCNA is associated with the presence of HPV DNA in skin warts. <i>Archives of Dermatological Research</i> , 1996, 289, 35-39.	1.9	6
359	Mitotic index in the subrenal capsule assay as an indicator of the chemosensitivity of ovarian cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 1997, 41, 15-21.	2.3	6
360	NUCLEAR MORPHOMETRY AS A PREDICTOR OF DISEASE OUTCOME IN GASTRIC CANCER. , 1997, 181, 46-50.		6

#	ARTICLE	IF	CITATIONS
361	Relationship of Up-Regulation of 67-kd Laminin Receptor to Grade of Cervical Intraepithelial Neoplasia and to High-Risk HPV Types and Prognosis in Cervical Cancer. <i>Acta Cytologica</i> , 2006, 50, 6-15.	1.3	6
362	Phylogenetic classification of human papillomavirus genotypes in high-grade cervical intraepithelial neoplasia in women from a densely populated Brazilian urban region. <i>Sao Paulo Medical Journal</i> , 2009, 127, 122-127.	0.9	6
363	Up-Regulation of Plasminogen Activator Inhibitor-2 Is Associated With High-Risk HPV and Grade of Cervical Lesion at Baseline but Does Not Predict Outcomes of High-Risk HPV Infections or Incident CIN. <i>American Journal of Clinical Pathology</i> , 2009, 132, 883-892.	0.7	6
364	p300 Expression is Related to High-risk Human Papillomavirus Infections and Severity of Cervical Intraepithelial Neoplasia But Not to Viral or Disease Outcomes in a Longitudinal Setting. <i>International Journal of Gynecological Pathology</i> , 2010, 29, 135-145.	1.4	6
365	Up-regulation of a-catenin is associated with increased lymph node involvement in colorectal cancer. <i>World Journal of Gastroenterology</i> , 2008, 14, 4903.	3.3	6
366	Accuracy of Serum Biomarker Panel (GastroPanel <sup>®</sup> ) in the Diagnosis of Atrophic Gastritis of the Corpus. <i>Systematic Review and Meta-analysis. Anticancer Research</i> , 2022, 42, 1679-1696.	1.1	6
367	Type IV Collagen in the Basal Membrane of Human Papillomavirus Associated Premalignant and Malignant Squamous Cell Lesions of the Uterine Cervix. <i>Gynecologic and Obstetric Investigation</i> , 1988, 26, 324-331.	1.6	5
368	Detection of human papillomavirus (HPV) in genital warts and carcinomas by DNA in situ hybridization in Chinese patients. <i>Cytopathology</i> , 1990, 1, 97-103.	0.7	5
369	Cervical Cancer Screening in Porto Alegre, Brazil: Alternative Methods for Detecting Cancer Precursors in a Developing Country. <i>Journal of Lower Genital Tract Disease</i> , 2001, 5, 24-28.	1.9	5
370	Thymidylate synthase expression in primary colorectal tumours is correlated with its expression in metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 471-476.	1.5	5
371	Circulating levels of VEGFR-1 and VEGFR-2 in patients with metastatic melanoma treated with chemoimmunotherapy alone or combined with bevacizumab. <i>Melanoma Research</i> , 2011, 21, 431-437.	1.2	5
372	Keynotes from the New Editor-in-Chief. <i>Acta Cytologica</i> , 2013, 57, 543-544.	1.3	5
373	Editorial. <i>Acta Cytologica</i> , 2015, 59, 1-1.	1.3	5
374	Genotype-specific concordance of oral and genital human papillomavirus infections among marital couples is low. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 697-704.	2.9	5
375	Impact of Brush Cytology Analysis for the Diagnosis of Esophageal Squamous Cell Carcinoma: The Quality of Liquid-Based Preparation of Cytological Slides. <i>Acta Cytologica</i> , 2019, 63, 240-246.	1.3	5
376	Correlation of Insulin-like Growth Factor 1 Receptor Expression With Different Molecular Subtypes of Breast Cancer in the UAE. <i>Anticancer Research</i> , 2020, 40, 1555-1561.	1.1	5
377	Interferon $\gamma$ and IL $\alpha$ 5 associated cell-mediated immune responses to HPV16 E2 and E6 distinguish between persistent oral HPV16 infections and noninfected mucosa. <i>Clinical and Experimental Dental Research</i> , 2021, 7, 903-913.	1.9	5
378	A Diagnostic Score for Reliable Confirmation of Acute Renal Colic Among Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2021, 41, 3045-3054.	1.1	5

#	ARTICLE	IF	CITATIONS
379	Main effects and interactions of carbonic anhydrase IX, hypoxia-inducible factor-1 $\alpha$ , ezrin and glucose transporter-1 in multivariate analysis for disease outcome in rectal cancer. <i>Anticancer Research</i> , 2012, 32, 3299-303.	1.1	5
380	IgG in the walls of the post-capillary venules of mouse lymphatic tissue. <i>Experimentelle Pathologie</i> , 1979, 17, 40-43.	0.2	4
381	Post-capillary venules of the mouse lymphatic tissues with special reference to the distribution of their endothelial IgG. <i>Experimentelle Pathologie</i> , 1979, 17, 134-142.	0.2	4
382	Morphology of the Spleen White Pulp in Relation to the Immunological Functions in Patients with Far Advanced Bronchial Carcinoma. <i>Immunobiology</i> , 1980, 157, 67-77.	1.9	4
383	Structure and function of salivary glands in psoriatics. <i>Archives of Dermatological Research</i> , 1982, 274, 295-301.	1.9	4
384	Gingival IgG <sub>2</sub> -microglobulin in juvenile and chronic periodontitis. <i>Acta Odontologica Scandinavica</i> , 1985, 43, 133-138.	1.6	4
385	Generation of cell-mediated cytotoxicity against bovine-papilloma-virus-transformed primary mouse cell lines. <i>Cancer Immunology, Immunotherapy</i> , 1990, 30, 351-356.	4.2	4
386	Short biotinylated oligonucleotides bind non-specifically to senile plaques of Alzheimer's disease. <i>Neuroscience Letters</i> , 1991, 130, 89-91.	2.1	4
387	Clinical and epidemiological correlates of antibody response to human papillomaviruses (HPVs) as measured by a novel ELISA based on denatured recombinant HPV16 late (L) and early (E) antigens. <i>Infectious Agents and Cancer</i> , 2008, 3, 9.	2.6	4
388	Up-Regulation of 14-3-3 $\beta$ (Stratifin) Is Associated With High-Grade CIN and High-Risk Human Papillomavirus (HPV) at Baseline but Does Not Predict Outcomes of HR-HPV Infections or Incident CIN in the LAMS Study. <i>American Journal of Clinical Pathology</i> , 2010, 133, 232-240.	0.7	4
389	Securin identifies a subgroup of patients with poor outcome in rectal cancer treated with long-course (chemo)radiotherapy. <i>Acta Oncologica</i> , 2011, 50, 1158-1166.	1.8	4
390	Risk estimates for persistent high-risk human papillomavirus infections as surrogate endpoints of progressive cervical disease critically depend on reference category: analysis of the combined prospective cohort of the New Independent States of the Former Soviet Union and Latin American Screening Studies. <i>International Journal of STD and AIDS</i> , 2011, 22, 315-323.	1.1	4
391	Solitary bronchial squamous cell papilloma – another human papillomavirus (HPV)-associated benign tumor: systematic review and meta-analysis. <i>Wspolczesna Onkologia</i> , 2013, 5, 427-434.	1.4	4
392	The New Generation Immunochemical Test for Fecal Occult Blood (ColonView Quick Test) Shows a High Diagnostic Accuracy in Colorectal Cancer Detection. <i>Anticancer Research</i> , 2021, 41, 5071-5079.	1.1	4
393	Neurofibromin Expression is Associated with Aggressive Disease and Poor Outcome in Colorectal Carcinoma. <i>Anticancer Research</i> , 2016, 36, 5301-5306.	1.1	4
394	The Automatically Analyzed (AA) ColonView (CV) Quick Test for Fecal Occult Blood Shows Higher Diagnostic Accuracy in Detection of Colorectal Adenoma than Visually Analyzed Tests. <i>Anticancer Research</i> , 2021, 41, 5517-5525.	1.1	4
395	Implementation of a clinical quality control program in a mammography screening service of Brazil. <i>Anticancer Research</i> , 2014, 34, 5057-65.	1.1	4
396	Histologic changes in mouse lymph nodes after treatment with antitheta-globulin. <i>Experimentelle Pathologie</i> , 1977, 14, 171-179.	0.2	3

#	ARTICLE	IF	CITATIONS
397	Thymic morphology in mice following treatment with anti-theta- and anti-thymus-globulins. <i>Experimentelle Pathologie</i> , 1978, 15, 169-177.	0.2	3
398	Spleen white pulp morphology in evaluation of immunologic reactivity of patients with widespread colorectal carcinoma. <i>Diseases of the Colon and Rectum</i> , 1980, 23, 228-235.	1.3	3
399	Spleen white pulp morphology as an indicator of the immunological state in DBA/2 mice bearing mastocytoma. <i>Experimentelle Pathologie</i> , 1980, 18, 223-231.	0.2	3
400	Tumour-associated antigens in primary mouse fibroblasts induced by transformation with bovine papillomavirus type 1. <i>Experimental Pathology</i> , 1988, 35, 25-33.	0.4	3
401	Verrucous carcinoma of the anus containing human papillomavirus type 16 DNA detected by in situ hybridisation: a case report.. <i>Sexually Transmitted Infections</i> , 1990, 66, 342-345.	1.9	3
402	Use of Antibodies Against A Synthetic Peptide of the E6 Protein of Human Papillomavirus (Hpv) Type 16 For the Diagnosis of Genital Hpv Lesions. <i>Cytopathology</i> , 1993, 4, 3-15.	0.7	3
403	Interlaboratory Quality Control in Gynecologic Cytopathology Using the Novel CONQUISTADOR Software. <i>Acta Cytologica</i> , 2007, 51, 872-881.	1.3	3
404	Molecular Techniques. , 2008, , 1071-1090.		3
405	Reproducibility of Classification and Correction for Verification Bias as Determinants of Performance of Papanicolaou Smear Cytology in the Screening Setting. <i>Acta Cytologica</i> , 2009, 53, 548-557.	1.3	3
406	HLA-G polymorphism impacts the outcome of oral HPV infections in women. <i>BMC Infectious Diseases</i> , 2021, 21, 419.	2.9	3
407	Immunohistochemical Assessment of TNFAIP3/A20 Expression Correlates With Early Tumorigenesis in Breast Cancer. <i>Anticancer Research</i> , 2021, 41, 739-745.	1.1	3
408	Human Papillomavirus Infections of the Genital Tract: Clinical Significance and Diagnosis by Polymerase Chain Reaction. <i>Frontiers of Virology</i> , 1992, , 185-207.	0.6	3
409	Survivin as a Marker of Cervical Intraepithelial Neoplasia and High-Risk Human Papillomavirus and a Predictor of Virus Clearance and Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2005, 124, 113-121.	0.7	3
410	Bcl-2 expression significantly correlates with thymidylate synthase expression in colorectal cancer patients. <i>World Journal of Gastroenterology</i> , 2008, 14, 6218.	3.3	3
411	Nuclear area is a prognostic determinant in advanced colorectal cancer. <i>Anticancer Research</i> , 2005, 25, 3083-8.	1.1	3
412	Nuclear morphometry in prognostication of breast cancer in Saudi Arabian patients: comparison with European and African breast cancer. <i>Anticancer Research</i> , 2010, 30, 2185-91.	1.1	3
413	Somatic targeted mutation profiling of colorectal cancer precursor lesions. <i>BMC Medical Genomics</i> , 2022, 15, .	1.5	3
414	Endothelium-associated IgG in the post-capillary venules of the lymphatic tissues in mice bearing experimental neoplasia. <i>Experimentelle Pathologie</i> , 1979, 17, 264-270.	0.2	2



#	ARTICLE	IF	CITATIONS
415	Morphology of the spleen in women who died of metastatic genital tract cancer. Archives of Gynecology, 1980, 230, 33-40.	0.6	2
416	Spleen White Pulp Architecture in the Assessment of Immunity in Patients with Far-Advanced Pancreatic Carcinoma. Scandinavian Journal of Gastroenterology, 1980, 15, 609-615.	1.5	2
417	Experimental cancer immunotherapy in DBA/2 mouse-mastocytoma model utilizing autologous tumor tissue polymerised with ethylchlorformiate. Experimentelle Pathologie, 1980, 18, 346-352.	0.2	2
418	Transferrin reactivity in oral mucosa adjacent to different dental restorations. Acta Odontologica Scandinavica, 1984, 42, 321-325.	1.6	2
419	Enumeration of T cell subsets with monoclonal antibodies in minor salivary glands of patients with rheumatoid arthritis. European Journal of Oral Sciences, 1984, 92, 275-281.	1.5	2
420	Inflammatory cell infiltrate in labial salivary glands of patients with rheumatoid arthritis with special emphasis on tissue mast cells. European Journal of Oral Sciences, 1984, 92, 557-563.	1.5	2
421	Coexistent chlamydial infections related to natural history of human papillomavirus lesions in uterine cervix.. Sexually Transmitted Infections, 1986, 62, 345-351.	1.9	2
422	Local immune reaction in syngeneic mice against tumorigenic and nontumorigenic BPV-transformed mouse cell lines. Apmis, 1990, 98, 909-915.	2.0	2
423	Type I Diabetic Pregnancy and Subclinical Human Papillomavirus Infection. Clinical Infectious Diseases, 1997, 24, 153-156.	5.8	2
424	Competing-Risks Regression Models in Analysis of Biomarkers as Predictors of High-risk Human Papillomavirus (HPV) Infection Outcomes and Incident CIN in the LAMS Cohort. International Journal of Gynecological Pathology, 2013, 32, 406-415.	1.4	2
425	Two Landmark Studies Published in 1976/1977 Paved the Way for the Recognition of Human Papillomavirus as the Major Cause of the Global Cancer Burden. Acta Cytologica, 2017, 61, 316-337.	1.3	2
426	2017: Sixty Years of <i>Acta Cytologica</i> . Acta Cytologica, 2017, 61, 1-2.	1.3	2
427	Patients with hMLH1 or/and hMSH2-deficient Metastatic Colorectal Cancer Are Associated with Reduced Levels of Vascular Endothelial Growth Factor-1 Expression and Higher Response Rate to Irinotecan-based Regimen. Anticancer Research, 2018, 38, 6399-6404.	1.1	2
428	An interlaboratory study to determine the presence of human papillomavirus DNA in esophageal carcinoma from China. International Journal of Cancer, 1999, 81, 225-228.	5.1	2
429	Oncoprotein Bcl-2 and microsatellite instability are associated with disease-free survival and treatment response in colorectal cancer. Oncology Reports, 2008, 20, 999-1004.	2.6	2
430	Prognostic value of mitotic counts in breast cancer of Saudi Arabian patients. Anticancer Research, 2011, 31, 97-103.	1.1	2
431	The ColonView (CV) Quick Test for Fecal Occult Blood Shows Significantly Higher Diagnostic Accuracy in Detecting Distal than Proximal Colorectal Cancer. Anticancer Research, 2022, 42, 1879-1891.	1.1	2
432	The history of papillomavirus research. Central European Journal of Public Health, 2008, 16 Suppl, S7-13.	1.1	2

#	ARTICLE	IF	CITATIONS
433	The use of polymerised autologous tumor tissue particles for experimental cancer immunotherapy in rats bearing Shay chloroma. <i>Experimental Pathology</i> , 1981, 19, 122-129.	0.4	1
434	Localization of transferrin in the labial salivary glands of patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 1984, 3, 345-350.	2.2	1
435	Immune response against P815X2 mastocytoma growing in syngeneic DBA/2 mice. - I. Morphometric assessment of lymph node immunoreactivity and analysis of circulating antibodies. <i>Experimental Pathology</i> , 1986, 30, 65-74.	0.4	1
436	Epstein-Barr virus (EBV) genomes and c-myc oncogene in oral Burkitt's lymphomas. <i>European Journal of Oral Sciences</i> , 1992, 100, 176-180.	1.5	1
437	Reply: expression of carbonic anhydrase IX suggests poor response to therapy in rectal cancer. <i>British Journal of Cancer</i> , 2009, 101, 373-373.	6.4	1
438	Serological biomarker testing helps avoiding unnecessary endoscopies in obese patients before bariatric surgery. <i>BMC Obesity</i> , 2018, 5, 9.	3.1	1
439	Journal Impact Factor Returned to <i>Acta Cytologica</i> in 2020. <i>Acta Cytologica</i> , 2020, 64, 280-280.	1.3	1
440	DNA IMAGE CYTOMETRY IN PROGNOSTICATION OF COLORECTAL CANCER: PRACTICAL CONSIDERATIONS OF THE TECHNIQUE AND INTERPRETATION OF THE HISTOGRAMS. <i>Image Analysis and Stereology</i> , 2006, 25, 1.	0.9	1
441	Slow-release L-Cysteine (Acetium®) Lozenge Is an Effective New Method in Smoking Cessation. A Randomized, Double-blind, Placebo-controlled Intervention. <i>Anticancer Research</i> , 2017, 37, 3639-3648.	1.1	1
442	Tumor-host cell interactions in rats bearing Shay chloroma " Ultrastructural observations in animals receiving specific and nonspecific cancer immunotherapy. <i>Experimental Pathology</i> , 1981, 20, 135-145.	0.4	0
443	Nasal Cytology of Patients with Hypertrophic Inferior Conchae in Panoramic Radiographs. <i>Dentomaxillofacial Radiology</i> , 1984, 13, 129-133.	2.7	0
444	Immune response against P815X2 mastocytoma growing in syngeneic DBA/2 mice. - II. Morphometric assessment of immunoreactivity in the thymus and spleen related to lymphocyte subsets in peripheral blood. <i>Experimental Pathology</i> , 1986, 30, 75-82.	0.4	0
445	Human Papillomavirus Infection of the Female Genital Tract. <i>Cytopathology</i> , 1991, 2, 225-227.	0.7	0
446	Cryotherapy and CO2-Laser Vaporization in the Treatment of Cervical and Vaginal Human Papillomavirus (HPV) Infections. <i>Obstetrical and Gynecological Survey</i> , 1991, 46, 108-109.	0.4	0
447	Immune system response in Down's syndrome and Alzheimer's disease. <i>Neurobiology of Aging</i> , 1992, 13, S32.	3.1	0
448	Prognostic factors in gastric carcinoma. <i>British Journal of Cancer</i> , 1997, 76, 279-279.	6.4	0
449	Speculoscopy for Triage of Patients with an Abnormal Pap Smear: Data from the GISPE Study. <i>Journal of Lower Genital Tract Disease</i> , 2000, 4, 212-216.	1.9	0
450	Papillomavirus from the Bench to the Clinics. <i>Journal of Oncology</i> , 2012, 2012, 1-1.	1.3	0

#	ARTICLE	IF	CITATIONS
451	Reply to Kathleen Dâ€™Hauwers, Gunter De Win and Wiebren Tjalma's Letter to the Editor re: Katja Kero, Jaana Rautava, Kari SyrjÄnen, Seija Grenman, Stina SyrjÄnen. Oral Mucosa as a Reservoir of Human Papillomavirus: Point Prevalence, Genotype Distribution, and Incident Infections Among Males in a 7-year Prospective Study. <i>Eur Urol</i> 2012;62:1063â€“70. <i>European Urology</i> , 2013, 64, e8-e9.	1.9	0
452	HPV: A Virus-Dinosaur Living among Us?. <i>Acta Cytologica</i> , 2019, 63, 83-84.	1.3	0
453	A Diagnostic Score (DS) in the Difficult Diagnosis of Non-specific Abdominal Pain (NSAP). <i>In Vivo</i> , 2021, 35, 2729-2738.	1.3	0
454	Dynamics of genital human papillomavirus (HPV) infections among males eventually being uncovered. <i>Asian Journal of Andrology</i> , 2011, 13, 361-362.	1.6	0
455	Î²-Amyloid-Protein Immunoreactivity in Skin is Not a Reliable Marker of Alzheimerâ€™s Disease: An Autopsy Controlled Study. <i>Advances in Behavioral Biology</i> , 1995, , 157-163.	0.2	0
456	History-taking, Clinical Signs, Tests and Scores for Detection of Non-organic Dyspepsia (NOD) Among Patients With Acute Abdominal Pain (AAP). <i>Cancer Diagnosis &amp; Prognosis</i> , 2021, 1, 265-274.	0.7	0
457	Elimination of Cigarette Smoke-derived Acetaldehyde in Saliva by Slow-release L-Cysteine Lozenge Is a Potential New Method to Assist Smoking Cessation. A Randomised, Double-blind, Placebo-controlled Intervention. <i>Anticancer Research</i> , 2016, 36, 2297-306.	1.1	0
458	Outcomes of HPV type-specific serostatus do not associate with oral or genital HPV-carriage in non-vaccinated women followed for three years. <i>BMC Women's Health</i> , 2022, 22, 141.	2.0	0