

Kari Syrjänen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1043637/publications.pdf>

Version: 2024-02-01

458
papers

13,197
citations

22153

59
h-index

56724

83
g-index

461
all docs

461
docs citations

461
times ranked

9941
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal HPV-antibodies and seroconversion to HPV in children during the first 3 years of life. <i>Scientific Reports</i> , 2022, 12, 2227.	3.3	7
2	Non-invasive Screening of Autoimmune Atrophic Gastritis in Asymptomatic Subjects by Serological Biomarker Test (GastroPanel [®]). <i>Anticancer Research</i> , 2022, 42, 1517-1526.	1.1	7
3	Accuracy of Serum Biomarker Panel (GastroPanel [®]) in the Diagnosis of Atrophic Gastritis of the Corpus. Systematic Review and Meta-analysis. <i>Anticancer Research</i> , 2022, 42, 1679-1696.	1.1	6
4	The ColonView (CV) Quick Test for Fecal Occult Blood Shows Significantly Higher Diagnostic Accuracy in Detecting Distal than Proximal Colorectal Cancer. <i>Anticancer Research</i> , 2022, 42, 1879-1891.	1.1	2
5	Outcomes of HPV type-specific serostatus do not associate with oral or genital HPV-carriage in non-vaccinated women followed for three years. <i>BMC Women's Health</i> , 2022, 22, 141.	2.0	0
6	Somatic targeted mutation profiling of colorectal cancer precursor lesions. <i>BMC Medical Genomics</i> , 2022, 15, .	1.5	3
7	A Diagnostic Score (DS) in the Difficult Diagnosis of Non-specific Abdominal Pain (NSAP). <i>In Vivo</i> , 2021, 35, 2729-2738.	1.3	0
8	Interferon γ and IL α 5 associated cell-mediated immune responses to HPV16 E2 and E6 distinguish between persistent oral HPV16 infections and noninfected mucosa. <i>Clinical and Experimental Dental Research</i> , 2021, 7, 903-913.	1.9	5
9	Serological Biomarker Test (GastroPanel [®]) in the Diagnosis of Functional Gastric Disorders, <i>Helicobacter pylori</i> and Atrophic Gastritis in Patients Examined for Dyspeptic Symptoms. <i>Anticancer Research</i> , 2021, 41, 811-819.	1.1	9
10	A Diagnostic Score (DS) Is a Powerful Tool in Diagnosis of Acute Appendicitis in Elderly Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2021, 41, 1459-1469.	1.1	9
11	Oral Human Papillomavirus Infection in Children during the First 6 Years of Life, Finland. <i>Emerging Infectious Diseases</i> , 2021, 27, 759-766.	4.3	12
12	A Diagnostic Score for Acute Small Bowel Obstruction. <i>Anticancer Research</i> , 2021, 41, 1959-1970.	1.1	7
13	HLA-G polymorphism impacts the outcome of oral HPV infections in women. <i>BMC Infectious Diseases</i> , 2021, 21, 419.	2.9	3
14	A Diagnostic Score for Reliable Confirmation of Acute Renal Colic Among Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2021, 41, 3045-3054.	1.1	5
15	Methylation profile of colon cancer genes in colorectal precursor lesions and tumor tissue: perspectives for screening. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 920-928.	1.5	9
16	HPV-Associated Benign Squamous Cell Papillomas in the Upper Aero-Digestive Tract and Their Malignant Potential. <i>Viruses</i> , 2021, 13, 1624.	3.3	27
17	The New Generation Immunochemical Test for Fecal Occult Blood (ColonView Quick Test) Shows a High Diagnostic Accuracy in Colorectal Cancer Detection. <i>Anticancer Research</i> , 2021, 41, 5071-5079.	1.1	4
18	Immunohistochemical Assessment of TNFAIP3/A20 Expression Correlates With Early Tumorigenesis in Breast Cancer. <i>Anticancer Research</i> , 2021, 41, 739-745.	1.1	3

#	ARTICLE	IF	CITATIONS
19	Pediatric Acute Appendicitis Score in Children With Acute Abdominal Pain (AAP). <i>Anticancer Research</i> , 2021, 41, 297-306.	1.1	14
20	History-taking, Clinical Signs, Tests and Scores for Detection of Non-organic Dyspepsia (NOD) Among Patients With Acute Abdominal Pain (AAP). <i>Cancer Diagnosis & Prognosis</i> , 2021, 1, 265-274.	0.7	0
21	Serological Biomarker Panel in Diagnosis of Atrophic Gastritis and <i>Helicobacter pylori</i> Infection in Gastroscopy Referral Patients: Clinical Validation of the New-Generation GastroPanel [®] Test. <i>Anticancer Research</i> , 2021, 41, 5527-5537.	1.1	11
22	The Automatically Analyzed (AA) ColonView (CV) Quick Test for Fecal Occult Blood Shows Higher Diagnostic Accuracy in Detection of Colorectal Adenoma than Visually Analyzed Tests. <i>Anticancer Research</i> , 2021, 41, 5517-5525.	1.1	4
23	Journal Impact Factor Returned to <i>Acta Cytologica</i> in 2020. <i>Acta Cytologica</i> , 2020, 64, 280-280.	1.3	1
24	<i>Helicobacter pylori</i> (Hp) IgG ELISA of the New-Generation GastroPanel [®] Is Highly Accurate in Diagnosis of Hp-Infection in Gastroscopy Referral Patients. <i>Anticancer Research</i> , 2020, 40, 6387-6398.	1.1	11
25	Correlation of Insulin-like Growth Factor 1 Receptor Expression With Different Molecular Subtypes of Breast Cancer in the UAE. <i>Anticancer Research</i> , 2020, 40, 1555-1561.	1.1	5
26	Fecal Occult Blood Tests in Colorectal Cancer Screening: Systematic Review and Meta-analysis of Traditional and New-generation Fecal Immunochemical Tests. <i>Anticancer Research</i> , 2020, 40, 3591-3604.	1.1	37
27	Colorectal Cancer Screening With Traditional and New-generation Fecal Immunochemical Tests: A Critical Review of Fecal Occult Blood Tests. <i>Anticancer Research</i> , 2020, 40, 575-581.	1.1	26
28	Performance of a Diagnostic Score in Confirming Acute Cholecystitis Among Patients With Acute Abdominal Pain. <i>Anticancer Research</i> , 2020, 40, 6947-6956.	1.1	12
29	Leucocyte Count Does Not Improve the Diagnostic Performance of a Diagnostic Score (DS) in Distinguishing Acute Appendicitis (AA) from Nonspecific Abdominal Pain (NSAP). <i>In Vivo</i> , 2020, 34, 3327-3339.	1.3	13
30	Gender-specific Performance of a Diagnostic Score in Acute Appendicitis. <i>In Vivo</i> , 2020, 34, 3687-3703.	1.3	13
31	HPV: A Virus-Dinosaur Living among Us?. <i>Acta Cytologica</i> , 2019, 63, 83-84.	1.3	0
32	Impact of Brush Cytology Analysis for the Diagnosis of Esophageal Squamous Cell Carcinoma: The Quality of Liquid-Based Preparation of Cytological Slides. <i>Acta Cytologica</i> , 2019, 63, 240-246.	1.3	5
33	HPV in Head and Neck Carcinomas: Different HPV Profiles in Oropharyngeal Carcinomas – Why?. <i>Acta Cytologica</i> , 2019, 63, 124-142.	1.3	24
34	GastroPanel [®] Biomarker Assay: The Most Comprehensive Test for <i>Helicobacter pylori</i> Infection and Its Clinical Sequelae. A Critical Review. <i>Anticancer Research</i> , 2019, 39, 1091-1104.	1.1	24
35	Cytoplasmic E-Cadherin Expression Is Associated With Higher Tumour Level of VEGFA, Lower Response Rate to Irinotecan-based Treatment and Poorer Prognosis in Patients With Metastatic Colorectal Cancer. <i>Anticancer Research</i> , 2019, 39, 1953-1957.	1.1	19
36	Comparison of a New-generation Fecal Immunochemical Test (FIT) With Guaiac Fecal Occult Blood Test (gFOBT) in Detecting Colorectal Neoplasia Among Colonoscopy-referral Patients. <i>Anticancer Research</i> , 2019, 39, 261-269.	1.1	14

#	ARTICLE	IF	CITATIONS
37	Protein phosphatase 2A (PP2A) inhibitor CIP2A indicates resistance to radiotherapy in rectal cancer. <i>Cancer Medicine</i> , 2018, 7, 698-706.	2.8	15
38	HLA-G and vertical mother-to-child transmission of human papillomavirus infection. <i>Human Immunology</i> , 2018, 79, 471-476.	2.4	22
39	Patients with hMLH1 or/and hMSH2-deficient Metastatic Colorectal Cancer Are Associated with Reduced Levels of Vascular Endothelial Growth Factor-1 Expression and Higher Response Rate to Irinotecan-based Regimen. <i>Anticancer Research</i> , 2018, 38, 6399-6404.	1.1	2
40	Polyomaviruses detectable in head and neck carcinomas. <i>Oncotarget</i> , 2018, 9, 22642-22652.	1.8	13
41	Serological biomarker testing helps avoiding unnecessary endoscopies in obese patients before bariatric surgery. <i>BMC Obesity</i> , 2018, 5, 9.	3.1	1
42	The effect of vascular endothelial growth factor-1 expression on survival of advanced colorectal cancer patients. <i>Libyan Journal of Medicine</i> , 2017, 12, 1290741.	1.6	31
43	Slow-release L-cysteine capsule prevents gastric mucosa exposure to carcinogenic acetaldehyde: results of a randomised single-blinded, cross-over study of <i>Helicobacter</i> -associated atrophic gastritis. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 230-237.	1.5	8
44	Two Landmark Studies Published in 1976/1977 Paved the Way for the Recognition of Human Papillomavirus as the Major Cause of the Global Cancer Burden. <i>Acta Cytologica</i> , 2017, 61, 316-337.	1.3	2
45	Breast Milk Is a Potential Vehicle for Human Papillomavirus Transmission to Oral Mucosa of the Spouse. <i>Pediatric Infectious Disease Journal</i> , 2017, 36, 627-630.	2.0	17
46	HPV in Head and Neck Cancer—30 Years of History. <i>Recent Results in Cancer Research</i> , 2017, 206, 3-25.	1.8	36
47	2017: Sixty Years of <i>Acta Cytologica</i> . <i>Acta Cytologica</i> , 2017, 61, 1-2.	1.3	2
48	Physical state and copy numbers of HPV16 in oral asymptomatic infections that persisted or cleared during the 6-year follow-up. <i>Journal of General Virology</i> , 2017, 98, 681-689.	2.9	16
49	Epstein-Barr virus (EBV)-encoded small RNAs (EBERs) associated with poor prognosis of head and neck carcinomas. <i>Oncotarget</i> , 2017, 8, 27328-27338.	1.8	33
50	Slow-release L-Cysteine (Acetium®) Lozenge Is an Effective New Method in Smoking Cessation. A Randomized, Double-blind, Placebo-controlled Intervention. <i>Anticancer Research</i> , 2017, 37, 3639-3648.	1.1	1
51	Retrospective analysis of breast cancer prognosis among young and older women in a Brazilian cohort of 738 patients, 1985–2002. <i>Oncology Letters</i> , 2016, 12, 4911-4924.	1.8	11
52	Genotype-specific concordance of oral and genital human papillomavirus infections among marital couples is low. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 697-704.	2.9	5
53	Detection of human papillomavirus in laryngeal squamous cell carcinoma: Systematic review and meta-analysis. <i>Laryngoscope</i> , 2016, 126, 885-893.	2.0	65
54	Associations of Body Mass Index and Physical Activity With Sexual Dysfunction in Breast Cancer Survivors. <i>Archives of Sexual Behavior</i> , 2016, 45, 2057-2068.	1.9	16

#	ARTICLE	IF	CITATIONS
55	A Panel of Serum Biomarkers (GastroPanel [®]) in Non-invasive Diagnosis of Atrophic Gastritis. Systematic Review and Meta-analysis. <i>Anticancer Research</i> , 2016, 36, 5133-5144.	1.1	54
56	Neurofibromin Expression is Associated with Aggressive Disease and Poor Outcome in Colorectal Carcinoma. <i>Anticancer Research</i> , 2016, 36, 5301-5306.	1.1	4
57	Stomach-specific Biomarkers (GastroPanel) Can Predict the Development of Gastric Cancer in a Caucasian Population: A Longitudinal Nested Case-Control Study in Siberia. <i>Anticancer Research</i> , 2016, 36, 247-53.	1.1	15
58	Elimination of Cigarette Smoke-derived Acetaldehyde in Saliva by Slow-release L-Cysteine Lozenge Is a Potential New Method to Assist Smoking Cessation. A Randomised, Double-blind, Placebo-controlled Intervention. <i>Anticancer Research</i> , 2016, 36, 2297-306.	1.1	0
59	Prevalence of <i>H. pylori</i> Infection and Atrophic Gastritis in a Population-based Screening with Serum Biomarker Panel (GastroPanel [®]) in St. Petersburg. <i>Anticancer Research</i> , 2016, 36, 4129-38.	1.1	18
60	Protein phosphatase methylesterase-1 (PME-1) expression predicts a favorable clinical outcome in colorectal cancer. <i>Cancer Medicine</i> , 2015, 4, 1798-1808.	2.8	14
61	Human papillomavirus 16-specific cell-mediated immunity in children born to mothers with incident cervical intraepithelial neoplasia (CIN) and to those constantly HPV negative. <i>Journal of Translational Medicine</i> , 2015, 13, 370.	4.4	17
62	Cell mediated immunity against HPV16 E2, E6 and E7 peptides in women with incident CIN and in constantly HPV-negative women followed-up for 10-years. <i>Journal of Translational Medicine</i> , 2015, 13, 163.	4.4	13
63	Oral human papillomavirus infection in men might contribute to HPV serology. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015, 34, 237-245.	2.9	8
64	Editorial. <i>Acta Cytologica</i> , 2015, 59, 1-1.	1.3	5
65	Benefit of adjuvant interferon alfa-2b (IFN- α) therapy in melanoma patients with high serum MMP-8 levels. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 173-180.	4.2	9
66	A New-Generation Fecal Immunochemical Test (FIT) Is Superior to Quaiac-based Test in Detecting Colorectal Neoplasia Among Colonoscopy Referral Patients. <i>Anticancer Research</i> , 2015, 35, 2873-80.	1.1	9
67	Digital photography in skin cancer screening by mobile units in remote areas of Brazil. <i>BMC Dermatology</i> , 2014, 14, 19.	2.1	23
68	The clearance of oral high-risk human papillomavirus infection is impaired by long-term persistence of cervical human papillomavirus infection. <i>Clinical Microbiology and Infection</i> , 2014, 20, 1167-1172.	6.0	10
69	Smoking increases oral HPV persistence among men: 7-year follow-up study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 123-133.	2.9	67
70	HPV-associated lung cancers: an international pooled analysis. <i>Carcinogenesis</i> , 2014, 35, 1267-1275.	2.8	57
71	Implementation of a clinical quality control program in a mammography screening service of Brazil. <i>Anticancer Research</i> , 2014, 34, 5057-65.	1.1	4
72	Loss of MUC2 expression predicts disease recurrence and poor outcome in colorectal carcinoma. <i>Tumor Biology</i> , 2013, 34, 621-628.	1.8	24

#	ARTICLE	IF	CITATIONS
73	Reply to Kathleen Dâ€™Hauwers, Gunter De Win and Wiebren Tjalma's Letter to the Editor re: Katja Kero, Jaana Rautava, Kari SyrjÄnen, Seija Grenman, Stina SyrjÄnen. Oral Mucosa as a Reservoir of Human Papillomavirus: Point Prevalence, Genotype Distribution, and Incident Infections Among Males in a 7-year Prospective Study. <i>Eur Urol</i> 2012;62:1063â€“70. <i>European Urology</i> , 2013, 64, e8-e9.	1.9	0
74	Geographic origin is a significant determinant of human papillomavirus prevalence in oesophageal squamous cell carcinoma: Systematic review and meta-analysis. <i>Scandinavian Journal of Infectious Diseases</i> , 2013, 45, 1-18.	1.5	54
75	Detection of human papillomavirus in sinonasal carcinoma: systematic review and meta-analysis. <i>Human Pathology</i> , 2013, 44, 983-991.	2.0	79
76	Detection of human papillomavirus in esophageal papillomas: systematic review and meta-analysis. <i>Apmis</i> , 2013, 121, 363-374.	2.0	23
77	Detection of human papillomavirus in sinonasal papillomas: Systematic review and meta-analysis. <i>Laryngoscope</i> , 2013, 123, 181-192.	2.0	107
78	Competing-Risks Regression Models in Analysis of Biomarkers as Predictors of High-risk Human Papillomavirus (HPV) Infection Outcomes and Incident CIN in the LAMS Cohort. <i>International Journal of Gynecological Pathology</i> , 2013, 32, 406-415.	1.4	2
79	Opioids in pain management of mesothelioma and lung cancer patients. <i>Acta OncolÃ³gica</i> , 2013, 52, 30-37.	1.8	18
80	Solitary bronchial squamous cell papilloma â€“ another human papillomavirus (HPV)-associated benign tumor: systematic review and meta-analysis. <i>Wspolczesna Onkologia</i> , 2013, 5, 427-434.	1.4	4
81	Keynotes from the New Editor-in-Chief. <i>Acta Cytologica</i> , 2013, 57, 543-544.	1.3	5
82	Genotype-Specific Incidence and Clearance of Human Papillomavirus in Oral Mucosa of Women: A Six-Year Follow-Up Study. <i>PLoS ONE</i> , 2013, 8, e53413.	2.5	41
83	The impact of breast cancer screening among younger women in the Barretos Region, Brazil. <i>Anticancer Research</i> , 2013, 33, 2651-5.	1.1	8
84	High cyclooxygenase-2 expression is associated with advanced stages in colorectal cancer. <i>Anticancer Research</i> , 2013, 33, 3137-43.	1.1	39
85	Prevalence of <i>H. pylori</i> infection and atrophic gastritis among symptomatic and dyspeptic adults in Kazakhstan. A hospital-based screening study using a panel of serum biomarkers. <i>Anticancer Research</i> , 2013, 33, 4595-602.	1.1	30
86	Previous pregnancy is a favourable prognostic factor in women with localised cutaneous melanoma. <i>Acta OncolÃ³gica</i> , 2012, 51, 662-668.	1.8	10
87	Over-expression of HER-2 is associated with the stage in carcinomas of the urinary bladder. <i>Libyan Journal of Medicine</i> , 2012, 7, 14694.	1.6	11
88	Oral Mucosa as a Reservoir of Human Papillomavirus: Point Prevalence, Genotype Distribution, and Incident Infections Among Males in a 7-year Prospective Study. <i>European Urology</i> , 2012, 62, 1063-1070.	1.9	62
89	High-risk human papillomavirus associated with incident cervical intraepithelial neoplasia developing in mothers in the Finnish Family HPV Study cohort. <i>Scandinavian Journal of Infectious Diseases</i> , 2012, 44, 115-125.	1.5	8
90	Prevalence of type-specific human papillomavirus infection among women in France: Implications for screening, vaccination, and a future generation of multivalent HPV vaccines. <i>Vaccine</i> , 2012, 30, 5215-5221.	3.8	36

#	ARTICLE	IF	CITATIONS
91	HPV genotypes and their prognostic significance in head and neck squamous cell carcinomas. <i>Journal of Clinical Virology</i> , 2012, 53, 116-120.	3.1	47
92	Prevalence, Genotype Distribution and Persistence of Human Papillomavirus in Oral Mucosa of Women: A Six-Year Follow-Up Study. <i>PLoS ONE</i> , 2012, 7, e42171.	2.5	58
93	Papillomavirus from the Bench to the Clinics. <i>Journal of Oncology</i> , 2012, 2012, 1-1.	1.3	0
94	Expression of Cell Cycle Regulators P21 and P27 as Predictors of Disease Outcome in Colorectal Carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2012, 43, 279-287.	1.3	22
95	Performance characteristics of Pap test, VIA, VILI, HR-HPV testing, cervicography, and colposcopy in diagnosis of significant cervical pathology. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 460, 577-585.	2.8	43
96	Loss of E-cadherin expression predicts disease recurrence and shorter survival in colorectal carcinoma. <i>Apmis</i> , 2012, 120, 539-548.	2.0	35
97	Human Papillomavirus Genotypes Present in the Oral Mucosa of Newborns and their Concordance with Maternal Cervical Human Papillomavirus Genotypes. <i>Journal of Pediatrics</i> , 2012, 160, 837-843.	1.8	79
98	Factors predicting the outcome of conservatively treated adenocarcinoma in situ of the uterine cervix: An analysis of 166 cases. <i>Gynecologic Oncology</i> , 2012, 124, 490-495.	1.4	47
99	Risk assessment and clinical impact of liquid-based cytology, oncogenic human papillomavirus (HPV) DNA and mRNA testing in primary cervical cancer screening (The FASE Study). <i>Gynecologic Oncology</i> , 2012, 125, 175-180.	1.4	47
100	Cyclooxygenase-2 expression as a predictor of outcome in colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2012, 18, 1793.	3.3	32
101	Lack of CD44 variant 6 expression in rectal cancer invasive front associates with early recurrence. <i>World Journal of Gastroenterology</i> , 2012, 18, 4549.	3.3	39
102	Detection of human papillomavirus in lung cancer: systematic review and meta-analysis. <i>Anticancer Research</i> , 2012, 32, 3235-50.	1.1	53
103	Main effects and interactions of carbonic anhydrase IX, hypoxia-inducible factor-1 α , ezrin and glucose transporter-1 in multivariate analysis for disease outcome in rectal cancer. <i>Anticancer Research</i> , 2012, 32, 3299-303.	1.1	5
104	Estrogen receptor, progesterone receptor, and nuclear size features in female breast cancer in Libya: correlation with clinical features and survival. <i>Anticancer Research</i> , 2012, 32, 3485-93.	1.1	7
105	Securin identifies a subgroup of patients with poor outcome in rectal cancer treated with long-course (chemo)radiotherapy. <i>Acta Oncologica</i> , 2011, 50, 1158-1166.	1.8	4
106	Lack of type-specific concordance between human papillomavirus (HPV) serology and HPV DNA detection in the uterine cervix and oral mucosa. <i>Journal of General Virology</i> , 2011, 92, 2034-2046.	2.9	33
107	Hormonal Contraceptives and the Length of Their Use Are Not Independent Risk Factors for High-Risk HPV Infections or High-Grade CIN. <i>Gynecologic and Obstetric Investigation</i> , 2011, 71, 93-103.	1.6	27
108	Preoperative radiotherapy modulates ezrin expression and its value as a predictive marker in patients with rectal cancer. <i>Human Pathology</i> , 2011, 42, 384-392.	2.0	14

#	ARTICLE	IF	CITATIONS
109	Circulating levels of VEGFR-1 and VEGFR-2 in patients with metastatic melanoma treated with chemoimmunotherapy alone or combined with bevacizumab. <i>Melanoma Research</i> , 2011, 21, 431-437.	1.2	5
110	Human papillomavirus and predictors of cervical intraepithelial neoplasia among young mothers in a prospective follow-up study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011, 90, 167-173.	2.8	8
111	Human Papillomavirus Genotypes in Male Genitalia and Their Concordance among Pregnant Spouses Participating in the Finnish Family HPV Study. <i>Journal of Sexual Medicine</i> , 2011, 8, 2522-2531.	0.6	31
112	Evaluation of oncogenic human papillomavirus RNA and DNA tests with liquid-based cytology in primary cervical cancer screening: The FASE study. <i>International Journal of Cancer</i> , 2011, 129, 691-701.	5.1	122
113	Risk estimates for persistent high-risk human papillomavirus infections as surrogate endpoints of progressive cervical disease critically depend on reference category: analysis of the combined prospective cohort of the New Independent States of the Former Soviet Union and Latin American Screening Studies. <i>International Journal of STD and AIDS</i> , 2011, 22, 315-323.	1.1	4
114	Co-factors of high-risk human papillomavirus infections display unique profiles in incident CIN1, CIN2 and CIN3. <i>International Journal of STD and AIDS</i> , 2011, 22, 263-272.	1.1	9
115	Angiogenesis in urinary bladder carcinoma as defined by microvessel density (MVD) after immunohistochemical staining for Factor VIII and CD31. <i>Libyan Journal of Medicine</i> , 2011, 6, 6016.	1.6	18
116	Dynamics of genital human papillomavirus (HPV) infections among males eventually being uncovered. <i>Asian Journal of Andrology</i> , 2011, 13, 361-362.	1.6	0
117	Prognostic value of mitotic counts in breast cancer of Saudi Arabian patients. <i>Anticancer Research</i> , 2011, 31, 97-103.	1.1	2
118	RASSF1A methylation is predictive of poor prognosis in female breast cancer in a background of overall low methylation frequency. <i>Anticancer Research</i> , 2011, 31, 2975-81.	1.1	26
119	Carbonic anhydrase IX, hypoxia-inducible factor-1 α , ezrin and glucose transporter-1 as predictors of disease outcome in rectal cancer: multivariate Cox survival models following data reduction by principal component analysis of the clinicopathological predictors. <i>Anticancer Research</i> , 2011, 31, 4529-35.	1.1	16
120	p300 Expression is Related to High-risk Human Papillomavirus Infections and Severity of Cervical Intraepithelial Neoplasia But Not to Viral or Disease Outcomes in a Longitudinal Setting. <i>International Journal of Gynecological Pathology</i> , 2010, 29, 135-145.	1.4	6
121	The expression and distribution of group IIA phospholipase A2 in human colorectal tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 457, 659-667.	2.8	18
122	Cervical cancer screening in Mediterranean countries: implications for the future. <i>Cytopathology</i> , 2010, 21, 359-367.	0.7	14
123	Up-regulation of Lipocalin 2 Is Associated With High-Risk Human Papillomavirus and Grade of Cervical Lesion at Baseline but Does Not Predict Outcomes of Infections or Incident Cervical Intraepithelial Neoplasia. <i>American Journal of Clinical Pathology</i> , 2010, 134, 50-59.	0.7	11
124	Up-Regulation of 14-3-3 β (Stratifin) Is Associated With High-Grade CIN and High-Risk Human Papillomavirus (HPV) at Baseline but Does Not Predict Outcomes of HR-HPV Infections or Incident CIN in the LAMS Study. <i>American Journal of Clinical Pathology</i> , 2010, 133, 232-240.	0.7	4
125	Genotype-Specific Clearance of Genital Human Papillomavirus (HPV) Infections among Mothers in the Finnish Family HPV Study. <i>Journal of Clinical Microbiology</i> , 2010, 48, 2665-2671.	3.9	28
126	Optional screening strategies for cervical cancer using standalone tests and their combinations among low- and medium-income populations in Latin America and Eastern Europe. <i>Journal of Medical Screening</i> , 2010, 17, 195-203.	2.3	12

#	ARTICLE	IF	CITATIONS
127	Molecular Markers Implicating Early Malignant Events in Cervical Carcinogenesis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2003-2012.	2.5	21
128	Natural seroconversion to high-risk human papillomaviruses (hrHPVs) is not protective against related HPV genotypes. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 379-384.	1.5	21
129	Preoperative radiotherapy downregulates the nuclear expression of hypoxia-inducible factor-1 α in rectal cancer. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 340-348.	1.5	10
130	Prophylactic HPV vaccines: the Finnish perspective. <i>Expert Review of Vaccines</i> , 2010, 9, 45-57.	4.4	11
131	MMP-9 (Gelatinase B) Expression is Associated With Disease-Free Survival and Disease-Specific Survival in Colorectal Cancer Patients. <i>Cancer Investigation</i> , 2010, 28, 38-43.	1.3	76
132	Nuclear morphometry in prognostication of breast cancer in Saudi Arabian patients: comparison with European and African breast cancer. <i>Anticancer Research</i> , 2010, 30, 2185-91.	1.1	3
133	Phylogenetic classification of human papillomavirus genotypes in high-grade cervical intraepithelial neoplasia in women from a densely populated Brazilian urban region. <i>Sao Paulo Medical Journal</i> , 2009, 127, 122-127.	0.9	6
134	Reproducibility of Classification and Correction for Verification Bias as Determinants of Performance of Papanicolaou Smear Cytology in the Screening Setting. <i>Acta Cytologica</i> , 2009, 53, 548-557.	1.3	3
135	Dynamics of human papillomavirus serology in women followed up for 36 months after pregnancy. <i>Journal of General Virology</i> , 2009, 90, 1515-1526.	2.9	59
136	Reply: expression of carbonic anhydrase IX suggests poor response to therapy in rectal cancer. <i>British Journal of Cancer</i> , 2009, 101, 373-373.	6.4	1
137	PLA2 (group IIA phospholipase A2) as a prognostic determinant in stage II colorectal carcinoma. <i>Annals of Oncology</i> , 2009, 20, 1230-1235.	1.2	41
138	Effect of Second Pregnancy on Maternal Carriage and Outcome of High-Risk Human Papillomavirus (HPV). <i>Gynecologic and Obstetric Investigation</i> , 2009, 67, 208-216.	1.6	13
139	Up-Regulation of Plasminogen Activator Inhibitor-2 Is Associated With High-Risk HPV and Grade of Cervical Lesion at Baseline but Does Not Predict Outcomes of High-Risk HPV Infections or Incident CIN. <i>American Journal of Clinical Pathology</i> , 2009, 132, 883-892.	0.7	6
140	Immunosuppressive cytokine Interleukin-10 (IL-10) is up-regulated in high-grade CIN but not associated with high-risk human papillomavirus (HPV) at baseline, outcomes of HR-HPV infections or incident CIN in the LAMS cohort. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 455, 505-515.	2.8	26
141	Tobacco smoking and chewing as risk factors for multiple human papillomavirus infections and cervical squamous intraepithelial lesions in two countries (Côte d'Ivoire and Finland) with different tobacco exposure. <i>Cancer Causes and Control</i> , 2009, 20, 163-170.	1.8	24
142	Prognostic Significance of Matrix Metalloproteinase-9 (MMP-9) in Stage II Colorectal Carcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2009, 40, 91-7.	1.3	32
143	Expression of carbonic anhydrase IX suggests poor outcome in rectal cancer. <i>British Journal of Cancer</i> , 2009, 100, 874-880.	6.4	97
144	Smoking worsens the prognosis of mild abnormalities in cervical cytology. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 514-520.	2.8	15

#	ARTICLE	IF	CITATIONS
145	Outcome of Conservatively Treated Microinvasive Squamous Cell Carcinoma of the Uterine Cervix During a 10-Year Follow-up. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 33-38.	2.5	28
146	Increased Risk of Oncogenic Human Papillomavirus Infections and Incident High-Grade Cervical Intraepithelial Neoplasia Among Smokers. <i>Sexually Transmitted Diseases</i> , 2009, 36, 241-248.	1.7	24
147	Persistent High-Risk Human Papillomavirus Infections and Other End-Point Markers of Progressive Cervical Disease Among Women Prospectively Followed up in the New Independent States of the Former Soviet Union and the Latin American Screening Study Cohorts. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 934-942.	2.5	20
148	Discrepancies in expression and prognostic value of tumor markers in adenocarcinoma and squamous cell carcinoma in cervical cancer. <i>Anticancer Research</i> , 2009, 29, 2577-8.	1.1	11
149	Needs of developing the skills of palliative care at the oncology ward. <i>Supportive Care in Cancer</i> , 2008, 16, 3-8.	2.2	27
150	Human papillomavirus in the placenta and umbilical cord blood. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1181-1188.	2.8	95
151	Up-regulation of VEGF, c-fms and COX-2 expression correlates with severity of cervical cancer precursor (CIN) lesions and invasive disease. <i>Gynecologic Oncology</i> , 2008, 110, 445-451.	1.4	48
152	Clinical and epidemiological correlates of antibody response to human papillomaviruses (HPVs) as measured by a novel ELISA based on denatured recombinant HPV16 late (L) and early (E) antigens. <i>Infectious Agents and Cancer</i> , 2008, 3, 9.	2.6	4
153	Intense cytoplasmic ezrin immunoreactivity predicts poor survival in colorectal cancer. <i>Human Pathology</i> , 2008, 39, 1737-1743.	2.0	80
154	Co-Expression of HSV2 and Chlamydia trachomatis in HPV-Positive Cervical Cancer and Cervical Intraepithelial Neoplasia Lesions Is Associated with Aberrations in Key Intracellular Pathways. <i>Intervirolgy</i> , 2008, 51, 230-234.	2.8	54
155	Smoking impairs human papillomavirus (HPV) type 16 and 18 capsids antibody response following natural HPV infection. <i>Scandinavian Journal of Infectious Diseases</i> , 2008, 40, 745-751.	1.5	55
156	Linear array genotyping and hybrid capture II assay in detecting human papillomavirus genotypes in women referred for colposcopy due to abnormal Papanicolaou smear. <i>International Journal of STD and AIDS</i> , 2008, 19, 385-392.	1.1	15
157	Age at menarche is not an independent risk factor for high-risk human papillomavirus infections and cervical intraepithelial neoplasia. <i>International Journal of STD and AIDS</i> , 2008, 19, 16-25.	1.1	8
158	Drug addiction is not an independent risk factor for oncogenic human papillomavirus infections or high-grade cervical intraepithelial neoplasia: case-control study nested within the Latin American Screening study cohort. <i>International Journal of STD and AIDS</i> , 2008, 19, 251-258.	1.1	10
159	Thymidylate synthase and microsatellite instability in colorectal cancer: Implications for disease free survival, treatment response and survival with metastases. <i>Acta Oncologica</i> , 2008, 47, 1046-1053.	1.8	12
160	Value of Conventional Pap Smear, Liquid-Based Cytology, Visual Inspection and Human Papillomavirus Testing as Optional Screening Tools Among Latin American Women < 35 and = 35 Years of Age. <i>Acta Cytologica</i> , 2008, 52, 641-653.	1.3	15
161	Safety of screening with Human papillomavirus testing for cervical cancer at three-year intervals in a high-risk population: experience from the LAMS study. <i>Journal of Medical Screening</i> , 2008, 15, 97-104.	2.3	7
162	Predicting High-Risk Human Papillomavirus Infection, Progression of Cervical Intraepithelial Neoplasia, and Prognosis of Cervical Cancer With a Panel of 13 Biomarkers Tested in Multivariate Modeling. <i>International Journal of Gynecological Pathology</i> , 2008, PAP, 265-73.	1.4	21

#	ARTICLE	IF	CITATIONS
163	Serum matrix metalloproteinase-8 is associated with ulceration and vascular invasion of malignant melanoma. <i>Melanoma Research</i> , 2008, 18, 268-273.	1.2	28
164	Detection of Human Papillomavirus Genotypes Among High-Risk Women: A Comparison of Hybrid Capture and Linear Array Tests. <i>Sexually Transmitted Diseases</i> , 2008, 35, 521-527.	1.7	22
165	Molecular Techniques. , 2008, , 1071-1090.		3
166	Nuclear β -catenin expression as a prognostic factor in advanced colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2008, 14, 3866.	3.3	53
167	Up-regulation of a-catenin is associated with increased lymph node involvement in colorectal cancer. <i>World Journal of Gastroenterology</i> , 2008, 14, 4903.	3.3	6
168	Bcl-2 expression significantly correlates with thymidylate synthase expression in colorectal cancer patients. <i>World Journal of Gastroenterology</i> , 2008, 14, 6218.	3.3	3
169	Detection of oncogenic DNA viruses in colorectal cancer. <i>Anticancer Research</i> , 2008, 28, 1405-10.	1.1	47
170	Oncoprotein Bcl-2 and microsatellite instability are associated with disease-free survival and treatment response in colorectal cancer. <i>Oncology Reports</i> , 2008, 20, 999-1004.	2.6	2
171	VEGF-1 expression in colorectal cancer is associated with disease localization, stage, and long-term disease-specific survival. <i>Anticancer Research</i> , 2008, 28, 3865-70.	1.1	70
172	The history of papillomavirus research. <i>Central European Journal of Public Health</i> , 2008, 16 Suppl, S7-13.	1.1	2
173	MMP-1 (collagenase-1) expression in primary colorectal cancer and its metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 1473-1478.	1.5	33
174	Thymidylate synthase expression in primary colorectal tumours is correlated with its expression in metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 471-476.	1.5	5
175	Serum VEGF-C is associated with metastatic site in patients with malignant melanoma. <i>Acta Oncologica</i> , 2007, 46, 678-684.	1.8	31
176	Mismatch Repair Status Is a Predictive Factor of Tumour Response to 5-Fluorouracil and Irinotecan Chemotherapy in Patients with Advanced Colorectal Cancer. <i>Tumor Biology</i> , 2007, 28, 212-220.	1.8	20
177	p16 ^{INK4a} Immunocytochemistry in Liquid-Based Cytology Samples in Equivocal Pap Smears. <i>Acta Cytologica</i> , 2007, 51, 755-766.	1.3	28
178	Value of the International Federation for Cervical Pathology and Colposcopy (IFCPC) Terminology in Predicting Cervical Disease. <i>Journal of Lower Genital Tract Disease</i> , 2007, 11, 158-165.	1.9	38
179	Detection of oncogenic viruses (SV40, BKV, JCV, HCMV, HPV) and p53 codon 72 polymorphism in lung carcinoma. <i>Lung Cancer</i> , 2007, 57, 273-281.	2.0	68
180	Interlaboratory Quality Control in Gynecologic Cytopathology Using the Novel CONQUISTADOR Software. <i>Acta Cytologica</i> , 2007, 51, 872-881.	1.3	3

#	ARTICLE	IF	CITATIONS
181	Prevalence of the most common high-risk HPV genotypes among women in three new independent states of the former Soviet Union. <i>Journal of Medical Virology</i> , 2007, 79, 771-781.	5.0	31
182	Macrophages, inflammation and risk of cervical intraepithelial neoplasia (CIN) progression – Clinicopathological correlation. <i>Gynecologic Oncology</i> , 2007, 105, 157-165.	1.4	117
183	Human papillomavirus (HPV) test and PAP smear as predictors of outcome in conservatively treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007, 106, 170-176.	1.4	59
184	Smoking is an independent risk factor for oncogenic human papillomavirus (HPV) infections but not for high-grade CIN. <i>European Journal of Epidemiology</i> , 2007, 22, 723-735.	5.7	52
185	Serum angiogenin levels predict treatment response in patients with stage IV melanoma. <i>Clinical and Experimental Metastasis</i> , 2007, 24, 567-574.	3.3	20
186	Prevalence of genital human papillomavirus infections established using different diagnostic techniques among males attending a urological clinic. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 138-143.	1.4	15
187	Serum antibody response to Human papillomavirus (HPV) infections detected by a novel ELISA technique based on denatured recombinant HPV16 L1, L2, E4, E6 and E7 proteins. <i>Infectious Agents and Cancer</i> , 2006, 1, 6.	2.6	30
188	E-cadherin expression pattern in primary colorectal carcinomas and their metastases reflects disease outcome. <i>World Journal of Gastroenterology</i> , 2006, 12, 4304.	3.3	65
189	Detection and expression of human papillomavirus oncogenes in non-small cell lung cancer. <i>Oncology Reports</i> , 2006, 16, 183.	2.6	27
190	Relationship of Up-Regulation of 67-kd Laminin Receptor to Grade of Cervical Intraepithelial Neoplasia and to High-Risk HPV Types and Prognosis in Cervical Cancer. <i>Acta Cytologica</i> , 2006, 50, 6-15.	1.3	6
191	Over-Expression of Topoisomerase II?? is Related to the Grade of Cervical Intraepithelial Neoplasia (CIN) and High-Risk Human Papillomavirus (HPV), but does not Predict Prognosis in Cervical Cancer or HPV Clearance after Cone Treatment. <i>International Journal of Gynecological Pathology</i> , 2006, 25, 383-392.	1.4	24
192	Performance of Pap smear and human papilloma virus testing in the follow-up of women with cervical intraepithelial neoplasia grade 1 managed conservatively. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 444-450.	2.8	11
193	Molecular markers: How to apply in practice. <i>Gynecologic Oncology</i> , 2006, 103, 18-20.	1.4	13
194	Upregulation of nuclear factor- κ B (NF- κ B) is related to the grade of cervical intraepithelial neoplasia, but is not an independent predictor of high-risk human papillomavirus or disease outcome in cervical cancer. <i>Diagnostic Cytopathology</i> , 2006, 34, 555-563.	1.0	22
195	Upregulation of telomerase (hTERT) is related to the grade of cervical intraepithelial neoplasia, but is not an independent predictor of high-risk human papillomavirus, virus persistence, or disease outcome in cervical cancer. <i>Diagnostic Cytopathology</i> , 2006, 34, 739-748.	1.0	31
196	Cell Cycle Regulators p105, p107, Rb2/p130, E2F4, p21CIP1/WAF1, Cyclin A in Predicting Cervical Intraepithelial Neoplasia, High-Risk Human Papillomavirus Infections and Their Outcome in Women Screened in Three New Independent States of the Former Soviet Union. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1250-1256.	2.5	13
197	DNA IMAGE CYTOMETRY IN PROGNOSTICATION OF COLORECTAL CANCER: PRACTICAL CONSIDERATIONS OF THE TECHNIQUE AND INTERPRETATION OF THE HISTOGRAMS. <i>Image Analysis and Stereology</i> , 2006, 25, 1.	0.9	1
198	Nuclear size as prognostic determinant in stage II and stage III colorectal adenocarcinoma. <i>Anticancer Research</i> , 2006, 26, 455-62.	1.1	10

#	ARTICLE	IF	CITATIONS
199	Detection and expression of human papillomavirus oncogenes in non-small cell lung cancer. <i>Oncology Reports</i> , 2006, 16, 183-9.	2.6	47
200	Comparison of DNA sequencing and Roche Linear array in human papillomavirus (HPV) genotyping. <i>Anticancer Research</i> , 2006, 26, 3939-41.	1.1	25
201	Oral contraceptives are not an independent risk factor for cervical intraepithelial neoplasia or high-risk human papillomavirus infections. <i>Anticancer Research</i> , 2006, 26, 4729-40.	1.1	24
202	Molecular Strategies for Identifying Human Papillomavirus Infection in Routinely Processed Samples: Focus on Paraffin Sections. <i>Journal of Lower Genital Tract Disease</i> , 2005, 9, 219-224.	1.9	11
203	Immunocytochemical Expression of p16INK4A and Ki-67 in Cytologically Negative and Equivocal Pap Smears Positive for Oncogenic Human Papillomavirus. <i>International Journal of Gynecological Pathology</i> , 2005, 24, 118-124.	1.4	49
204	New Statistical Software for Intralaboratory and Interlaboratory Quality Control in Clinical Cytology. <i>Acta Cytologica</i> , 2005, 49, 398-404.	1.3	7
205	Conventional Pap Smear and Liquid-Based Cytology as Screening Tools in Low-Resource Settings in Latin America. <i>Acta Cytologica</i> , 2005, 49, 500-506.	1.3	31
206	DNA recovery from Hybrid Capture II samples stored in specimen transport medium with denaturing reagent, for the detection of human papillomavirus by PCR. <i>Journal of Virological Methods</i> , 2005, 126, 197-201.	2.1	13
207	Performance of the Roche AMPLICORÂ® Human papillomavirus (HPV) test in prediction of cervical intraepithelial neoplasia (CIN) in women with abnormal PAP smear. <i>Gynecologic Oncology</i> , 2005, 99, 160-168.	1.4	70
208	Age-specific incidence and clearance of high-risk human papillomavirus infections in women in the former Soviet Union. <i>International Journal of STD and AIDS</i> , 2005, 16, 217-223.	1.1	36
209	Survivin as a Marker of Cervical Intraepithelial Neoplasia and High-Risk Human Papillomavirus and a Predictor of Virus Clearance and Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2005, 124, 113-121.	0.7	63
210	High-Risk Types of Human Papillomavirus (HPV) DNA in Oral and Genital Mucosa of Infants during Their First 3 Years of Life: Experience from the Finnish HPV Family Study. <i>Clinical Infectious Diseases</i> , 2005, 41, 1728-1733.	5.8	124
211	Evaluation of visual inspection with acetic acid (VIA), Lugol's iodine (VILI), cervical cytology and HPV testing as cervical screening tools in Latin America: This report refers to partial results from the LAMS (Latin American Screening) study. <i>Journal of Medical Screening</i> , 2005, 12, 142-149.	2.3	126
212	Survivin as a Marker of Cervical Intraepithelial Neoplasia and High-Risk Human Papillomavirus and a Predictor of Virus Clearance and Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2005, 124, 113-121.	0.7	3
213	Nuclear area is a prognostic determinant in advanced colorectal cancer. <i>Anticancer Research</i> , 2005, 25, 3083-8.	1.1	3
214	Activation of the ERK/MAP Kinase Pathway in Cervical Intraepithelial Neoplasia Is Related to Grade of the Lesion but Not to High-Risk Human Papillomavirus, Virus Clearance, or Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2004, 122, 902-911.	0.7	52
215	Acquisition of High-Risk Human Papillomavirus Infections and Pap Smear Abnormalities among Women in the New Independent States of the Former Soviet Union. <i>Journal of Clinical Microbiology</i> , 2004, 42, 505-511.	3.9	30
216	Human Papillomavirus Testing with the Hybrid Capture 2 Assay and PCR as Screening Tools. <i>Journal of Clinical Microbiology</i> , 2004, 42, 2470-2475.	3.9	86

#	ARTICLE	IF	CITATIONS
217	Prognostic value of P53 codon 72 polymorphism in invasive cervical cancer in Brazil. <i>Gynecologic Oncology</i> , 2004, 93, 374-380.	1.4	21
218	HPV DNA test and Pap smear in detection of residual and recurrent disease following loop electrosurgical excision procedure of high-grade cervical intraepithelial neoplasia. <i>Gynecologic Oncology</i> , 2004, 94, 181-186.	1.4	41
219	Human papillomavirus DNA detection and histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in their Pap smears. <i>Gynecologic Oncology</i> , 2004, 95, 618-623.	1.4	57
220	Hybrid Capture II and Polymerase Chain Reaction for Identifying HPV Infections in Samples Collected in a New Collection Medium. <i>Acta Cytologica</i> , 2004, 48, 514-520.	1.3	31
221	p16INK4A Expression Is Related to Grade of CIN and High-risk Human Papillomavirus but Does not Predict Virus Clearance After Conization or Disease Outcome. <i>International Journal of Gynecological Pathology</i> , 2004, 23, 354-365.	1.4	83
222	Is Improved Detection of Adenocarcinoma in Situ by Screening a Key to Reducing the Incidence of Cervical Adenocarcinoma?. <i>Acta Cytologica</i> , 2004, 48, 591-594.	1.3	12
223	Activation of the ERK/MAP Kinase Pathway in Cervical Intraepithelial Neoplasia Is Related to Grade of the Lesion but not to High-Risk Human Papillomavirus, Virus Clearance, or Prognosis in Cervical Cancer. <i>American Journal of Clinical Pathology</i> , 2004, 122, 902-911.	0.7	34
224	Effect of confluence state and passaging on global cancer gene expression pattern in oral carcinoma cell lines. <i>Anticancer Research</i> , 2004, 24, 2627-31.	1.1	10
225	Factors predicting human papillomavirus clearance in cervical intraepithelial neoplasia lesions treated by conization. <i>Gynecologic Oncology</i> , 2003, 90, 358-365.	1.4	105
226	Factors predicting the persistence of genital human papillomavirus infections and PAP smear abnormality in HIV-positive and HIV-negative women during prospective follow-up. <i>International Journal of STD and AIDS</i> , 2003, 14, 417-425.	1.1	54
227	Sexual Habits and Human Papillomavirus Infection Among Females in Three New Independent States of the Former Soviet Union. <i>Sexually Transmitted Diseases</i> , 2003, 30, 680-684.	1.7	21
228	Human papillomavirus viral load in predicting high-grade CIN in women with cervical smears showing only atypical squamous cells or low-grade squamous intraepithelial lesion. <i>Sao Paulo Medical Journal</i> , 2003, 121, 238-243.	0.9	24
229	Regulation of cell cycles is of key importance in human papillomavirus (HPV)-associated cervical carcinogenesis. <i>Sao Paulo Medical Journal</i> , 2003, 121, 128-132.	0.9	21
230	Human Papillomavirus Testing and Conventional Pap Smear Cytology as Optional Screening Tools of Women at Different Risks for Cervical Cancer in the Countries of the Former Soviet Union. <i>Journal of Lower Genital Tract Disease</i> , 2002, 6, 97-110.	1.9	40
231	Performance of cytology and colposcopy in diagnosis of cervical intraepithelial neoplasia (CIN) in HIV-positive and HIV-negative women. <i>Cytopathology</i> , 2001, 12, 84-93.	0.7	21
232	CD44 Isoform 6 (CD44v6) Is a Prognostic Indicator of the Response to Neoadjuvant Chemotherapy in Cervical Carcinoma. <i>Gynecologic Oncology</i> , 2001, 80, 67-73.	1.4	39
233	Endometriosis-Associated Ovarian Carcinoma (EAOC): An Entity Distinct from Other Ovarian Carcinomas as Suggested by a Nested Case-Control Study. <i>Gynecologic Oncology</i> , 2001, 83, 100-108.	1.4	147
234	Cervical Cancer Screening in Porto Alegre, Brazil: Alternative Methods for Detecting Cancer Precursors in a Developing Country. <i>Journal of Lower Genital Tract Disease</i> , 2001, 5, 24-28.	1.9	5

#	ARTICLE	IF	CITATIONS
235	Neoadjuvant Chemotherapy in Cervical Carcinoma. American Journal of Clinical Pathology, 2001, 116, 729-737.	0.7	37
236	Combined Pap Smear, Cervicography and HPV DNA Testing in the Detection of Cervical Intraepithelial Neoplasia and Cancer. Acta Cytologica, 2000, 44, 310-318.	1.3	25
237	Report on consensus conference on cervical cancer screening and management. , 2000, 86, 440-447.		126
238	Speculoscopy for Triage of Patients with an Abnormal Pap Smear: Data from the GISPE Study. Journal of Lower Genital Tract Disease, 2000, 4, 212-216.	1.9	0
239	High risk HPV and p53 protein expression in cervical intraepithelial neoplasia. International Journal of Gynecology and Obstetrics, 2000, 71, 45-48.	2.3	16
240	New Concepts on the Role of Human Papillomavirus in Cell Cycle Regulation. Annals of Medicine, 1999, 31, 175-187.	3.8	99
241	Human papillomavirus (HPV) typing as an adjunct to cervical cancer screening. Cytopathology, 1999, 10, 8-15.	0.7	7
242	p21/WAF1 expression as related to p53, cell proliferation and prognosis in epithelial ovarian cancer. British Journal of Cancer, 1999, 79, 1870-1878.	6.4	87
243	Expression of cyclins A and D and p21(waf1/cip1) proteins in renal cell cancer and their relation to clinicopathological variables and patient survival. British Journal of Cancer, 1999, 80, 2001-2007.	6.4	77
244	Failure to Demonstrate Human Papillomavirus DNA in Epithelial Ovarian Cancer by General Primer PCR. Gynecologic Oncology, 1999, 72, 337-341.	1.4	68
245	An interlaboratory study to determine the presence of human papillomavirus DNA in esophageal carcinoma from China. , 1999, 81, 225-228.		51
246	An interlaboratory study to determine the presence of human papillomavirus DNA in esophageal carcinoma from China. International Journal of Cancer, 1999, 81, 225-228.	5.1	2
247	Characterization of keratin and cell cycle protein expression in cell lines from squamous intraepithelial lesions progressing towards a malignant phenotype. British Journal of Cancer, 1998, 77, 766-775.	6.4	9
248	Anti-proliferative effect of retinoids and interferon- α -2a on vaginal cell lines derived from squamous intra-epithelial lesions. , 1998, 78, 338-345.		9
249	Clinical relevance of p53 index and expression of proliferating cell nuclear antigen and Ki-67 in gastric cancer. Journal of Cancer Research and Clinical Oncology, 1998, 124, 497-502.	2.5	12
250	Cigarette smoking and high-risk HPV DNA as predisposing factors for high-grade cervical intraepithelial neoplasia (CIN) in young Brazilian women. Acta Obstetricia Et Gynecologica Scandinavica, 1998, 77, 678-682.	2.8	32
251	Tissue localization of bovine dander allergen Bos d 2â~†â~†â~†â~...â~...â~.... Journal of Allergy and Clinical Immunology, 1998, 101, 349-353.	2.9	15
252	Quality Assurance/Control Issues. Acta Cytologica, 1998, 42, 133-140.	1.3	11

#	ARTICLE	IF	CITATIONS
253	Human Papillomavirus. Acta Cytologica, 1998, 42, 50-58.	1.3	66
254	Clinical significance of alpha-catenin, collagen IV, and Ki-67 expression in epithelial ovarian cancer.. Journal of Clinical Oncology, 1998, 16, 2591-2600.	1.6	62
255	Type I Diabetic Pregnancy and Subclinical Human Papillomavirus Infection. Clinical Infectious Diseases, 1997, 24, 153-156.	5.8	2
256	No Epstein Barr and Cytomegalovirus DNA Found in Salivary Gland Tumours. Orl, 1997, 59, 97-99.	1.1	9
257	Estrogen response in buccal mucosa – a cytological and immunohistological assay. Maturitas, 1997, 27, 41-45.	2.4	25
258	Prognostic Value of Ki-67 Expression in Renal Cell Carcinomas. European Urology, 1997, 31, 350-355.	1.9	47
259	Expression and mutations of p53 in salivary gland tumours. Journal of Oral Pathology and Medicine, 1997, 26, 217-223.	2.7	65
260	Prognostic factors in gastric carcinoma. British Journal of Cancer, 1997, 76, 279-279.	6.4	0
261	Exposure of an infant to cervical human papillomavirus infection of the mother is common. American Journal of Obstetrics and Gynecology, 1997, 176, 1039-1045.	1.3	98
262	Mitotic index in the subrenal capsule assay as an indicator of the chemosensitivity of ovarian cancer. Cancer Chemotherapy and Pharmacology, 1997, 41, 15-21.	2.3	6
263	Prognostic value of epidermal growth factor expression in breast cancer. Journal of Cancer Research and Clinical Oncology, 1997, 123, 63-68.	2.5	9
264	Phyllodes tumour: cytologic and histologic presentation of 22 cases, and immunohistochemical demonstration of p53. Cytopathology, 1997, 8, 177-187.	0.7	26
265	NUCLEAR MORPHOMETRY AS A PREDICTOR OF DISEASE OUTCOME IN GASTRIC CANCER. , 1997, 181, 46-50.		6
266	Management of stage-I borderline ovarian tumors. International Journal of Gynecology and Obstetrics, 1996, 54, 37-44.	2.3	30
267	Prognostic Significance of TGF- β Expression in Breast Cancer. Acta Oncologica, 1996, 35, 995-998.	1.8	15
268	Polymerase Chain Reaction Amplification of Human Papillomavirus DNA from Archival, Papanicolaou-Stained Cervical Smears. Acta Cytologica, 1996, 40, 391-395.	1.3	33
269	p53 and bcl-2 proteins as prognostic markers in human papillomavirus-associated cervical lesions.. Journal of Clinical Oncology, 1996, 14, 2120-2130.	1.6	34
270	The important prognostic value of Ki-67 expression as determined by image analysis in breast cancer. Journal of Cancer Research and Clinical Oncology, 1996, 122, 687-692.	2.5	50

#	ARTICLE	IF	CITATIONS
271	Expression of PCNA is associated with the presence of HPV DNA in skin warts. Archives of Dermatological Research, 1996, 289, 35-39.	1.9	6
272	Failure to demonstrate human papillomavirus (HPV) involvement in Bowen's disease of the skin. Archives of Dermatological Research, 1996, 289, 40-45.	1.9	24
273	Vertical transmission of human papillomavirus from infected mothers to their newborn babies and persistence of the virus in childhood. American Journal of Obstetrics and Gynecology, 1996, 174, 694-699.	1.3	142
274	PRENATAL SCREENING FOR CONGENITAL NEPHROSIS IN EAST FINLAND: RESULTS AND IMPACT ON THE BIRTH PREVALENCE OF THE DISEASE. , 1996, 16, 207-213.		19
275	HLA types in women with cervical human papillomavirus (HPV) lesions prospectively followed up for 10 years. Cytopathology, 1996, 7, 99-107.	0.7	10
276	Vitamin E concentration in breast adipose tissue of breast cancer patients (Kuopio, Finland). Cancer Causes and Control, 1996, 7, 591-595.	1.8	10
277	Prognostic factors in gastric cancer: the value of vascular invasion, mitotic rate and lymphoplasmacytic infiltration. British Journal of Cancer, 1996, 74, 766-772.	6.4	83
278	Transmission of Genital Human Papillomavirus Infections is Unlikely through the Floor and Seats of Humid Dwellings in Countries of High-Level Hygiene. Scandinavian Journal of Infectious Diseases, 1996, 28, 243-246.	1.5	24
279	Expression of tumour-suppressor gene Rb, apoptosis-suppressing protein Bcl-2 and c-Myc have no independent prognostic value in renal adenocarcinoma. British Journal of Cancer, 1995, 71, 863-867.	6.4	54
280	Biochemical Parameters as Prognostic Factors in Prostatic Adenocarcinoma. Acta Oncológica, 1995, 34, 53-59.	1.8	8
281	No evidence of human papillomavirus DNA in actinic keratosis. Archives of Dermatological Research, 1995, 287, 649-651.	1.9	9
282	Expression of p53 protein has no independent prognostic value in breast cancer. Journal of Pathology, 1995, 177, 225-232.	4.5	39
283	Mitotic activity and prognosis in prostatic adenocarcinoma. Prostate, 1995, 26, 80-86.	2.3	35
284	Nuclear morphometry is of independent prognostic value only in T1 prostatic adenocarcinomas. Prostate, 1995, 27, 110-117.	2.3	19
285	Human papillomavirus in vulvar and vaginal carcinoma cell lines. British Journal of Cancer, 1995, 72, 134-139.	6.4	21
286	Rapid and effective detection of mutations in the p53 gene using nonradioactive single-strand conformation polymorphism (SSCP) technique applied on PhastSystem®,. Journal of Virological Methods, 1995, 51, 43-53.	2.1	27
287	Collagen IV and Tenascin Immunoreactivity as Prognostic Determinant in Benign and Malignant Salivary Gland Tumours. Acta Oto-Laryngologica, 1995, 115, 569-575.	0.9	21
288	Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells. American Journal of Obstetrics and Gynecology, 1995, 173, 1477-1482.	1.3	25

#	ARTICLE	IF	CITATIONS
289	Î²-Amyloid-Protein Immunoreactivity in Skin is Not a Reliable Marker of Alzheimer's Disease: An Autopsy Controlled Study. <i>Advances in Behavioral Biology</i> , 1995, , 157-163.	0.2	0
290	c-erbB-2 Oncogene Expression in Salivary Gland Tumours. <i>Orl</i> , 1994, 56, 206-212.	1.1	26
291	Î²-Amyloid Protein Immunoreactivity in Skin Is Not a Reliable Marker of Alzheimer's Disease. <i>Archives of Neurology</i> , 1994, 51, 799.	4.5	17
292	Clinical Course and Prognostic Factors of Human Papillomavirus Infections in Men. Sexually Transmitted Diseases, 1994, 21, 272-279.	1.7	24
293	Expression of proliferating cell nuclear antigen (PC10), p53 protein and c-erbB-2 in renal adenocarcinoma. <i>International Journal of Cancer</i> , 1994, 57, 275-280.	5.1	34
294	Tumour vascularity and basement membrane structure in breast cancer as related to tumour histology and prognosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 1994, 120, 645-650.	2.5	22
295	Comparison of cell proliferation and toxicity assays using two cationic liposomes. <i>Pharmaceutical Research</i> , 1994, 11, 1127-1131.	3.5	201
296	Detection of p53 protein and Ki-67 proliferation antigen in human papillomavirus (HPV)-positive and HPV-negative cervical lesions by immunohistochemical double-staining. <i>Cytopathology</i> , 1994, 5, 282-293.	0.7	9
297	Expression of Transforming Growth Factor-Î²1 and -Î²2 in Human Papillomavirus (HPV)-Associated Lesions of the Uterine Cervix. <i>Gynecologic Oncology</i> , 1994, 54, 349-356.	1.4	16
298	Cationic liposomes mediated delivery of antisense oligonucleotides targeted to HPV 16 E7 mRNA in CaSki cells. <i>Antiviral Research</i> , 1994, 23, 119-130.	4.1	27
299	Progression and survival in prostatic adenocarcinoma: a comparison of clinical stage, Gleason grade, S-phase fraction and DNA ploidy. <i>British Journal of Cancer</i> , 1994, 70, 309-314.	6.4	27
300	Transitional Cell Carcinoma Of The Bladder: Failure To Demonstrate Human Papillomavirus Deoxyribonucleic Acid By In Situ Hybridization And Polymerase Chain Reaction. <i>Journal of Urology</i> , 1994, 152, 1429-1433.	0.4	41
301	Low Concordance of Genital Human Papillomavirus (HPV) Lesions and Viral Types in HPV-Infected Women and Their Male Sexual Partners. <i>Sexually Transmitted Diseases</i> , 1994, 21, 76-82.	1.7	67
302	Screening for human papillomavirus infections in esophageal squamous cell carcinomas by in situ hybridization. <i>Cancer</i> , 1993, 72, 2525-2530.	4.1	53
303	p53 protein expression in breast cancer as related to histopathological characteristics and prognosis. <i>International Journal of Cancer</i> , 1993, 55, 51-56.	5.1	85
304	Demonstration of human papillomavirus (HPV) type 30 in esophageal squamous-cell carcinomas by in situ hybridization. <i>International Journal of Cancer</i> , 1993, 55, 171-173.	5.1	17
305	The value of histoquantitative measurements in prognostic assessment of renal adenocarcinoma. <i>International Journal of Cancer</i> , 1993, 55, 547-554.	5.1	31
306	Tumourigenesis associated with the p53 tumour suppressor gene. <i>British Journal of Cancer</i> , 1993, 68, 653-661.	6.4	112

#	ARTICLE	IF	CITATIONS
307	Use of Antibodies Against A Synthetic Peptide of the E6 Protein of Human Papillomavirus (Hpv) Type 16 For the Diagnosis of Genital Hpv Lesions. <i>Cytopathology</i> , 1993, 4, 3-15.	0.7	3
308	Proliferating-cell nuclear antigen (PC10) immunolabelling and other proliferation indices as prognostic factors in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1993, 119, 288-294.	2.5	29
309	Behavior of cervical intraepithelial neoplasia (CIN) associated with various human papillomavirus (HPV) types. <i>Archives of Gynecology and Obstetrics</i> , 1993, 252, 119-128.	1.7	18
310	Comparison of classic and quantitative prognostic factors in hormone receptor-positive and hormone receptor-negative female breast cancer. <i>American Journal of Surgery</i> , 1993, 165, 307-311.	1.8	8
311	Circulating immune complexes in sera from patients with Alzheimer's disease, multi-infarct dementia and Down's syndrome. <i>Neuroscience Letters</i> , 1993, 149, 67-70.	2.1	12
312	Diagnosis of genital human papillomavirus (HPV) lesions in the male: correlation of peniscopy, histology and in situ hybridisation.. <i>Sexually Transmitted Infections</i> , 1993, 69, 346-351.	1.9	12
313	Prevalence and Risk Factors of Genital Human Papillomavirus (HPV) Infections in Healthy Males. <i>Sexually Transmitted Diseases</i> , 1993, 20, 321-328.	1.7	90
314	Risk Factors Associated with Cervical Human Papillomavirus Infections: A Case-Control Study. <i>American Journal of Epidemiology</i> , 1993, 138, 735-745.	3.4	84
315	Long-term Consequences of Genital HPV Infections in Women. <i>Annals of Medicine</i> , 1992, 24, 233-235.	3.8	7
316	Investigation on the carcinogenic effects of coal tar pitch in rat respiratory tract by intratracheal instillations. <i>Carcinogenesis</i> , 1992, 13, 233-239.	2.8	8
317	Human Papillomavirus Involvement in Esophageal Precancerous Lesions and Squamous Cell Carcinomas as Evidenced by Microscopy and Different DNA Techniques. <i>Scandinavian Journal of Gastroenterology</i> , 1992, 27, 553-563.	1.5	54
318	Infectious agents in the etiology of esophageal cancer. <i>Gastroenterology</i> , 1992, 103, 1336-1348.	1.3	80
319	Tumor Size, Nuclear Morphometry, Mitotic Indices as Prognostic Factors in Axillary -Lymph-Node-Positive Breast Cancer. <i>European Surgical Research</i> , 1992, 24, 160-168.	1.3	13
320	Epstein-Barr virus (EBV) genomes and c-myc oncogene in oral Burkitt's lymphomas. <i>European Journal of Oral Sciences</i> , 1992, 100, 176-180.	1.5	1
321	Dot blot hybridization in detection of human papillomavirus (HPV) infections in the oral cavity of women with genital HPV infections. <i>Oral Microbiology and Immunology</i> , 1992, 7, 19-23.	2.8	58
322	Clinical Course of Cervical Human Papillomavirus Lesions in Relation to Coexistent Cervical Infections. <i>Sexually Transmitted Diseases</i> , 1992, 19, 137-139.	1.7	13
323	Human papillomavirus infections in the respiratory tract. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 1992, 13, 210-225.	1.3	24
324	Amyloid β -protein deposition in skin of patients with dementia. <i>Lancet, The</i> , 1992, 339, 245.	13.7	50

#	ARTICLE	IF	CITATIONS
325	Immune system response in Down's syndrome and Alzheimer's disease. <i>Neurobiology of Aging</i> , 1992, 13, S32.	3.1	0
326	Detection of Human Papillomavirus Infections in the Male Sexual Partners of Women Attending an STD Clinic in Bologna. <i>International Journal of STD and AIDS</i> , 1992, 3, 338-346.	1.1	8
327	Southern blot hybridization and PCR in detection of oral human papillomavirus (HPV) infections in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1992, 21, 459-464.	2.7	102
328	Mitotic indexes as prognostic predictors in female breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 1992, 118, 75-81.	2.5	51
329	DNA flow cytometry, nuclear morphometry, mitotic indices and steroid receptors as independent prognostic factors in female breast cancer. <i>International Journal of Cancer</i> , 1992, 51, 555-561.	5.1	53
330	The changing importance of prognostic factors in breast cancer during long-term follow-up. <i>International Journal of Cancer</i> , 1992, 51, 698-702.	5.1	18
331	JC virus infection and Alzheimer's disease: Reappraisal of an in situ hybridization approach. <i>Annals of Neurology</i> , 1992, 31, 439-441.	5.3	15
332	Squamous cell carcinoma of the conjunctiva. <i>Acta Ophthalmologica</i> , 1992, 70, 248-254.	1.1	33
333	Human Papillomavirus Infections of the Genital Tract: Clinical Significance and Diagnosis by Polymerase Chain Reaction. <i>Frontiers of Virology</i> , 1992, , 185-207.	0.6	3
334	Prognostic factors in axillary lymph node-negative (pN ⁰) breast carcinomas. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 1555-1559.	0.7	16
335	Short biotinylated oligonucleotides bind non-specifically to senile plaques of Alzheimer's disease. <i>Neuroscience Letters</i> , 1991, 130, 89-91.	2.1	4
336	Systemic α -interferon (Wellferon) treatment of genital human papillomavirus (HPV) type 6, 11, 16, and 18 infections: Double-blind, placebo-controlled trial. <i>Gynecologic Oncology</i> , 1991, 43, 55-60.	1.4	32
337	The role of nucleolar organiser regions as prognostic factors in breast cancer. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 989-992.	0.7	33
338	A simple method for isolation of DNA from formalin-fixed paraffin-embedded samples for PCR. <i>Journal of Virological Methods</i> , 1991, 35, 39-47.	2.1	30
339	The use of polymerase chain reaction in generation of biotinylated human papillomavirus DNA probes for in situ hybridization. <i>Journal of Virological Methods</i> , 1991, 31, 147-159.	2.1	8
340	Colposcopic analysis of genital human papillomavirus infections during an 8-year prospective follow-up. <i>International Journal of Gynecology and Obstetrics</i> , 1991, 36, 291-300.	2.3	6
341	DNA Ploidy, S Phase Fraction and G2 Fraction as Prognostic Determinants in Prostatic Adenocarcinoma. <i>European Urology</i> , 1991, 20, 62-66.	1.9	17
342	Esophageal Squamous Cell Papillomas Failure to Detect Human Papillomavirus DNA by in Situ Hybridization and Polymerase Chain Reaction. <i>Scandinavian Journal of Gastroenterology</i> , 1991, 26, 535-543.	1.5	45

#	ARTICLE	IF	CITATIONS
343	Hormone Receptors as Prognostic Factors in Female: Breast Cancer. <i>Annals of Medicine</i> , 1991, 23, 643-648.	3.8	40
344	Human Papillomavirus Infection of the Female Genital Tract. <i>Cytopathology</i> , 1991, 2, 225-227.	0.7	0
345	Cytokeratin pattern in normal and HPV infected oral mucosa in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1991, 20, 26-31.	2.7	13
346	Human papillomavirus (HPV) infections and their associations with oral disease. <i>Journal of Oral Pathology and Medicine</i> , 1991, 20, 305-317.	2.7	161
347	Prognostic scores combining clinical, histological and morphometric variables in assessment of the disease outcome in female breast cancer. <i>International Journal of Cancer</i> , 1991, 49, 886-892.	5.1	46
348	Conization for CIN associated with human papillomavirus infection. <i>Archives of Gynecology and Obstetrics</i> , 1991, 249, 59-65.	1.7	6
349	Genital human papillomavirus lesions of the male sexual partners: the diagnostic accuracy of peniscopy.. <i>Sexually Transmitted Infections</i> , 1991, 67, 291-296.	1.9	21
350	Cryotherapy and CO ₂ -Laser Vaporization in the Treatment of Cervical and Vaginal Human Papillomavirus (HPV) Infections. <i>Obstetrical and Gynecological Survey</i> , 1991, 46, 108-109.	0.4	0
351	Expression of Cytokeratin No. 19 Polypeptide in Genital Papillomavirus Lesions. <i>Gynecologic and Obstetric Investigation</i> , 1990, 29, 59-66.	1.6	10
352	Detection of Human Papillomavirus DNA in Cytologic Specimens Derived from Esophageal Precancer Lesions and Cancer. <i>Scandinavian Journal of Gastroenterology</i> , 1990, 25, 383-388.	1.5	57
353	Prevalence of Genital Human Papillomavirus Infections in a Mass-Screened Finnish Female Population Aged 20-65 Years. <i>International Journal of STD and AIDS</i> , 1990, 1, 410-415.	1.1	29
354	Detection of human papillomavirus (HPV) in genital warts and carcinomas by DNA in situ hybridization in Chinese patients. <i>Cytopathology</i> , 1990, 1, 97-103.	0.7	5
355	Oral mucosal changes in women with genital HPV infection. <i>Journal of Oral Pathology and Medicine</i> , 1990, 19, 142-148.	2.7	54
356	Acetowhite staining and its significance in diagnosis of oral mucosal lesions in women with genital HPV infections. <i>Journal of Oral Pathology and Medicine</i> , 1990, 19, 278-283.	2.7	20
357	Local immune reaction in syngeneic mice against tumorigenic and nontumorigenic BPV-transformed mouse cell lines. <i>Apmis</i> , 1990, 98, 909-915.	2.0	2
358	In situ hybridization analysis of HPV DNA in cervical precancer and cervical cancers from China. <i>Archives of Gynecology and Obstetrics</i> , 1990, 247, 21-29.	1.7	14
359	Generation of cell-mediated cytotoxicity against bovine-papilloma-virus-transformed primary mouse cell lines. <i>Cancer Immunology, Immunotherapy</i> , 1990, 30, 351-356.	4.2	4
360	Detection of human papillomavirus (HPV) DNA in oral squamous cell carcinomas by in situ hybridization and polymerase chain reaction. <i>Archives of Dermatological Research</i> , 1990, 282, 493-497.	1.9	70

#	ARTICLE	IF	CITATIONS
361	Prospective follow-up of genital HPV infections: Survival analysis of the HPV typing data. <i>European Journal of Epidemiology</i> , 1990, 6, 9-14.	5.7	52
362	Human papillomavirus (HPV) DNA in esophageal precancer lesions and squamous cell carcinomas from China. <i>International Journal of Cancer</i> , 1990, 45, 21-25.	5.1	115
363	Colposcopy, punch biopsy, in situ DNA hybridization, and the polymerase chain reaction in searching for genital human papillomavirus (HPV) infections in women with normal PAP smears. <i>Journal of Medical Virology</i> , 1990, 31, 259-266.	5.0	36
364	Verrucous carcinoma of the anus containing human papillomavirus type 16 DNA detected by in situ hybridisation: a case report.. <i>Sexually Transmitted Infections</i> , 1990, 66, 342-345.	1.9	3
365	Epstein-Barr Virus Involvement in Salivary Gland Lesions Associated with Sjögren's Syndrome. <i>Orl</i> , 1990, 52, 254-259.	1.1	19
366	Prevalence, Incidence, and Estimated Life-time Risk of Cervical Human Papillomavirus Infections in a Nonselected Finnish Female Population. <i>Sexually Transmitted Diseases</i> , 1990, 17, 15-19.	1.7	108
367	Topical treatment with human leukocyte interferon of HPV 16 infections associated with cervical and vaginal intraepithelial neoplasias. <i>Gynecologic Oncology</i> , 1990, 36, 353-357.	1.4	28
368	Anal condylomas in men. 1. Histopathological and virological assessment.. <i>Sexually Transmitted Infections</i> , 1989, 65, 216-224.	1.9	16
369	Human papillomavirus (HPV) type 6 and 16 DNA sequences in bronchial squamous cell carcinomas demonstrated by in situ DNA hybridization. <i>Lung</i> , 1989, 167, 33-42.	3.3	43
370	Prospective follow-up of cervical HPV infections: Life table analysis of histopathological, cytological and colposcopic data. <i>European Journal of Epidemiology</i> , 1989, 5, 1-7.	5.7	67
371	Two different human papillomavirus (HPV) types associated with oral mucosal lesions in an HIV-seropositive man. <i>Journal of Oral Pathology and Medicine</i> , 1989, 18, 366-370.	2.7	24
372	Sandwich hybridization in solution: A rapid method to screen HPV 16 DNA in cervical scrapes. <i>Molecular and Cellular Probes</i> , 1989, 3, 1-11.	2.1	10
373	Concept of the Existence of Human Papillomavirus (HPV) DNA in Histologically Normal Squamous Epithelium of the Genital Tract Should be Re-evaluated. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989, 68, 613-617.	2.8	25
374	Cryotherapy and Co ₂ -Laser Vaporization in the Treatment of Cervical and Vaginal Human Papillomavirus (HPV) Infections. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989, 68, 619-625.	2.8	22
375	Human Papillomavirus Type 11 DNA in Squamous Cell Carcinomas and Pre-existing Multiple Laryngeal Papillomas. <i>Acta Oto-Laryngologica</i> , 1989, 107, 141-149.	0.9	81
376	Squamous Cell Carcinoma of the Vulva with Cutaneous Metastases. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989, 68, 271-273.	2.8	10
377	Association of DNA Aneuploidy with Human Papillomavirus-Induced Malignant Transformation of Sinonasal Transitional Papillomas. <i>Otolaryngology - Head and Neck Surgery</i> , 1989, 100, 563-567.	1.9	27
378	Detection of human papillomavirus type 11 DNA in a conjunctival squamous cell papilloma by in situ hybridization with biotinylated probes. <i>Acta Ophthalmologica</i> , 1989, 67, 425-429.	1.1	14

#	ARTICLE	IF	CITATIONS
379	Phenotypic transformation of primary mouse fibroblasts by BPV 1 DNA. Archives of Virology, 1988, 100, 17-25.	2.1	6
380	Altered expression of filaggrin in human papillomavirus (HPV) lesions of the uterine cervix. Archives of Gynecology and Obstetrics, 1988, 241, 235-247.	1.7	22
381	Human papillomavirus (HPV) DNA sequences in oral precancerous lesions and squamous cell carcinoma demonstrated by <i>in situ</i> hybridization. Journal of Oral Pathology and Medicine, 1988, 17, 273-278.	2.7	103
382	Factors associated with progression of cervical human papillomavirus (HPV) infections into carcinoma in situ during a long-term prospective follow-up. BJOG: an International Journal of Obstetrics and Gynaecology, 1988, 95, 1096-1102.	2.3	60
383	Screening of premalignant cervical lesions for HPV 16 DNA by sandwich and <i>in situ</i> hybridization techniques. Gynecologic Oncology, 1988, 30, 251-264.	1.4	13
384	Sensitivity of <i>in situ</i> hybridization techniques using biotin- and 35S-labeled human papillomavirus (HPV) DNA probes. Journal of Virological Methods, 1988, 19, 225-238.	2.1	127
385	Tumour-associated antigens in primary mouse fibroblasts induced by transformation with bovine papillomavirus type 1. Experimental Pathology, 1988, 35, 25-33.	0.4	3
386	Type IV Collagen in the Basal Membrane of Human Papillomavirus Associated Premalignant and Malignant Squamous Cell Lesions of the Uterine Cervix. Gynecologic and Obstetric Investigation, 1988, 26, 324-331.	1.6	5
387	Detection of human papillomavirus (HPV) structural antigens and DNA types in inverted papillomas and squamous cell carcinomas of the nasal cavities and paranasal sinuses. Acta Oto-Laryngologica, 1987, 104, 334-341.	0.9	118
388	Detection of human papillomavirus DNA in anogenital condylomata in men using <i>in situ</i> DNA hybridisation applied to paraffin sections.. Sexually Transmitted Infections, 1987, 63, 32-39.	1.9	22
389	Human Papillomavirus DNA in Squamous Cell Carcinomas of the Larynx Demonstrated by <i>in situ</i> DNA Hybridization. Orl, 1987, 49, 175-186.	1.1	55
390	<i>In situ</i> DNA hybridization analysis of human papillomavirus (HPV) sequences in benign oral mucosal lesions. Archives of Dermatological Research, 1987, 279, 543-549.	1.9	54
391	Immune response against P815X2 mastocytoma growing in syngeneic DBA/2 mice. - I. Morphometric assessment of lymph node immunoreactivity and analysis of circulating antibodies. Experimental Pathology, 1986, 30, 65-74.	0.4	1
392	Immune response against P815X2 mastocytoma growing in syngeneic DBA/2 mice. - II. Morphometric assessment of immunoreactivity in the thymus and spleen related to lymphocyte subsets in peripheral blood. Experimental Pathology, 1986, 30, 75-82.	0.4	0
393	An improved <i>in situ</i> DNA hybridization protocol for detection of human papillomavirus (HPV) DNA sequences in paraffin-embedded biopsies. Journal of Virological Methods, 1986, 14, 293-304.	2.1	69
394	Peptide Hormone Immunoreactivity and Prognosis in Small-Cell Carcinoma of the Lung. Respiration, 1986, 49, 61-67.	2.6	10
395	Local immunoreactivity and human papillomavirus (HPV) in oral precancer and cancer lesions. European Journal of Oral Sciences, 1986, 94, 419-426.	1.5	9
396	Natural Killer (NK) Cells with HNK-1 Phenotype in the Cervical Biopsies of Women Followed-Up for Human Papillomavirus (HPV) Lesions. Acta Obstetricia Et Gynecologica Scandinavica, 1986, 65, 139-145.	2.8	11

#	ARTICLE	IF	CITATIONS
397	Detection of Human Papillomavirus DNA by the Nucleic Acid Sandwich Hybridization Method From Cervical Scraping. <i>Journal of Medical Virology</i> , 1986, 20, 279-288.	5.0	26
398	Detection of human papillomavirus DNA in oral mucosal lesions using in situ DNA-hybridization applied on paraffin sections. <i>Oral Surgery, Oral Medicine, and Oral Pathology</i> , 1986, 62, 660-667.	0.6	91
399	Human papillomavirus (HPV) DNA sequences demonstrated by in situ DNA hybridization in serial paraffin-embedded cervical biopsies. <i>Archives of Gynecology</i> , 1986, 239, 39-48.	0.6	53
400	Tumor Differentiation and Tumor-Host Interactions as Prognostic Determinants in Squamous Cell Carcinoma of the Lip. <i>Acta Oto-Laryngologica</i> , 1986, 101, 152-160.	0.9	12
401	Coexistent chlamydial infections related to natural history of human papillomavirus lesions in uterine cervix.. <i>Sexually Transmitted Infections</i> , 1986, 62, 345-351.	1.9	2
402	Chlamydial Cervicitis in Women Followed-Up For Human Papillomavirus (HPV) Lesions of the Uterine Cervix. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1985, 64, 467-471.	2.8	15
403	Natural history of cervical human papillomavirus (HPV) infections based on prospective follow-up. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1985, 92, 1086-1092.	2.3	87
404	Gingival IgA-microglobulin in juvenile and chronic periodontitis. <i>Acta Odontologica Scandinavica</i> , 1985, 43, 133-138.	1.6	4
405	Immunophenotypes of lymphocytes in prospectively followed up human papillomavirus lesions of the cervix.. <i>Sexually Transmitted Infections</i> , 1985, 61, 190-196.	1.9	7
406	CERVICAL PAPILOMAVIRUS INFECTION PROGRESSING TO INVASIVE CANCER IN LESS THAN THREE YEARS. <i>Lancet, The</i> , 1985, 325, 510-511.	13.7	60
407	Inflammatory cells and their subsets in lesions of juvenile periodontitis: A family study. <i>Acta Odontologica Scandinavica</i> , 1984, 42, 285-292.	1.6	19
408	Nasal Cytology of Patients with Hypertrophic Inferior Conchae in Panoramic Radiographs. <i>Dentomaxillofacial Radiology</i> , 1984, 13, 129-133.	2.7	0
409	Sexual behaviour of women with human papillomavirus (HPV) lesions of the uterine cervix.. <i>Sexually Transmitted Infections</i> , 1984, 60, 243-248.	1.9	32
410	Transferrin reactivity in oral mucosa adjacent to different dental restorations. <i>Acta Odontologica Scandinavica</i> , 1984, 42, 321-325.	1.6	2
411	Localization of transferrin in the labial salivary glands of patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 1984, 3, 345-350.	2.2	1
412	The relation between the type of immunoreactive cells found in human papillomavirus (HPV) lesions of the uterine cervix and the subsequent behaviour of these lesions. <i>Archives of Gynecology</i> , 1984, 234, 189-196.	0.6	17
413	Human papilloma virus (HPV) antigens and local immunologic reactivity in oral squamous cell tumors and hyperplasias. <i>European Journal of Oral Sciences</i> , 1984, 92, 358-370.	1.5	9
414	Langerhans cells in human papillomavirus (HPV) lesions of the uterine cervix identified by the monoclonal antibody OKT-6. <i>International Journal of Gynecology and Obstetrics</i> , 1984, 22, 375-383.	2.3	15

#	ARTICLE	IF	CITATIONS
415	Enumeration of T cell subsets with monoclonal antibodies in minor salivary glands of patients with rheumatoid arthritis. <i>European Journal of Oral Sciences</i> , 1984, 92, 275-281.	1.5	2
416	Current Concepts of Human Papillomavirus Infections in the Genital Tract and Their Relationship to Intraepithelial Neoplasia and Squamous Cell Carcinoma. <i>Obstetrical and Gynecological Survey</i> , 1984, 39, 252-265.	0.4	91
417	Inflammatory cell infiltrate in labial salivary glands of patients with rheumatoid arthritis with special emphasis on tissue mast cells. <i>European Journal of Oral Sciences</i> , 1984, 92, 557-563.	1.5	2
418	A case of malignant myxoma (myxosarcoma) of the maxilla. <i>European Journal of Oral Sciences</i> , 1984, 92, 352-357.	1.5	6
419	ANGIOLEIOMYOMA OF THE LARYNX. REPORT OF A CASE AND REVIEW OF THE LITERATURE. <i>Laryngoscope</i> , 1983, 93, 941-943.	2.0	10
420	Immunohistochemical demonstration of Human papilloma virus (HPV) antigens in oral squamous cell lesions. <i>British Journal of Oral & Maxillofacial Surgery</i> , 1983, 21, 147-153.	0.3	97
421	Demonstration of Human Papilloma Virus (HPV) Antigens in a Case of Urethral Condyloma. <i>Scandinavian Journal of Urology and Nephrology</i> , 1983, 17, 267-270.	1.4	13
422	Morphological and immunohistochemical evidence suggesting human papillomavirus (HPV) involvement in oral squamous cell carcinogenesis. <i>International Journal of Oral Surgery</i> , 1983, 12, 418-424.	0.5	355
423	Morphological and immunohistochemical evidence of human papilloma virus (HPV) involvement in the dysplastic lesions of the uterine cervix. <i>International Journal of Gynecology and Obstetrics</i> , 1983, 21, 261-269.	2.3	18
424	Immunocompetent Cells in Uterine Cervical Lesions of Human Papillomavirus Origin. <i>Gynecologic and Obstetric Investigation</i> , 1983, 16, 327-340.	1.6	18
425	Human Papilloma Virus (HPV) Antigens in Lesions of Laryngeal Squamous Cell Carcinomas. <i>Orl</i> , 1982, 44, 323-334.	1.1	60
426	Radiological Interpretation of the Periapical Cysts and Granulomas. <i>Dentomaxillofacial Radiology</i> , 1982, 11, 89-92.	2.7	8
427	Structure and function of salivary glands in psoriatics. <i>Archives of Dermatological Research</i> , 1982, 274, 295-301.	1.9	4
428	Verrucous squamous cell carcinoma of the female genital tract. Report of three cases and survey of the literature. <i>International Journal of Gynecology and Obstetrics</i> , 1981, 19, 351-356.	2.3	27
429	The use of polymerised autologous tumor tissue particles for experimental cancer immunotherapy in rats bearing Shay chloroma. <i>Experimental Pathology</i> , 1981, 19, 122-129.	0.4	1
430	Tumor-host cell interactions in rats bearing Shay chloroma " Ultrastructural observations in animals receiving specific and nonspecific cancer immunotherapy. <i>Experimental Pathology</i> , 1981, 20, 135-145.	0.4	0
431	A new combination of drugs intended to be used as a preventive measure for the postextraction complications. <i>International Journal of Oral Surgery</i> , 1981, 10, 17-22.	0.5	9
432	Histological Evidence for the Presence of Condylomatous Epithelial Lesions in Association with Laryngeal Squamous Cell Carcinoma. <i>Orl</i> , 1981, 43, 181-194.	1.1	46

#	ARTICLE	IF	CITATIONS
433	The effects on extraction wound healing of a new drug combination introduced for use in the prevention of post-extraction complications. A preliminary report. <i>British Journal of Oral & Maxillofacial Surgery</i> , 1981, 19, 57-66.	0.3	6
434	Condylomatous Epithelial Changes in the Uterine Cervix and Their Relationship to Cervical Carcinogenesis. <i>International Journal of Gynecology and Obstetrics</i> , 1980, 17, 415-420.	2.3	11
435	Condylomatous Lesions of the Uterine Cervix with Special Reference to Squamous Cell Carcinogenesis. <i>Gynecologic and Obstetric Investigation</i> , 1980, 11, 350-364.	1.6	11
436	Bronchial squamous cell carcinomas associated with epithelial changes identical to condylomatous lesions of the uterine cervix. <i>Lung</i> , 1980, 158, 131-142.	3.3	31
437	Morphology of the spleen in women who died of metastatic genital tract cancer. <i>Archives of Gynecology</i> , 1980, 230, 33-40.	0.6	2
438	Fine needle aspiration cytology of the thyroid osteosarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 1980, 96, 319-323.	2.5	6
439	Spleen white pulp morphology in evaluation of immunologic reactivity of patients with widespread colorectal carcinoma. <i>Diseases of the Colon and Rectum</i> , 1980, 23, 228-235.	1.3	3
440	Spleen White Pulp Architecture in the Assessment of Immunity in Patients with Far-Advanced Pancreatic Carcinoma. <i>Scandinavian Journal of Gastroenterology</i> , 1980, 15, 609-615.	1.5	2
441	Spleen white pulp morphology as an indicator of the immunological state in DBA/2 mice bearing mastocytoma. <i>Experimentelle Pathologie</i> , 1980, 18, 223-231.	0.2	3
442	Morphology of the Spleen White Pulp in Relation to the Immunological Functions in Patients with Far Advanced Bronchial Carcinoma. <i>Immunobiology</i> , 1980, 157, 67-77.	1.9	4
443	Experimental cancer immunotherapy in DBA/2 mouse-mastocytoma model utilizing autologous tumor tissue polymerised with ethylchlorformiate. <i>Experimentelle Pathologie</i> , 1980, 18, 346-352.	0.2	2
444	Morphologic survey of the condylomatous lesions in dysplastic and neoplastic epithelium of the uterine cervix. <i>Archives of Gynecology</i> , 1979, 227, 153-161.	0.6	45
445	Renal Adenomatosis. <i>Scandinavian Journal of Urology and Nephrology</i> , 1979, 13, 329-334.	1.4	22
446	Endothelium-associated IgG in the post-capillary venules of the lymphatic tissues in mice bearing experimental neoplasia. <i>Experimentelle Pathologie</i> , 1979, 17, 264-270.	0.2	2
447	IgG in the walls of the post-capillary venules of mouse lymphatic tissue. <i>Experimentelle Pathologie</i> , 1979, 17, 40-43.	0.2	4
448	Post-capillary venules of the mouse lymphatic tissues with special reference to the distribution of their endothelial IgG. <i>Experimentelle Pathologie</i> , 1979, 17, 134-142.	0.2	4
449	Morphology of the Lymph Nodes Draining Renal Adenocarcinoma in Relation to Immunological Functions. <i>Scandinavian Journal of Urology and Nephrology</i> , 1979, 13, 177-183.	1.4	8
450	Post-capillary venules of the lymphatic tissues in mice with special reference to the depletion of T-lymphocyte population. <i>Experimental and Molecular Pathology</i> , 1978, 29, 291-302.	2.1	16

#	ARTICLE	IF	CITATIONS
451	Tumor-host relationships in colorectal carcinoma. Diseases of the Colon and Rectum, 1978, 21, 29-36.	1.3	21
452	Post-capillary venules in the lymphatic tissues of mice bearing experimental neoplasia. Experimentelle Pathologie, 1978, 15, 348-354.	0.2	6
453	Thymic morphology in mice following treatment with anti-theta- and anti-thymus-globulins. Experimentelle Pathologie, 1978, 15, 169-177.	0.2	3
454	The effects of anti-theta-globulin treatment on the morphology of the mouse spleen. Experimentelle Pathologie, 1978, 15, 38-45.	0.2	8
455	The influence of anti-theta-globulin treatment on the growth of mastocytoma in mice. Experimentelle Pathologie, 1977, 14, 208-214.	0.2	9
456	Histologic changes in mouse lymph nodes after treatment with antitheta-globulin. Experimentelle Pathologie, 1977, 14, 171-179.	0.2	3
457	Paracortical Activity of the Regional Lymph Nodes as a Prognostic Determinant in Gastric Carcinoma. Scandinavian Journal of Gastroenterology, 1977, 12, 897-902.	1.5	18
458	Morphology of the Regional Lymph Nodes of Gastric Carcinoma and Ulcer of the Stomach in Relation to Immunological Function. Scandinavian Journal of Gastroenterology, 1977, 12, 903-909.	1.5	12