


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10441230/publications.pdf Version: 2024-02-01



K A L	1	
KAL		

#	Article	IF	CITATIONS
1	Suppression of beta 2 adrenergic receptor actions prevent UVB mediated cutaneous squamous cell tumorigenesis through inhibition of VEGFâ€A induced angiogenesis. Molecular Carcinogenesis, 2021, 60, 172-178.	2.7	8
2	Cover Image, Volume 60, Issue 3. Molecular Carcinogenesis, 2021, 60, i.	2.7	0
3	Dopamine Prevents Ultraviolet B–induced Development and Progression of Premalignant Cutaneous Lesions through its D2 Receptors. Cancer Prevention Research, 2021, 14, 687-696.	1.5	2
4	Chebulinic acid is a safe and effective antiangiogenic agent in collagen-induced arthritis in mice. Arthritis Research and Therapy, 2020, 22, 273.	3.5	13
5	Activation of D2 Dopamine Receptors in CD133+ve Cancer Stem Cells in Non-small Cell Lung Carcinoma Inhibits Proliferation, Clonogenic Ability, and Invasiveness of These Cells. Journal of Biological Chemistry, 2017, 292, 435-445.	3.4	38
6	Plants and their active compounds: natural molecules to target angiogenesis. Angiogenesis, 2016, 19, 287-295.	7.2	56
7	Activation of Dopamine D1 Receptors in Dermal Fibroblasts Restores Vascular Endothelial Growth Factor-A Production by These Cells and Subsequent Angiogenesis in Diabetic Cutaneous Wound Tissues. American Journal of Pathology, 2016, 186, 2262-2270.	3.8	14
8	The natural compound chebulagic acid inhibits vascular endothelial growth factor A mediated regulation of endothelial cell functions. Scientific Reports, 2015, 5, 9642.	3.3	15
9	Triphala and Its Active Constituent Chebulinic Acid Are Natural Inhibitors of Vascular Endothelial Growth Factor-A Mediated Angiogenesis. PLoS ONE, 2012, 7, e43934.	2.5	50